R3850-1.64 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data

Source of the Data v
Data Quality v
Geographic Coverage vi
Organization of Length of Stay Tables viii
  Patient Data Assignment
  Definition of Multiple Diagnoses Patients
  Definition of Operated Patients
Explanation of Statistics viii
Application of Length of Stay Tables ix

Length of Stay Tables

Length of Stay Tables Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 3
Diagnosis Groups 1-398 4
Length of Stay Tables Operation Groups 205
Summary of All Patients in Operation Groups 206
Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
Diagnosis Index 278
Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.



** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

1463 Hospitals, United States, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19217	5.1	31	1	1	4	6	10	14	29
70-74	16585	5.3	33	1	1	4	6	10	14	31
75-79	13642	5.5	36	1	1	4	7	11	15	32
80-84	9289	5.5	32	1	1	4	7	10	14	28
85+	8686	5.5	28	1	1	4	7	11	14	26
B. *Operated*										
65-69 YRS	37974	4.9	19	<1	1	4	7	10	13	19
70-74	31100	5.3	21	<1	1	4	7	11	14	20
75-79	21881	5.6	26	<1	1	4	8	12	15	22
80-84	12611	6.1	31	<1	1	4	9	13	16	24
85+	8525	7.0	42	<1	1	5	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229680	6.7	39	1	2	5	8	13	17	32
70-74	250562	7.1	41	1	2	5	9	13	18	34
75-79	239296	7.5	44	2	2	6	9	14	19	35
80-84	192452	7.8	48	2	2	6	10	15	19	37
85+	187666	8.2	53	2	3	6	10	15	20	40
B. *Operated*										
65-69 YRS	196278	9.1	84	1	2	7	11	18	26	50
70-74	187504	9.8	91	1	2	7	12	20	27	53
75-79	151702	10.6	101	1	2	8	14	21	29	57
80-84	99521	11.5	113	2	2	9	15	23	31	63
85+	77305	12.5	119	2	3	10	16	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*	712310	10.3	98	1	2	8	13	21	29	57
1. SINGLE DX	179510	5.4	27	1	1	4	7	11	14	25
2. MULTIPLE DX	1811966	8.5	68	1	2	6	11	17	23	45
A. NOT OPERATED	1167075	7.3	44	1	2	6	9	14	18	35
B. OPERATED	824401	9.6	91	1	2	7	12	20	27	53
TOTAL 65-69 YRS	483149	7.5	57	1	2	5	9	15	20	40
70-74	485751	7.9	61	1	2	6	10	16	21	42
75-79	426521	8.4	66	1	2	6	11	17	23	44
80-84	313873	8.9	71	2	2	7	11	17	23	47
85+	282182	9.2	74	2	2	7	11	18	24	50
GRAND TOTAL	**1991476**	**8.3**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	3.3	4	1	1	3	4	6	7	9
70-74	77	3.6	6	1	1	3	5	7	7	15
75-79	60	3.6	6	1	1	3	5	7	9	11
80-84	53	3.6	8	1	1	3	4	6	9	15
85+	39	3.2	4	1	1	3	4	5	7	9
B. *Operated*										
65-69 YRS	7	10.4	89	4	4	8	10	27	31	31
70-74	3	4.7	10	1	1	6	7	7	7	7
75-79	4	5.8	17	2	2	5	9	11	11	11
80-84	5	7.6	19	2	2	9	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	957	4.5	10	1	2	4	5	8	11	16
70-74	1014	5.0	17	1	2	4	6	9	12	20
75-79	954	5.5	22	1	2	4	7	11	14	23
80-84	738	5.8	27	2	2	4	7	11	14	24
85+	644	6.0	25	1	2	5	8	11	15	27
B. *Operated*										
65-69 YRS	129	9.7	64	2	3	8	12	18	24	67
70-74	97	10.8	100	3	4	8	13	22	27	61
75-79	129	10.6	74	2	3	8	14	21	30	58
80-84	86	14.5	244	4	5	9	15	37	59	95
85+	56	17.3	261	3	4	13	20	35	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	3.4	5	1	1	3	5	6	8	11
B. *Operated*	19	7.8	43	1	2	7	10	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	4307	5.3	20	1	2	4	6	10	13	22
B. *Operated*	497	11.8	132	2	4	8	14	23	35	82
1. SINGLE DX	349	3.7	8	1	1	3	5	7	9	12
2. MULTIPLE DX	4804	6.0	35	1	2	4	7	11	15	30
A. NOT OPERATED	4637	5.2	19	1	2	4	6	10	13	22
B. OPERATED	516	11.7	130	2	3	8	14	23	33	81
TOTAL 65-69 YRS	1194	5.0	19	1	2	4	6	9	13	23
70-74	1191	5.4	26	1	2	4	6	10	14	25
75-79	1147	6.0	30	1	2	4	7	12	16	30
80-84	882	6.6	54	2	2	5	7	12	17	44
85+	739	6.7	51	1	2	5	8	13	18	36
GRAND TOTAL	**5153**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	27	<1	<1	4	9	14	15	15
70-74	11	11.2	41	4	5	9	17	21	21	21
75-79	7	9.3	17	3	4	8	13	14	14	14
80-84	3	9.0	12	7	7	7	12	13	13	13
85+	6	13.2	89	2	2	15	21	23	23	23
B. *Operated*										
65-69 YRS	14	10.1	16	4	6	9	12	15	19	20
70-74	10	6.1	9	1	1	7	8	9	9	9
75-79	5	7.0	14	2	2	9	10	10	10	10
80-84	5	11.0	8	8	8	11	13	15	15	15
85+	3	7.0	16	3	3	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	12.1	119	3	4	10	13	24	30	70
70-74	71	13.6	78	4	5	11	17	25	33	45
75-79	87	12.3	51	4	5	10	17	24	27	30
80-84	52	13.4	152	2	3	11	16	25	36	75
85+	51	11.9	64	3	4	11	15	20	26	46
B. *Operated*										
65-69 YRS	94	15.0	101	4	5	12	22	29	33	49
70-74	81	15.1	84	4	6	13	20	29	39	99+
75-79	69	15.7	109	4	6	14	19	30	37	53
80-84	61	16.9	274	2	4	13	19	34	51	94
85+	28	16.9	132	3	5	15	25	32	40	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	9.8	42	1	2	8	14	21	21	23
B. *Operated*	37	8.5	15	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	325	12.7	88	3	4	10	15	24	28	45
B. *Operated*	333	15.7	132	3	5	13	21	30	39	68
1. SINGLE DX	71	9.1	28	1	3	8	12	16	21	23
2. MULTIPLE DX	658	14.2	112	3	5	11	18	27	34	55
A. NOT OPERATED	359	12.4	84	3	4	10	15	23	27	45
B. OPERATED	370	14.9	125	3	5	12	19	29	37	61
TOTAL 65-69 YRS	179	13.2	102	3	4	10	16	27	30	50
70-74	173	13.7	78	4	5	11	18	27	35	87
75-79	168	13.4	77	3	5	11	17	25	29	46
80-84	121	14.9	206	2	4	11	17	29	41	82
85+	88	13.4	90	3	4	11	17	26	32	46
GRAND TOTAL	**729**	**13.7**	**106**	**3**	**4**	**11**	**17**	**26**	**32**	**53**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	11.5	221	1	1	11	22	22	22	22
70-74	2	7.0	72	1	1	7	13	13	13	13
75-79	2	13.0	32	9	9	13	17	17	17	17
80-84	2	19.0	162	10	10	19	28	28	28	28
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	8.2	25	2	2	8	12	15	15	15
70-74	11	11.8	125	2	3	8	14	33	35	35
75-79	12	15.8	219	4	5	11	18	38	53	56
80-84	11	11.6	22	7	8	10	12	20	21	21
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	20	15.8	125	2	4	15	22	28	38	47
70-74	20	24.5	506	2	4	21	37	70	87	99+
75-79	22	24.5	430	1	3	16	34	64	72	74
80-84	10	20.0	190	8	9	14	29	42	51	51
85+	11	26.3	842	6	6	12	33	78	94	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	9	11.8	86	1	1	10	18	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	41	12.3	106	3	4	10	14	25	33	56
B. *Operated*	83	22.1	395	3	4	16	29	59	71	98
1. SINGLE DX	10	10.9	84	1	1	9	17	25	28	28
2. MULTIPLE DX	124	18.9	320	3	4	12	23	47	66	96
A. NOT OPERATED	42	12.1	106	3	4	10	14	24	33	56
B. OPERATED	92	21.1	373	1	4	16	28	58	69	98
TOTAL 65-69 YRS	28	13.9	111	1	3	11	20	27	31	47
70-74	34	18.7	383	1	3	13	27	59	73	99+
75-79	36	21.0	349	3	4	15	29	54	68	74
80-84	23	15.9	113	7	8	11	19	30	40	51
85+	13	23.4	753	5	6	10	26	72	91	95
GRAND TOTAL	**134**	**18.3**	**306**	**2**	**4**	**12**	**22**	**37**	**65**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8		2	2	3	3	3	3	3
70-74	4	4.0	3	2	2	4	5	6	6	6
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	4.4	5	2	2	4	6	7	10	10
70-74	19	5.1	12	1	2	5	6	7	13	18
75-79	14	6.0	9	2	3	5	8	11	11	11
80-84	8	4.6	4	3	3	4	5	8	9	9
85+	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	29.0		29	29	29	29	29	29	29
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	13.0		13	13	13	13	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	2	2	2	3	4	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	79	4.9	7	2	2	4	6	8	10	16
B. *Operated*	4	16.0	79	9	9	13	21	29	29	29
1. SINGLE DX	9	3.3	2	2	2	3	4	6	6	6
2. MULTIPLE DX	83	5.4	15	2	3	4	6	9	12	25
A. NOT OPERATED	88	4.7	7	2	2	4	6	8	10	15
B. OPERATED	4	16.0	79	9	9	13	21	29	29	29
TOTAL 65-69 YRS	40	4.9	20	2	2	4	6	8	10	29
70-74	24	5.1	11	2	2	5	6	7	12	18
75-79	16	6.9	13	2	3	6	10	13	13	13
80-84	9	4.4	4	3	3	4	5	8	9	9
85+	3	4.7	2	3	3	5	6	6	6	6
GRAND TOTAL	**92**	**5.2**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**24**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	7.6	63	1	2	6	8	13	20	43
70-74	32	7.7	24	1	2	6	11	14	16	20
75-79	44	9.4	89	2	3	7	10	14	29	56
80-84	39	7.0	19	2	2	6	9	12	17	20
85+	40	8.8	81	1	2	7	9	16	18	58
B. *Operated*										
65-69 YRS										
70-74	3	11.0	9	8	8	11	13	14	14	14
75-79	3	17.3	240	6	6	11	29	35	35	35
80-84	4	15.3	82	6	6	14	22	27	27	27
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2001	10.5	51	3	4	9	13	18	23	42
70-74	2341	10.8	61	3	4	9	13	18	25	42
75-79	2690	10.9	50	4	5	9	13	18	23	42
80-84	2527	11.2	57	4	5	10	13	19	24	42
85+	3181	11.3	53	4	5	10	14	19	25	43
B. *Operated*										
65-69 YRS	677	19.0	209	6	7	14	23	41	54	90
70-74	847	18.6	186	5	7	14	24	40	49	99+
75-79	815	18.9	170	5	7	15	24	36	50	99+
80-84	668	19.6	173	6	8	16	25	37	51	99+
85+	639	18.6	169	6	7	15	22	34	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	8.2	57	2	2	7	10	14	18	52
B. *Operated*	10	14.6	90	6	6	11	17	31	35	35
2. MULTIPLE DX										
A. *Not Operated*	12740	11.0	55	4	5	9	13	18	24	43
B. *Operated*	3646	18.9	181	6	7	15	23	38	51	99+
1. SINGLE DX	193	8.5	60	2	3	7	10	15	19	50
2. MULTIPLE DX	16386	12.7	94	4	5	10	15	23	31	61
A. NOT OPERATED	12923	10.9	55	4	5	9	13	18	24	43
B. OPERATED	3656	18.9	181	6	7	15	23	37	51	99+
TOTAL 65-69 YRS	2706	12.6	105	4	5	10	15	23	34	61
70-74	3223	12.8	106	4	5	10	15	25	32	65
75-79	3552	12.7	89	4	5	10	15	23	31	57
80-84	3238	12.9	92	4	5	10	15	24	31	60
85+	3860	12.4	80	4	5	10	15	22	28	55
GRAND TOTAL	**16579**	**12.7**	**93**	**4**	**5**	**10**	**15**	**23**	**31**	**60**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	6.4	15	2	3	6	9	11	15	16
70-74	14	7.5	53	2	2	5	7	16	26	29
75-79	6	4.2	2	2	2	4	5	6	6	6
80-84	5	6.6	1	5	5	7	7	8	8	8
85+	8	6.1	15	3	3	5	7	13	15	15
B. *Operated*										
65-69 YRS	3	6.3	12	3	3	6	9	10	10	10
70-74	3	3.7		3	3	4	4	4	4	4
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	153	9.2	95	3	3	7	11	16	25	58
70-74	145	10.8	95	3	4	8	13	19	26	49
75-79	147	9.0	39	3	4	7	11	18	25	33
80-84	122	10.1	58	3	4	8	12	18	21	48
85+	131	10.3	73	2	3	8	12	20	29	47
B. *Operated*										
65-69 YRS	66	20.0	269	5	6	15	25	52	69	99+
70-74	57	20.3	292	3	5	15	26	50	64	98
75-79	45	16.3	176	4	6	11	20	41	48	56
80-84	50	15.8	166	3	4	13	21	31	41	72
85+	34	18.0	162	3	6	14	26	40	43	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	6.4	23	2	2	6	7	12	15	29
B. *Operated*	11	6.3	23	1	1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	698	9.9	73	3	4	7	12	19	25	46
B. *Operated*	252	18.3	223	4	5	14	23	43	55	99
1. SINGLE DX	58	6.4	22	2	2	5	7	13	15	28
2. MULTIPLE DX	950	12.1	126	3	4	8	15	25	37	68
A. NOT OPERATED	745	9.6	70	3	3	7	11	18	25	44
B. OPERATED	263	17.8	220	3	5	13	22	42	54	96
TOTAL 65-69 YRS	236	12.1	162	3	3	8	14	25	44	85
70-74	219	12.9	161	3	4	9	15	26	41	77
75-79	200	10.5	78	3	4	8	12	22	27	54
80-84	178	11.5	94	3	4	9	14	21	29	57
85+	175	11.7	97	3	3	8	14	24	33	49
GRAND TOTAL	**1008**	**11.8**	**122**	**3**	**4**	**8**	**14**	**24**	**35**	**66**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.8	13	3	3	4	8	11	11	11
70-74	3	3.7	4	2	2	3	5	6	6	6
75-79	4	5.3	4	4	4	5	6	8	8	8
80-84	3	7.0	19	4	4	5	10	12	12	12
85+	2	28.0	1250	3	3	28	53	53	53	53
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.0	19	2	3	6	8	13	17	20
70-74	22	7.7	23	2	3	6	12	15	17	18
75-79	14	8.7	33	2	4	7	10	14	23	26
80-84	10	6.3	11	3	3	6	7	11	15	15
85+	8	7.6	15	3	3	7	10	13	14	14
B. *Operated*										
65-69 YRS	6	13.7	87	4	4	10	19	29	30	30
70-74	6	15.7	54	7	7	13	22	26	27	27
75-79	5	26.0	174	10	10	26	39	39	39	39
80-84	3	22.3	120	16	16	16	30	35	35	35
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.3	150	2	3	5	7	12	41	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	81	7.5	21	2	3	6	10	14	16	24
B. *Operated*	20	18.7	114	5	8	16	26	37	39	39
1. SINGLE DX	16	8.3	150	2	3	5	7	12	41	53
2. MULTIPLE DX	101	9.7	58	3	3	7	12	18	27	39
A. NOT OPERATED	97	7.6	41	2	3	6	9	14	16	40
B. OPERATED	20	18.7	114	5	8	16	26	37	39	39
TOTAL 65-69 YRS	37	7.9	33	2	3	6	10	15	20	30
70-74	31	8.9	39	2	3	7	13	17	22	27
75-79	23	11.9	111	3	4	8	12	29	39	39
80-84	16	9.4	66	3	4	6	13	16	29	35
85+	10	11.7	224	3	3	7	12	33	53	53
GRAND TOTAL	**117**	**9.5**	**70**	**2**	**3**	**7**	**12**	**18**	**27**	**44**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.3	10	<1	1	4	5	7	8	19
70-74	63	5.6	13	1	2	5	7	8	10	24
75-79	51	6.0	16	2	2	5	7	10	13	25
80-84	40	5.4	5	1	2	5	7	8	8	9
85+	34	6.3	9	2	2	7	8	10	11	15
B. *Operated*										
65-69 YRS	6	5.0	12	<1	<1	5	8	9	9	9
70-74	4	8.3	20	3	3	8	11	14	14	14
75-79	7	6.3	11	3	3	5	9	11	11	11
80-84	5	6.0	6	3	3	7	8	8	8	8
85+	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	434	6.9	20	2	3	6	8	12	15	25
70-74	521	7.7	47	2	3	6	9	13	18	36
75-79	519	7.8	31	2	3	7	10	14	17	28
80-84	413	8.1	37	2	3	7	10	15	20	32
85+	349	9.0	45	2	3	7	11	18	22	35
B. *Operated*										
65-69 YRS	70	12.4	194	1	2	9	14	23	37	74
70-74	70	13.6	204	1	3	9	16	38	42	74
75-79	74	15.5	162	4	5	12	21	30	50	93
80-84	65	13.8	164	2	3	9	17	30	45	96
85+	26	16.0	173	3	3	13	21	28	48	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.5	11	1	2	5	7	8	10	20
B. *Operated*	24	7.0	18	1	3	7	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	2236	7.8	36	2	3	6	9	14	19	31
B. *Operated*	305	14.0	179	2	3	10	18	29	44	76
1. SINGLE DX	254	5.6	12	1	2	5	7	9	11	20
2. MULTIPLE DX	2541	8.6	57	2	3	7	10	16	22	42
A. NOT OPERATED	2466	7.6	34	2	3	6	9	14	18	31
B. OPERATED	329	13.5	171	2	3	9	16	28	42	75
TOTAL 65-69 YRS	552	7.3	45	1	2	6	8	13	18	30
70-74	658	8.1	64	2	3	6	9	14	21	42
75-79	651	8.5	51	2	3	7	10	16	21	35
80-84	523	8.6	55	2	3	7	10	17	23	39
85+	411	9.3	53	2	3	7	11	19	23	37
GRAND TOTAL	**2795**	**8.3**	**54**	**2**	**3**	**7**	**10**	**15**	**21**	**40**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.5	4	1	2	5	6	7	7	7
70-74	6	4.7	8	3	3	3	6	10	10	10
75-79	9	6.9	8	3	3	7	8	11	12	12
80-84	6	3.5	1	2	2	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	7.4	17	3	3	7	9	13	16	66
70-74	51	9.9	115	3	3	8	12	17	23	99+
75-79	59	7.7	24	3	3	6	9	13	15	32
80-84	35	7.1	11	2	4	7	8	12	12	18
85+	22	8.3	51	2	3	7	9	15	25	35
B. *Operated*										
65-69 YRS	28	11.0	74	1	3	9	15	25	30	35
70-74	21	12.2	31	3	6	12	15	19	24	24
75-79	7	16.3	128	2	3	13	28	31	31	31
80-84	4	7.3	6	4	4	8	9	9	9	9
85+	7	21.4	88	7	9	21	25	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	6	2	2	4	7	8	10	12
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	260	8.0	40	3	3	7	10	14	17	72
B. *Operated*	67	12.8	72	2	4	10	17	26	30	37
1. SINGLE DX	36	4.9	6	2	2	4	6	8	10	12
2. MULTIPLE DX	327	9.0	50	3	3	7	11	16	22	46
A. NOT OPERATED	295	7.6	37	2	3	7	9	13	16	57
B. OPERATED	68	12.7	72	2	4	10	17	25	30	37
TOTAL 65-69 YRS	135	7.8	30	2	3	7	10	15	19	44
70-74	78	10.1	87	3	3	9	13	17	23	93
75-79	75	8.4	37	3	3	7	10	14	21	32
80-84	45	6.6	10	2	3	6	8	12	12	18
85+	30	11.2	89	3	3	8	18	24	35	38
GRAND TOTAL	**363**	**8.6**	**47**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.0	6	3	3	6	8	9	9	9
70-74	9	7.6	117	2	2	4	6	24	36	36
75-79	4	7.8	48	3	3	5	12	18	18	18
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	2	26.0	1058	3	3	26	49	49	49	49
B. *Operated*										
65-69 YRS	6	9.8	30	4	4	10	15	16	16	16
70-74	2	27.5	1105	4	4	27	51	51	51	51
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	25	8.7	120	2	3	5	8	18	39	49
B. *Operated*	9	14.4	216	4	4	13	16	37	51	51
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	34	10.2	146	2	3	6	12	20	46	51
A. NOT OPERATED	25	8.7	120	2	3	5	8	18	39	49
B. OPERATED	10	13.8	196	4	4	10	16	34	51	51
TOTAL 65-69 YRS	15	7.7	18	3	4	7	9	15	16	16
70-74	11	11.2	269	2	2	4	7	42	50	51
75-79	5	9.4	50	3	3	6	16	18	18	18
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	2	26.0	1058	3	3	26	49	49	49	49
GRAND TOTAL	**35**	**10.1**	**142**	**2**	**3**	**6**	**11**	**18**	**46**	**51**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		<1	<1	1	1	2	2	2
70-74	5	2.6	2	<1	<1	3	4	4	4	4
75-79	3	1.3		<1	<1	<1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.9	10	1	1	2	3	8	11	11
70-74	8	2.1	2	<1	<1	2	3	4	4	4
75-79	8	2.9	3	1	1	2	4	5	6	6
80-84	5	3.6	3	1	1	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	30	2.8	4	1	1	2	4	5	6	11
1. SINGLE DX	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	30	2.8	4	1	1	2	4	5	6	11
A. NOT OPERATED										
B. OPERATED	43	2.5	4	<1	<1	2	4	4	6	11
TOTAL 65-69 YRS	13	2.4	7	<1	<1	2	2	5	10	11
70-74	13	2.3	2	<1	<1	3	3	4	4	4
75-79	11	2.5	2	<1	<1	2	3	5	6	6
80-84	6	3.2	3	1	1	3	5	5	5	5
85+										
GRAND TOTAL	**43**	**2.5**	**4**	**<1**	**<1**	**2**	**4**	**4**	**6**	**11**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.5	6	1	1	3	4	8	9	11
70-74	22	3.3	2	1	2	3	4	5	6	6
75-79	20	2.9	2	1	1	3	4	5	6	6
80-84	20	4.0	4	1	1	4	5	7	7	8
85+	12	2.8	2	<1	1	3	4	5	5	5
B. *Operated*										
65-69 YRS	5	3.2	5	2	2	2	4	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.0	8	3	3	5	7	7	7	7
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	476	4.6	15	1	2	4	6	8	10	17
70-74	467	4.8	13	2	2	4	6	9	12	22
75-79	449	5.1	18	1	2	4	6	9	12	27
80-84	344	5.6	50	2	2	4	6	10	13	33
85+	321	5.3	16	2	2	4	6	10	12	22
B. *Operated*										
65-69 YRS	49	10.7	90	2	3	9	11	21	27	54
70-74	38	10.6	48	2	3	9	12	19	27	34
75-79	39	11.1	83	3	3	9	12	25	27	47
80-84	24	16.1	274	4	4	10	22	37	83	99+
85+	12	11.6	78	3	3	8	16	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.4	4	1	1	3	4	6	7	10
B. *Operated*	8	3.5	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2057	5.0	21	2	2	4	6	9	12	23
B. *Operated*	162	11.6	105	3	3	9	13	24	33	74
1. SINGLE DX	118	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2219	5.5	30	2	2	4	6	10	13	29
A. NOT OPERATED	2167	4.9	20	1	2	4	6	9	12	23
B. OPERATED	170	11.2	104	2	3	9	13	24	33	72
TOTAL 65-69 YRS	566	5.0	24	1	2	4	6	9	11	23
70-74	528	5.2	17	2	2	4	6	10	13	24
75-79	510	5.5	25	1	2	4	6	10	14	27
80-84	388	6.2	67	2	2	4	7	11	17	81
85+	345	5.4	19	2	2	4	6	10	13	23
GRAND TOTAL	**2337**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**13**	**28**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	10	2	2	4	6	10	10	10
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	8.4	80	2	2	5	10	15	29	42
70-74	7	3.4	1	2	2	3	4	5	5	5
75-79	11	5.4	5	3	3	5	7	9	11	11
80-84	3	3.3	5	2	2	2	5	6	6	6
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	10.0	27	5	5	10	14	15	15	15
70-74	3	6.3	9	3	3	7	8	9	9	9
75-79	2	22.0	288	10	10	22	34	34	34	34
80-84	1	17.0		17	17	17	17	17	17	17
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	7	2	2	4	4	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	6.2	42	2	2	4	7	10	15	42
B. *Operated*	10	12.0	81	3	4	9	15	25	34	34
1. SINGLE DX	7	4.1	7	2	2	4	4	9	10	10
2. MULTIPLE DX	53	7.3	53	2	3	5	9	15	17	42
A. NOT OPERATED	50	5.9	38	2	2	4	7	10	15	42
B. OPERATED	10	12.0	81	3	4	9	15	25	34	34
TOTAL 65-69 YRS	29	7.9	61	2	2	5	10	15	17	42
70-74	11	4.1	5	2	2	3	5	8	9	9
75-79	13	7.9	68	3	3	5	8	16	31	34
80-84	4	6.8	50	2	2	4	11	17	17	17
85+	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**60**	**7.0**	**49**	**2**	**2**	**5**	**9**	**14**	**16**	**41**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	27	1	1	2	10	12	12	12
70-74										
75-79	6	5.2	23	<1	<1	4	10	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	4	3.5	4	1	1	4	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	5.7	21	1	1	4	10	12	14	15
70-74	14	9.4	95	1	2	6	13	18	34	39
75-79	28	10.0	77	2	3	9	11	23	28	43
80-84	19	7.2	29	1	1	7	10	19	61	99+
85+	8	10.0	53	<1	<1	11	15	19	20	20
B. *Operated*										
65-69 YRS	16	13.8	397	1	1	7	16	28	65	81
70-74	12	12.1	129	1	2	8	18	30	35	36
75-79	11	11.6	49	2	3	12	15	22	25	26
80-84	3	35.3	1674	2	2	23	66	81	81	81
85+	2	15.0	72	9	9	15	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	21	<1	<1	2	9	11	12	12
B. *Operated*	5	4.0	4	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	83	8.5	58	1	2	7	11	16	26	81
B. *Operated*	44	14.3	296	1	2	10	18	28	49	81
1. SINGLE DX	17	4.5	16	<1	<1	3	7	11	12	12
2. MULTIPLE DX	127	10.5	146	1	2	8	14	23	30	85
A. NOT OPERATED	95	8.1	54	1	1	7	11	15	25	74
B. OPERATED	49	13.3	276	1	1	7	17	27	38	81
TOTAL 65-69 YRS	36	9.2	198	1	1	5	11	17	27	81
70-74	30	9.7	100	1	1	5	15	24	36	39
75-79	45	9.7	65	1	2	9	11	19	26	43
80-84	23	10.6	274	1	1	7	11	29	87	99+
85+	10	11.0	53	<1	<1	11	16	20	21	21
GRAND TOTAL	**144**	**9.8**	**134**	**1**	**1**	**7**	**12**	**21**	**28**	**82**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.0	13	1	1	3	7	8	8	8
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	9	6.8	15	<1	<1	8	9	12	12	12
70-74	3	11.7	41	7	7	9	16	19	19	19
75-79										
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	8.3	61	2	3	6	10	15	19	46
70-74	67	9.3	46	2	2	7	13	16	22	38
75-79	74	9.5	47	2	3	8	11	20	22	37
80-84	71	11.5	132	3	4	8	13	20	26	72
85+	67	9.9	29	3	4	9	13	18	20	25
B. *Operated*										
65-69 YRS	64	16.3	173	2	5	13	22	34	41	74
70-74	74	15.3	206	2	4	10	17	36	51	95
75-79	57	19.9	378	4	5	13	25	45	65	96
80-84	34	18.7	326	4	4	14	23	55	82	99+
85+	18	18.7	131	3	7	17	23	33	42	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.8	29	1	1	7	10	15	15	15
B. *Operated*	16	7.3	23	<1	<1	8	10	12	17	19
2. MULTIPLE DX										
A. *Not Operated*	366	9.6	64	2	3	7	12	18	22	42
B. *Operated*	247	17.3	248	3	5	12	23	37	54	98
1. SINGLE DX	21	7.2	23	<1	1	8	9	13	17	19
2. MULTIPLE DX	613	12.7	152	3	4	9	15	25	37	77
A. NOT OPERATED	371	9.6	63	2	3	7	12	17	22	42
B. OPERATED	263	16.7	240	2	4	12	22	36	52	97
TOTAL 65-69 YRS	161	11.4	118	2	3	8	14	23	36	49
70-74	147	12.3	135	2	3	9	14	27	40	81
75-79	131	14.0	216	3	4	9	16	32	43	74
80-84	107	13.7	202	3	4	10	16	26	55	94
85+	88	11.6	62	3	4	10	15	22	25	42
GRAND TOTAL	**634**	**12.6**	**149**	**2**	**3**	**9**	**15**	**25**	**37**	**76**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	11	1	1	4	6	10	10	10
70-74	5	8.2	47	3	3	6	11	20	20	20
75-79	4	7.8	9	4	4	8	10	11	11	11
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	5	8.6	27	3	3	7	13	15	15	15
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	5	10.2	43	3	3	8	15	20	20	20
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	21	7.1	22	2	3	6	9	14	17	20
B. *Operated*	7	9.7	29	3	4	8	12	19	20	20
1. SINGLE DX	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX	28	7.8	24	2	3	7	10	14	20	20
A. NOT OPERATED	23	6.8	21	2	2	5	9	13	17	20
B. OPERATED	8	9.5	25	3	4	8	11	18	20	20
TOTAL 65-69 YRS	7	4.7	11	1	1	4	7	10	10	10
70-74	11	9.1	37	3	3	8	12	20	20	20
75-79	5	8.0	7	4	4	9	10	11	11	11
80-84	3	5.7	9	3	3	5	8	9	9	9
85+	5	8.6	27	3	3	7	13	15	15	15
GRAND TOTAL	**31**	**7.5**	**23**	**2**	**3**	**7**	**9**	**14**	**20**	**20**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	12	5.3	16	<1	1	5	8	11	13	13
70-74	6	4.3	52	1	1	2	2	17	19	19
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	7.6	19	2	2	7	10	14	16	21
70-74	41	7.3	19	3	3	6	8	13	15	23
75-79	30	8.4	29	2	3	7	12	14	21	23
80-84	29	8.3	47	2	2	6	10	15	24	34
85+	23	8.0	18	1	2	8	12	14	15	15
B. *Operated*										
65-69 YRS	51	11.2	111	1	1	9	17	23	25	54
70-74	36	14.3	149	1	2	11	21	31	43	47
75-79	21	13.3	72	2	3	12	18	25	29	34
80-84	6	13.0	32	7	7	12	15	22	23	23
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*	21	4.7	23	<1	<1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	170	7.8	25	2	3	7	10	14	16	23
B. *Operated*	114	12.6	111	1	2	9	18	25	33	50
1. SINGLE DX	24	4.4	21	<1	<1	3	6	10	15	19
2. MULTIPLE DX	284	9.8	65	2	2	8	13	21	24	43
A. NOT OPERATED	173	7.7	25	2	3	7	10	14	16	23
B. OPERATED	135	11.4	106	1	1	9	17	24	30	48
TOTAL 65-69 YRS	112	8.9	65	1	1	7	11	20	23	43
70-74	83	10.1	90	1	2	7	13	22	30	47
75-79	54	10.1	51	2	3	8	13	21	24	34
80-84	36	8.9	47	2	2	7	12	16	23	34
85+	23	8.0	18	1	2	8	12	14	15	15
GRAND TOTAL	**308**	**9.3**	**63**	**1**	**2**	**7**	**12**	**20**	**24**	**40**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	18.0		18	18	18	18	18	18	18
75-79	3	3.7	6	1	1	4	5	6	6	6
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	6.7	7	3	3	7	9	10	10	10
B. *Operated*	4	7.3	56	1	1	5	12	18	18	18
1. SINGLE DX										
2. MULTIPLE DX	10	6.9	23	1	2	6	9	14	18	18
A. NOT OPERATED	6	6.7	7	3	3	7	9	10	10	10
B. OPERATED	4	7.3	56	1	1	5	12	18	18	18
TOTAL 65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	2	11.5	85	5	5	11	18	18	18	18
75-79	5	5.2	11	1	1	5	7	10	10	10
80-84										
85+										
GRAND TOTAL	**10**	**6.9**	**23**	**1**	**2**	**6**	**9**	**14**	**18**	**18**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.5	30	<1	1	3	5	9	18	23
70-74	15	5.8	15	<1	2	5	7	13	13	13
75-79	4	7.8	165	<1	<1	1	14	27	27	27
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	4	12.3	151	4	4	8	20	30	30	30
B. *Operated*										
65-69 YRS	135	5.4	62	1	1	3	6	12	16	42
70-74	117	4.6	21	1	1	3	5	11	16	21
75-79	78	5.1	27	1	1	3	7	12	14	27
80-84	59	5.4	46	1	1	3	7	12	15	38
85+	43	4.0	13	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	7.1	38	1	1	5	9	15	20	29
70-74	90	9.9	123	2	2	7	11	21	28	68
75-79	49	7.2	39	1	2	5	9	17	19	33
80-84	28	11.0	283	1	2	5	11	28	46	82
85+	37	7.5	32	1	1	7	10	16	19	24
B. *Operated*										
65-69 YRS	542	11.0	135	1	2	8	15	24	36	57
70-74	526	11.5	189	1	1	7	15	26	36	71
75-79	355	11.9	209	1	2	7	15	30	44	80
80-84	181	8.5	77	1	2	5	11	19	28	51
85+	129	8.6	76	1	2	6	13	21	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.1	46	<1	1	4	7	13	25	30
B. *Operated*	432	5.0	38	1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	294	8.4	87	1	2	6	10	17	24	44
B. *Operated*	1733	10.9	157	1	2	7	14	25	36	76
1. SINGLE DX	474	5.1	38	1	1	3	6	12	16	30
2. MULTIPLE DX	2027	10.5	148	1	2	7	14	24	34	72
A. NOT OPERATED	336	8.1	83	1	2	6	10	16	24	43
B. OPERATED	2165	9.7	139	1	1	6	12	23	33	69
TOTAL 65-69 YRS	784	9.5	115	1	1	6	12	21	31	55
70-74	748	10.1	158	1	1	6	13	23	32	69
75-79	486	10.3	169	1	1	6	12	25	35	79
80-84	270	8.1	93	1	2	5	10	18	30	52
85+	213	7.6	60	1	1	5	10	19	25	65
GRAND TOTAL	**2501**	**9.5**	**132**	**1**	**1**	**6**	**12**	**22**	**32**	**67**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.3	14	1	1	3	7	10	11	11
70-74	7	3.4	3	1	1	3	5	6	6	6
75-79										
80-84	3	6.7	20	2	2	7	10	11	11	11
85+	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*										
65-69 YRS	24	7.3	33	1	1	6	11	13	19	23
70-74	21	6.6	50	<1	1	4	11	15	23	29
75-79	18	8.6	47	1	1	5	15	19	20	20
80-84	13	12.6	226	1	2	4	16	39	47	49
85+	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	7.5	33	2	2	6	9	15	17	34
70-74	95	7.6	32	1	2	6	9	17	21	25
75-79	61	8.9	45	2	3	7	11	18	23	33
80-84	31	6.6	38	1	2	5	9	13	17	32
85+	20	6.3	10	2	2	6	8	11	12	14
B. *Operated*										
65-69 YRS	278	16.5	190	3	4	13	22	39	49	99+
70-74	277	15.6	164	2	3	12	21	34	46	78
75-79	184	15.0	143	2	3	13	19	31	40	60
80-84	100	12.7	135	2	2	10	18	25	35	59
85+	60	13.3	179	1	2	10	19	31	40	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	10	<1	1	3	6	10	11	11
B. *Operated*	80	8.1	72	1	1	5	12	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	313	7.6	34	2	2	6	10	15	20	32
B. *Operated*	899	15.3	166	2	3	12	20	34	44	84
1. SINGLE DX	102	7.2	61	1	1	4	11	17	20	43
2. MULTIPLE DX	1212	13.3	143	2	3	10	17	28	40	77
A. NOT OPERATED	335	7.4	33	2	2	6	10	15	19	32
B. OPERATED	979	14.7	163	2	3	11	20	32	42	82
TOTAL 65-69 YRS	418	13.4	156	2	3	10	18	30	42	99+
70-74	400	13.0	139	2	3	10	17	27	39	64
75-79	263	13.1	122	2	3	10	17	27	35	57
80-84	147	11.3	125	2	2	8	15	24	34	50
85+	86	11.0	140	1	2	7	14	26	35	93
GRAND TOTAL	**1314**	**12.8**	**140**	**2**	**3**	**10**	**17**	**27**	**39**	**72**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	7.6	27	1	2	6	12	15	16	16
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79	6	6.5	19	3	3	4	12	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	10.5	181	1	1	10	20	20	20	20
B. *Operated*										
65-69 YRS	42	10.7	51	2	3	10	13	15	19	47
70-74	45	11.7	43	1	3	10	16	22	23	27
75-79	36	10.4	43	3	4	9	12	17	25	35
80-84	20	10.8	51	<1	1	11	16	20	23	24
85+	10	13.0	78	<1	3	9	20	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	7.5	45	1	2	5	10	16	19	38
70-74	94	7.8	57	1	2	6	9	15	19	43
75-79	106	8.0	57	2	2	6	10	18	22	41
80-84	69	6.7	25	1	2	5	8	14	18	24
85+	69	8.6	77	1	2	5	11	19	24	49
B. *Operated*										
65-69 YRS	564	16.3	121	4	7	14	20	30	38	55
70-74	663	16.0	136	4	6	13	20	28	38	76
75-79	572	17.2	117	4	7	14	22	31	37	54
80-84	337	17.6	141	5	6	15	22	31	40	73
85+	277	17.7	162	4	5	15	23	32	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.7	31	1	1	5	11	14	18	20
B. *Operated*	153	11.1	47	1	3	10	14	20	24	35
2. MULTIPLE DX										
A. *Not Operated*	438	7.7	52	1	2	6	10	16	21	40
B. *Operated*	2413	16.8	132	4	6	14	21	30	38	68
1. SINGLE DX	173	10.6	47	1	2	10	13	19	22	33
2. MULTIPLE DX	2851	15.4	130	3	4	13	20	29	37	61
A. NOT OPERATED	458	7.7	51	1	2	5	10	16	21	39
B. OPERATED	2566	16.4	129	4	6	14	20	30	38	66
TOTAL 65-69 YRS	714	14.6	116	3	4	12	18	28	36	53
70-74	805	14.8	129	3	4	12	18	26	36	65
75-79	720	15.4	116	3	4	13	20	30	35	52
80-84	427	15.5	136	2	4	13	20	29	37	62
85+	358	15.7	155	3	4	13	21	30	40	74
GRAND TOTAL	**3024**	**15.1**	**127**	**3**	**4**	**12**	**19**	**29**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	4	8.3	9	5	5	8	10	12	12	12
70-74	4	12.0	5	10	10	11	13	15	15	15
75-79	5	18.2	30	11	11	18	21	26	26	26
80-84	1	31.0		31	31	31	31	31	31	31
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.8	14	<1	<1	4	6	11	11	11
70-74	4	7.3	22	1	1	8	10	12	12	12
75-79	7	13.0	131	5	5	10	13	33	38	38
80-84	9	7.2	26	1	1	7	11	14	16	16
85+	8	6.8	8	2	3	7	9	11	11	11
B. *Operated*										
65-69 YRS	89	17.4	142	6	7	15	21	30	44	92
70-74	93	16.4	125	7	8	13	20	29	39	95
75-79	68	17.4	151	7	8	14	20	29	37	82
80-84	46	18.8	154	6	7	14	23	37	39	65
85+	24	18.8	90	9	10	17	23	27	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	15	14.7	50	5	7	12	18	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	33	8.0	44	1	2	7	11	12	16	38
B. *Operated*	320	17.4	136	7	8	14	21	31	40	89
1. SINGLE DX	17	13.4	59	2	5	12	18	25	29	31
2. MULTIPLE DX	353	16.5	135	5	7	13	20	30	39	88
A. NOT OPERATED	35	7.7	43	1	1	7	11	12	15	38
B. OPERATED	335	17.3	132	7	8	14	21	31	39	88
TOTAL 65-69 YRS	99	16.3	141	3	6	14	21	30	42	90
70-74	101	15.9	120	7	7	13	19	28	37	94
75-79	81	16.9	141	6	7	14	20	28	37	76
80-84	56	17.1	152	2	6	13	22	36	38	63
85+	33	15.8	94	5	6	13	20	27	28	53
GRAND TOTAL	**370**	**16.4**	**132**	**5**	**7**	**13**	**20**	**30**	**38**	**86**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.0	153	<1	<1	4	5	30	33	33
70-74	7	4.7	22	<1	<1	5	6	12	14	14
75-79	14	8.0	49	<1	2	6	10	20	25	26
80-84	7	5.3	9	1	1	6	7	9	10	10
85+	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*										
65-69 YRS	304	9.4	8	6	7	9	11	13	14	19
70-74	332	9.2	12	4	6	9	11	13	15	20
75-79	265	10.5	19	5	7	10	12	15	17	28
80-84	154	11.2	35	2	7	10	13	17	23	37
85+	73	12.5	35	5	7	11	15	20	26	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	199	7.6	52	1	2	6	10	15	22	39
70-74	276	8.0	67	1	2	6	10	15	20	41
75-79	245	8.7	84	1	2	6	10	18	23	44
80-84	196	9.4	90	2	3	6	12	19	23	52
85+	198	8.5	81	1	2	6	10	17	21	49
B. *Operated*										
65-69 YRS	2945	13.4	69	7	7	11	15	22	28	49
70-74	3382	13.9	69	6	7	12	16	23	29	48
75-79	3124	15.2	89	7	8	13	18	26	32	57
80-84	2389	15.9	94	7	8	13	19	27	34	61
85+	1812	17.4	106	7	8	15	21	29	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.0	46	<1	<1	4	7	12	22	33
B. *Operated*	1128	10.0	18	5	6	9	12	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1114	8.4	75	1	2	6	10	17	22	45
B. *Operated*	13652	14.9	85	7	8	12	17	25	32	55
1. SINGLE DX	1168	9.9	19	4	6	9	11	14	17	28
2. MULTIPLE DX	14766	14.4	87	5	7	12	17	25	31	54
A. NOT OPERATED	1154	8.3	74	1	2	6	10	17	22	44
B. OPERATED	14780	14.5	81	6	8	12	17	24	31	53
TOTAL 65-69 YRS	3454	12.7	65	5	7	11	15	21	27	44
70-74	3997	13.1	68	5	7	11	15	22	28	47
75-79	3648	14.4	88	5	7	12	17	25	31	55
80-84	2746	15.1	94	4	7	13	18	26	33	57
85+	2089	16.3	109	4	7	14	20	28	35	61
GRAND TOTAL	**15934**	**14.1**	**83**	**5**	**7**	**12**	**17**	**24**	**31**	**52**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.7	20	<1	<1	4	6	11	15	15
70-74	9	5.8	67	<1	<1	2	7	20	25	25
75-79	5	3.8	23	<1	<1	1	6	12	12	12
80-84	8	3.5	6	1	1	3	5	7	8	8
85+	4	5.8	6	3	3	5	7	9	9	9
B. *Operated*										
65-69 YRS	241	9.2	24	1	2	9	11	15	17	22
70-74	223	9.4	32	1	2	9	12	17	19	29
75-79	149	8.8	30	1	2	9	12	16	17	24
80-84	109	9.4	34	1	2	10	13	16	18	27
85+	60	6.3	41	1	1	4	10	14	17	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	7.6	41	1	2	7	10	13	18	34
70-74	151	7.7	52	1	1	6	10	16	21	52
75-79	133	8.5	69	1	2	5	10	18	28	41
80-84	99	8.8	80	1	2	6	11	18	21	55
85+	105	8.5	126	1	1	5	10	17	24	66
B. *Operated*										
65-69 YRS	1365	13.9	85	3	5	12	16	23	30	52
70-74	1480	14.6	86	3	6	13	18	25	31	54
75-79	1202	15.6	122	3	6	13	19	27	36	61
80-84	825	15.7	98	3	5	14	20	27	34	49
85+	581	15.6	128	2	4	14	20	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.7	26	<1	<1	3	6	12	14	25
B. *Operated*	782	9.0	31	1	2	9	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	611	8.1	71	1	2	6	10	16	22	52
B. *Operated*	5453	14.9	101	3	5	13	18	26	33	57
1. SINGLE DX	818	8.8	31	1	2	9	12	16	18	24
2. MULTIPLE DX	6064	14.2	102	2	4	12	18	25	32	56
A. NOT OPERATED	647	8.0	69	1	2	6	10	16	21	52
B. OPERATED	6235	14.2	96	2	4	12	17	25	31	53
TOTAL 65-69 YRS	1739	12.7	78	2	4	11	15	21	27	49
70-74	1863	13.4	83	2	4	12	17	23	30	51
75-79	1489	14.3	115	2	4	12	18	25	34	58
80-84	1041	14.3	97	2	3	13	18	26	32	48
85+	750	13.8	131	2	3	12	18	27	35	58
GRAND TOTAL	**6882**	**13.6**	**96**	**2**	**3**	**12**	**17**	**24**	**31**	**53**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.9	10	2	2	3	7	10	10	10
70-74	10	4.0	4	1	1	4	4	7	7	7
75-79	5	5.8	16	1	1	6	9	11	11	11
80-84	3	11.0	39	4	4	13	15	16	16	16
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	36	9.9	75	<1	1	7	15	18	30	36
70-74	27	9.4	32	1	1	9	13	16	19	24
75-79	16	11.3	254	1	2	8	10	19	53	68
80-84	15	10.5	42	2	4	10	15	20	22	23
85+	6	9.5	8	5	5	10	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	6.7	33	1	2	5	8	17	20	27
70-74	90	7.4	34	2	2	5	9	15	19	31
75-79	91	9.5	67	2	3	7	12	18	25	46
80-84	60	7.5	28	2	3	6	10	16	19	23
85+	55	7.1	22	2	2	6	9	13	16	24
B. *Operated*										
65-69 YRS	320	13.8	97	2	4	11	18	29	35	49
70-74	404	15.4	141	3	5	13	19	26	36	60
75-79	327	14.1	90	3	5	13	18	26	29	52
80-84	222	15.0	112	3	5	13	19	27	35	55
85+	152	16.7	136	4	6	14	21	29	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.3	14	1	2	4	7	11	13	16
B. *Operated*	100	10.1	80	1	1	9	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*	382	7.7	39	2	2	6	10	16	19	27
B. *Operated*	1425	14.8	115	3	5	12	19	27	35	55
1. SINGLE DX	127	9.0	70	1	1	8	12	17	20	43
2. MULTIPLE DX	1807	13.3	107	2	3	11	17	26	32	53
A. NOT OPERATED	409	7.6	38	2	2	6	10	16	19	27
B. OPERATED	1525	14.5	114	3	4	12	18	26	35	55
TOTAL 65-69 YRS	449	12.0	90	2	2	9	16	26	32	41
70-74	531	13.5	126	2	3	11	18	25	34	57
75-79	439	12.9	93	2	3	11	17	24	27	54
80-84	300	13.3	100	3	3	11	18	24	30	50
85+	215	13.9	121	2	4	11	17	25	35	55
GRAND TOTAL	**1934**	**13.0**	**106**	**2**	**3**	**11**	**17**	**25**	**31**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.9	11	1	2	5	7	11	11	11
70-74	12	5.5	36	1	1	3	7	15	20	21
75-79	11	5.0	8	<1	1	4	8	9	9	9
80-84	10	7.2	71	1	1	4	8	20	29	29
85+	6	6.0	10	3	3	5	8	11	11	11
B. *Operated*										
65-69 YRS	33	10.1	39	1	2	10	14	19	22	23
70-74	41	8.2	51	1	1	7	11	19	23	29
75-79	27	9.1	48	1	1	9	13	20	22	24
80-84	12	9.9	42	1	2	9	14	19	22	22
85+	10	10.5	40	2	2	10	17	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	8.5	55	1	2	7	11	17	23	32
70-74	188	8.8	63	2	2	6	11	19	26	40
75-79	174	8.6	67	2	2	6	10	18	22	36
80-84	129	7.4	32	2	2	6	9	13	19	29
85+	138	7.7	29	2	3	6	10	14	18	28
B. *Operated*										
65-69 YRS	632	16.3	126	3	5	14	21	29	37	58
70-74	602	16.2	111	4	6	14	20	30	37	53
75-79	506	16.1	102	3	6	15	20	29	35	53
80-84	347	17.2	105	4	7	15	22	32	39	53
85+	252	18.1	135	5	7	15	22	33	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.9	27	1	1	4	8	11	13	29
B. *Operated*	123	9.3	45	1	1	9	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*	839	8.3	51	2	2	6	10	17	22	34
B. *Operated*	2339	16.6	115	3	6	14	21	30	38	56
1. SINGLE DX	171	8.3	42	1	1	7	12	18	22	28
2. MULTIPLE DX	3178	14.4	111	2	4	12	19	28	35	53
A. NOT OPERATED	887	8.2	50	2	2	6	10	17	22	34
B. OPERATED	2462	16.2	114	3	5	14	21	30	37	55
TOTAL 65-69 YRS	884	14.1	117	2	3	12	18	26	33	57
70-74	843	14.0	108	2	3	12	18	27	35	51
75-79	718	13.9	102	2	3	12	19	26	33	51
80-84	498	14.3	103	2	3	12	19	29	35	51
85+	406	14.2	119	3	3	11	18	28	37	53
GRAND TOTAL	**3349**	**14.1**	**110**	**2**	**3**	**12**	**18**	**27**	**34**	**53**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	4.3	10	<1	1	3	6	9	10	15
70-74	63	5.2	48	1	1	4	6	9	14	48
75-79	38	6.7	59	1	1	4	6	15	29	32
80-84	14	5.6	37	1	1	4	6	16	21	23
85+	12	8.7	99	1	1	4	12	26	29	30
B. *Operated*										
65-69 YRS	390	7.5	26	1	1	7	10	14	17	23
70-74	320	7.7	34	1	1	7	10	13	19	31
75-79	205	7.2	30	1	1	7	10	14	17	26
80-84	80	6.8	41	1	1	5	9	14	18	38
85+	24	5.7	45	<1	1	3	7	15	22	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1340	8.2	52	2	2	6	10	16	22	35
70-74	1275	8.2	50	2	2	6	10	16	21	35
75-79	898	8.6	70	2	2	6	10	18	24	43
80-84	522	8.3	40	2	2	7	11	16	21	35
85+	246	8.8	77	2	2	6	11	17	24	60
B. *Operated*										
65-69 YRS	3960	11.8	86	2	3	10	15	23	29	49
70-74	3497	12.0	82	2	3	10	15	23	29	46
75-79	2249	12.3	94	2	3	10	15	23	30	53
80-84	1011	12.5	116	2	3	10	16	24	31	56
85+	405	11.7	67	2	3	10	15	23	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.4	39	1	1	4	6	10	15	31
B. *Operated*	1019	7.4	31	1	1	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	4281	8.3	55	2	2	6	10	16	22	38
B. *Operated*	11122	12.0	88	2	3	10	15	23	30	49
1. SINGLE DX	1218	7.1	33	1	1	6	10	14	18	29
2. MULTIPLE DX	15403	11.0	82	2	3	9	14	22	28	47
A. NOT OPERATED	4480	8.2	55	2	2	6	10	16	22	37
B. OPERATED	12141	11.7	85	2	3	10	15	22	29	48
TOTAL 65-69 YRS	5762	10.6	77	2	2	9	13	21	27	47
70-74	5155	10.7	74	2	3	9	14	21	27	43
75-79	3390	11.0	87	2	3	9	14	22	28	50
80-84	1627	10.8	92	2	2	8	14	22	28	47
85+	687	10.4	73	2	2	8	14	21	28	49
GRAND TOTAL	**16621**	**10.7**	**79**	**2**	**2**	**9**	**14**	**21**	**27**	**46**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	10	1	1	2	6	8	9	9
70-74	6	3.0	10	<1	<1	1	7	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84	5	4.8	20	<1	<1	2	9	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	108	6.8	54	<1	<1	5	10	15	20	37
70-74	86	6.2	31	<1	1	3	10	15	16	19
75-79	59	4.8	29	<1	1	2	9	12	15	25
80-84	32	5.1	27	<1	<1	3	9	11	18	19
85+	13	5.2	34	<1	<1	2	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	7.0	53	<1	1	5	9	15	24	35
70-74	62	7.6	53	1	2	5	11	17	26	92
75-79	54	6.8	38	1	2	6	8	15	16	37
80-84	22	7.1	23	1	2	7	9	12	17	22
85+	17	7.4	65	2	2	4	8	17	28	33
B. *Operated*										
65-69 YRS	411	12.0	113	1	1	11	16	25	33	60
70-74	339	12.2	126	1	2	11	16	26	34	60
75-79	236	12.8	127	1	2	11	16	29	38	46
80-84	111	12.4	179	<1	1	10	15	26	35	73
85+	65	11.7	93	1	1	10	19	25	30	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.2	16	<1	<1	2	7	10	13	15
B. *Operated*	298	6.0	39	<1	1	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	223	7.2	47	1	2	5	9	15	22	37
B. *Operated*	1162	12.2	125	1	1	11	16	26	35	57
1. SINGLE DX	319	5.9	37	<1	1	3	10	14	17	24
2. MULTIPLE DX	1385	11.4	115	1	1	10	15	25	34	57
A. NOT OPERATED	244	6.9	45	1	1	5	9	15	21	37
B. OPERATED	1460	11.0	113	1	1	9	15	24	31	55
TOTAL 65-69 YRS	595	10.4	100	1	1	9	14	22	29	55
70-74	493	10.5	106	1	1	9	14	23	30	56
75-79	350	10.5	108	1	1	8	14	25	35	44
80-84	170	10.1	135	<1	1	8	13	22	29	56
85+	96	10.1	84	1	1	7	16	22	28	75
GRAND TOTAL	**1704**	**10.4**	**106**	**1**	**1**	**9**	**14**	**23**	**30**	**52**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	8	2	2	4	6	9	9	9
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	12.0	39	5	5	14	16	17	17	17
80-84	1	13.0		13	13	56	99+	99+	99+	99+
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	59	5.9	14	1	1	6	8	10	11	21
70-74	60	7.4	72	1	1	5	10	13	25	48
75-79	42	7.1	50	<1	<1	5	8	17	25	30
80-84	34	6.4	40	1	1	5	8	11	18	34
85+	24	8.9	202	<1	<1	4	8	19	46	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	10.7	182	2	3	6	10	24	45	70
70-74	32	8.2	80	1	1	5	10	20	22	45
75-79	32	8.1	123	1	1	4	7	22	43	45
80-84	16	8.0	69	1	2	6	8	19	30	34
85+	14	6.6	14	<1	1	7	10	11	13	13
B. *Operated*										
65-69 YRS	163	10.4	106	1	2	8	12	23	35	44
70-74	136	11.3	122	1	2	8	13	26	38	49
75-79	110	10.2	113	1	2	7	12	22	33	55
80-84	91	10.5	69	2	3	8	14	22	27	42
85+	67	11.5	99	1	2	9	15	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.0	26	2	2	7	13	42	92	99+
B. *Operated*	219	6.9	61	<1	1	5	8	12	21	42
2. MULTIPLE DX										
A. *Not Operated*	137	8.8	113	1	2	6	9	20	33	53
B. *Operated*	567	10.7	104	1	2	8	13	23	34	48
1. SINGLE DX	230	7.0	59	<1	1	5	9	13	22	53
2. MULTIPLE DX	704	10.4	106	1	2	7	12	22	34	49
A. NOT OPERATED	148	8.7	107	1	2	6	10	20	34	70
B. OPERATED	786	9.7	95	1	2	7	11	21	32	48
TOTAL 65-69 YRS	270	9.4	99	1	2	7	11	18	32	49
70-74	229	9.8	105	1	1	7	11	22	36	48
75-79	187	9.2	100	1	1	6	11	20	31	51
80-84	142	9.3	64	2	2	7	12	20	28	46
85+	106	10.3	111	1	2	8	13	20	29	59
GRAND TOTAL	**934**	**9.5**	**97**	**1**	**2**	**7**	**11**	**21**	**32**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	83	4.5	21	1	1	3	5	9	12	27
70-74	78	4.0	10	<1	1	3	6	10	11	74
75-79	50	3.8	9	<1	<1	3	5	8	11	13
80-84	42	4.6	19	1	1	3	6	10	12	23
85+	22	4.2	27	1	1	2	4	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	5.0	20	<1	<1	4	6	12	16	16
70-74	19	6.0	39	1	1	4	7	16	23	24
75-79	8	5.1	8	2	2	5	7	9	10	10
80-84	14	6.9	19	3	3	5	9	14	16	16
85+	6	6.3	23	1	1	6	9	13	14	14
B. *Operated*										
65-69 YRS	148	6.0	35	1	1	4	8	13	19	25
70-74	120	6.9	38	1	1	5	8	14	20	32
75-79	113	6.5	27	1	1	5	9	13	18	25
80-84	68	7.5	51	1	1	5	10	16	22	36
85+	49	7.2	56	1	1	5	7	17	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*	275	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	24	1	1	5	7	14	16	24
B. *Operated*	498	6.6	38	1	1	5	8	14	20	32
1. SINGLE DX	279	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX	556	6.6	37	1	1	5	8	14	20	31
A. NOT OPERATED	62	5.7	23	1	1	4	7	13	16	24
B. OPERATED	773	5.8	32	1	1	4	7	12	18	30
TOTAL 65-69 YRS	243	5.4	30	1	1	4	7	12	17	26
70-74	220	5.7	30	1	1	4	7	12	18	32
75-79	171	5.6	22	1	1	4	7	11	17	24
80-84	124	6.5	38	1	1	4	9	14	18	33
85+	77	6.3	47	1	1	4	7	15	21	34
GRAND TOTAL	**835**	**5.8**	**31**	**1**	**1**	**4**	**7**	**12**	**17**	**28**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	6.0		6	6	6	6	6	6	6
80-84	3	7.3	70	2	2	3	13	17	17	17
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	137	2.2	10	<1	<1	1	2	5	6	12
70-74	162	2.2	5	<1	<1	2	2	4	6	13
75-79	156	2.8	10	<1	<1	1	3	7	10	17
80-84	109	2.6	5	<1	<1	2	3	6	8	10
85+	108	3.0	9	<1	<1	2	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.1	60	1	1	3	7	18	26	26
70-74	24	4.3	18	<1	<1	3	6	8	14	18
75-79	14	5.6	23	1	1	5	8	11	17	19
80-84	26	4.7	28	<1	<1	2	6	15	17	18
85+	27	4.0	7	<1	1	4	6	8	9	9
B. *Operated*										
65-69 YRS	277	5.6	94	<1	1	2	6	12	18	55
70-74	308	5.3	61	<1	1	3	6	12	18	45
75-79	340	5.2	51	<1	1	3	6	11	16	42
80-84	294	5.5	76	1	1	3	6	12	18	46
85+	359	6.3	61	1	1	3	8	14	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	27	1	1	3	6	14	17	17
B. *Operated*	672	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	100	4.7	21	<1	<1	3	6	9	16	22
B. *Operated*	1578	5.6	67	<1	1	3	6	12	19	46
1. SINGLE DX	680	2.6	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX	1678	5.5	64	<1	1	3	6	12	19	46
A. NOT OPERATED	108	4.7	22	<1	1	3	6	9	17	22
B. OPERATED	2250	4.7	51	<1	1	2	5	10	16	42
TOTAL 65-69 YRS	424	4.5	68	<1	<1	2	4	9	15	49
70-74	495	4.3	42	<1	<1	2	5	9	16	30
75-79	512	4.5	38	<1	<1	2	5	10	15	35
80-84	432	4.7	57	<1	1	2	5	10	15	27
85+	495	5.4	48	<1	1	3	7	12	19	43
GRAND TOTAL	**2358**	**4.7**	**50**	**<1**	**1**	**2**	**5**	**10**	**16**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.5	5	<1	1	3	4	7	9	9
70-74	13	3.8	4	<1	1	3	5	7	7	7
75-79	9	3.6	6	<1	<1	3	6	7	7	7
80-84	3	2.7	8	<1	<1	1	5	6	6	6
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	1403	4.5	5	1	2	4	6	7	8	12
70-74	1145	4.7	7	1	2	4	6	8	9	12
75-79	766	4.9	6	1	2	5	6	8	9	12
80-84	421	5.0	7	1	2	5	6	8	9	13
85+	281	4.7	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	151	6.6	42	<1	1	5	8	14	18	39
70-74	140	7.9	43	1	1	7	10	15	19	38
75-79	110	8.9	131	1	1	6	10	17	23	70
80-84	74	8.7	90	1	2	5	10	20	35	46
85+	75	7.4	44	1	1	6	10	16	24	83
B. *Operated*										
65-69 YRS	3205	6.1	15	2	2	5	7	10	12	20
70-74	2978	6.6	24	2	3	6	8	11	14	28
75-79	2261	6.6	19	2	3	6	8	11	14	24
80-84	1445	6.8	28	2	3	6	8	11	14	30
85+	1018	7.1	33	2	2	6	9	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.6	5	<1	<1	3	5	7	7	9
B. *Operated*	4016	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	550	7.8	67	1	1	6	10	16	22	49
B. *Operated*	10907	6.5	22	2	3	6	8	11	14	26
1. SINGLE DX	4056	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX	11457	6.6	24	2	3	6	8	11	14	27
A. NOT OPERATED	590	7.5	64	1	1	6	9	15	22	45
B. OPERATED	14923	6.0	18	2	2	5	7	10	12	23
TOTAL 65-69 YRS	4772	5.6	14	1	2	5	7	9	11	20
70-74	4276	6.2	21	2	2	5	7	10	13	26
75-79	3146	6.3	20	2	2	6	7	10	13	24
80-84	1943	6.5	26	2	2	6	8	11	13	29
85+	1376	6.6	29	1	2	6	8	12	15	27
GRAND TOTAL	**15513**	**6.1**	**20**	**2**	**2**	**5**	**7**	**10**	**13**	**24**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.3	1	2	2	3	4	5	5	6
70-74	22	3.0	1	1	2	3	3	4	5	5
75-79	16	3.1	1	1	2	3	3	5	5	5
80-84	8	3.9	1	3	3	4	5	5	5	5
85+	4	7.5	60	2	2	4	12	19	19	19
B. *Operated*										
65-69 YRS	43	3.8	15	1	1	3	4	7	8	25
70-74	28	4.0	16	<1	1	3	4	8	15	18
75-79	25	4.0	6	<1	1	4	7	7	8	9
80-84	18	5.0	11	<1	1	4	7	9	12	14
85+	9	7.2	38	2	2	4	10	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	5.2	15	1	2	4	6	11	14	18
70-74	43	6.6	55	1	1	4	8	14	19	43
75-79	38	7.3	42	2	2	6	8	12	26	30
80-84	24	6.5	13	2	2	6	8	12	14	15
85+	29	8.0	37	2	2	6	11	17	19	26
B. *Operated*										
65-69 YRS	179	7.7	76	1	2	5	9	16	23	46
70-74	119	8.8	78	1	2	6	10	22	29	41
75-79	98	8.9	53	2	2	8	10	17	25	38
80-84	73	7.3	58	1	2	5	8	19	24	36
85+	47	8.3	36	1	2	7	11	18	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	4	2	2	3	4	5	5	16
B. *Operated*	123	4.3	15	1	1	3	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	186	6.6	33	1	2	5	8	13	17	30
B. *Operated*	516	8.2	66	1	2	6	10	18	25	38
1. SINGLE DX	196	4.0	11	1	1	3	4	7	9	20
2. MULTIPLE DX	702	7.8	58	1	2	6	9	17	22	36
A. NOT OPERATED	259	5.7	27	1	2	4	7	12	16	29
B. OPERATED	639	7.4	58	1	2	5	9	16	22	36
TOTAL 65-69 YRS	297	6.4	54	1	2	4	7	12	18	40
70-74	212	7.1	62	1	2	4	8	17	23	39
75-79	177	7.4	43	1	2	6	8	14	21	35
80-84	123	6.6	40	1	2	4	8	14	20	36
85+	89	8.0	36	2	2	6	11	18	20	26
GRAND TOTAL	**898**	**6.9**	**50**	**1**	**2**	**5**	**8**	**15**	**21**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	2.8	1	1	1	3	4	4	5	5
70-74	19	2.2	1	1	1	2	3	3	4	4
75-79	18	2.6	1	<1	1	3	3	4	4	4
80-84	8	2.9	1	1	1	3	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	205	5.6	7	1	2	6	7	8	9	14
70-74	184	5.7	7	<1	2	6	7	9	11	12
75-79	119	5.8	10	1	2	6	7	9	10	18
80-84	55	5.4	8	1	1	6	7	8	9	16
85+	31	7.0	35	2	2	6	8	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.2	16	1	1	3	5	7	12	25
70-74	73	5.5	20	1	1	4	8	11	15	20
75-79	52	6.2	26	1	2	5	7	12	19	25
80-84	41	6.9	136	1	1	4	6	12	28	69
85+	36	5.9	38	1	2	4	7	10	16	35
B. *Operated*										
65-69 YRS	1057	7.8	38	2	4	7	9	13	16	33
70-74	942	8.0	36	2	3	7	9	13	17	29
75-79	629	8.6	51	2	3	7	10	15	19	38
80-84	361	8.9	43	2	3	7	11	14	20	33
85+	217	9.8	80	1	2	8	12	19	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	1	1	1	3	3	4	4	5
B. *Operated*	594	5.7	9	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	273	5.6	40	1	1	4	6	11	15	32
B. *Operated*	3206	8.3	44	2	3	7	9	14	18	35
1. SINGLE DX	666	5.4	9	1	2	5	7	8	10	16
2. MULTIPLE DX	3479	8.1	44	2	3	7	9	14	18	34
A. NOT OPERATED	345	5.0	33	1	1	3	5	10	13	26
B. OPERATED	3800	7.9	39	2	3	7	9	13	17	33
TOTAL 65-69 YRS	1359	7.2	33	2	3	6	8	11	15	31
70-74	1218	7.4	32	1	2	7	8	12	16	26
75-79	818	7.9	44	1	2	7	9	14	19	34
80-84	465	8.2	48	2	2	7	10	14	18	34
85+	285	9.0	71	1	2	7	11	17	24	44
GRAND TOTAL	**4145**	**7.6**	**39**	**2**	**2**	**7**	**9**	**13**	**17**	**33**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	1.9	1	1	1	2	3	3	5	5
70-74	10	3.9	31	<1	<1	2	3	13	19	19
75-79	8	2.4	2	1	1	2	3	5	5	5
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	52	8.0	18	3	4	7	9	11	16	29
70-74	29	10.5	172	1	3	8	11	16	21	75
75-79	17	12.8	197	5	6	8	12	22	50	64
80-84	11	9.3	11	4	5	8	13	14	14	14
85+	6	9.8	53	4	4	8	10	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	6.9	48	1	1	4	10	15	23	32
70-74	95	6.7	39	1	1	4	10	14	21	30
75-79	77	7.1	26	1	1	7	9	13	17	24
80-84	54	8.6	57	1	2	7	11	18	27	36
85+	60	8.9	51	2	2	7	12	17	22	42
B. *Operated*										
65-69 YRS	507	12.9	71	5	6	11	15	23	29	44
70-74	418	14.0	86	5	7	11	17	25	32	53
75-79	299	14.5	79	6	7	12	18	27	35	58
80-84	160	14.4	77	6	7	12	19	24	29	67
85+	90	17.0	105	6	7	14	20	33	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.6	9	1	1	2	3	5	6	19
B. *Operated*	115	9.6	84	3	4	8	10	15	20	68
2. MULTIPLE DX										
A. *Not Operated*	402	7.4	44	1	2	5	10	15	21	32
B. *Operated*	1474	14.0	81	5	6	11	17	25	32	52
1. SINGLE DX	154	7.8	74	1	1	7	9	13	18	63
2. MULTIPLE DX	1876	12.6	80	2	4	10	16	23	30	47
A. NOT OPERATED	441	7.0	42	1	1	5	10	15	21	30
B. OPERATED	1589	13.6	82	5	6	11	17	24	31	53
TOTAL 65-69 YRS	689	11.3	70	2	3	9	14	22	28	39
70-74	552	12.4	90	2	4	10	15	23	29	52
75-79	401	12.8	82	2	4	10	17	24	31	56
80-84	228	12.6	76	2	4	10	17	23	28	56
85+	160	13.4	98	2	4	11	17	26	35	46
GRAND TOTAL	**2030**	**12.2**	**81**	**2**	**4**	**10**	**15**	**23**	**29**	**47**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.1	6	1	1	3	4	7	9	9
70-74	3	3.7	1	3	3	3	5	5	5	5
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	2	6.5	1	6	6	6	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	25	5.5	13	1	2	5	8	9	12	16
70-74	26	6.8	45	<1	1	5	9	14	24	26
75-79	29	5.6	16	1	1	4	9	12	12	13
80-84	16	8.2	182	<1	<1	4	8	12	43	57
85+	22	6.9	18	2	2	6	10	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	6.1	32	<1	1	4	6	16	19	20
70-74	17	6.9	69	1	1	3	10	17	28	33
75-79	33	7.7	32	1	2	6	12	16	19	21
80-84	13	6.1	14	1	2	5	8	11	14	15
85+	19	6.4	16	1	3	6	8	12	15	18
B. *Operated*										
65-69 YRS	96	11.0	57	2	4	8	15	22	24	39
70-74	96	12.3	137	2	2	10	16	21	29	72
75-79	101	11.6	97	2	3	9	15	22	28	54
80-84	96	11.4	98	2	3	8	14	22	29	57
85+	77	11.0	98	2	2	8	16	29	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	5	<1	1	3	5	7	8	9
B. *Operated*	118	6.4	43	1	1	5	9	12	15	36
2. MULTIPLE DX										
A. *Not Operated*	99	6.8	32	1	2	5	8	15	18	27
B. *Operated*	466	11.5	97	2	3	9	15	22	29	53
1. SINGLE DX	136	6.0	39	1	1	4	8	11	14	30
2. MULTIPLE DX	565	10.7	89	2	2	8	14	21	28	45
A. NOT OPERATED	117	6.3	29	1	1	5	8	15	18	25
B. OPERATED	584	10.5	90	2	2	8	14	21	28	51
TOTAL 65-69 YRS	149	9.0	51	1	2	7	13	18	23	35
70-74	142	10.4	116	1	2	8	14	21	27	48
75-79	165	9.6	75	1	2	7	13	19	24	44
80-84	127	10.4	101	1	2	8	12	22	28	57
85+	118	9.5	74	2	2	7	11	22	30	62
GRAND TOTAL	**701**	**9.8**	**82**	**1**	**2**	**7**	**13**	**21**	**26**	**45**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.5	19	<1	<1	2	4	10	15	17
70-74	11	7.4	65	<1	1	5	9	19	28	29
75-79	13	5.5	17	1	2	5	6	13	15	15
80-84	13	6.9	32	1	1	6	9	13	20	22
85+	7	4.4	10	1	1	4	5	10	11	11
B. *Operated*										
65-69 YRS	797	5.4	13	1	1	5	7	10	12	18
70-74	844	5.0	12	1	1	4	7	9	11	15
75-79	634	4.5	8	1	1	4	6	8	10	14
80-84	385	4.6	9	1	1	4	6	8	10	15
85+	194	5.2	21	1	1	5	6	9	10	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	284	7.4	63	1	1	5	9	15	23	34
70-74	330	8.6	89	1	2	6	10	17	25	54
75-79	401	7.7	48	2	2	6	10	16	22	35
80-84	299	7.8	62	1	2	6	10	15	20	44
85+	239	7.8	64	1	2	6	10	15	21	44
B. *Operated*										
65-69 YRS	3108	7.1	31	1	2	6	9	14	18	28
70-74	3874	6.8	32	1	2	5	8	13	16	28
75-79	3797	7.0	32	1	2	6	9	13	17	30
80-84	2592	7.7	46	2	2	6	9	14	19	35
85+	1640	8.5	44	2	3	7	11	16	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.5	29	<1	1	4	7	12	16	28
B. *Operated*	2854	4.9	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1553	7.9	65	1	2	6	10	16	22	39
B. *Operated*	15011	7.3	36	1	2	6	9	14	18	31
1. SINGLE DX	2915	5.0	12	1	1	4	7	9	11	16
2. MULTIPLE DX	16564	7.3	38	1	2	6	9	14	18	32
A. NOT OPERATED	1614	7.8	63	1	2	6	10	15	22	39
B. OPERATED	17865	6.9	33	1	2	6	8	13	17	30
TOTAL 65-69 YRS	4206	6.7	30	1	2	5	8	13	17	27
70-74	5059	6.6	33	1	2	5	8	12	16	29
75-79	4845	6.7	31	1	2	5	8	13	16	29
80-84	3289	7.4	44	1	2	6	9	14	19	34
85+	2080	8.1	45	2	3	6	10	15	20	33
GRAND TOTAL	**19479**	**7.0**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	14	2.9	2	<1	<1	3	4	5	6	6
70-74	16	3.3	13	<1	<1	2	3	10	12	13
75-79	10	4.2	5	<1	<1	5	6	7	7	7
80-84	5	2.0	1	1	1	2	2	3	3	3
85+	3	5.3	24	2	2	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	16.0	50	11	11	16	21	21	21	21
B. *Operated*										
65-69 YRS	23	5.3	25	1	1	3	9	13	15	19
70-74	28	5.7	27	1	1	4	8	16	18	18
75-79	29	7.4	22	2	3	6	9	14	20	20
80-84	17	6.2	23	1	2	5	8	15	17	17
85+	12	6.4	18	2	2	6	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*	48	3.3	8	<1	<1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	10.8	58	3	3	9	16	21	21	21
B. *Operated*	109	6.2	24	1	1	5	9	13	17	20
1. SINGLE DX	50	3.5	8	<1	<1	3	5	7	10	13
2. MULTIPLE DX	113	6.4	25	1	2	5	9	13	18	21
A. NOT OPERATED	6	9.5	42	3	3	9	11	20	21	21
B. OPERATED	157	5.3	20	1	1	4	8	12	16	20
TOTAL 65-69 YRS	37	4.4	18	<1	1	3	5	11	13	19
70-74	45	4.9	23	<1	1	3	7	13	17	18
75-79	41	6.6	19	1	2	6	8	11	17	20
80-84	22	5.2	21	1	1	3	8	12	16	17
85+	18	7.2	28	2	2	6	11	13	18	21
GRAND TOTAL	**163**	**5.5**	**21**	**1**	**1**	**4**	**8**	**12**	**16**	**20**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	7	2.0		1	1	2	2	3	3	3
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	8	3.8	11	<1	<1	3	5	9	11	11
85+	6	5.0	8	2	2	4	6	10	10	10
B. *Operated*										
65-69 YRS	673	3.4	13	1	1	2	4	8	12	20
70-74	664	3.6	15	1	1	3	4	7	11	19
75-79	588	3.7	12	1	1	3	4	8	11	18
80-84	421	3.8	11	1	1	3	5	7	10	16
85+	316	3.6	11	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	7.7	114	1	2	5	8	13	28	66
70-74	104	5.8	20	1	1	5	8	12	15	21
75-79	121	7.7	75	1	1	5	9	19	29	43
80-84	107	7.9	91	1	2	5	9	16	18	64
85+	96	6.2	29	1	1	5	8	12	15	30
B. *Operated*										
65-69 YRS	1902	6.4	47	1	1	4	8	15	19	36
70-74	2417	6.3	52	1	1	4	7	14	19	35
75-79	2242	6.9	65	1	1	4	8	16	21	49
80-84	1693	6.8	50	1	2	5	8	15	20	38
85+	1351	7.6	64	1	2	5	9	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	7	1	1	2	4	6	10	11
B. *Operated*	2662	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	504	7.1	64	1	1	5	8	14	21	44
B. *Operated*	9605	6.7	56	1	1	4	8	15	20	37
1. SINGLE DX	2691	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX	10109	6.8	56	1	1	4	8	15	20	38
A. NOT OPERATED	533	6.8	62	1	1	5	8	13	20	43
B. OPERATED	12267	6.1	48	1	1	4	7	14	19	35
TOTAL 65-69 YRS	2657	5.7	42	1	1	3	7	13	18	34
70-74	3192	5.7	45	1	1	4	7	13	18	34
75-79	2953	6.3	56	1	1	4	7	14	19	39
80-84	2229	6.2	46	1	1	4	7	14	19	35
85+	1769	6.8	55	1	2	5	8	14	20	35
GRAND TOTAL	**12800**	**6.1**	**49**	**1**	**1**	**4**	**7**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	4	2.5	4	<1	<1	2	4	5	5	5
75-79	4	4.5	3	3	3	4	6	7	7	7
80-84										
85+	4	4.0	6	<1	<1	4	6	7	7	7
B. *Operated*										
65-69 YRS	94	7.6	13	1	2	8	10	12	15	16
70-74	94	7.6	19	1	1	8	9	13	16	20
75-79	63	8.4	20	1	3	8	11	14	19	20
80-84	37	8.3	19	1	2	8	11	13	15	21
85+	16	5.5	18	<1	1	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	8.8	76	1	2	6	10	20	25	41
70-74	91	8.8	73	2	2	6	12	20	28	42
75-79	84	8.6	59	1	2	6	12	17	25	41
80-84	54	9.7	167	1	2	6	12	18	25	89
85+	42	8.3	48	1	2	7	11	17	19	37
B. *Operated*										
65-69 YRS	659	12.2	77	3	5	10	14	21	27	58
70-74	609	12.3	87	3	5	10	15	21	27	47
75-79	514	12.2	71	2	4	10	15	22	27	48
80-84	281	13.9	110	3	5	11	17	27	36	66
85+	132	13.9	81	3	4	12	19	25	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.4	4	<1	<1	3	4	7	7	7
B. *Operated*	304	7.8	17	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	361	8.8	81	1	2	6	12	18	25	41
B. *Operated*	2195	12.6	83	3	5	10	15	22	29	54
1. SINGLE DX	319	7.6	18	1	1	8	10	12	15	20
2. MULTIPLE DX	2556	12.0	84	2	4	10	15	22	28	51
A. NOT OPERATED	376	8.6	79	1	2	6	11	18	25	41
B. OPERATED	2499	12.0	77	2	4	10	15	21	27	50
TOTAL 65-69 YRS	846	11.3	72	2	4	9	13	20	26	48
70-74	798	11.3	80	2	3	10	14	20	26	45
75-79	665	11.4	66	2	3	10	14	21	26	43
80-84	372	12.8	113	2	3	10	15	23	32	67
85+	194	11.8	77	2	2	10	16	21	29	46
GRAND TOTAL	**2875**	**11.5**	**79**	**2**	**3**	**10**	**14**	**21**	**27**	**49**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	15	2.9	4	1	1	3	3	6	7	8
70-74	13	3.4	4	1	1	3	4	7	8	8
75-79	11	2.6	2	1	1	2	3	5	7	7
80-84	9	2.3	1	1	1	2	3	4	4	4
85+	6	2.7	5	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	7.0	66	1	1	5	10	21	21	21
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	20	5.4	14	1	1	4	8	11	13	14
70-74	25	9.0	387	1	1	3	7	10	50	98
75-79	18	7.8	266	1	1	3	5	16	51	71
80-84	12	4.0	11	1	1	3	6	10	11	11
85+	5	3.8	7	1	1	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	10	5.6	34	1	1	3	6	15	21	21
B. *Operated*	80	6.8	184	1	1	3	6	10	17	90
1. SINGLE DX	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX	90	6.6	167	1	1	3	6	10	20	87
A. NOT OPERATED	10	5.6	34	1	1	3	6	15	21	21
B. OPERATED	134	5.2	114	1	1	3	5	8	11	75
TOTAL 65-69 YRS	40	4.7	17	1	1	3	6	10	13	21
70-74	40	6.9	247	1	1	3	6	8	22	98
75-79	29	5.9	169	1	1	3	4	7	22	71
80-84	23	3.5	8	1	1	3	4	9	10	11
85+	12	3.2	5	1	1	3	4	7	8	8
GRAND TOTAL	**144**	**5.2**	**108**	**1**	**1**	**3**	**5**	**8**	**11**	**73**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.3	14	1	2	6	9	11	13	16
70-74	27	6.7	27	<1	1	7	10	12	14	25
75-79	21	8.6	104	1	1	4	10	24	34	40
80-84	12	10.8	59	1	2	9	14	23	26	27
85+	5	11.8	141	3	3	4	23	28	28	28
B. *Operated*										
65-69 YRS	67	12.4	70	3	5	10	16	21	25	50
70-74	59	12.3	97	2	3	10	15	21	31	59
75-79	36	11.2	65	2	2	10	14	22	30	35
80-84	7	11.9	50	1	2	10	18	21	21	21
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	9.1	74	1	2	6	12	19	23	48
70-74	142	10.3	62	2	3	8	13	19	26	41
75-79	100	11.2	134	2	3	8	14	21	48	99+
80-84	76	11.3	69	2	3	10	14	22	27	43
85+	30	11.4	121	3	3	7	14	26	33	52
B. *Operated*										
65-69 YRS	210	16.9	156	4	5	14	21	32	46	62
70-74	217	18.5	170	5	6	15	22	35	49	63
75-79	122	19.7	194	5	7	15	25	39	51	67
80-84	41	19.5	145	6	7	16	27	34	47	56
85+	8	14.9	67	6	7	11	23	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	7.9	51	1	2	6	10	16	25	36
B. *Operated*	170	12.1	76	2	3	10	15	21	25	50
2. MULTIPLE DX										
A. *Not Operated*	500	10.3	85	2	3	8	13	20	27	55
B. *Operated*	598	18.2	168	5	6	15	23	35	49	64
1. SINGLE DX	261	10.6	71	2	2	9	14	21	25	44
2. MULTIPLE DX	1098	14.6	145	3	4	11	18	30	40	60
A. NOT OPERATED	591	10.0	80	2	2	7	13	20	27	54
B. OPERATED	768	16.9	154	4	6	14	21	33	45	61
TOTAL 65-69 YRS	455	13.0	122	2	3	10	16	25	35	56
70-74	445	14.4	135	3	4	11	18	29	37	60
75-79	279	14.7	168	2	3	11	18	34	46	69
80-84	136	13.8	103	2	4	11	18	27	34	55
85+	44	12.0	108	3	3	8	17	27	32	52
GRAND TOTAL	**1359**	**13.9**	**133**	**2**	**4**	**11**	**17**	**28**	**38**	**59**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	10.2	24	3	4	9	14	17	18	18
70-74	1	53.0		53	53	53	53	53	53	53
75-79										
80-84	2	8.5	113	1	1	8	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	10.2	77	1	1	8	15	21	29	32
70-74	10	7.2	17	2	2	7	10	13	14	14
75-79	4	11.0	74	2	2	10	18	21	21	21
80-84	6	9.2	39	1	2	8	10	19	20	20
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	16	33.6	485	9	10	28	53	69	70	71
70-74	24	18.3	143	1	3	17	25	34	45	46
75-79	13	13.2	54	5	6	10	21	24	26	27
80-84	10	31.9	537	10	10	27	44	67	73	73
85+	1	40.0		40	40	40	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	12	13.5	183	1	2	10	16	28	49	53
2. MULTIPLE DX										
A. *Not Operated*	36	9.3	49	1	2	8	13	20	21	32
B. *Operated*	64	23.5	328	4	7	17	30	50	66	73
1. SINGLE DX	14	12.0	170	1	1	8	16	21	46	53
2. MULTIPLE DX	100	18.4	273	2	3	12	24	43	59	72
A. NOT OPERATED	38	9.0	49	1	1	7	12	20	21	32
B. OPERATED	76	22.0	316	3	6	16	28	49	64	72
TOTAL 65-69 YRS	41	19.2	350	2	4	12	26	53	67	71
70-74	36	15.7	169	1	2	12	23	33	45	53
75-79	17	12.7	55	3	5	10	21	23	26	27
80-84	18	21.7	439	1	3	12	39	56	68	73
85+	2	25.5	421	11	11	25	40	40	40	40
GRAND TOTAL	**114**	**17.6**	**263**	**1**	**3**	**12**	**22**	**42**	**57**	**72**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	1	2	2	3	4	4	4	4
70-74	5	3.0	1	2	2	3	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	23.5	1013	1	1	23	46	46	46	46
B. *Operated*										
65-69 YRS	30	3.4	3	1	2	3	4	6	6	8
70-74	26	4.3	7	1	2	4	5	9	10	11
75-79	19	5.7	12	2	3	4	7	10	13	16
80-84	6	4.3	9	2	2	4	4	9	10	10
85+	2	16.0	128	8	8	16	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.0	12	<1	1	4	7	11	11	11
70-74	30	10.7	128	1	2	6	18	23	31	53
75-79	23	7.0	30	1	2	5	9	15	18	24
80-84	10	10.5	33	3	3	11	14	18	19	19
85+	7	3.6	4	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	132	6.8	49	2	2	4	8	14	22	33
70-74	103	8.5	60	2	3	5	10	21	25	39
75-79	83	9.1	54	3	3	7	12	17	19	46
80-84	43	11.4	126	2	3	8	13	24	40	54
85+	27	13.3	121	4	4	10	16	22	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.6	136	<1	1	3	4	8	38	46
B. *Operated*	83	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	91	7.9	62	1	2	5	11	18	23	44
B. *Operated*	388	8.7	69	2	3	6	10	18	25	50
1. SINGLE DX	97	4.7	29	1	2	4	5	9	10	36
2. MULTIPLE DX	479	8.5	68	2	3	6	10	18	24	50
A. NOT OPERATED	105	7.6	71	1	1	4	10	18	23	49
B. OPERATED	471	8.0	62	2	2	5	9	17	22	48
TOTAL 65-69 YRS	187	6.0	38	2	2	4	7	11	18	28
70-74	164	8.1	66	2	2	5	9	20	24	47
75-79	127	8.1	45	2	3	6	10	16	18	35
80-84	60	10.4	101	2	3	7	12	20	35	53
85+	38	12.2	139	2	3	8	14	23	45	49
GRAND TOTAL	**576**	**7.9**	**63**	**2**	**2**	**5**	**9**	**17**	**23**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	27	1	1	4	8	11	16	25
70-74	27	9.3	128	<1	1	5	12	21	39	48
75-79	25	5.7	19	2	2	3	9	11	14	19
80-84	23	7.1	19	1	2	6	11	14	15	15
85+	17	4.9	13	<1	1	4	6	10	13	15
B. *Operated*										
65-69 YRS	95	6.1	71	<1	<1	3	8	11	19	51
70-74	97	6.2	37	<1	1	5	8	12	17	35
75-79	79	5.5	40	<1	1	4	7	12	18	34
80-84	46	6.8	34	<1	1	5	11	16	20	21
85+	30	4.7	30	<1	1	3	5	11	13	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3187	8.7	58	2	2	7	11	17	24	36
70-74	3185	9.0	60	2	2	7	12	18	23	38
75-79	2525	9.4	76	2	2	7	12	19	24	43
80-84	1639	9.4	64	2	3	7	12	19	25	43
85+	1062	9.2	60	2	2	7	11	19	24	40
B. *Operated*										
65-69 YRS	4191	11.8	112	1	2	9	15	25	33	57
70-74	3758	12.2	114	1	2	9	16	25	32	58
75-79	2703	12.4	113	2	3	10	16	26	34	54
80-84	1531	12.1	102	1	3	10	16	25	32	47
85+	878	13.0	137	2	3	10	16	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.6	44	1	1	5	9	13	17	39
B. *Operated*	347	6.0	46	<1	1	4	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	11598	9.1	64	2	2	7	11	18	24	40
B. *Operated*	13061	12.2	113	1	2	9	16	25	33	55
1. SINGLE DX	479	6.1	46	<1	1	4	8	13	18	34
2. MULTIPLE DX	24659	10.7	92	2	2	8	14	22	29	50
A. NOT OPERATED	11730	9.0	63	2	2	7	11	18	24	40
B. OPERATED	13408	12.0	113	1	2	9	16	25	32	55
TOTAL 65-69 YRS	7513	10.4	91	1	2	8	13	22	29	50
70-74	7067	10.6	92	2	2	8	14	22	29	49
75-79	5332	10.8	97	2	2	8	14	22	30	52
80-84	3239	10.7	83	2	3	8	14	22	28	46
85+	1987	10.8	98	2	2	8	14	23	29	51
GRAND TOTAL	**25138**	**10.6**	**92**	**2**	**2**	**8**	**14**	**22**	**29**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	16	4.6	16	<1	<1	2	7	9	13	15
70-74	7	5.0	25	1	1	5	7	13	15	15
75-79	8	6.9	35	<1	<1	6	10	16	18	18
80-84	4	6.0	87	<1	<1	1	11	20	20	20
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	9.6	122	1	2	5	10	21	39	47
70-74	17	8.1	69	1	2	4	11	18	29	34
75-79	20	6.5	41	1	1	3	13	16	17	18
80-84	3	7.3	2	6	6	7	8	9	9	9
85+	9	12.2	95	3	3	8	21	26	29	29
B. *Operated*										
65-69 YRS	70	12.9	82	2	2	12	18	26	32	37
70-74	42	13.2	86	1	3	11	17	21	35	45
75-79	47	14.0	114	2	3	10	18	27	41	42
80-84	18	19.4	285	2	3	18	28	57	86	99+
85+	10	8.8	37	1	2	8	11	18	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.8	26	1	1	4	10	13	13	13
B. *Operated*	37	5.5	26	<1	<1	5	8	14	17	20
2. MULTIPLE DX										
A. *Not Operated*	66	8.5	74	1	1	5	11	19	25	45
B. *Operated*	187	13.6	110	2	3	11	18	27	38	59
1. SINGLE DX	42	5.5	26	<1	<1	4	8	14	16	20
2. MULTIPLE DX	253	12.3	105	1	2	10	17	25	34	47
A. NOT OPERATED	71	8.3	71	1	1	5	11	18	24	44
B. OPERATED	224	12.3	105	1	2	10	17	25	35	51
TOTAL 65-69 YRS	106	10.8	85	1	2	8	15	24	29	42
70-74	67	11.0	81	1	1	10	15	20	31	44
75-79	76	11.1	97	1	1	9	16	23	35	42
80-84	25	15.8	247	1	2	10	22	41	74	99+
85+	21	10.1	58	2	3	8	13	22	26	29
GRAND TOTAL	**295**	**11.3**	**99**	**1**	**2**	**9**	**16**	**23**	**33**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	5.6	33	1	1	3	9	15	16	16
70-74	9	10.3	116	3	3	6	13	29	31	31
75-79	4	6.5	34	<1	<1	6	11	12	12	12
80-84	5	5.6	23	<1	<1	5	10	11	11	11
85+	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
65-69 YRS	12	4.8	18	1	2	4	5	12	15	16
70-74	6	4.8	42	<1	<1	2	3	17	18	18
75-79	4	6.3	15	4	4	5	8	12	12	12
80-84	6	7.0	13	1	1	7	10	11	11	11
85+	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	6.9	43	1	1	5	9	16	23	89
70-74	103	7.5	42	2	2	7	9	13	18	36
75-79	93	8.0	52	1	3	6	9	15	25	40
80-84	66	8.5	59	1	2	6	11	21	28	34
85+	76	10.3	77	2	3	8	13	21	27	46
B. Operated										
65-69 YRS	97	14.0	209	2	2	8	17	32	45	72
70-74	97	14.0	136	3	4	10	17	32	38	54
75-79	63	11.1	73	3	3	8	15	21	25	44
80-84	68	10.8	92	1	2	8	13	22	33	45
85+	41	12.5	181	2	3	9	14	22	24	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	7.0	56	<1	1	5	10	15	27	31
B. Operated	31	5.6	21	1	1	4	8	13	16	18
2. MULTIPLE DX										
A. Not Operated	404	8.2	55	1	2	6	10	16	23	45
B. Operated	366	12.7	142	2	3	9	16	27	37	54
1. SINGLE DX	59	6.3	37	<1	1	4	9	13	17	31
2. MULTIPLE DX	770	10.4	101	2	2	7	13	22	30	50
A. NOT OPERATED	432	8.1	55	1	2	6	10	16	24	44
B. OPERATED	397	12.2	136	2	3	9	15	26	36	54
TOTAL 65-69 YRS	182	10.5	142	1	2	6	14	27	36	75
70-74	215	10.5	97	2	2	8	12	22	32	51
75-79	164	9.1	61	2	3	7	12	17	25	44
80-84	145	9.4	72	1	2	7	12	21	29	43
85+	123	10.7	110	2	3	8	14	21	26	58
GRAND TOTAL	**829**	**10.1**	**98**	**2**	**2**	**7**	**13**	**22**	**29**	**49**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	4.0	29	<1	<1	1	5	8	12	28
70-74	16	3.6	20	<1	1	1	5	7	15	18
75-79	24	2.8	18	<1	1	1	3	6	11	21
80-84	9	5.7	70	<1	<1	2	6	19	27	27
85+	4	5.0	27	<1	<1	3	9	12	12	12
B. Operated										
65-69 YRS	13	11.7	275	1	1	6	10	42	53	56
70-74	16	7.7	52	1	1	7	9	12	26	32
75-79	10	8.6	110	1	1	5	10	25	36	36
80-84	16	7.9	194	2	2	3	6	11	45	59
85+	6	14.8	328	5	5	6	15	47	51	51
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	129	9.1	77	1	2	6	13	21	25	44
70-74	147	8.5	86	1	1	5	11	20	29	43
75-79	150	7.4	82	1	1	4	8	15	27	49
80-84	141	7.3	43	1	2	5	10	14	19	32
85+	98	8.5	104	1	1	5	10	20	28	58
B. Operated										
65-69 YRS	178	23.4	340	2	3	21	35	47	65	79
70-74	169	21.4	341	3	3	15	33	48	54	87
75-79	160	18.1	274	2	3	12	30	44	51	81
80-84	122	16.4	283	2	3	9	26	43	60	99+
85+	88	12.6	86	2	4	10	15	26	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.8	27	<1	<1	1	5	7	14	28
B. Operated	61	9.5	166	1	2	6	9	22	44	59
2. MULTIPLE DX										
A. Not Operated	665	8.1	77	1	1	5	10	18	26	42
B. Operated	717	19.2	296	2	3	12	30	44	54	81
1. SINGLE DX	143	6.2	94	<1	<1	3	7	12	27	56
2. MULTIPLE DX	1382	13.9	221	1	2	8	19	35	46	75
A. NOT OPERATED	747	7.6	73	1	1	5	10	17	25	42
B. OPERATED	778	18.5	292	2	3	11	29	43	54	79
TOTAL 65-69 YRS	349	16.1	271	1	2	10	25	39	51	75
70-74	348	14.5	251	1	2	8	20	37	48	75
75-79	344	12.1	199	1	1	6	15	35	44	69
80-84	288	11.2	173	2	2	6	13	30	41	76
85+	196	10.4	104	1	2	8	13	21	31	50
GRAND TOTAL	**1525**	**13.2**	**214**	**1**	**2**	**7**	**17**	**35**	**45**	**74**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	5.3	24	1	1	4	6	11	19	24
70-74	41	5.6	21	1	1	4	7	13	15	21
75-79	25	5.2	20	<1	1	3	8	12	14	15
80-84	18	5.7	26	<1	<1	4	8	12	17	20
85+	14	7.1	15	2	3	7	10	13	14	14
B. *Operated*										
65-69 YRS	190	5.4	26	<1	1	4	7	12	16	23
70-74	174	6.5	45	<1	1	5	8	14	20	35
75-79	98	5.2	27	1	1	3	8	11	15	26
80-84	81	5.8	30	<1	1	4	8	13	16	28
85+	38	7.5	37	1	1	6	11	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	488	9.7	98	2	2	7	12	21	27	51
70-74	542	9.8	98	2	2	7	12	21	30	63
75-79	424	10.5	111	2	2	7	13	24	33	58
80-84	301	9.1	76	2	2	7	11	20	24	47
85+	182	9.1	61	1	2	7	12	20	25	38
B. *Operated*										
65-69 YRS	917	13.3	142	2	3	10	17	28	41	63
70-74	884	13.8	135	2	3	11	18	28	36	60
75-79	712	14.3	168	2	3	11	18	29	41	72
80-84	476	14.2	170	2	3	11	18	28	39	76
85+	292	13.5	98	2	4	11	17	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.6	22	1	1	4	8	12	14	21
B. *Operated*	581	5.9	33	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1937	9.7	94	2	2	7	12	21	29	51
B. *Operated*	3281	13.8	146	2	3	11	18	28	39	66
1. SINGLE DX	727	5.8	31	1	1	4	8	13	16	24
2. MULTIPLE DX	5218	12.3	130	2	3	9	16	25	35	63
A. NOT OPERATED	2083	9.4	90	1	2	7	12	21	28	50
B. OPERATED	3862	12.6	137	1	2	10	16	26	36	63
TOTAL 65-69 YRS	1643	11.1	120	1	2	8	14	24	34	58
70-74	1641	11.5	118	1	2	8	15	24	33	59
75-79	1259	12.1	143	1	2	9	16	25	36	65
80-84	876	11.5	131	1	2	8	14	24	32	70
85+	526	11.4	84	2	2	9	15	22	30	49
GRAND TOTAL	**5945**	**11.5**	**123**	**1**	**2**	**8**	**15**	**24**	**33**	**60**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	148	2.4	2	1	1	2	3	4	4	6
70-74	118	2.5	2	1	1	2	3	4	5	7
75-79	65	2.8	3	1	1	2	3	5	6	10
80-84	41	3.1	2	1	1	3	4	5	6	7
85+	12	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	2.3	5	<1	<1	1	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	4	6.3	15	1	1	7	9	10	10	10
B. *Operated*										
65-69 YRS	181	3.2	5	1	1	3	4	5	7	15
70-74	150	3.5	7	1	1	3	4	6	9	16
75-79	103	3.6	6	1	2	3	4	6	8	14
80-84	42	4.2	10	1	1	3	6	8	11	14
85+	34	4.9	44	1	2	3	5	8	10	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	384	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	11	<1	<1	2	6	9	10	10
B. *Operated*	510	3.6	9	1	1	3	4	6	8	15
1. SINGLE DX	386	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	520	3.6	9	1	1	3	4	6	8	15
A. NOT OPERATED	12	3.5	9	<1	<1	2	5	9	10	10
B. OPERATED	894	3.2	6	1	1	3	4	5	7	14
TOTAL 65-69 YRS	331	2.8	4	1	1	2	4	5	6	14
70-74	272	3.1	5	1	1	3	4	5	7	13
75-79	170	3.3	5	1	1	3	4	6	7	11
80-84	83	3.7	6	1	1	3	4	7	8	14
85+	50	4.5	32	1	1	3	5	8	10	40
GRAND TOTAL	**906**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	1.6	1	<1	<1	<1	2	4	4	4
70-74	4	1.8	1	<1	<1	1	2	3	3	3
75-79	8	2.0	2	<1	<1	2	3	4	4	4
80-84	7	2.0	4	<1	<1	1	3	5	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	196	4.1	14	<1	<1	2	7	9	11	16
70-74	185	4.1	14	<1	<1	2	7	9	11	14
75-79	112	3.8	16	<1	<1	2	5	10	13	16
80-84	68	4.2	22	<1	<1	2	5	10	14	23
85+	29	5.1	30	<1	1	2	8	13	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	3.5	10	<1	<1	2	5	7	8	17
70-74	64	4.0	13	<1	1	2	5	9	12	17
75-79	65	5.0	16	1	1	4	6	11	14	19
80-84	48	6.0	25	1	2	5	7	13	18	25
85+	36	5.5	23	1	1	4	7	11	14	25
B. *Operated*										
65-69 YRS	771	6.7	35	<1	1	6	9	13	17	30
70-74	837	7.5	66	<1	1	6	10	14	20	49
75-79	685	7.4	48	1	1	6	10	15	19	33
80-84	519	8.1	66	1	1	6	11	18	22	35
85+	315	7.7	52	1	1	5	11	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.8	2	<1	<1	1	2	4	4	6
B. *Operated*	590	4.1	16	<1	<1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	264	4.7	18	<1	1	3	6	10	13	20
B. *Operated*	3127	7.4	53	1	1	6	10	15	20	35
1. SINGLE DX	624	4.0	15	<1	<1	2	7	10	11	16
2. MULTIPLE DX	3391	7.2	51	<1	1	6	10	15	19	34
A. NOT OPERATED	298	4.4	17	<1	1	3	6	10	13	20
B. OPERATED	3717	6.9	49	<1	1	5	9	14	19	33
TOTAL 65-69 YRS	1032	6.0	31	<1	<1	5	9	12	16	26
70-74	1090	6.7	56	<1	1	5	9	13	17	40
75-79	870	6.8	43	<1	1	5	10	14	18	32
80-84	642	7.5	60	1	1	5	10	16	21	32
85+	381	7.3	48	1	1	5	10	16	20	37
GRAND TOTAL	**4015**	**6.7**	**47**	**<1**	**1**	**5**	**9**	**14**	**18**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	44	4.3	19	<1	<1	3	6	9	12	23
70-74	21	6.0	18	<1	<1	7	9	11	14	17
75-79	12	5.3	16	1	1	5	9	10	11	11
80-84	5	2.6	2	1	1	2	4	4	4	4
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	9.8	70	4	4	6	15	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	91	8.2	58	1	1	7	11	15	19	47
70-74	70	9.1	126	1	1	7	11	18	24	67
75-79	49	9.8	94	1	1	8	13	22	27	53
80-84	23	5.8	20	<1	1	5	8	11	15	20
85+	12	6.1	16	1	2	6	8	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	85	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	8	6.5	45	1	1	4	7	18	22	22
B. *Operated*	245	8.4	79	1	1	7	11	17	23	55
1. SINGLE DX	86	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX	253	8.4	78	1	1	7	11	17	23	55
A. NOT OPERATED	9	5.9	43	1	1	4	7	16	22	22
B. OPERATED	330	7.5	66	1	1	6	10	15	20	53
TOTAL 65-69 YRS	136	6.9	48	<1	1	6	9	14	18	39
70-74	92	8.3	102	<1	1	7	10	17	23	64
75-79	66	8.9	79	1	1	8	11	20	26	49
80-84	29	5.1	17	1	1	4	7	10	13	20
85+	16	4.9	16	1	1	3	7	11	13	14
GRAND TOTAL	**339**	**7.4**	**65**	**1**	**1**	**6**	**10**	**15**	**20**	**53**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.2	5	<1	<1	1	3	6	6	6
70-74	3	2.7	8	<1	<1	<1	5	6	6	6
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	161	2.5	6	<1	<1	1	3	5	8	12
70-74	115	3.1	11	<1	<1	2	3	9	11	15
75-79	47	3.2	9	<1	<1	2	5	9	10	11
80-84	29	2.0	2	<1	<1	1	3	4	4	7
85+	9	2.4	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.6	18	<1	<1	2	4	9	15	16
70-74	5	5.0	16	<1	<1	5	7	11	11	11
75-79	7	2.3	1	1	1	2	3	4	4	4
80-84	6	3.3	8	<1	<1	2	3	8	9	9
85+										
B. *Operated*										
65-69 YRS	243	4.3	26	<1	<1	3	5	9	14	29
70-74	209	5.7	41	<1	1	3	8	11	18	34
75-79	134	4.8	23	<1	1	3	7	11	15	23
80-84	60	6.9	95	<1	<1	3	9	16	25	58
85+	22	7.6	20	1	2	7	9	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*	361	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*	668	5.2	37	<1	1	3	7	11	17	31
1. SINGLE DX	369	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX	699	5.1	36	<1	1	3	7	11	16	31
A. NOT OPERATED	39	3.3	10	<1	<1	2	4	7	10	16
B. OPERATED	1029	4.3	28	<1	<1	2	5	10	14	29
TOTAL 65-69 YRS	422	3.6	19	<1	<1	2	4	8	12	25
70-74	332	4.7	31	<1	<1	3	6	10	15	32
75-79	188	4.3	19	<1	<1	2	5	10	14	22
80-84	95	5.2	66	<1	<1	3	5	11	18	48
85+	31	6.1	20	1	1	5	8	12	16	19
GRAND TOTAL	**1068**	**4.3**	**27**	**<1**	**<1**	**2**	**5**	**10**	**14**	**29**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	3	1.7		1	1	2	2	2	2	2
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	43	2.7	10	<1	1	2	3	5	9	18
70-74	29	2.4	4	<1	<1	2	3	6	7	9
75-79	23	2.3	5	<1	<1	1	3	5	8	9
80-84	3	1.0		1	1	1	1	1	1	1
85+	6	4.2	40	<1	<1	2	3	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.4	20	1	2	4	8	11	16	18
70-74	9	4.9	11	<1	<1	4	7	10	10	10
75-79	12	5.6	40	1	1	3	7	16	21	22
80-84	15	5.5	18	1	1	4	9	11	14	15
85+	15	6.6	12	2	4	5	9	13	13	13
B. *Operated*										
65-69 YRS	88	5.5	48	<1	<1	3	8	15	17	38
70-74	66	6.2	45	<1	<1	4	8	15	18	34
75-79	53	8.5	63	<1	1	6	12	21	29	97
80-84	31	7.9	49	1	1	6	12	18	23	26
85+	23	8.6	168	<1	1	6	9	14	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	104	2.6	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	66	5.7	19	1	1	4	8	11	14	21
B. *Operated*	261	6.8	62	<1	1	4	9	16	22	43
1. SINGLE DX	111	2.5	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX	327	6.6	53	<1	1	4	8	15	20	36
A. NOT OPERATED	73	5.3	19	1	1	4	7	11	13	21
B. OPERATED	365	5.6	50	<1	<1	3	7	15	18	34
TOTAL 65-69 YRS	147	4.6	35	<1	1	2	6	11	17	29
70-74	106	5.0	33	<1	<1	3	6	12	15	33
75-79	91	6.3	50	<1	<1	4	8	17	25	72
80-84	49	6.7	39	1	1	4	10	16	20	26
85+	45	7.2	95	1	1	5	8	13	16	65
GRAND TOTAL	**438**	**5.6**	**45**	**<1**	**<1**	**3**	**7**	**14**	**17**	**34**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	41	1.5	1	<1	<1	1	2	3	4	5
70-74	29	1.9	2	<1	<1	2	2	4	5	7
75-79	19	3.5	46	<1	<1	2	3	6	20	31
80-84	8	1.9	1	1	1	2	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	114	2.5	10	<1	<1	2	3	4	6	17
70-74	76	2.3	2	<1	<1	2	3	4	6	6
75-79	51	2.9	6	<1	<1	2	3	6	10	13
80-84	24	3.5	25	<1	<1	2	3	6	15	25
85+	6	2.2	1	<1	<1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	98	2.0	10	<1	<1	1	2	3	5	20
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	271	2.6	8	<1	<1	2	3	5	6	13
1. SINGLE DX	101	2.0	10	<1	<1	1	2	3	5	19
2. MULTIPLE DX	274	2.6	8	<1	<1	2	3	4	6	13
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	369	2.4	9	<1	<1	2	3	4	6	13
TOTAL 65-69 YRS	158	2.2	8	<1	<1	2	2	3	5	8
70-74	105	2.2	2	<1	<1	2	3	4	6	7
75-79	71	3.1	17	<1	<1	2	3	6	10	27
80-84	32	3.1	20	<1	<1	2	3	4	10	25
85+	9	1.9	1	<1	<1	2	2	3	4	4
GRAND TOTAL	**375**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	15	5.4	6	<1	1	6	6	9	9	9
70-74	14	5.9	3	2	4	6	7	8	8	8
75-79	4	3.5	4	2	2	3	5	6	6	6
80-84	4	10.5	8	8	8	10	13	13	13	13
85+	5	4.8	7	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.0	6	<1	<1	2	5	7	7	7
70-74	7	4.6	10	1	1	3	7	9	10	10
75-79	5	5.6	10	1	1	6	8	9	9	9
80-84	5	4.8	7	2	2	4	7	8	8	8
85+	7	4.4	13	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	293	7.1	19	3	4	6	8	11	14	28
70-74	180	7.1	25	2	4	6	8	10	14	19
75-79	96	8.4	23	4	4	7	9	15	20	25
80-84	39	8.1	26	2	3	6	10	15	18	25
85+	24	8.2	14	3	3	8	12	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	5.8	7	1	2	6	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	31	4.4	9	<1	1	3	7	9	10	11
B. *Operated*	632	7.4	22	3	4	6	8	12	15	24
1. SINGLE DX	42	5.8	7	1	2	6	8	9	11	13
2. MULTIPLE DX	663	7.2	21	2	4	6	8	11	15	24
A. NOT OPERATED	31	4.4	9	<1	1	3	7	9	10	11
B. OPERATED	674	7.3	21	2	4	6	8	12	15	24
TOTAL 65-69 YRS	315	6.9	18	3	4	6	8	10	13	26
70-74	201	6.9	23	2	3	6	8	10	13	18
75-79	105	8.0	23	2	4	7	9	14	18	25
80-84	48	7.9	24	2	3	7	10	14	17	25
85+	36	7.0	15	1	2	7	10	13	13	14
GRAND TOTAL	**705**	**7.2**	**21**	**2**	**4**	**6**	**8**	**11**	**15**	**24**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	5.4	5	1	2	6	7	8	8	8
70-74	13	8.6	41	2	2	6	13	18	22	23
75-79	3	10.3	16	8	8	8	13	15	15	15
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	27	7.2	27	1	2	6	8	15	18	23
1. SINGLE DX	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX	27	7.2	27	1	2	6	8	15	18	23
A. NOT OPERATED										
B. OPERATED	32	6.5	26	1	1	6	8	15	17	23
TOTAL 65-69 YRS	10	5.0	6	1	1	6	7	8	8	8
70-74	15	7.9	40	<1	2	6	12	17	21	23
75-79	4	8.0	33	1	1	8	12	15	15	15
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
GRAND TOTAL	**32**	**6.5**	**26**	**1**	**1**	**6**	**8**	**15**	**17**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	66	6.1	3	4	4	6	7	9	9	13
70-74	35	6.1	4	3	4	6	7	8	10	12
75-79	30	6.3	2	3	4	6	7	8	8	9
80-84	19	8.0	9	4	5	7	9	13	15	16
85+	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	331	7.3	11	4	5	6	8	11	14	22
70-74	290	8.4	35	4	5	7	9	13	17	24
75-79	201	9.1	34	4	5	8	10	14	19	34
80-84	104	11.2	108	5	5	9	13	17	22	66
85+	48	10.7	28	5	6	9	13	18	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*	974	8.6	36	4	5	7	10	14	17	28
1. SINGLE DX	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX	976	8.6	36	4	5	7	10	14	17	28
A. NOT OPERATED	2	8.0	2	7	7	8	9	9	9	9
B. OPERATED	1128	8.3	32	4	5	7	9	13	17	27
TOTAL 65-69 YRS	397	7.1	10	4	4	6	8	10	13	21
70-74	325	8.1	32	4	5	7	9	13	16	24
75-79	232	8.8	31	4	5	7	10	13	18	32
80-84	123	10.7	94	5	5	8	13	17	20	54
85+	53	10.1	29	3	5	9	13	17	22	27
GRAND TOTAL	**1130**	**8.3**	**32**	**4**	**5**	**7**	**9**	**13**	**17**	**27**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	2.5	5	<1	<1	2	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	4.3	8	<1	<1	4	7	8	9	9
70-74	7	3.4	4	1	1	3	5	6	6	6
75-79	5	6.0	8	2	2	6	8	9	9	9
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	4	5.5	27	2	2	4	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	32	4.4	8	1	1	4	6	8	9	13
1. SINGLE DX	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX	32	4.4	8	1	1	4	6	8	9	13
A. NOT OPERATED										
B. OPERATED	36	4.3	8	<1	1	4	6	8	9	13
TOTAL 65-69 YRS	11	4.4	7	<1	1	4	7	8	9	9
70-74	8	3.1	4	<1	<1	3	5	6	6	6
75-79	7	5.0	9	<1	<1	5	7	9	9	9
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	4	5.5	27	2	2	4	9	13	13	13
GRAND TOTAL	**36**	**4.3**	**8**	**<1**	**1**	**4**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.5	12	<1	1	3	6	10	11	12
70-74	6	3.0	5	1	1	3	3	7	7	7
75-79	12	5.1	12	1	1	4	8	10	11	11
80-84	5	7.2	14	2	2	8	10	11	11	11
85+	2	4.5	25	1	1	4	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	42	4.8	12	1	1	4	8	10	11	12
1. SINGLE DX	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX	42	4.8	12	1	1	4	8	10	11	12
A. NOT OPERATED										
B. OPERATED	49	4.4	11	1	1	3	7	10	11	12
TOTAL 65-69 YRS	20	4.2	10	<1	1	3	6	9	11	12
70-74	8	2.6	4	<1	<1	2	3	6	7	7
75-79	14	4.7	11	1	1	4	7	10	11	11
80-84	5	7.2	14	2	2	8	10	11	11	11
85+	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	**49**	**4.4**	**11**	**1**	**1**	**3**	**7**	**10**	**11**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	3.6	8	<1	1	3	5	8	9	9
70-74	13	2.8	6	<1	1	2	3	8	8	8
75-79	11	3.9	35	<1	<1	2	3	13	20	21
80-84	6	4.3	23	2	2	3	3	13	14	14
85+	4	3.0	11	<1	<1	1	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	60	4.2	14	1	1	3	6	8	11	21
70-74	70	5.0	32	1	1	3	7	12	20	27
75-79	43	5.9	34	1	1	4	8	12	20	25
80-84	35	6.3	22	1	1	4	9	14	15	21
85+	12	5.3	10	2	2	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	48	3.5	15	<1	1	2	3	8	9	21
2. MULTIPLE DX										
A. *Not Operated*	3	5.3	33	2	2	2	10	12	12	12
B. *Operated*	220	5.2	25	1	1	3	7	10	15	25
1. SINGLE DX	49	3.4	14	<1	1	2	3	8	9	21
2. MULTIPLE DX	223	5.2	25	1	1	3	7	10	15	25
A. NOT OPERATED	4	4.3	27	1	1	2	7	12	12	12
B. OPERATED	268	4.9	23	1	1	3	7	10	14	25
TOTAL 65-69 YRS	76	4.0	12	1	1	3	5	8	9	20
70-74	84	4.6	28	1	1	2	6	10	15	27
75-79	54	5.5	34	1	1	3	7	12	20	25
80-84	42	6.1	22	1	2	4	9	14	15	21
85+	16	4.7	11	<1	1	4	8	10	10	10
GRAND TOTAL	**272**	**4.9**	**23**	**1**	**1**	**3**	**7**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84										
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	2.6	3	<1	<1	2	4	5	5	5
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	9	2.6	3	<1	<1	2	4	5	5	5
A. NOT OPERATED										
B. OPERATED	11	2.5	2	<1	<1	2	3	5	5	5
TOTAL 65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84										
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**11**	**2.5**	**2**	**<1**	**<1**	**2**	**3**	**5**	**5**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.1	6	1	1	2	4	7	8	8
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	4	2.8	4	<1	<1	2	4	5	5	5
80-84	4	4.0	2	2	2	4	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	84	8.0	16	2	2	8	10	12	15	20
70-74	37	10.4	45	1	1	9	13	21	24	29
75-79	29	14.8	130	1	2	12	19	33	41	47
80-84	9	8.7	20	2	3	8	10	16	18	18
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	6.8	48	1	1	5	8	12	22	36
70-74	48	6.4	21	2	2	5	8	12	17	25
75-79	66	8.4	102	1	2	5	11	18	20	62
80-84	44	7.9	34	1	2	7	9	18	21	25
85+	47	8.7	73	2	2	6	10	15	23	50
B. *Operated*										
65-69 YRS	241	15.2	149	3	4	12	18	33	45	71
70-74	209	17.5	201	3	5	14	21	35	50	80
75-79	123	18.6	231	4	5	16	24	33	57	99+
80-84	48	17.2	234	4	5	13	21	52	99	99+
85+	12	17.8	212	1	2	16	24	39	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	5	<1	<1	3	5	6	7	8
B. *Operated*	160	9.8	49	1	2	9	12	18	22	40
2. MULTIPLE DX										
A. *Not Operated*	244	7.7	60	1	2	5	9	15	20	46
B. *Operated*	633	16.8	190	3	5	13	21	34	50	99+
1. SINGLE DX	178	9.1	48	1	2	8	11	17	22	39
2. MULTIPLE DX	877	14.3	170	2	3	11	18	30	44	95
A. NOT OPERATED	262	7.4	57	1	2	5	9	14	19	45
B. OPERATED	793	15.4	170	2	4	12	19	31	45	99
TOTAL 65-69 YRS	371	12.5	120	2	3	10	14	27	40	66
70-74	296	14.7	171	2	3	11	18	30	43	75
75-79	222	14.8	197	2	3	11	21	28	42	98
80-84	105	12.1	145	2	2	9	15	24	51	99+
85+	61	10.5	109	1	2	7	11	21	34	52
GRAND TOTAL	**1055**	**13.4**	**153**	**2**	**3**	**10**	**17**	**28**	**41**	**86**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	89	2.9	1	1	1	3	3	4	5	6
70-74	53	2.8	1	1	1	3	4	4	5	5
75-79	32	3.1	1	1	2	3	4	5	5	6
80-84	8	3.3	2	1	1	3	4	5	6	6
85+	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	10.0	43	3	3	11	15	16	16	16
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	156	3.8	4	1	2	3	5	6	8	10
70-74	113	5.1	24	2	2	4	5	8	11	32
75-79	79	4.7	8	2	3	4	5	8	12	16
80-84	38	6.1	28	2	2	5	7	10	19	29
85+	10	10.2	128	2	2	5	14	30	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	21	3	3	5	9	14	16	16
B. *Operated*	396	4.7	17	2	2	4	5	8	10	28
1. SINGLE DX	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX	404	4.8	17	2	2	4	5	8	10	28
A. NOT OPERATED	8	6.6	21	3	3	5	9	14	16	16
B. OPERATED	581	4.1	13	1	2	3	4	7	9	24
TOTAL 65-69 YRS	246	3.4	3	1	2	3	4	5	7	10
70-74	169	4.5	19	1	2	4	5	7	10	30
75-79	113	4.2	6	2	2	4	4	6	9	15
80-84	48	5.6	24	2	2	4	6	9	16	29
85+	13	8.6	105	2	2	3	11	28	33	34
GRAND TOTAL	**589**	**4.2**	**13**	**1**	**2**	**3**	**4**	**7**	**9**	**24**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	2	7.5	25	4	4	7	11	11	11	11
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	52	5.9	29	2	2	5	7	10	14	35
70-74	29	5.2	10	2	2	4	6	10	12	13
75-79	22	5.5	11	2	3	4	7	10	13	16
80-84	10	5.9	11	2	2	5	10	11	11	11
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	6.3	26	<1	1	5	8	16	18	19
70-74	15	9.1	41	2	3	6	14	15	21	23
75-79	12	9.3	39	2	3	9	11	18	24	25
80-84	5	10.8	236	<1	<1	5	15	38	38	38
85+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
65-69 YRS	187	8.6	107	2	2	5	10	17	23	62
70-74	161	8.4	77	2	2	5	10	19	24	32
75-79	121	10.1	96	2	3	6	14	22	29	53
80-84	48	9.7	71	2	3	7	14	18	26	45
85+	9	8.1	15	4	4	8	10	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	14	<1	<1	4	6	11	11	11
B. *Operated*	114	5.6	19	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	58	8.1	47	1	2	6	10	15	21	37
B. *Operated*	526	9.0	90	2	3	6	11	18	26	59
1. SINGLE DX	119	5.6	19	2	2	4	7	10	12	25
2. MULTIPLE DX	584	8.9	86	2	3	6	11	18	25	56
A. NOT OPERATED	63	7.8	45	1	2	6	10	15	20	36
B. OPERATED	640	8.4	79	2	2	5	10	17	23	51
TOTAL 65-69 YRS	264	7.9	85	2	2	5	9	15	21	61
70-74	207	8.0	65	2	2	5	10	16	23	31
75-79	155	9.4	82	2	3	6	12	21	28	49
80-84	63	9.2	72	2	3	6	12	18	27	44
85+	14	7.1	14	1	3	6	9	11	15	16
GRAND TOTAL	**703**	**8.3**	**76**	**2**	**2**	**5**	**10**	**17**	**23**	**48**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	35	4.4	5	1	1	5	6	7	7	9
70-74	14	3.9	11	<1	1	3	6	8	11	12
75-79	8	5.3	8	2	2	5	6	10	11	11
80-84	3	3.7	21	1	1	1	7	9	9	9
85+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	3.7	9	1	1	3	6	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	93	5.6	9	1	1	6	7	9	12	14
70-74	68	5.5	11	1	1	5	7	10	12	15
75-79	38	6.3	20	1	1	6	8	12	17	20
80-84	25	5.2	16	1	1	5	7	8	12	20
85+	4	11.8	185	3	3	6	19	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*	228	5.7	15	1	1	6	7	10	13	20
1. SINGLE DX	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX	232	5.7	15	1	1	6	7	9	13	20
A. NOT OPERATED	4	3.8	6	1	1	3	5	7	7	7
B. OPERATED	291	5.5	14	1	1	5	7	9	12	19
TOTAL 65-69 YRS	128	5.3	9	1	1	5	7	9	10	14
70-74	83	5.2	11	1	1	5	7	10	12	14
75-79	49	5.9	17	1	1	6	7	11	14	20
80-84	28	5.1	16	1	1	4	7	9	10	20
85+	7	9.4	112	2	2	5	11	28	32	32
GRAND TOTAL	**295**	**5.4**	**14**	**1**	**1**	**5**	**7**	**9**	**12**	**19**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	101	4.3	9	1	1	4	6	9	10	13
70-74	95	3.7	6	<1	1	3	5	7	8	12
75-79	50	4.0	16	<1	<1	2	7	9	12	20
80-84	28	3.7	10	1	1	2	6	8	9	13
85+	9	3.0	10	1	1	2	4	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	3	4.3	17	1	1	3	7	9	9	9
75-79	4	6.0	26	1	1	5	9	13	13	13
80-84	3	7.7	114	<1	<1	2	15	20	20	20
85+	5	7.0	62	2	2	2	12	20	20	20
B. *Operated*										
65-69 YRS	351	6.5	28	1	1	5	9	13	16	27
70-74	311	7.3	44	1	1	5	10	16	21	34
75-79	247	7.9	59	1	2	6	10	15	23	37
80-84	157	8.4	87	2	2	6	11	17	20	44
85+	88	7.9	43	2	2	6	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*	283	4.0	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	18	5.7	38	<1	1	3	9	18	20	20
B. *Operated*	1154	7.4	49	1	2	6	10	15	19	34
1. SINGLE DX	289	3.9	9	<1	1	3	6	8	10	13
2. MULTIPLE DX	1172	7.3	48	1	2	6	10	15	19	34
A. NOT OPERATED	24	5.0	30	<1	1	3	6	14	20	20
B. OPERATED	1437	6.7	43	1	1	5	9	14	18	32
TOTAL 65-69 YRS	457	6.0	25	1	1	5	8	11	15	24
70-74	410	6.4	37	1	1	4	8	14	19	33
75-79	303	7.2	53	<1	1	5	9	14	19	37
80-84	189	7.6	78	1	2	5	10	16	19	40
85+	102	7.4	42	1	2	6	10	16	19	31
GRAND TOTAL	**1461**	**6.7**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	4.0	8	1	1	3	6	8	9	12
70-74	23	4.0	9	<1	1	3	5	9	11	11
75-79	18	3.3	6	<1	<1	3	5	7	9	10
80-84	16	3.5	6	<1	1	3	5	8	8	8
85+	4	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	175	4.2	12	<1	1	3	7	10	11	15
70-74	162	3.5	11	<1	1	2	4	9	11	13
75-79	113	4.7	12	1	1	3	8	10	11	14
80-84	59	6.2	68	1	1	3	9	11	17	48
85+	34	3.7	13	<1	1	2	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	5.0	17	1	1	4	6	10	14	18
70-74	235	6.3	71	<1	1	4	8	13	15	40
75-79	206	6.6	59	1	1	4	8	13	19	39
80-84	169	7.2	38	1	2	5	10	16	21	29
85+	163	7.3	34	1	1	6	10	15	19	25
B. *Operated*										
65-69 YRS	567	8.5	78	1	1	6	11	17	25	44
70-74	580	8.4	61	1	2	7	11	16	22	50
75-79	584	9.3	71	1	2	8	12	21	26	49
80-84	377	8.8	64	1	2	7	11	18	22	33
85+	264	9.9	88	1	2	7	13	20	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	7	<1	1	3	5	8	9	12
B. *Operated*	543	4.3	19	<1	1	3	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	946	6.4	47	1	1	5	8	13	17	29
B. *Operated*	2372	8.9	71	1	2	7	11	18	24	47
1. SINGLE DX	631	4.2	17	<1	1	3	7	9	11	15
2. MULTIPLE DX	3318	8.2	65	1	2	6	11	17	22	44
A. NOT OPERATED	1034	6.2	44	1	1	5	8	13	17	29
B. OPERATED	2915	8.0	65	1	1	6	10	17	22	44
TOTAL 65-69 YRS	942	6.9	56	1	1	5	9	14	20	39
70-74	1000	7.0	58	1	1	5	9	14	18	45
75-79	921	8.0	63	1	1	6	10	16	23	44
80-84	621	8.0	57	1	2	6	10	17	22	35
85+	465	8.5	66	1	2	7	11	18	22	39
GRAND TOTAL	**3949**	**7.6**	**60**	**1**	**1**	**6**	**10**	**16**	**21**	**41**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	3	8.3	36	2	2	9	13	14	14	14
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	114	3.1	2	1	2	3	4	5	5	7
70-74	82	3.5	2	1	2	3	4	5	6	9
75-79	54	3.3	2	1	1	3	4	5	6	8
80-84	18	4.3	9	1	2	4	5	6	11	14
85+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.0	8	<1	<1	4	4	9	10	10
70-74	25	5.3	18	1	2	4	7	10	16	17
75-79	12	4.8	10	1	2	4	8	9	10	10
80-84	19	5.9	11	1	2	5	8	10	13	15
85+	11	6.8	10	4	4	6	8	12	14	14
B. *Operated*										
65-69 YRS	229	4.6	11	1	2	4	5	9	11	19
70-74	180	5.3	29	2	2	4	6	9	13	27
75-79	121	7.0	80	2	2	5	8	11	17	55
80-84	40	6.5	22	2	2	5	8	12	17	23
85+	23	6.0	12	2	2	6	8	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.2	16	1	1	4	7	11	14	14
B. *Operated*	270	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	74	5.5	13	1	2	4	7	10	13	17
B. *Operated*	593	5.5	32	2	2	4	6	10	13	27
1. SINGLE DX	280	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX	667	5.5	30	2	2	4	6	10	13	23
A. NOT OPERATED	84	5.4	13	1	2	4	7	10	14	17
B. OPERATED	863	4.8	24	2	2	4	5	8	11	23
TOTAL 65-69 YRS	352	4.1	8	1	2	3	5	7	10	17
70-74	290	4.8	21	2	2	4	5	8	12	23
75-79	190	5.7	55	1	2	4	6	10	13	39
80-84	78	5.8	16	2	2	5	7	10	14	22
85+	37	6.1	11	2	3	6	7	11	13	14
GRAND TOTAL	**947**	**4.9**	**23**	**2**	**2**	**4**	**5**	**9**	**11**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.1	2	2	2	4	6	6	6	6
70-74	5	5.6	2	4	4	5	6	8	8	8
75-79	8	6.9	41	1	2	4	9	18	21	21
80-84	4	6.3	21	1	1	6	9	12	12	12
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	3.4	3	1	1	3	4	5	6	9
70-74	23	3.5	2	1	2	3	5	5	6	6
75-79	18	3.7	12	1	1	3	5	7	12	15
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	7.7	65	1	2	5	8	14	20	51
70-74	219	7.6	21	2	3	7	10	15	17	21
75-79	220	8.7	37	2	3	7	11	16	20	31
80-84	150	9.3	49	2	3	7	13	17	20	35
85+	127	12.1	170	3	4	8	13	25	35	87
B. *Operated*										
65-69 YRS	106	7.1	100	2	2	4	7	13	26	58
70-74	89	10.2	82	3	3	7	15	24	29	43
75-79	68	13.1	262	2	3	7	14	31	51	77
80-84	36	13.8	121	2	3	10	21	28	35	44
85+	25	16.1	251	3	4	11	20	28	61	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.6	16	1	2	5	6	10	14	21
B. *Operated*	86	3.5	4	1	1	3	5	6	6	13
2. MULTIPLE DX										
A. *Not Operated*	909	8.8	61	2	3	7	11	17	20	37
B. *Operated*	324	10.6	150	2	3	6	13	25	32	72
1. SINGLE DX	112	4.0	8	1	1	4	5	6	8	17
2. MULTIPLE DX	1233	9.3	85	2	3	7	11	18	25	48
A. NOT OPERATED	935	8.7	60	2	3	7	10	17	20	37
B. OPERATED	410	9.2	128	2	2	5	10	22	28	69
TOTAL 65-69 YRS	347	6.9	69	2	2	5	7	13	19	41
70-74	336	8.0	38	2	3	6	10	17	19	32
75-79	314	9.3	89	2	3	7	11	18	23	57
80-84	193	10.0	64	2	3	7	13	20	27	41
85+	155	12.6	182	3	4	8	14	25	36	84
GRAND TOTAL	**1345**	**8.8**	**81**	**2**	**3**	**6**	**10**	**17**	**24**	**45**

1463 Hospitals, United States, January-December 1986

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.1	4	1	2	4	5	6	8	9
70-74	11	5.4	7	1	2	5	7	9	11	11
75-79	8	8.0	50	2	2	4	13	19	21	21
80-84	8	5.5	15	2	2	4	6	12	14	14
85+	5	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
65-69 YRS	3	6.3	85	1	1	1	13	17	17	17
70-74	3	3.0	4	<1	<1	3	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	6.0	17	2	2	5	7	10	13	24
70-74	135	6.2	19	2	2	5	7	11	16	23
75-79	118	7.3	48	1	3	6	9	12	16	44
80-84	70	7.6	83	1	3	6	9	11	14	61
85+	54	7.5	26	3	3	6	10	13	19	25
B. *Operated*										
65-69 YRS	26	14.0	196	2	3	10	15	31	42	68
70-74	20	7.9	26	2	3	7	12	18	55	99+
75-79	13	12.7	41	4	5	11	19	21	23	23
80-84	8	17.4	50	8	8	17	23	27	27	27
85+	5	13.8	158	6	6	9	17	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.3	15	1	2	4	6	10	14	21
B. *Operated*	7	4.3	34	<1	<1	2	4	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	561	6.7	34	2	3	6	8	11	15	31
B. *Operated*	72	12.4	107	2	4	9	17	26	34	93
1. SINGLE DX	55	5.2	17	1	1	4	6	11	15	21
2. MULTIPLE DX	633	7.3	45	2	3	6	8	13	19	36
A. NOT OPERATED	609	6.6	32	2	2	5	8	11	15	29
B. OPERATED	79	11.7	105	1	2	9	16	24	33	90
TOTAL 65-69 YRS	229	6.8	44	1	2	5	8	12	16	33
70-74	169	6.3	19	2	2	5	7	12	17	29
75-79	140	7.8	49	2	3	6	9	15	20	38
80-84	86	8.3	81	2	3	6	9	14	22	59
85+	64	7.8	36	2	3	6	10	13	20	34
GRAND TOTAL	**688**	**7.2**	**43**	**2**	**2**	**6**	**8**	**13**	**18**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	6.1	14	1	2	5	8	12	14	16
70-74	38	7.1	56	2	2	5	8	11	17	47
75-79	35	6.3	20	2	2	5	8	10	18	21
80-84	15	4.8	3	1	3	5	6	6	8	9
85+	11	5.4	21	1	2	4	6	11	17	18
B. *Operated*										
65-69 YRS										
70-74	3	4.7	2	3	3	5	6	6	6	6
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	691	8.5	58	2	3	7	10	15	20	42
70-74	604	8.7	41	2	3	7	10	15	20	36
75-79	586	9.2	47	2	3	8	12	16	21	35
80-84	433	9.4	35	3	3	8	12	16	19	32
85+	401	10.6	52	3	4	9	13	19	23	38
B. *Operated*										
65-69 YRS	103	17.5	211	5	6	12	24	42	68	99+
70-74	129	20.2	190	4	6	17	28	41	49	78
75-79	106	16.0	105	5	6	14	20	39	62	99+
80-84	79	21.4	302	7	9	16	25	47	68	98
85+	64	20.3	187	6	8	17	24	35	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	6.2	26	2	2	5	7	10	14	22
B. *Operated*	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2715	9.1	48	3	3	8	11	16	21	37
B. *Operated*	481	18.9	196	5	7	15	24	41	58	99+
1. SINGLE DX	148	6.2	25	2	2	5	7	10	14	21
2. MULTIPLE DX	3196	10.6	82	3	3	8	13	20	29	61
A. NOT OPERATED	2860	9.0	47	2	3	7	11	16	21	36
B. OPERATED	484	18.8	196	5	7	15	24	41	57	99+
TOTAL 65-69 YRS	840	9.5	84	2	3	7	11	17	27	69
70-74	774	10.5	85	3	3	8	12	20	31	49
75-79	727	10.1	60	2	3	8	13	19	25	63
80-84	527	11.1	93	3	4	9	13	19	28	56
85+	476	11.8	81	3	4	9	14	22	29	65
GRAND TOTAL	**3344**	**10.4**	**80**	**3**	**3**	**8**	**13**	**20**	**28**	**60**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	363	5.3	16	2	2	5	7	8	11	16
70-74	309	5.7	17	2	3	5	7	9	12	21
75-79	211	6.1	11	2	3	6	8	11	12	18
80-84	100	5.7	9	2	2	5	7	9	11	17
85+	63	6.0	10	2	3	5	8	10	11	17
B. *Operated*										
65-69 YRS	34	7.3	90	1	1	4	8	22	29	42
70-74	29	4.8	21	1	1	2	8	11	12	20
75-79	20	4.7	14	1	2	3	8	10	12	14
80-84	6	7.2	65	<1	<1	3	17	18	18	18
85+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4859	6.8	23	2	3	6	8	12	14	23
70-74	4468	7.1	31	2	3	6	9	12	15	27
75-79	3540	7.6	36	2	3	6	9	13	17	34
80-84	2301	8.0	40	2	3	7	10	14	18	34
85+	1470	8.4	43	2	3	7	10	16	20	35
B. *Operated*										
65-69 YRS	2302	15.3	173	2	3	12	20	32	43	74
70-74	1924	15.3	168	2	4	12	20	32	43	84
75-79	1417	15.9	158	3	4	13	20	32	43	73
80-84	868	16.4	198	3	5	12	21	34	47	91
85+	511	16.8	184	3	5	13	22	35	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	5.6	14	2	2	5	7	9	11	18
B. *Operated*	91	5.9	48	1	1	3	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	16638	7.4	32	2	3	6	9	13	16	29
B. *Operated*	7022	15.7	173	3	4	12	20	32	43	84
1. SINGLE DX	1137	5.7	17	2	2	5	7	10	12	20
2. MULTIPLE DX	23660	9.8	88	2	3	7	11	19	28	57
A. NOT OPERATED	17684	7.3	31	2	3	6	9	12	16	29
B. OPERATED	7113	15.5	172	2	4	12	20	32	43	83
TOTAL 65-69 YRS	7558	9.3	84	2	3	7	11	18	27	51
70-74	6730	9.4	83	2	3	7	11	18	26	57
75-79	5188	9.8	83	2	3	7	12	19	27	52
80-84	3275	10.1	95	2	3	7	12	20	28	65
85+	2046	10.4	90	2	3	8	12	20	28	65
GRAND TOTAL	**24797**	**9.6**	**86**	**2**	**3**	**7**	**11**	**19**	**27**	**57**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	5	6.0	18	2	2	5	8	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	6	5.8	14	2	2	5	6	12	13	13
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	5	6.0	18	2	2	5	8	13	13	13
TOTAL 65-69 YRS	2	9.0	32	5	5	9	13	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
GRAND TOTAL	**6**	**5.8**	**14**	**2**	**2**	**5**	**6**	**12**	**13**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	4.1	10	1	1	3	5	9	11	14
70-74	26	3.2	4	<1	1	2	5	7	7	7
75-79	45	4.0	15	1	1	4	5	7	9	24
80-84	21	4.1	14	<1	1	3	5	10	13	14
85+	13	4.0	17	1	1	2	4	11	14	15
B. *Operated*										
65-69 YRS	15	7.4	125	2	2	4	6	10	38	47
70-74	11	6.7	21	2	3	5	9	14	18	18
75-79	10	5.9	3	3	3	6	8	8	8	8
80-84	5	2.6	2	1	1	2	3	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1221	5.7	30	1	2	4	7	11	14	29
70-74	1329	5.9	22	1	2	5	8	11	15	25
75-79	1395	6.2	35	1	2	5	8	11	15	30
80-84	1094	6.5	31	2	2	5	8	12	17	31
85+	834	6.7	42	1	2	5	8	13	18	32
B. *Operated*										
65-69 YRS	231	10.0	67	2	3	8	14	20	28	54
70-74	226	12.0	178	2	3	8	14	26	35	89
75-79	183	11.5	134	2	3	8	14	22	34	65
80-84	119	13.3	177	3	4	9	16	27	40	92
85+	66	15.4	147	3	4	13	18	36	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.9	11	1	1	3	5	7	10	17
B. *Operated*	42	6.2	51	2	2	5	7	9	14	47
2. MULTIPLE DX										
A. *Not Operated*	5873	6.2	31	1	2	5	8	12	15	29
B. *Operated*	825	11.8	136	2	3	8	15	24	35	80
1. SINGLE DX	175	4.5	22	1	1	4	5	8	11	22
2. MULTIPLE DX	6698	6.8	48	1	2	5	8	13	18	37
A. NOT OPERATED	6006	6.1	31	1	2	5	7	11	15	29
B. OPERATED	867	11.5	133	2	3	8	14	23	35	77
TOTAL 65-69 YRS	1495	6.3	38	1	2	5	8	13	17	39
70-74	1592	6.7	48	1	2	5	8	13	18	34
75-79	1633	6.7	48	1	2	5	8	12	17	37
80-84	1239	7.1	49	2	2	5	9	14	19	39
85+	914	7.3	54	1	2	5	9	14	19	36
GRAND TOTAL	**6873**	**6.8**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	4.0	3	3	3	3	5	6	6	6
75-79	3	4.0	4	2	2	4	5	6	6	6
80-84	4	7.8	21	2	2	8	11	13	13	13
85+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
65-69 YRS	2	8.5	85	2	2	8	15	15	15	15
70-74	6	4.3	8	1	1	4	7	8	8	8
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	6	4.0	8	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	176	9.5	87	2	3	7	12	17	22	78
70-74	223	8.8	43	2	3	7	12	18	23	53
75-79	226	9.2	66	2	3	7	11	17	28	60
80-84	217	10.4	104	2	3	8	13	19	29	99+
85+	257	8.7	38	2	3	7	12	16	21	94
B. *Operated*										
65-69 YRS	113	16.0	207	3	4	12	21	33	40	79
70-74	127	13.0	108	2	3	10	18	26	33	53
75-79	141	14.3	131	3	4	11	18	32	39	56
80-84	122	12.5	105	2	3	10	18	26	32	53
85+	162	10.6	109	2	3	8	13	21	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.4	11	2	2	4	7	10	12	13
B. *Operated*	16	4.5	14	1	1	3	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	1099	9.3	66	2	3	7	12	18	24	80
B. *Operated*	665	13.1	132	2	3	10	17	27	37	58
1. SINGLE DX	29	4.9	13	1	2	4	7	9	13	15
2. MULTIPLE DX	1764	10.7	94	2	3	8	14	21	31	65
A. NOT OPERATED	1112	9.2	65	2	3	7	12	18	24	79
B. OPERATED	681	12.9	131	2	3	9	17	26	37	58
TOTAL 65-69 YRS	291	12.0	143	2	3	8	15	24	35	78
70-74	359	10.1	70	2	3	8	13	20	28	50
75-79	370	11.1	97	2	3	8	13	22	34	58
80-84	345	11.1	104	2	3	8	14	22	31	77
85+	428	9.3	66	2	3	7	12	18	24	73
GRAND TOTAL	**1793**	**10.6**	**93**	**2**	**3**	**8**	**13**	**21**	**30**	**64**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	4.6	10	1	1	3	7	9	11	11
70-74	8	8.4	156	2	2	4	6	29	39	39
75-79	4	5.8	5	3	3	6	7	8	8	8
80-84										
85+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
65-69 YRS	8	8.1	38	3	3	6	9	19	22	22
70-74	3	22.3	426	8	8	13	38	46	46	46
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	25	6.5	56	1	2	5	7	11	21	39
B. *Operated*	12	11.2	150	2	3	7	12	29	44	46
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	37	8.0	88	1	2	6	8	15	33	46
A. NOT OPERATED	25	6.5	56	1	2	5	7	11	21	39
B. OPERATED	13	10.4	145	1	2	6	11	27	42	46
TOTAL 65-69 YRS	19	6.1	23	1	2	6	7	11	17	22
70-74	12	11.3	226	1	2	5	10	41	45	46
75-79	5	5.0	7	2	2	5	7	8	8	8
80-84										
85+	2	11.0	32	7	7	11	15	15	15	15
GRAND TOTAL	**38**	**7.8**	**87**	**1**	**2**	**6**	**8**	**14**	**32**	**46**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.0	11	<1	<1	2	4	7	11	15
70-74	15	3.3	3	1	1	3	5	5	7	7
75-79	11	3.5	7	1	1	2	5	8	10	10
80-84	7	6.4	6	2	2	7	8	9	9	9
85+	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
65-69 YRS	27	4.4	56	1	1	2	4	8	19	39
70-74	7	8.0	70	1	1	7	10	22	25	25
75-79	4	8.5	156	1	1	3	16	27	27	27
80-84	2	5.5	13	3	3	5	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	338	7.1	37	1	2	6	9	12	16	37
70-74	309	8.1	55	2	3	6	9	15	21	39
75-79	247	7.9	60	1	2	6	10	16	21	38
80-84	178	8.4	35	2	3	7	12	17	20	36
85+	160	8.8	91	2	3	7	10	15	21	52
B. *Operated*										
65-69 YRS	170	9.4	115	1	2	6	12	22	28	49
70-74	158	12.7	206	1	2	8	16	26	39	70
75-79	102	11.6	118	2	2	8	16	24	32	57
80-84	69	12.6	67	4	5	10	16	25	30	38
85+	41	9.8	53	1	2	8	14	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.5	8	<1	<1	3	4	8	9	14
B. *Operated*	40	5.5	63	1	1	3	5	13	26	39
2. MULTIPLE DX										
A. *Not Operated*	1232	7.9	53	1	2	6	10	15	20	38
B. *Operated*	540	11.2	133	1	2	8	15	24	30	60
1. SINGLE DX	101	4.3	31	<1	<1	3	5	8	13	33
2. MULTIPLE DX	1772	8.9	79	1	2	7	11	18	24	49
A. NOT OPERATED	1293	7.7	52	1	2	6	9	14	19	38
B. OPERATED	580	10.8	130	1	2	8	14	24	29	60
TOTAL 65-69 YRS	558	7.5	63	1	1	5	9	15	21	44
70-74	489	9.4	107	1	2	7	12	20	26	60
75-79	364	8.8	78	1	2	6	11	19	24	50
80-84	256	9.4	46	2	3	8	13	18	23	38
85+	206	8.8	82	2	3	7	11	16	21	45
GRAND TOTAL	**1873**	**8.7**	**78**	**1**	**2**	**6**	**11**	**17**	**24**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.3	30	1	1	3	6	15	17	17
70-74	19	3.3	5	1	1	2	4	7	8	9
75-79	23	4.7	8	1	2	4	6	8	10	14
80-84	8	3.6	1	2	2	4	4	5	5	5
85+	6	5.8	10	2	2	5	9	10	10	10
B. *Operated*										
65-69 YRS	6	1.3		<1	<1	1	2	2	2	2
70-74	5	4.0	7	1	1	4	6	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	3	3.7	2	2	2	4	5	5	5	5
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	6.2	27	2	2	5	7	12	16	26
70-74	190	6.1	15	2	2	5	8	10	13	21
75-79	194	5.8	17	2	2	5	7	9	12	25
80-84	160	6.3	45	2	2	5	7	12	14	26
85+	112	8.5	130	2	3	6	8	14	31	83
B. *Operated*										
65-69 YRS	44	7.7	32	1	2	6	10	17	20	22
70-74	58	9.4	50	2	3	8	13	19	35	99+
75-79	35	10.3	78	1	3	8	11	18	33	40
80-84	27	10.0	80	1	2	8	14	21	49	99+
85+	23	12.2	258	1	2	7	11	34	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.3	9	1	2	3	5	8	10	17
B. *Operated*	16	2.9	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	837	6.4	40	2	2	5	8	11	15	32
B. *Operated*	187	9.6	81	1	2	8	13	19	32	99+
1. SINGLE DX	79	4.1	8	1	1	3	5	8	9	16
2. MULTIPLE DX	1024	7.0	49	2	2	5	8	13	18	47
A. NOT OPERATED	900	6.3	38	2	2	5	8	11	15	30
B. OPERATED	203	9.1	78	1	2	7	12	18	29	99+
TOTAL 65-69 YRS	238	6.3	28	1	2	5	8	13	17	23
70-74	272	6.6	24	2	2	5	8	12	17	39
75-79	253	6.3	27	2	2	5	8	11	14	33
80-84	198	6.7	49	2	2	5	8	13	18	58
85+	142	9.0	145	2	3	6	9	14	36	75
GRAND TOTAL	**1103**	**6.8**	**46**	**2**	**2**	**5**	**8**	**12**	**17**	**44**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.0	30	1	1	3	5	11	14	30
70-74	68	4.3	17	1	1	3	5	7	12	24
75-79	72	4.5	8	1	1	4	6	8	10	13
80-84	68	4.1	6	1	1	4	5	7	8	12
85+	125	5.2	18	1	2	4	7	10	14	21
B. *Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	8.0		8	8	8	8	8	8	8
75-79	2	47.0	2178	14	14	47	80	80	80	80
80-84	4	13.0	105	3	3	11	21	26	26	26
85+	6	20.3	217	3	3	24	25	40	42	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4666	6.0	30	2	2	5	7	11	14	26
70-74	6123	6.6	39	2	2	5	8	12	16	34
75-79	6971	7.1	40	2	2	5	8	13	18	36
80-84	6746	7.5	42	2	3	6	9	14	18	37
85+	8667	7.9	51	2	3	6	9	14	19	42
B. *Operated*										
65-69 YRS	647	12.1	119	2	3	9	15	25	35	67
70-74	784	13.1	141	2	3	10	16	27	38	94
75-79	805	15.0	198	3	4	11	18	31	43	92
80-84	714	15.3	169	3	5	11	20	31	44	89
85+	818	15.7	173	4	5	12	19	33	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	4.7	15	1	1	4	6	9	12	22
B. *Operated*	16	18.1	405	2	3	11	25	40	69	80
2. MULTIPLE DX										
A. *Not Operated*	33173	7.2	42	2	2	6	9	13	18	36
B. *Operated*	3768	14.3	163	3	4	11	18	29	41	97
1. SINGLE DX	399	5.2	37	1	1	4	6	10	14	26
2. MULTIPLE DX	36941	7.9	59	2	2	6	9	15	21	45
A. NOT OPERATED	33556	7.1	42	2	2	6	9	13	18	36
B. OPERATED	3784	14.3	164	3	4	11	18	30	42	97
TOTAL 65-69 YRS	5365	6.7	45	2	2	5	8	13	17	35
70-74	6977	7.4	54	2	2	5	9	14	19	40
75-79	7850	7.9	62	2	2	6	9	15	21	47
80-84	7532	8.2	59	2	3	6	10	15	22	45
85+	9616	8.6	66	2	3	6	10	16	22	53
GRAND TOTAL	**37340**	**7.9**	**59**	**2**	**2**	**6**	**9**	**15**	**21**	**45**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.8	3	1	1	2	4	5	6	7
70-74	33	4.2	7	1	2	4	5	7	10	13
75-79	29	3.7	6	<1	1	3	6	7	8	8
80-84	14	3.4	3	<1	1	3	5	6	6	6
85+	45	3.4	10	<1	<1	2	4	7	9	15
B. *Operated*										
65-69 YRS	10	5.4	8	2	2	5	7	10	11	11
70-74	4	5.3	9	2	2	5	7	9	9	9
75-79	6	6.0	4	4	4	5	8	9	9	9
80-84	5	5.8	28	1	1	3	9	14	14	14
85+	3	5.0	12	3	3	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	553	5.0	12	1	1	4	6	9	11	20
70-74	771	5.4	17	1	2	5	7	10	12	21
75-79	901	5.5	26	1	2	4	7	10	12	24
80-84	853	6.0	31	1	2	5	7	11	14	25
85+	1065	5.8	23	1	2	5	7	11	14	24
B. *Operated*										
65-69 YRS	268	8.6	51	2	3	7	10	15	20	52
70-74	370	8.2	36	2	3	7	10	15	20	33
75-79	381	8.3	35	2	3	7	10	15	19	28
80-84	380	9.1	34	3	3	8	12	16	21	40
85+	303	9.5	41	3	3	8	12	16	22	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.6	7	<1	1	3	5	7	8	13
B. *Operated*	28	5.5	10	2	2	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	4143	5.6	23	1	2	5	7	10	13	22
B. *Operated*	1702	8.7	39	2	3	7	11	15	20	38
1. SINGLE DX	167	3.9	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	5845	6.5	30	1	2	5	8	12	15	29
A. NOT OPERATED	4282	5.5	22	1	2	5	7	10	13	22
B. OPERATED	1730	8.7	39	2	3	7	11	15	20	38
TOTAL 65-69 YRS	849	6.1	27	1	2	5	8	11	15	28
70-74	1178	6.3	24	1	2	5	8	12	15	28
75-79	1317	6.3	30	1	2	5	8	11	14	26
80-84	1252	6.9	34	1	2	6	8	13	16	32
85+	1416	6.5	29	1	2	5	8	13	16	30
GRAND TOTAL	**6012**	**6.4**	**29**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	2	2	2	3	4	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.9	13	1	1	2	5	10	11	12
70-74	11	4.5	8	2	2	5	5	9	11	11
75-79										
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	2	2	2	4	5	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	11	1	1	3	5	10	11	12
B. *Operated*	3	3.7	1	3	3	3	5	5	5	5
1. SINGLE DX	6	4.2	2	2	2	4	5	6	6	6
2. MULTIPLE DX	29	4.3	10	1	1	3	5	10	11	12
A. NOT OPERATED	32	4.3	9	1	1	3	5	9	11	12
B. OPERATED	3	3.7	1	3	3	3	5	5	5	5
TOTAL 65-69 YRS	19	3.8	10	1	1	3	5	9	11	12
70-74	13	4.4	7	2	2	5	5	8	10	11
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	8.0	8	6	6	8	10	10	10	10
GRAND TOTAL	**35**	**4.3**	**9**	**1**	**2**	**3**	**5**	**9**	**11**	**12**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	2.4	5	<1	<1	1	3	6	8	9
70-74	67	3.0	8	<1	<1	2	4	7	8	17
75-79	123	2.5	3	<1	1	2	3	5	5	8
80-84	78	2.2	3	<1	<1	1	3	5	6	9
85+	123	3.0	16	<1	1	2	4	6	8	24
B. *Operated*										
65-69 YRS	23	4.9	6	1	2	4	7	8	9	9
70-74	24	6.5	43	1	2	4	7	14	24	27
75-79	26	6.2	17	1	2	5	9	13	13	14
80-84	13	7.5	21	2	3	6	10	16	16	16
85+	12	6.6	45	1	1	3	11	15	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1429	4.7	23	1	1	3	6	10	14	24
70-74	1607	4.8	20	1	1	3	6	10	13	21
75-79	1632	5.1	28	1	1	4	6	11	14	24
80-84	1507	5.6	37	1	1	4	7	11	15	30
85+	1758	5.8	39	1	1	4	7	11	15	31
B. *Operated*										
65-69 YRS	483	9.3	86	2	3	7	11	18	26	47
70-74	618	9.6	79	2	3	7	12	19	25	46
75-79	664	9.8	70	2	3	8	12	18	24	45
80-84	553	9.8	67	2	3	8	12	18	23	44
85+	489	9.6	58	2	3	8	12	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	2.6	7	<1	<1	2	3	5	7	11
B. *Operated*	98	6.2	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	7933	5.2	30	1	1	4	7	11	14	25
B. *Operated*	2807	9.6	72	2	3	7	12	18	25	46
1. SINGLE DX	579	3.2	12	<1	1	2	4	7	9	17
2. MULTIPLE DX	10740	6.4	45	1	1	5	8	13	18	33
A. NOT OPERATED	8414	5.1	29	1	1	4	7	10	14	25
B. OPERATED	2905	9.5	71	2	3	7	12	18	24	45
TOTAL 65-69 YRS	2025	5.7	41	1	1	4	7	12	16	32
70-74	2316	6.0	40	1	1	4	8	12	17	32
75-79	2445	6.3	43	1	1	4	8	13	17	33
80-84	2151	6.5	48	1	1	5	8	14	17	32
85+	2382	6.5	45	1	1	5	8	13	18	35
GRAND TOTAL	**11319**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	26	2	2	5	10	12	12	12
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	19.0		19	19	19	19	19	19	19
80-84	3	4.3	9	1	1	5	6	7	7	7
85+	4	4.8	14	2	2	4	7	10	10	10
B. *Operated*										
65-69 YRS	1	16.0		16	16	58	99+	99+	99+	99+
70-74										
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	5.9	26	1	2	5	8	13	18	19
B. *Operated*	2	14.5	5	13	13	16	79	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	15	7.1	32	1	2	5	12	19	76	99+
A. NOT OPERATED	13	5.9	26	1	2	5	8	13	18	19
B. OPERATED	2	14.5	5	13	13	16	79	99+	99+	99+
TOTAL 65-69 YRS	4	8.8	41	2	2	12	37	99+	99+	99+
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	2	16.0	18	13	13	16	19	19	19	19
80-84	3	4.3	9	1	1	5	6	7	7	7
85+	4	4.8	14	2	2	4	7	10	10	10
GRAND TOTAL	**15**	**7.1**	**32**	**1**	**2**	**5**	**12**	**19**	**76**	**99+**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	3.1	6	<1	1	3	4	6	8	12
70-74	44	3.2	8	<1	<1	2	5	7	10	11
75-79	18	3.4	10	1	1	2	5	9	11	12
80-84	17	5.4	9	1	2	5	7	10	10	10
85+	12	3.1	4	<1	<1	3	5	6	6	6
B. *Operated*										
65-69 YRS	35	6.5	15	2	3	6	8	11	16	18
70-74	29	6.3	15	3	3	5	7	12	14	19
75-79	21	7.9	45	1	1	6	11	14	23	31
80-84	20	6.6	29	2	3	5	7	15	21	22
85+	4	9.5	50	1	1	9	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	694	6.4	24	1	2	5	8	12	16	27
70-74	812	6.3	26	1	2	5	8	12	15	26
75-79	573	6.8	39	1	1	5	9	13	17	35
80-84	399	6.7	35	1	2	5	9	13	17	28
85+	328	6.8	52	1	1	5	8	14	19	35
B. *Operated*										
65-69 YRS	425	11.4	84	3	4	9	14	22	27	47
70-74	417	11.7	81	2	3	9	15	24	30	43
75-79	357	11.3	82	2	3	9	14	22	29	50
80-84	237	11.3	67	2	3	9	15	21	27	44
85+	190	12.4	112	2	3	9	15	26	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.5	8	<1	<1	3	5	7	10	12
B. *Operated*	109	6.9	24	2	3	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	2806	6.5	33	1	2	5	8	13	16	29
B. *Operated*	1626	11.5	84	3	3	9	15	23	29	45
1. SINGLE DX	232	5.1	18	<1	1	4	6	10	12	20
2. MULTIPLE DX	4432	8.4	57	1	2	6	10	17	23	38
A. NOT OPERATED	2929	6.4	32	1	1	5	8	12	16	29
B. OPERATED	1735	11.3	81	2	3	9	15	22	29	45
TOTAL 65-69 YRS	1186	8.1	51	1	2	6	10	16	21	34
70-74	1302	7.9	50	1	2	6	10	16	22	37
75-79	969	8.4	59	1	2	6	11	16	23	43
80-84	673	8.3	50	1	2	6	11	17	21	37
85+	534	8.7	80	1	2	6	11	19	27	42
GRAND TOTAL	**4664**	**8.2**	**56**	**1**	**2**	**6**	**10**	**17**	**22**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	14	1	1	4	7	8	8	8
70-74	5	5.4	30	2	2	4	7	15	15	15
75-79	5	3.6	5	1	1	3	5	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85+	10	2.9	1	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	6	7.7	3	6	6	7	9	10	10	10
75-79	3	6.3	5	5	5	5	8	9	9	9
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	1	1	2	3	3	3	3
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	25	4.0	10	1	1	3	4	8	11	15
B. *Operated*	13	7.2	3	5	5	7	8	9	10	10
1. SINGLE DX	9	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX	38	5.1	10	1	1	4	7	9	10	15
A. NOT OPERATED	31	3.6	9	1	1	3	4	8	10	15
B. OPERATED	16	6.3	6	2	2	6	8	9	10	10
TOTAL 65-69 YRS	9	3.9	11	1	1	2	7	8	8	8
70-74	13	5.8	16	1	2	6	8	11	14	15
75-79	10	4.3	6	1	1	4	5	8	9	9
80-84	2	9.0	2	8	8	9	10	10	10	10
85+	13	3.2	2	1	2	3	4	5	6	6
GRAND TOTAL	**47**	**4.5**	**10**	**1**	**1**	**4**	**7**	**9**	**10**	**15**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	1.3		<1	<1	1	2	2	2	2
70-74	4	3.5	4	1	1	3	5	6	6	6
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	4.5	8	1	1	5	5	9	9	9
70-74	3	7.0	21	2	2	8	10	11	11	11
75-79	6	3.0	2	1	1	3	4	5	5	5
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	15	4.3	22	<1	<1	2	5	11	16	18
70-74	15	4.5	11	<1	1	4	7	8	10	11
75-79	9	7.2	107	<1	<1	3	7	25	33	33
80-84	5	4.2	10	<1	<1	3	7	8	8	8
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0		5	5	5	5	5	5	5
B. *Operated*	18	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	4.0	7	1	1	3	5	8	10	11
B. *Operated*	44	4.9	33	<1	<1	3	7	11	14	33
1. SINGLE DX	20	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX	65	4.6	24	<1	1	3	6	9	12	31
A. NOT OPERATED	23	4.1	6	1	2	4	5	8	10	11
B. OPERATED	62	4.0	26	<1	<1	2	5	8	12	31
TOTAL 65-69 YRS	31	3.5	14	<1	<1	2	5	8	11	18
70-74	22	4.6	11	<1	1	4	8	9	11	11
75-79	17	5.0	60	<1	1	3	4	11	26	33
80-84	9	3.8	7	<1	<1	3	6	8	8	8
85+	6	2.3	1	<1	<1	2	3	4	4	4
GRAND TOTAL	**85**	**4.0**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**28**

89: Transient organic psychotic conditions (293)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	7.7	85	1	1	4	9	20	32	37
70-74	17	13.3	273	2	2	6	19	50	81	99+
75-79	29	12.9	153	2	2	8	19	34	36	43
80-84	28	9.4	80	1	1	6	14	23	29	35
85+	15	6.9	28	1	1	7	10	16	17	17
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	9.3	77	2	2	6	11	20	26	45
70-74	351	10.1	131	1	2	6	13	23	30	72
75-79	397	10.0	97	1	2	7	13	23	28	64
80-84	307	8.3	73	2	2	6	10	16	25	47
85+	357	8.6	67	2	2	6	10	17	25	47
B. *Operated*										
65-69 YRS	37	13.5	119	1	2	13	20	38	73	99+
70-74	44	15.0	174	2	3	10	22	30	38	67
75-79	49	13.2	211	1	1	7	19	38	51	99+
80-84	33	16.0	280	1	1	11	21	41	71	99+
85+	24	11.3	178	1	1	9	14	21	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	10.2	125	1	1	6	14	28	37	70
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1654	9.3	91	2	2	6	11	21	27	52
B. *Operated*	187	14.0	190	1	1	9	20	37	50	99+
1. SINGLE DX	113	10.2	123	1	1	6	14	28	37	69
2. MULTIPLE DX	1841	9.8	103	1	2	7	12	22	30	63
A. NOT OPERATED	1765	9.4	93	1	2	6	12	21	28	52
B. OPERATED	189	13.9	189	1	1	9	20	37	49	99+
TOTAL 65-69 YRS	301	9.7	84	1	2	7	13	22	33	48
70-74	413	10.8	142	2	2	7	13	25	33	73
75-79	476	10.5	112	1	2	7	14	25	33	64
80-84	368	9.1	96	2	2	6	11	20	28	72
85+	396	8.7	73	1	2	6	10	17	25	50
GRAND TOTAL	**1954**	**9.8**	**104**	**1**	**2**	**7**	**12**	**23**	**31**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	10.8	135	1	2	8	13	23	35	89
70-74	121	10.5	127	1	1	7	13	21	30	65
75-79	177	10.9	112	1	2	7	16	24	30	61
80-84	157	9.3	93	1	2	7	11	20	26	41
85+	176	8.7	64	1	2	6	11	19	25	39
B. *Operated*										
65-69 YRS	2	20.0	242	9	9	20	31	31	31	31
70-74	4	6.0	47	1	1	3	10	16	16	16
75-79	5	7.8	66	1	1	4	13	21	21	21
80-84	1	10.0		10	10	10	10	10	10	10
85+	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	595	10.7	105	2	2	8	13	23	32	61
70-74	1081	11.3	109	2	3	8	14	24	35	59
75-79	1606	10.7	105	2	3	8	14	23	32	99+
80-84	1546	10.5	112	2	3	8	13	22	33	99+
85+	1600	10.1	114	2	2	7	12	22	35	99+
B. *Operated*										
65-69 YRS	82	18.4	260	3	5	14	25	44	67	99+
70-74	146	16.4	213	3	4	12	21	38	78	99+
75-79	168	18.2	280	2	3	13	24	42	60	99+
80-84	129	15.4	219	3	4	11	21	35	48	99+
85+	125	17.3	256	3	4	12	23	42	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	9.9	102	1	2	7	13	21	29	58
B. *Operated*	15	8.4	72	1	1	5	10	21	28	31
2. MULTIPLE DX										
A. *Not Operated*	6428	10.6	109	2	3	8	13	22	34	99+
B. *Operated*	650	17.1	245	3	4	12	23	41	65	99+
1. SINGLE DX	735	9.9	101	1	2	7	13	21	29	58
2. MULTIPLE DX	7078	11.2	125	2	3	8	14	24	36	99+
A. NOT OPERATED	7148	10.6	109	2	2	8	13	22	33	91
B. OPERATED	665	16.9	243	3	4	12	22	41	63	99+
TOTAL 65-69 YRS	768	11.6	130	2	2	8	15	26	35	73
70-74	1352	11.8	124	2	3	8	15	25	37	78
75-79	1956	11.4	124	2	2	8	15	25	35	99+
80-84	1833	10.8	119	2	3	8	13	22	34	99+
85+	1904	10.4	122	2	2	7	13	23	36	99+
GRAND TOTAL	**7813**	**11.1**	**123**	**2**	**3**	**8**	**14**	**24**	**35**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	21.7	169	9	9	21	31	35	35	35
70-74	5	20.4	74	14	14	19	35	93	99+	99+
75-79	8	7.1	23	1	1	7	10	14	15	15
80-84	12	7.6	56	1	1	6	10	17	26	28
85+	10	11.2	54	2	3	9	16	22	24	24
B. *Operated*										
65-69 YRS	1	18.0		18	18	18	18	18	18	18
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	11.0	125	2	3	8	13	22	41	88
70-74	148	11.5	97	2	3	9	14	24	31	49
75-79	193	12.4	161	3	3	9	14	27	39	83
80-84	198	10.5	86	2	3	8	14	20	27	99+
85+	213	10.0	96	2	3	7	13	20	35	74
B. *Operated*										
65-69 YRS	6	14.0	152	7	7	9	11	36	39	39
70-74	17	15.2	51	6	7	14	19	22	31	36
75-79	23	14.3	120	5	6	11	15	23	39	57
80-84	14	14.1	92	5	5	11	19	27	36	38
85+	14	18.1	377	2	4	13	26	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	11.2	80	1	2	9	16	26	35	99+
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	837	11.0	112	2	3	8	14	22	33	78
B. *Operated*	74	15.2	143	5	5	12	18	29	46	93
1. SINGLE DX	39	11.4	79	1	2	9	17	26	35	99+
2. MULTIPLE DX	911	11.4	116	2	3	8	14	22	34	83
A. NOT OPERATED	875	11.0	111	2	3	8	14	22	33	89
B. OPERATED	75	15.2	142	5	5	12	18	29	45	92
TOTAL 65-69 YRS	95	11.6	127	2	3	8	13	26	39	84
70-74	170	12.1	94	2	3	10	15	26	34	58
75-79	224	12.4	152	3	3	9	14	27	36	75
80-84	224	10.5	86	2	3	8	14	20	28	99+
85+	237	10.6	113	2	3	7	14	21	38	99+
GRAND TOTAL	**950**	**11.4**	**114**	**2**	**3**	**8**	**14**	**22**	**34**	**93**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	6.7	33	2	2	4	9	15	21	23
70-74	10	13.9	567	2	2	5	14	49	80	80
75-79	5	5.2	4	2	2	5	7	7	7	7
80-84	2	5.0	2	4	4	5	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	529	7.8	51	2	2	5	9	17	23	43
70-74	332	8.6	79	2	2	6	10	19	23	54
75-79	179	9.7	83	2	2	6	12	21	28	49
80-84	63	8.3	41	2	2	6	10	18	22	31
85+	28	9.1	35	2	3	9	12	18	19	22
B. *Operated*										
65-69 YRS	36	14.7	158	3	4	11	18	31	40	60
70-74	17	14.1	110	4	5	12	18	22	39	48
75-79	14	17.6	325	5	5	11	20	42	65	71
80-84	3	37.3	330	17	17	47	76	99+	99+	99+
85+	2	36.0	128	28	28	44	86	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.3	180	2	2	5	8	16	22	80
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1131	8.4	63	2	2	6	10	18	24	47
B. *Operated*	72	16.7	205	4	5	13	20	43	58	99+
1. SINGLE DX	35	8.3	180	2	2	5	8	16	22	80
2. MULTIPLE DX	1203	8.9	75	2	2	6	11	19	26	52
A. NOT OPERATED	1166	8.4	67	2	2	5	10	18	24	48
B. OPERATED	72	16.7	205	4	5	13	20	43	58	99+
TOTAL 65-69 YRS	582	8.2	59	2	2	5	10	18	25	45
70-74	359	9.0	94	2	2	6	11	19	24	60
75-79	198	10.1	101	2	2	7	13	22	28	52
80-84	68	9.4	85	2	2	7	11	21	33	91
85+	31	10.6	84	2	2	9	16	24	42	99+
GRAND TOTAL	**1238**	**8.9**	**78**	**2**	**2**	**6**	**11**	**19**	**26**	**52**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	9	1	1	3	5	9	9	9
70-74	8	6.0	57	<1	<1	4	6	19	24	24
75-79	9	3.1	5	1	1	3	4	7	8	8
80-84	11	5.2	21	2	2	4	6	11	17	18
85+	8	2.6	4	1	1	2	3	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	7.6	62	1	2	5	9	15	19	47
70-74	226	8.3	72	1	2	6	10	18	23	87
75-79	263	7.0	29	2	2	5	9	14	18	28
80-84	182	6.2	24	1	2	5	8	12	15	21
85+	131	6.1	24	1	2	5	8	12	18	25
B. *Operated*										
65-69 YRS	14	9.8	30	4	6	8	11	16	24	26
70-74	22	9.3	56	1	2	7	11	18	27	34
75-79	26	10.2	69	3	4	8	12	23	27	40
80-84	13	11.4	44	1	3	9	15	22	24	25
85+	8	17.0	213	5	5	12	27	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	19	1	1	3	5	8	13	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1002	7.1	44	1	2	5	9	15	19	35
B. *Operated*	83	10.7	69	2	4	8	12	23	29	40
1. SINGLE DX	41	4.2	19	1	1	3	5	8	13	24
2. MULTIPLE DX	1085	7.4	47	1	2	5	9	15	20	40
A. NOT OPERATED	1043	7.0	44	1	2	5	9	14	18	34
B. OPERATED	83	10.7	69	2	4	8	12	23	29	40
TOTAL 65-69 YRS	219	7.6	59	1	2	5	9	15	20	45
70-74	256	8.3	70	1	2	6	10	18	23	80
75-79	298	7.2	33	2	2	5	9	15	18	30
80-84	206	6.5	27	2	2	5	8	12	16	23
85+	147	6.5	38	1	2	5	8	13	18	40
GRAND TOTAL	**1126**	**7.3**	**46**	**1**	**2**	**5**	**9**	**15**	**19**	**40**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	16.3	137	1	4	12	21	33	38	53
70-74	34	17.6	126	2	4	15	28	32	35	45
75-79	16	18.1	121	2	3	17	26	33	35	36
80-84	9	19.3	140	7	8	16	24	38	46	46
85+	4	15.3	30	8	8	16	19	20	20	20
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	16.7	197	2	4	14	20	35	46	99
70-74	116	20.3	220	5	6	17	25	45	52	81
75-79	88	16.6	118	3	4	16	22	32	38	83
80-84	23	17.0	152	4	5	13	25	36	43	45
85+	15	12.1	95	2	4	8	17	30	31	31
B. *Operated*										
65-69 YRS	5	24.8	313	9	9	26	34	52	52	52
70-74	8	30.9	344	4	5	35	47	51	52	52
75-79	5	20.4	43	11	11	24	25	26	26	26
80-84	3	20.7	444	8	8	9	36	45	45	45
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	17.0	127	2	4	14	24	33	37	49
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	420	17.6	183	2	4	15	23	36	47	98
B. *Operated*	21	25.5	258	6	8	25	40	50	52	52
1. SINGLE DX	139	17.0	127	2	4	14	24	32	37	49
2. MULTIPLE DX	441	17.9	189	3	5	15	23	38	48	98
A. NOT OPERATED	558	17.4	169	2	4	14	23	35	45	82
B. OPERATED	22	24.9	252	6	8	24	39	50	52	52
TOTAL 65-69 YRS	259	16.7	181	2	4	14	21	35	45	96
70-74	158	20.3	210	4	6	17	28	44	51	72
75-79	109	17.0	114	3	4	16	24	32	36	74
80-84	35	17.9	159	5	6	13	25	42	45	46
85+	19	12.8	81	2	4	10	19	28	31	31
GRAND TOTAL	**580**	**17.7**	**174**	**2**	**4**	**15**	**24**	**35**	**46**	**79**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	5	2	2	4	6	8	8	8
70-74	3	14.0	259	1	1	9	26	32	32	32
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	15.2	169	2	3	10	25	34	41	42
70-74	7	11.7	160	2	2	8	12	34	39	39
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.3	82	1	1	4	8	20	32	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	13.1	142	2	3	9	14	33	40	42
B. *Operated*										
1. SINGLE DX	10	7.3	82	1	1	4	8	20	32	32
2. MULTIPLE DX	22	13.1	142	2	3	9	14	33	40	42
A. NOT OPERATED	32	11.3	128	2	2	8	13	31	38	42
B. OPERATED										
TOTAL 65-69 YRS	19	11.2	133	2	2	7	13	31	37	42
70-74	10	12.4	165	1	1	8	13	35	39	39
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**32**	**11.3**	**128**	**2**	**2**	**8**	**13**	**31**	**38**	**42**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	97	16.7	229	2	3	13	21	34	55	96
70-74	64	18.1	261	1	3	14	23	42	49	98
75-79	25	14.8	110	1	2	14	23	33	54	99+
80-84	15	11.4	83	2	2	9	13	19	35	40
85+	13	18.1	351	1	2	10	27	49	60	63
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	17.7	187	3	4	14	23	35	45	71
70-74	216	17.7	181	2	4	14	24	39	47	77
75-79	114	14.2	146	2	3	11	19	30	44	99+
80-84	49	15.8	252	4	5	12	18	25	59	91
85+	27	12.0	84	2	3	13	18	36	99+	99+
B. *Operated*										
65-69 YRS	31	28.8	243	13	15	28	37	59	98	99+
70-74	17	28.8	591	4	5	19	43	59	82	94
75-79	8	24.9	221	8	9	28	40	80	99+	99+
80-84	1	57.0		57	57	78	99+	99+	99+	99+
85+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	16.6	221	1	3	13	22	39	46	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	724	16.8	181	2	4	14	22	35	46	97
B. *Operated*	58	28.7	337	7	10	28	39	70	99+	99+
1. SINGLE DX	214	16.6	221	1	3	13	22	39	46	99+
2. MULTIPLE DX	782	17.7	202	3	4	14	23	38	49	99+
A. NOT OPERATED	938	16.8	190	2	4	13	22	36	46	99+
B. OPERATED	58	28.7	337	7	10	28	39	70	99+	99+
TOTAL 65-69 YRS	446	18.2	208	3	4	15	24	36	47	97
70-74	297	18.4	225	2	4	15	25	42	48	97
75-79	147	14.9	147	2	3	13	20	34	51	99+
80-84	65	15.4	238	3	5	12	18	31	60	99
85+	41	14.3	172	2	2	13	20	44	76	99+
GRAND TOTAL	**996**	**17.4**	**206**	**2**	**4**	**14**	**23**	**38**	**49**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	579	17.8	154	2	4	16	25	33	42	64
70-74	492	18.7	166	3	4	16	26	36	43	60
75-79	378	20.4	197	3	5	18	27	38	46	68
80-84	163	20.1	187	3	6	17	28	37	47	63
85+	93	16.8	150	2	5	14	21	34	46	55
B. *Operated*										
65-69 YRS	5	15.6	49	5	5	16	20	24	24	24
70-74	7	21.7	133	3	6	19	28	38	40	40
75-79	3	30.0	741	10	10	19	50	61	61	61
80-84	3	17.7	229	7	7	11	29	35	35	35
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1955	18.9	191	3	4	16	26	37	46	77
70-74	1924	19.5	210	3	5	16	26	39	49	75
75-79	1516	19.2	206	3	5	16	26	38	49	72
80-84	835	19.5	209	3	5	16	26	38	50	83
85+	368	17.0	165	3	4	14	23	34	41	60
B. *Operated*										
65-69 YRS	169	24.2	240	6	6	22	31	44	55	91
70-74	166	25.9	290	8	9	22	34	53	77	99+
75-79	148	27.9	321	6	9	25	36	56	68	99+
80-84	84	25.7	248	6	9	24	32	53	62	93
85+	35	25.2	310	7	11	21	30	57	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	18.8	171	3	4	16	26	36	44	63
B. *Operated*	18	20.7	198	4	6	19	27	38	53	61
2. MULTIPLE DX										
A. *Not Operated*	6598	19.1	201	3	5	16	26	38	48	74
B. *Operated*	602	25.9	279	6	9	23	33	52	65	99+
1. SINGLE DX	1723	18.8	171	3	4	16	26	36	44	63
2. MULTIPLE DX	7200	19.7	211	3	5	16	27	39	50	80
A. NOT OPERATED	8303	19.1	195	3	5	16	26	37	47	72
B. OPERATED	620	25.7	277	6	9	23	33	52	65	99+
TOTAL 65-69 YRS	2708	19.0	188	3	5	16	26	36	46	75
70-74	2589	19.8	209	3	5	16	27	39	49	77
75-79	2045	20.1	218	3	5	17	27	40	50	77
80-84	1085	20.0	211	3	5	17	27	39	50	82
85+	496	17.5	176	3	4	15	23	35	43	68
GRAND TOTAL	**8923**	**19.5**	**203**	**3**	**5**	**16**	**27**	**38**	**49**	**77**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	226	14.8	128	3	4	12	20	30	36	70
70-74	132	15.7	156	2	4	13	22	32	38	58
75-79	76	18.4	177	3	5	15	22	39	51	59
80-84	21	15.5	88	3	4	17	19	23	34	45
85+	18	14.9	98	3	3	13	19	31	34	34
B. *Operated*										
65-69 YRS	2	20.0	242	9	9	20	31	31	31	31
70-74	1	39.0		39	39	39	39	39	39	39
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	633	18.3	163	4	5	16	23	35	43	63
70-74	500	19.5	182	3	5	17	26	37	48	65
75-79	320	17.9	183	3	4	15	22	36	43	74
80-84	124	21.1	236	3	4	18	28	41	52	74
85+	42	15.6	104	4	6	13	23	29	37	45
B. *Operated*										
65-69 YRS	45	24.4	231	9	9	19	30	48	58	71
70-74	32	28.8	215	9	14	29	42	70	99+	99+
75-79	25	28.3	218	6	11	29	39	52	64	99+
80-84	16	24.8	80	15	15	25	35	83	99+	99+
85+	3	18.0	84	8	8	20	24	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	15.7	141	3	4	13	21	31	38	64
B. *Operated*	4	24.5	174	9	9	25	35	39	39	39
2. MULTIPLE DX										
A. *Not Operated*	1619	18.8	177	3	5	16	24	36	44	66
B. *Operated*	121	26.2	201	8	11	25	38	54	75	99+
1. SINGLE DX	477	15.7	142	3	4	14	21	31	39	64
2. MULTIPLE DX	1740	19.3	183	3	5	17	25	38	46	71
A. NOT OPERATED	2092	18.1	171	3	5	15	24	35	43	66
B. OPERATED	125	26.2	199	8	11	25	38	53	71	99+
TOTAL 65-69 YRS	906	17.8	162	3	5	15	23	35	42	66
70-74	665	19.2	185	3	5	16	26	38	47	70
75-79	422	18.6	189	3	5	16	23	39	47	74
80-84	161	20.7	205	3	5	18	28	42	53	97
85+	63	15.6	98	3	5	13	22	29	35	44
GRAND TOTAL	**2217**	**18.5**	**176**	**3**	**5**	**16**	**24**	**37**	**45**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	10.2	79	1	1	8	16	22	26	42
70-74	75	10.5	88	<1	2	7	15	22	31	43
75-79	96	10.3	78	2	3	8	13	21	26	52
80-84	57	12.6	291	<1	1	6	16	24	49	93
85+	52	8.8	48	1	1	7	12	20	21	30
B. *Operated*										
65-69 YRS	3	5.0	19	2	2	3	8	10	10	10
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	537	10.3	82	2	3	8	13	22	28	44
70-74	647	11.0	121	2	2	7	14	24	35	54
75-79	655	9.9	86	2	2	7	12	21	27	53
80-84	521	9.9	87	2	2	7	13	20	29	46
85+	469	9.8	105	1	2	7	12	20	31	55
B. *Operated*										
65-69 YRS	46	13.1	161	2	3	11	15	21	35	71
70-74	64	13.7	117	2	4	11	19	34	42	99+
75-79	48	19.0	326	3	4	14	26	51	61	99+
80-84	44	19.1	377	2	3	11	26	47	63	83
85+	42	14.2	150	2	3	13	19	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	10.5	109	1	2	7	14	22	26	50
B. *Operated*	5	4.2	13	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2829	10.2	97	2	2	7	13	21	30	51
B. *Operated*	244	15.7	222	2	3	11	20	36	56	99+
1. SINGLE DX	370	10.4	108	1	2	7	14	22	26	50
2. MULTIPLE DX	3073	10.6	109	2	2	7	13	22	32	56
A. NOT OPERATED	3194	10.2	98	2	2	7	13	21	29	51
B. OPERATED	249	15.5	221	2	3	11	20	35	56	99+
TOTAL 65-69 YRS	671	10.4	87	2	2	8	14	22	28	46
70-74	786	11.1	118	2	2	7	14	24	35	56
75-79	800	10.5	104	2	3	7	13	22	28	57
80-84	623	10.8	131	2	2	7	13	22	33	58
85+	563	10.1	105	1	2	7	13	21	31	56
GRAND TOTAL	**3443**	**10.6**	**109**	**2**	**2**	**7**	**14**	**22**	**31**	**56**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.2	47	<1	1	4	8	15	19	32
70-74	24	4.6	15	1	1	3	7	11	12	14
75-79	16	7.2	47	2	2	4	10	18	23	25
80-84	16	4.3	15	<1	1	3	7	11	12	12
85+	10	10.5	324	<1	<1	3	13	38	59	59
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	286	7.0	66	1	1	5	8	17	22	29
70-74	296	6.2	41	1	2	4	7	14	18	37
75-79	210	5.7	36	1	1	4	7	14	18	28
80-84	159	6.3	40	1	1	4	8	14	18	33
85+	76	5.1	22	1	1	4	6	12	15	25
B. *Operated*										
65-69 YRS	14	9.2	48	1	2	8	12	23	23	23
70-74	16	11.1	203	1	1	7	13	22	48	59
75-79	9	9.6	53	1	2	9	12	22	24	24
80-84	5	9.0	70	1	1	11	14	21	21	21
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	6.1	62	1	1	3	8	14	18	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1027	6.2	46	1	1	4	7	14	18	29
B. *Operated*	44	9.9	103	1	1	8	13	23	24	59
1. SINGLE DX	92	6.1	62	1	1	3	8	14	18	48
2. MULTIPLE DX	1071	6.4	48	1	1	4	8	14	20	30
A. NOT OPERATED	1119	6.2	47	1	1	4	8	14	18	30
B. OPERATED	44	9.9	103	1	1	8	13	23	24	59
TOTAL 65-69 YRS	326	7.0	63	1	1	5	8	17	22	30
70-74	336	6.3	47	1	2	4	8	14	18	42
75-79	235	6.0	38	1	1	4	7	15	19	28
80-84	180	6.2	39	1	1	4	8	13	18	32
85+	86	5.7	57	1	1	4	6	13	16	48
GRAND TOTAL	**1163**	**6.4**	**49**	**1**	**1**	**4**	**8**	[illegible]	**19**	**31**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	10.6	86	1	2	7	14	22	31	42
70-74	51	10.5	67	2	3	7	14	24	26	35
75-79	29	9.8	59	1	2	7	13	20	29	30
80-84	23	12.2	57	3	4	9	17	23	27	30
85+	6	4.7	9	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	2	16.5	181	7	7	16	26	26	26	26
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	417	10.5	82	2	2	8	14	21	29	48
70-74	346	10.5	85	2	3	8	13	22	29	41
75-79	259	9.7	63	2	2	8	13	20	26	40
80-84	164	9.3	83	2	2	6	10	22	29	41
85+	60	10.0	141	2	3	7	11	19	24	81
B. *Operated*										
65-69 YRS	22	14.2	115	3	4	11	19	25	37	51
70-74	34	17.0	275	4	4	11	20	33	61	75
75-79	29	16.7	203	3	3	12	23	36	49	61
80-84	11	21.3	544	5	6	14	23	54	84	87
85+	4	6.3	22	2	2	5	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	10.5	71	2	2	8	14	22	29	40
B. *Operated*	3	12.0	151	3	3	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	1246	10.2	82	2	3	7	13	21	28	42
B. *Operated*	100	16.3	237	3	4	12	20	31	53	81
1. SINGLE DX	185	10.5	71	2	2	8	14	22	29	40
2. MULTIPLE DX	1346	10.6	96	2	3	8	14	22	29	49
A. NOT OPERATED	1428	10.2	80	2	3	7	13	21	28	41
B. OPERATED	103	16.2	234	3	4	12	20	31	52	81
TOTAL 65-69 YRS	514	10.7	85	2	2	8	15	21	29	48
70-74	431	11.1	100	2	3	8	14	23	29	55
75-79	318	10.3	78	2	3	8	13	22	30	42
80-84	198	10.3	110	2	3	7	12	24	30	53
85+	70	9.3	125	2	3	7	10	18	22	76
GRAND TOTAL	**1531**	**10.6**	**93**	**2**	**3**	**8**	**14**	**22**	**29**	**48**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.9	25	1	1	9	12	14	15	16
70-74	21	12.4	250	1	1	5	13	43	50	51
75-79	16	9.4	119	<1	<1	4	14	28	32	34
80-84	7	5.6	51	1	1	3	6	18	21	21
85+	9	5.3	124	<1	<1	2	2	22	35	35
B. *Operated*										
65-69 YRS	11	5.8	31	1	2	4	7	14	20	21
70-74	7	3.4	3	2	2	3	5	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	8.4	63	1	2	6	11	20	27	65
70-74	167	8.1	67	1	2	4	11	19	25	40
75-79	143	8.0	61	1	2	5	10	19	25	41
80-84	128	8.0	67	1	2	5	9	16	28	40
85+	85	7.6	39	2	2	6	9	15	18	34
B. *Operated*										
65-69 YRS	20	12.3	92	1	1	9	19	26	29	31
70-74	28	7.9	45	1	2	5	13	20	21	21
75-79	12	12.8	188	1	2	9	16	32	47	50
80-84	7	19.3	406	4	4	11	25	54	61	61
85+	4	10.5	44	5	5	8	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	9.1	133	<1	1	4	11	27	35	51
B. *Operated*	19	4.8	19	1	2	4	6	8	16	21
2. MULTIPLE DX										
A. *Not Operated*	731	8.1	61	1	2	5	10	18	26	41
B. *Operated*	71	11.2	120	1	2	8	18	24	28	59
1. SINGLE DX	87	8.1	111	1	1	4	10	21	34	51
2. MULTIPLE DX	802	8.4	67	1	2	5	10	19	26	42
A. NOT OPERATED	799	8.2	67	1	2	5	10	18	27	42
B. OPERATED	90	9.9	105	1	2	6	14	21	26	57
TOTAL 65-69 YRS	254	8.6	62	1	2	6	11	21	26	42
70-74	223	8.3	81	1	2	5	11	20	27	46
75-79	172	8.5	75	1	1	5	10	19	27	43
80-84	142	8.4	86	1	2	5	9	17	29	50
85+	98	7.5	46	1	2	5	9	15	20	36
GRAND TOTAL	**889**	**8.3**	**71**	**1**	**2**	**5**	**10**	**19**	**27**	**43**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	7.6	64	<1	1	4	8	21	26	30
70-74	79	7.5	64	1	2	4	8	21	29	30
75-79	35	7.4	45	1	2	4	10	20	21	25
80-84	7	7.6	48	<1	<1	6	11	19	21	21
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1631	11.9	104	2	2	7	21	28	30	39
70-74	1050	11.6	98	2	3	7	20	28	30	39
75-79	420	12.1	113	2	2	7	21	28	34	44
80-84	116	8.7	49	1	2	6	11	19	25	30
85+	50	9.0	71	1	2	5	13	24	29	35
B. *Operated*										
65-69 YRS	93	18.2	196	2	4	17	27	31	38	79
70-74	72	15.7	217	2	3	11	21	35	47	78
75-79	24	18.0	168	2	2	16	28	38	43	44
80-84	9	16.2	92	3	4	15	26	28	28	28
85+	4	42.3	1012	9	9	41	68	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	7.5	60	1	1	4	8	21	26	30
B. *Operated*	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3267	11.7	101	2	2	7	20	28	30	39
B. *Operated*	202	17.7	218	2	3	15	26	35	44	81
1. SINGLE DX	269	7.5	60	1	1	4	8	21	26	30
2. MULTIPLE DX	3469	12.0	110	2	2	7	21	28	30	41
A. NOT OPERATED	3534	11.4	99	2	2	7	20	28	30	39
B. OPERATED	204	17.6	218	2	3	14	25	35	43	81
TOTAL 65-69 YRS	1869	11.9	109	2	2	7	21	28	30	39
70-74	1202	11.6	104	2	2	7	20	28	30	40
75-79	479	12.0	114	2	2	7	20	28	34	44
80-84	133	9.1	54	1	2	6	12	21	27	30
85+	55	11.3	198	1	2	5	14	29	34	77
GRAND TOTAL	**3738**	**11.7**	**108**	**2**	**2**	**7**	**20**	**28**	**30**	**40**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	16.3	184	2	3	12	23	39	46	48
70-74	25	10.7	69	2	4	8	16	22	29	34
75-79	15	14.7	99	3	5	12	21	28	32	33
80-84	4	13.5	156	5	5	8	21	32	32	32
85+	2	16.0	242	5	5	16	27	27	27	27
B. *Operated*										
65-69 YRS	3	49.7	1185	25	25	35	75	89	89	89
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	73	13.9	125	3	4	9	21	29	34	48
B. *Operated*	4	38.3	1312	4	4	30	62	89	89	89
1. SINGLE DX	4	3.8	6	1	1	3	5	7	7	7
2. MULTIPLE DX	77	15.1	199	3	4	9	22	32	39	78
A. NOT OPERATED	77	13.3	123	2	3	9	21	29	34	47
B. OPERATED	4	38.3	1312	4	4	30	62	89	89	89
TOTAL 65-69 YRS	31	19.1	348	3	3	14	27	43	48	89
70-74	26	10.3	70	1	3	8	16	22	29	34
75-79	16	14.2	96	3	5	11	21	28	32	33
80-84	5	11.6	135	4	4	7	15	32	32	32
85+	3	12.0	169	4	4	5	21	27	27	27
GRAND TOTAL	**81**	**14.6**	**196**	**2**	**3**	**9**	**21**	**31**	**38**	**76**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	13.3	202	2	2	6	24	36	38	38
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84										
85+	1	30.0		30	30	30	30	30	30	30
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	18.7	120	3	5	20	27	33	37	44
70-74	56	17.1	132	3	5	14	24	33	41	45
75-79	19	18.2	370	4	5	13	21	36	67	87
80-84	10	18.7	215	1	2	16	29	38	46	46
85+	4	14.0	235	1	1	9	24	36	36	36
B. *Operated*										
65-69 YRS	3	21.3	82	11	11	25	27	28	28	28
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.4	165	<1	1	4	14	32	37	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	153	17.9	159	3	5	16	26	33	41	46
B. *Operated*	3	21.3	82	11	11	25	27	28	28	28
1. SINGLE DX	13	10.4	165	<1	1	4	14	32	37	38
2. MULTIPLE DX	156	18.0	158	3	5	16	26	33	41	46
A. NOT OPERATED	166	17.3	163	2	4	14	26	33	40	46
B. OPERATED	3	21.3	82	11	11	25	27	28	28	28
TOTAL 65-69 YRS	74	18.3	125	3	4	19	28	33	37	44
70-74	59	16.3	137	2	4	13	24	33	41	45
75-79	21	16.8	352	3	4	10	21	34	62	87
80-84	10	18.7	215	1	2	16	29	38	46	46
85+	5	17.2	228	1	1	12	31	36	36	36
GRAND TOTAL	**169**	**17.4**	**161**	**2**	**4**	**14**	**26**	**33**	**39**	**46**

1463 Hospitals, United States, January-December 1986

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	6.0	111	1	1	2	6	22	35	35
70-74	7	2.9	7	<1	<1	1	4	7	8	8
75-79	5	3.2	6	<1	<1	3	5	7	7	7
80-84	4	4.0	15	1	1	3	7	9	9	9
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	6.0	58	1	1	3	6	15	28	32
70-74	80	4.5	29	1	1	3	5	10	13	32
75-79	32	6.3	103	<1	1	3	6	12	20	56
80-84	19	4.5	23	1	2	3	5	6	15	23
85+	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
65-69 YRS	10	6.5	42	1	1	4	11	16	17	17
70-74	6	2.5	3	1	1	2	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	5.5	23	<1	<1	4	9	12	12	12
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	47	<1	1	2	5	9	14	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	223	5.2	49	1	1	3	5	11	22	33
B. *Operated*	22	4.8	26	<1	1	2	7	13	16	17
1. SINGLE DX	26	4.3	47	<1	1	2	5	9	14	35
2. MULTIPLE DX	245	5.2	47	1	1	3	5	11	21	33
A. NOT OPERATED	249	5.1	49	1	1	3	5	10	21	33
B. OPERATED	22	4.8	26	<1	1	2	7	13	16	17
TOTAL 65-69 YRS	103	6.0	61	1	1	3	6	16	28	34
70-74	93	4.2	26	1	1	3	5	10	11	32
75-79	38	5.8	89	<1	1	3	6	11	19	56
80-84	27	4.6	20	1	1	3	6	8	14	23
85+	10	1.9	1	<1	<1	2	2	4	4	4
GRAND TOTAL	**271**	**5.1**	**47**	**1**	**1**	**3**	**5**	**11**	**21**	**33**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	41	1	1	8	13	13	13	13
70-74	4	8.0	25	4	4	6	11	15	15	15
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	11.3	66	2	2	9	18	22	26	29
70-74	25	7.2	27	2	2	6	10	14	19	21
75-79	12	10.3	30	2	5	9	14	19	21	21
80-84	7	11.7	81	1	1	13	18	24	25	25
85+	4	9.3	56	3	3	8	15	18	18	18
B. *Operated*										
65-69 YRS	2	11.5	5	10	10	11	13	13	13	13
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	11.0		11	11	11	11	11	11	11
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.7	27	1	1	5	13	14	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	78	9.8	50	2	2	8	14	21	23	28
B. *Operated*	5	11.2	2	10	10	11	12	13	13	13
1. SINGLE DX	10	6.7	27	1	1	5	13	14	15	15
2. MULTIPLE DX	83	9.9	47	2	2	8	14	21	22	28
A. NOT OPERATED	88	9.4	48	2	2	7	14	21	22	28
B. OPERATED	5	11.2	2	10	10	11	12	13	13	13
TOTAL 65-69 YRS	36	10.9	60	1	2	10	16	22	25	29
70-74	30	7.4	25	2	2	6	10	15	19	21
75-79	14	9.8	32	1	2	9	14	18	20	21
80-84	9	10.8	67	1	2	11	17	23	25	25
85+	4	9.3	56	3	3	8	15	18	18	18
GRAND TOTAL	**93**	**9.5**	**45**	**2**	**2**	**8**	**14**	**21**	**22**	**28**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.2	50	1	1	10	15	17	17	17
70-74	7	3.3	6	1	1	3	4	7	8	8
75-79	9	2.3	1	1	1	2	3	4	4	4
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	5.1	32	1	1	4	5	10	15	35
70-74	91	4.4	14	1	2	4	5	7	9	24
75-79	97	4.4	12	1	2	3	5	8	10	22
80-84	67	4.0	8	1	1	4	5	7	10	15
85+	32	5.0	13	1	2	4	7	9	12	18
B. *Operated*										
65-69 YRS	11	4.5	14	1	1	4	7	40	91	99+
70-74	14	6.1	14	1	2	5	9	10	13	14
75-79	8	6.6	8	3	3	7	8	10	11	11
80-84	3	8.0	13	4	4	9	10	11	11	11
85+	5	8.6	10	5	5	9	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.3	18	1	1	3	5	10	16	17
B. *Operated*	3	5.7	41	<1	<1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	405	4.6	18	1	2	4	5	8	11	24
B. *Operated*	41	6.2	13	1	2	6	9	12	14	99+
1. SINGLE DX	27	4.4	20	<1	1	3	5	12	15	17
2. MULTIPLE DX	446	4.7	18	1	2	4	6	9	12	25
A. NOT OPERATED	429	4.6	18	1	1	4	5	8	12	23
B. OPERATED	44	6.2	14	1	2	6	9	13	14	99+
TOTAL 65-69 YRS	135	5.2	31	1	1	4	6	11	16	47
70-74	113	4.6	15	1	2	4	5	9	12	22
75-79	114	4.4	12	1	2	3	5	8	10	22
80-84	73	4.1	9	1	1	4	5	7	11	15
85+	38	5.5	14	1	2	4	8	10	13	18
GRAND TOTAL	**473**	**4.7**	**18**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.8	63	<1	2	6	13	21	27	30
70-74	32	7.5	58	1	2	6	9	19	22	37
75-79	30	7.5	41	1	1	6	9	18	20	25
80-84	14	13.2	130	1	2	10	21	32	36	37
85+	14	8.0	114	1	1	6	10	14	37	43
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	272	8.4	68	1	1	6	12	18	24	43
70-74	262	9.2	84	1	2	6	12	20	25	46
75-79	175	8.2	51	1	2	6	11	16	23	29
80-84	139	9.5	91	1	2	7	12	20	27	49
85+	97	9.1	129	1	2	6	11	18	34	99+
B. *Operated*										
65-69 YRS	13	8.2	30	1	3	6	12	16	19	20
70-74	20	16.5	166	4	6	12	20	33	48	57
75-79	19	12.2	48	2	4	13	16	19	26	31
80-84	7	25.6	252	5	8	22	31	52	56	56
85+	5	23.0	188	7	7	29	33	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	8.6	70	1	1	6	11	20	27	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	945	8.8	79	1	2	6	12	19	25	46
B. *Operated*	64	15.0	135	3	4	12	19	31	38	57
1. SINGLE DX	135	8.6	70	1	1	6	11	20	27	38
2. MULTIPLE DX	1009	9.2	85	1	2	6	12	19	27	48
A. NOT OPERATED	1080	8.8	78	1	2	6	12	19	25	46
B. OPERATED	64	15.0	135	3	4	12	19	31	38	57
TOTAL 65-69 YRS	330	8.4	66	1	1	6	12	18	24	37
70-74	314	9.5	90	1	2	6	12	20	26	49
75-79	224	8.4	50	1	2	6	12	17	23	30
80-84	160	10.5	111	1	2	7	13	22	30	55
85+	116	9.5	136	1	2	7	11	23	38	99+
GRAND TOTAL	**1144**	**9.1**	**83**	**1**	**2**	**6**	**12**	**20**	**27**	**46**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	11.9	143	2	3	7	17	28	32	64
70-74	38	10.0	81	1	2	7	13	23	32	36
75-79	27	11.4	147	2	2	7	13	32	37	52
80-84	11	11.9	228	1	1	5	20	34	49	50
85+	7	5.0	16	2	2	4	4	12	14	14
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	300	9.3	103	1	2	6	11	20	28	64
70-74	331	8.4	63	2	2	6	10	18	25	43
75-79	283	8.8	70	2	2	6	10	18	24	41
80-84	185	9.1	87	2	2	6	12	19	29	86
85+	144	8.0	93	1	2	5	10	17	22	43
B. *Operated*										
65-69 YRS	37	10.8	78	2	3	7	14	26	30	34
70-74	43	11.6	143	3	4	8	12	25	58	99+
75-79	38	14.1	142	2	4	9	19	36	41	41
80-84	21	16.7	189	5	6	11	23	36	48	60
85+	11	19.4	658	3	3	10	22	57	88	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.9	125	1	2	7	14	26	34	55
B. *Operated*	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1243	8.8	81	2	2	6	11	19	26	55
B. *Operated*	150	13.3	171	3	4	9	17	31	41	91
1. SINGLE DX	133	10.6	123	1	2	6	14	25	34	54
2. MULTIPLE DX	1393	9.3	93	2	2	6	11	20	28	59
A. NOT OPERATED	1372	9.0	86	2	2	6	11	20	27	54
B. OPERATED	154	13.1	169	2	4	9	16	31	40	89
TOTAL 65-69 YRS	384	9.7	106	2	2	6	12	22	29	64
70-74	412	8.9	74	2	2	6	11	20	27	58
75-79	350	9.5	85	2	2	7	11	21	28	42
80-84	218	9.9	107	2	2	7	12	22	33	75
85+	162	8.6	133	1	2	5	11	18	24	83
GRAND TOTAL	**1526**	**9.4**	**95**	**2**	**2**	**6**	**11**	**21**	**28**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	17.5	365	4	4	17	31	31	31	31
70-74	2	12.0	162	3	3	12	21	21	21	21
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	14.0	72	8	8	14	20	20	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	14.8	186	3	3	12	26	31	31	31
B. *Operated*	1	14.0		14	14	14	14	14	14	14
1. SINGLE DX	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX	5	14.6	139	3	3	14	23	31	31	31
A. NOT OPERATED	6	14.5	126	3	3	14	21	30	31	31
B. OPERATED	1	14.0		14	14	14	14	14	14	14
TOTAL 65-69 YRS	3	14.3	212	4	4	8	25	31	31	31
70-74	2	12.0	162	3	3	12	21	21	21	21
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**7**	**14.4**	**105**	**3**	**3**	**14**	**21**	**29**	**31**	**31**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.1	18	2	3	12	12	14	15	15
70-74	7	4.6	15	1	1	4	7	10	11	11
75-79	2	11.0	200	1	1	11	21	21	21	21
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	9	4.0	31	1	1	1	4	14	17	17
70-74	7	7.4	121	1	1	2	11	27	30	30
75-79	3	5.7	41	<1	<1	3	10	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	14.6	202	2	4	12	16	27	41	88
70-74	78	14.4	147	3	5	13	16	25	29	80
75-79	48	17.3	136	2	4	15	21	35	52	99+
80-84	39	16.1	122	4	4	15	20	29	38	59
85+	22	18.9	494	3	4	12	18	45	77	99
B. *Operated*										
65-69 YRS	83	20.1	261	2	3	15	32	47	56	99+
70-74	54	18.3	287	1	1	12	28	48	53	58
75-79	41	25.6	294	5	7	24	34	52	68	99+
80-84	21	29.4	217	12	16	25	38	57	75	99+
85+	11	22.5	295	5	5	21	29	49	61	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	7.7	33	1	1	8	12	14	17	21
B. *Operated*	19	5.5	61	<1	1	2	8	16	24	30
2. MULTIPLE DX										
A. *Not Operated*	259	15.6	185	3	4	14	19	28	40	95
B. *Operated*	210	21.7	279	1	3	18	34	51	56	99+
1. SINGLE DX	41	6.7	46	1	1	3	12	15	19	30
2. MULTIPLE DX	469	18.4	236	2	4	14	24	41	53	99+
A. NOT OPERATED	281	15.0	177	2	4	13	18	27	39	95
B. OPERATED	229	20.4	281	1	2	16	32	50	56	99+
TOTAL 65-69 YRS	174	16.4	227	1	2	13	20	42	52	99
70-74	146	15.1	201	1	2	11	19	30	48	59
75-79	94	20.4	224	2	4	18	27	44	54	99+
80-84	61	20.6	191	4	6	18	26	41	57	95
85+	35	19.0	414	2	3	14	21	41	63	99
GRAND TOTAL	**510**	**17.4**	**231**	**1**	**3**	**14**	**22**	**40**	**52**	**99**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.4	142	1	2	4	8	11	21	74
70-74	45	8.2	17	2	3	8	11	13	16	18
75-79	38	7.7	41	2	2	6	10	16	18	35
80-84	20	7.7	34	1	1	7	9	18	20	22
85+	8	5.8	4	3	3	5	6	9	10	10
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84	3	13.0	124	3	3	11	21	25	25	25
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	304	9.7	83	3	3	8	11	18	24	65
70-74	460	9.8	71	3	3	8	12	20	26	50
75-79	551	10.1	65	2	3	8	12	20	27	54
80-84	364	10.0	76	3	3	8	12	19	27	96
85+	205	11.7	163	2	3	8	14	22	43	95
B. *Operated*										
65-69 YRS	39	14.6	136	4	5	11	19	32	34	62
70-74	58	15.9	251	3	4	11	20	42	79	99+
75-79	82	15.6	218	4	5	12	19	28	71	99+
80-84	42	16.8	149	4	5	14	20	38	47	99+
85+	31	17.3	248	2	6	13	21	38	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	7.7	56	2	2	6	10	14	18	35
B. *Operated*	5	10.8	71	3	3	8	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	1884	10.1	83	2	3	8	12	20	27	72
B. *Operated*	252	15.9	203	3	5	12	20	34	61	99+
1. SINGLE DX	155	7.8	57	2	2	6	10	15	18	35
2. MULTIPLE DX	2136	10.8	100	3	3	8	13	21	30	89
A. NOT OPERATED	2034	10.0	81	2	3	8	12	19	26	70
B. OPERATED	257	15.8	200	3	5	12	20	33	61	99+
TOTAL 65-69 YRS	383	10.0	97	2	3	8	12	19	25	70
70-74	564	10.3	89	3	3	8	12	21	27	74
75-79	671	10.7	86	2	3	8	13	21	28	81
80-84	429	10.5	86	3	3	8	13	20	32	99+
85+	244	12.2	173	2	3	9	15	27	46	99+
GRAND TOTAL	**2291**	**10.6**	**98**	**2**	**3**	**8**	**13**	**21**	**29**	**83**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	7.6	10	2	3	9	10	11	11	11
70-74	3	9.3	72	1	1	9	16	18	18	18
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	8.3	89	1	1	5	8	25	27	27
70-74	3	4.3	24	1	1	2	8	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	8.7	29	3	3	7	12	17	20	23
70-74	43	10.8	71	3	4	8	14	22	27	45
75-79	14	9.9	125	2	2	7	11	17	40	46
80-84	3	7.3	32	1	1	9	11	12	12	12
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	23	14.3	167	2	2	12	17	33	75	99+
70-74	16	16.4	177	3	4	12	18	34	47	53
75-79	3	19.3	74	10	10	21	25	27	27	27
80-84	1	40.0		40	40	40	40	40	40	40
85+	2	8.0	98	1	1	8	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	8.0	21	1	2	9	10	13	17	18
B. *Operated*	9	7.0	66	1	1	5	8	20	27	27
2. MULTIPLE DX										
A. *Not Operated*	127	9.5	53	2	3	8	12	18	22	45
B. *Operated*	45	15.6	168	2	3	12	20	34	55	99+
1. SINGLE DX	21	7.6	38	1	1	8	10	14	22	27
2. MULTIPLE DX	172	11.1	89	2	3	9	14	21	30	61
A. NOT OPERATED	139	9.4	50	2	3	8	12	18	22	45
B. OPERATED	54	14.2	160	1	2	11	18	34	50	98
TOTAL 65-69 YRS	104	9.8	65	2	3	8	12	19	23	80
70-74	65	11.8	100	2	3	9	14	24	34	52
75-79	17	11.6	124	2	2	9	13	26	39	46
80-84	4	15.5	288	1	1	10	26	40	40	40
85+	3	8.7	50	1	1	10	14	15	15	15
GRAND TOTAL	**193**	**10.7**	**85**	**2**	**3**	**9**	**13**	**21**	**28**	**59**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.4	5	1	1	3	4	6	8	11
70-74	75	3.3	7	1	1	3	4	7	8	15
75-79	46	4.0	12	<1	1	3	4	9	13	15
80-84	30	3.8	8	1	1	3	5	7	8	14
85+	31	4.0	11	1	1	3	5	9	11	15
B. *Operated*										
65-69 YRS	4	3.3	1	2	2	3	4	4	4	4
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1021	5.8	28	1	2	4	7	12	15	29
70-74	1026	6.3	27	1	2	5	8	12	16	29
75-79	972	6.5	39	1	2	5	8	13	17	41
80-84	669	6.8	49	2	2	5	8	13	17	45
85+	517	7.1	57	2	2	5	8	13	17	33
B. *Operated*										
65-69 YRS	141	12.4	133	2	3	9	17	28	40	99+
70-74	115	13.6	152	3	4	10	16	30	34	77
75-79	103	14.5	186	3	4	11	18	32	69	99+
80-84	73	15.9	248	2	3	10	25	42	57	92
85+	35	16.1	171	3	5	13	21	33	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.6	8	1	1	3	4	7	9	15
B. *Operated*	7	4.7	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4205	6.4	37	1	2	5	8	12	16	33
B. *Operated*	467	14.0	170	2	4	11	18	30	46	99+
1. SINGLE DX	271	3.6	8	1	1	3	4	7	9	15
2. MULTIPLE DX	4672	7.2	56	1	2	5	9	14	20	47
A. NOT OPERATED	4469	6.2	36	1	2	5	8	12	16	30
B. OPERATED	474	13.8	169	2	3	10	18	30	45	99+
TOTAL 65-69 YRS	1248	6.4	43	1	2	5	8	13	19	42
70-74	1218	6.8	43	1	2	5	8	13	18	33
75-79	1122	7.1	57	1	2	5	9	14	21	72
80-84	772	7.5	73	2	2	5	9	14	21	64
85+	583	7.5	66	1	2	5	9	14	20	47
GRAND TOTAL	**4943**	**7.0**	**54**	**1**	**2**	**5**	**8**	**14**	**19**	**45**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	82	5.4	17	1	1	4	7	11	13	21
70-74	90	6.1	31	1	1	4	8	12	17	28
75-79	80	5.6	38	1	1	4	7	11	21	80
80-84	55	5.9	22	<1	1	5	7	11	15	25
85+	33	6.1	32	<1	1	4	9	12	21	23
B. Operated										
65-69 YRS	90	5.5	37	1	1	4	7	12	15	33
70-74	92	6.5	24	1	1	5	9	13	15	23
75-79	58	7.4	49	1	1	5	10	17	20	34
80-84	35	7.8	42	1	2	8	10	15	22	30
85+	13	7.3	28	1	2	7	12	14	16	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1133	11.3	151	2	2	7	14	25	38	64
70-74	1416	11.4	160	2	2	7	14	26	38	79
75-79	1546	11.2	134	2	3	8	14	26	37	86
80-84	1244	11.0	139	2	3	8	13	22	33	74
85+	937	10.7	128	2	3	8	13	22	30	78
B. Operated										
65-69 YRS	600	13.3	172	2	2	9	18	30	42	94
70-74	627	14.3	201	1	2	10	18	34	48	95
75-79	656	14.4	180	2	3	10	19	30	44	97
80-84	352	15.7	187	3	4	12	21	31	52	99+
85+	209	14.9	210	2	3	11	20	31	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	340	5.8	28	1	1	4	7	11	16	29
B. Operated	288	6.6	36	1	1	5	9	14	17	31
2. MULTIPLE DX										
A. Not Operated	6276	11.2	143	2	3	7	13	24	36	75
B. Operated	2444	14.3	187	2	2	10	19	31	46	99+
1. SINGLE DX	628	6.1	31	1	1	5	8	13	16	30
2. MULTIPLE DX	8720	12.0	157	2	3	8	15	27	39	85
A. NOT OPERATED	6616	10.9	138	2	3	7	13	24	35	74
B. OPERATED	2732	13.5	177	1	2	10	18	30	43	99+
TOTAL 65-69 YRS	1905	11.4	150	1	2	7	14	27	37	67
70-74	2225	11.8	165	1	2	8	15	27	39	80
75-79	2340	11.8	145	2	2	8	15	27	38	88
80-84	1686	11.7	148	2	3	8	14	24	36	87
85+	1192	11.3	142	2	3	8	14	24	34	95
GRAND TOTAL	**9348**	**11.6**	**151**	**2**	**2**	**8**	**14**	**26**	**37**	**82**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.1	8	<1	<1	2	3	8	10	11
70-74	13	3.5	11	<1	1	2	4	8	12	13
75-79	6	2.2	4	1	1	2	2	6	6	6
80-84	3	1.3		1	1	1	2	2	2	2
85+	3	3.3	10	1	1	2	6	7	7	7
B. Operated										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	147	4.3	12	1	1	4	6	7	11	18
70-74	109	4.4	13	1	2	3	6	8	11	20
75-79	72	4.8	13	2	2	3	6	9	13	18
80-84	31	3.9	7	1	1	3	5	7	9	13
85+	20	4.8	17	1	1	4	6	10	14	18
B. Operated										
65-69 YRS	22	5.0	7	2	2	4	7	9	10	12
70-74	12	7.9	110	1	1	5	9	19	36	39
75-79	9	6.3	17	2	2	6	8	13	15	15
80-84	2	7.0	32	3	3	7	11	11	11	11
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.0	8	<1	1	2	3	7	10	13
B. Operated	8	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	379	4.4	12	1	2	3	6	8	11	18
B. Operated	45	6.1	36	1	2	4	8	11	13	39
1. SINGLE DX	54	3.0	7	<1	1	2	4	6	9	13
2. MULTIPLE DX	424	4.6	15	1	2	3	6	9	12	18
A. NOT OPERATED	425	4.3	12	1	1	3	6	8	11	18
B. OPERATED	53	5.6	32	1	2	4	7	10	12	38
TOTAL 65-69 YRS	194	4.2	11	1	1	3	5	8	10	18
70-74	135	4.6	22	1	1	3	6	9	12	28
75-79	87	4.8	13	1	2	3	6	9	14	18
80-84	38	3.8	8	1	1	3	5	7	10	13
85+	24	4.5	15	1	1	3	6	9	13	18
GRAND TOTAL	**478**	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	91	1.3	1	<1	<1	<1	1	2	3	7
70-74	105	1.2		<1	<1	<1	1	2	2	3
75-79	67	1.3	1	<1	<1	<1	1	2	3	8
80-84	39	1.6	3	<1	<1	1	2	3	3	11
85+	19	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.4	6	1	1	3	5	7	9	9
70-74	7	1.7	1	1	1	2	2	3	3	3
75-79	8	3.0	7	<1	<1	2	4	7	9	9
80-84	4	4.5	4	3	3	4	6	7	7	7
85+	4	12.8	383	<1	<1	4	23	42	42	42
B. *Operated*										
65-69 YRS	200	2.3	13	<1	<1	1	2	5	6	11
70-74	141	2.6	10	<1	<1	2	3	5	8	22
75-79	105	2.8	13	<1	<1	1	3	7	11	20
80-84	59	2.5	9	<1	<1	2	3	5	8	16
85+	51	2.5	6	<1	<1	2	3	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*	321	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	34	4.2	49	<1	1	3	4	7	9	42
B. *Operated*	556	2.5	11	<1	<1	2	3	5	7	16
1. SINGLE DX	327	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	590	2.6	13	<1	<1	2	3	5	8	16
A. NOT OPERATED	40	3.8	43	<1	1	2	4	6	9	42
B. OPERATED	877	2.1	8	<1	<1	1	2	4	6	13
TOTAL 65-69 YRS	304	2.1	9	<1	<1	1	2	4	6	10
70-74	256	1.9	6	<1	<1	1	2	3	5	13
75-79	181	2.3	9	<1	<1	1	2	4	8	14
80-84	102	2.2	7	<1	<1	1	2	4	7	16
85+	74	2.8	26	<1	<1	1	2	6	8	35
GRAND TOTAL	**917**	**2.1**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	3.9	13	1	1	3	5	9	10	21
70-74	67	4.3	24	1	1	3	6	9	10	33
75-79	46	4.0	11	1	1	3	5	10	12	14
80-84	23	4.1	7	<1	<1	4	6	7	10	10
85+	13	4.0	5	1	1	4	5	7	8	8
B. *Operated*										
65-69 YRS	247	2.6	8	<1	<1	2	3	6	9	16
70-74	166	3.3	11	<1	1	2	4	8	12	18
75-79	129	2.8	7	1	1	2	3	6	8	15
80-84	46	3.1	7	1	1	2	5	7	9	11
85+	24	3.0	5	<1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	476	6.8	44	1	2	5	8	14	18	33
70-74	468	6.4	26	1	2	5	8	13	15	25
75-79	409	6.8	25	2	2	6	9	13	17	28
80-84	284	7.4	41	1	2	6	9	15	19	33
85+	176	6.8	34	2	2	5	8	13	16	33
B. *Operated*										
65-69 YRS	490	7.0	79	1	1	4	9	16	24	88
70-74	408	8.1	120	1	1	4	9	20	31	99+
75-79	300	9.3	127	1	1	6	11	22	29	75
80-84	150	8.7	73	1	2	6	12	19	26	42
85+	75	11.4	201	1	2	7	15	24	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	4.1	15	1	1	3	5	8	10	17
B. *Operated*	612	2.9	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	1813	6.8	34	1	2	5	9	13	18	32
B. *Operated*	1423	8.2	108	1	1	5	10	19	29	80
1. SINGLE DX	815	3.2	11	<1	1	2	4	7	10	16
2. MULTIPLE DX	3236	7.4	67	1	2	5	9	15	22	54
A. NOT OPERATED	2016	6.5	32	1	2	5	8	13	17	31
B. OPERATED	2035	6.6	84	1	1	3	8	16	23	63
TOTAL 65-69 YRS	1267	6.0	52	1	1	4	8	13	18	52
70-74	1109	6.4	61	1	1	4	8	13	20	62
75-79	884	6.9	61	1	1	5	9	14	21	45
80-84	503	7.2	48	1	2	5	9	15	20	37
85+	288	7.6	79	1	2	5	9	15	21	44
GRAND TOTAL	**4051**	**6.6**	**58**	**1**	**1**	**4**	**8**	**14**	**20**	**47**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	5.0		5	5	5	5	5	5	5
75-79	3	3.3	4	1	1	4	5	5	5	5
80-84	3	3.7		3	3	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	426	2.9	3	1	1	3	4	5	6	10
70-74	337	2.9	2	1	1	3	4	5	6	7
75-79	221	2.7	2	1	1	2	3	4	5	8
80-84	94	3.4	3	1	1	3	4	6	7	9
85+	44	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	2.5	3	<1	<1	2	4	5	5	6
70-74	15	2.9	5	<1	1	2	4	5	8	9
75-79	9	1.6	1	<1	<1	1	2	3	3	3
80-84	10	3.4	25	<1	<1	1	4	11	17	17
85+	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
65-69 YRS	831	3.4	5	1	1	3	4	6	7	11
70-74	708	3.5	5	1	1	3	4	6	7	11
75-79	508	3.8	6	1	2	3	5	6	8	14
80-84	291	3.8	8	1	1	3	5	6	8	15
85+	125	3.9	6	1	1	3	5	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	2	1	2	4	5	5	5	5
B. *Operated*	1122	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	62	2.7	7	<1	<1	2	4	5	6	16
B. *Operated*	2463	3.6	6	1	1	3	4	6	8	12
1. SINGLE DX	1131	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2525	3.6	6	1	1	3	4	6	7	12
A. NOT OPERATED	71	2.8	6	<1	<1	2	4	5	6	15
B. OPERATED	3585	3.4	5	1	1	3	4	6	7	11
TOTAL 65-69 YRS	1282	3.2	4	1	1	3	4	5	7	10
70-74	1062	3.3	4	1	1	3	4	6	7	10
75-79	741	3.5	5	1	1	3	4	6	7	12
80-84	398	3.7	7	1	1	3	5	6	7	15
85+	173	3.7	6	1	1	3	5	6	7	13
GRAND TOTAL	**3656**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	1.5	1	1	1	1	2	3	3	3
70-74	14	1.4	1	1	1	1	1	3	4	5
75-79	17	1.5		1	1	1	2	2	3	3
80-84	6	1.5		1	1	1	2	2	2	2
85+	9	1.8	1	1	1	1	2	4	4	4
B. *Operated*										
65-69 YRS	104	2.6	4	<1	1	2	3	5	7	11
70-74	107	2.4	3	<1	<1	2	3	4	6	10
75-79	77	2.3	2	<1	1	2	3	4	5	8
80-84	41	2.3	2	1	1	2	3	4	5	8
85+	23	2.5	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	3.5	17	1	1	2	3	12	14	14
70-74	34	2.4	5	1	1	2	2	4	7	13
75-79	43	3.3	7	1	1	3	4	6	11	12
80-84	25	2.4	3	<1	1	2	3	5	6	7
85+	18	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
65-69 YRS	204	2.9	5	1	1	2	4	5	7	12
70-74	228	3.2	6	1	1	2	4	6	8	13
75-79	237	3.4	10	1	1	2	4	7	8	19
80-84	133	3.0	8	1	1	2	3	6	9	17
85+	135	3.9	24	1	1	3	4	7	10	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.5	1	1	1	1	2	3	3	5
B. *Operated*	352	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	145	2.9	7	1	1	2	3	6	9	14
B. *Operated*	937	3.3	10	1	1	2	4	6	8	16
1. SINGLE DX	411	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1082	3.2	9	1	1	2	4	6	8	16
A. NOT OPERATED	204	2.5	6	1	1	2	3	5	7	13
B. OPERATED	1289	3.0	8	1	1	2	4	6	8	14
TOTAL 65-69 YRS	346	2.8	6	1	1	2	3	5	8	13
70-74	383	2.9	5	1	1	2	3	6	8	12
75-79	374	3.1	8	1	1	2	4	6	8	15
80-84	205	2.8	6	1	1	2	3	5	7	14
85+	185	3.5	19	1	1	2	4	6	9	28
GRAND TOTAL	**1493**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	2	2	2	3	4	5	5	5
70-74	5	2.2	1	1	1	2	3	4	4	4
75-79	5	2.0	1	1	1	2	2	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	29	2.2	2	<1	<1	2	3	4	4	5
70-74	37	2.1	2	<1	<1	2	3	4	5	6
75-79	33	2.0	3	<1	<1	1	2	4	6	9
80-84	14	2.0	3	<1	1	2	2	4	6	7
85+	13	2.7	7	<1	<1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	2.5	5	1	1	2	2	6	9	10
70-74	13	2.2	4	<1	<1	1	3	5	7	7
75-79	18	3.6	5	1	1	3	4	6	9	10
80-84	17	3.7	8	<1	<1	3	6	8	9	10
85+	20	5.5	150	1	1	2	4	7	32	57
B. *Operated*										
65-69 YRS	90	3.3	10	<1	1	2	4	6	9	18
70-74	97	3.2	8	<1	1	2	4	7	8	15
75-79	86	3.3	8	<1	1	2	4	7	8	17
80-84	78	3.9	15	1	1	3	4	10	13	19
85+	52	2.5	4	<1	1	2	3	4	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	126	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	39	1	1	2	4	7	8	40
B. *Operated*	403	3.3	9	<1	1	2	4	7	10	16
1. SINGLE DX	145	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	490	3.3	15	1	1	2	4	7	9	17
A. NOT OPERATED	106	3.3	32	<1	1	2	4	7	8	31
B. OPERATED	529	3.0	8	<1	1	2	4	6	9	15
TOTAL 65-69 YRS	142	2.9	8	<1	1	2	4	5	8	16
70-74	152	2.8	6	<1	1	2	4	6	7	13
75-79	142	3.0	7	<1	1	2	4	6	8	14
80-84	111	3.6	13	1	1	2	4	8	12	17
85+	88	3.2	38	<1	1	2	3	6	7	40
GRAND TOTAL	**635**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	1.0		<1	<1	1	1	1	1	1
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	799	1.3		<1	<1	<1	2	2	2	3
70-74	979	1.4		<1	<1	<1	2	2	2	3
75-79	1170	1.4	1	<1	<1	<1	2	2	2	3
80-84	992	1.4		<1	<1	1	2	2	2	3
85+	723	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	1.7	2	<1	<1	1	2	3	4	10
70-74	64	2.4	17	<1	<1	1	2	5	7	29
75-79	53	1.9	5	<1	<1	1	2	4	7	13
80-84	70	2.2	5	<1	<1	1	2	4	8	13
85+	58	2.8	10	<1	<1	2	3	7	8	19
B. *Operated*										
65-69 YRS	1465	2.0	6	<1	<1	2	2	3	4	8
70-74	2073	1.9	3	<1	<1	2	2	3	4	7
75-79	2573	1.9	3	<1	<1	2	2	3	4	9
80-84	2055	2.0	5	<1	<1	2	2	3	4	8
85+	1831	2.1	6	<1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	3	3
B. *Operated*	4663	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	293	2.2	8	<1	<1	1	2	5	7	14
B. *Operated*	9997	2.0	4	<1	<1	2	2	3	4	9
1. SINGLE DX	4675	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	10290	2.0	5	<1	<1	2	2	3	4	9
A. NOT OPERATED	305	2.2	8	<1	<1	1	2	5	7	13
B. OPERATED	14660	1.8	3	<1	<1	2	2	2	3	7
TOTAL 65-69 YRS	2313	1.8	4	<1	<1	2	2	2	3	7
70-74	3120	1.7	3	<1	<1	2	2	2	3	7
75-79	3799	1.8	2	<1	<1	2	2	2	3	7
80-84	3119	1.8	4	<1	<1	2	2	2	3	7
85+	2614	1.9	5	<1	<1	2	2	3	4	10
GRAND TOTAL	**14965**	**1.8**	**3**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	1.5		<1	<1	1	2	2	2	2
70-74	10	1.3		<1	<1	<1	2	2	2	2
75-79	18	1.4		<1	<1	1	2	2	3	3
80-84	15	1.5		<1	1	1	2	2	2	2
85+	18	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	3	2.0	3	1	1	3	52	99+	99+	99+
80-84	2	1.0		<1	<1	<1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	69	1.8	2	<1	<1	1	2	3	4	9
70-74	101	2.0	3	<1	<1	2	2	3	3	12
75-79	94	2.1	2	<1	<1	2	2	3	4	9
80-84	68	2.0	2	<1	<1	2	2	3	4	8
85+	47	2.0	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	10	1.4	1	<1	<1	1	2	42	95	99+
B. *Operated*	379	2.0	2	<1	<1	2	2	3	4	9
1. SINGLE DX	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	389	1.9	2	<1	<1	2	2	3	4	10
A. NOT OPERATED	10	1.4	1	<1	<1	1	2	42	95	99+
B. OPERATED	466	1.9	2	<1	<1	2	2	3	4	8
TOTAL 65-69 YRS	97	1.7	1	<1	<1	1	2	2	4	8
70-74	113	1.9	3	<1	<1	2	2	3	3	12
75-79	115	2.0	2	<1	<1	2	2	3	4	41
80-84	85	1.8	1	<1	<1	2	2	3	4	8
85+	66	1.8	1	<1	<1	2	2	3	4	7
GRAND TOTAL	**476**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	3	1	1	2	4	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	9	1.1		<1	<1	1	1	2	2	2
70-74	13	1.8	1	1	1	1	2	3	5	5
75-79	5	3.6	4	<1	<1	3	5	6	6	6
80-84	7	2.0	2	<1	<1	1	3	5	5	5
85+	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	4.1	8	1	2	3	5	8	9	14
70-74	38	4.3	9	1	1	4	5	10	11	12
75-79	35	4.6	6	1	2	4	6	8	10	11
80-84	21	5.1	9	1	2	4	7	9	11	12
85+	8	4.1	5	<1	1	4	5	7	8	8
B. *Operated*										
65-69 YRS	41	4.7	19	1	1	3	6	9	15	21
70-74	35	3.3	8	1	1	2	4	7	10	13
75-79	26	3.6	12	1	1	2	4	9	13	15
80-84	9	4.7	18	1	1	4	7	11	12	12
85+	4	3.0	11	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	2	1	1	2	3	4	5	5
B. *Operated*	36	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	136	4.4	8	1	1	4	6	8	10	13
B. *Operated*	115	4.0	14	1	1	2	5	9	12	18
1. SINGLE DX	45	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX	251	4.2	10	1	1	3	6	9	11	15
A. NOT OPERATED	145	4.3	7	1	1	4	6	8	10	12
B. OPERATED	151	3.5	12	<1	1	2	4	8	11	17
TOTAL 65-69 YRS	88	4.0	13	1	1	3	5	8	11	19
70-74	87	3.5	8	1	1	2	5	7	10	13
75-79	68	4.1	8	1	1	3	5	8	10	14
80-84	38	4.3	11	<1	1	4	6	9	11	12
85+	15	3.7	7	<1	1	3	6	8	8	8
GRAND TOTAL	**296**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.5	13	<1	1	5	8	11	11	11
70-74	16	3.9	9	1	2	3	4	6	12	14
75-79	19	5.1	9	1	1	5	8	9	10	11
80-84	13	5.5	8	3	3	5	6	8	13	14
85+	14	3.9	4	1	2	4	5	7	8	8
B. *Operated*										
65-69 YRS	180	1.7	1	<1	<1	1	2	3	4	5
70-74	219	1.8	1	<1	<1	1	2	3	4	6
75-79	214	2.1	2	<1	1	2	3	4	5	9
80-84	158	2.2	4	<1	<1	2	3	4	5	13
85+	126	2.5	5	<1	<1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	4.4	7	<1	1	4	5	9	10	11
70-74	73	6.3	29	<1	1	5	8	14	20	23
75-79	70	6.7	64	<1	1	5	9	11	19	53
80-84	88	5.6	16	1	2	5	7	11	15	20
85+	64	6.5	36	<1	1	5	7	14	21	29
B. *Operated*										
65-69 YRS	442	2.6	10	<1	1	2	3	5	6	17
70-74	568	2.9	12	1	1	2	3	5	7	19
75-79	607	2.6	7	<1	1	2	3	5	6	15
80-84	468	3.0	10	1	1	2	3	5	6	16
85+	311	3.5	29	<1	1	2	3	6	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.7	9	1	2	4	6	8	11	14
B. *Operated*	897	2.0	3	<1	<1	1	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	356	5.9	30	<1	1	5	7	11	16	24
B. *Operated*	2396	2.9	12	<1	1	2	3	5	7	17
1. SINGLE DX	972	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	2752	3.3	16	<1	1	2	4	6	9	20
A. NOT OPERATED	431	5.7	27	<1	1	4	7	11	15	23
B. OPERATED	3293	2.6	10	<1	1	2	3	4	6	16
TOTAL 65-69 YRS	696	2.6	8	<1	1	2	3	5	7	12
70-74	876	2.9	12	<1	1	2	3	5	8	20
75-79	910	2.9	12	<1	1	2	3	5	8	16
80-84	727	3.2	11	<1	1	2	4	6	7	17
85+	515	3.6	25	<1	1	2	4	7	11	28
GRAND TOTAL	**3724**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.2	3	1	1	3	4	6	6	6
70-74	16	3.5	4	1	1	3	5	7	7	7
75-79	33	3.9	5	<1	1	4	5	7	7	9
80-84	15	4.5	12	<1	1	3	7	8	12	14
85+	13	3.8	5	1	1	3	5	8	8	8
B. *Operated*										
65-69 YRS	137	2.2	6	<1	<1	1	2	4	6	13
70-74	137	2.4	4	<1	<1	2	3	5	7	9
75-79	138	2.4	7	<1	<1	2	2	5	8	12
80-84	72	2.7	8	<1	<1	2	3	7	10	13
85+	32	3.8	16	<1	<1	2	5	9	12	1[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	4.4	12	1	1	3	6	9	10	18
70-74	136	4.8	12	1	1	4	7	9	12	16
75-79	110	5.3	14	1	1	5	7	11	13	17
80-84	96	5.4	26	1	1	4	7	11	12	31
85+	70	7.5	77	1	1	5	9	13	17	59
B. *Operated*										
65-69 YRS	509	3.5	13	<1	1	2	4	7	9	18
70-74	498	3.6	15	<1	1	2	4	8	11	19
75-79	490	3.7	17	<1	1	2	4	8	11	22
80-84	307	3.7	22	<1	1	2	4	7	11	27
85+	208	3.8	18	<1	1	2	4	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.8	5	1	1	3	5	7	8	12
B. *Operated*	516	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	558	5.2	24	1	1	4	7	10	13	20
B. *Operated*	2012	3.6	17	<1	1	2	4	7	11	21
1. SINGLE DX	613	2.7	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX	2570	4.0	18	<1	1	3	5	8	11	21
A. NOT OPERATED	655	5.0	21	1	1	4	7	9	12	18
B. OPERATED	2528	3.4	15	<1	1	2	4	7	10	19
TOTAL 65-69 YRS	812	3.4	12	<1	1	2	4	7	9	18
70-74	787	3.6	13	<1	1	2	4	8	10	17
75-79	771	3.7	15	<1	1	2	5	8	11	19
80-84	490	3.9	21	<1	1	2	5	8	11	24
85+	323	4.6	32	<1	1	3	6	9	14	26
GRAND TOTAL	**3183**	**3.7**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	3	<1	<1	2	3	5	5	5
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	5	1.4	1	1	1	1	2	3	3	3
70-74	6	2.8	20	<1	<1	1	1	11	12	12
75-79	3	1.7		1	1	2	2	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	4.1	6	1	2	3	5	7	10	12
70-74	35	4.8	10	1	1	4	6	10	13	13
75-79	35	4.2	6	1	2	4	6	7	9	10
80-84	22	4.5	14	1	1	4	6	8	13	18
85+	22	4.7	11	1	1	5	6	9	12	13
B. *Operated*										
65-69 YRS	40	3.3	8	1	1	2	4	7	9	13
70-74	45	2.9	6	<1	1	2	3	6	9	10
75-79	36	2.9	6	1	1	2	4	7	8	11
80-84	21	2.1	4	1	1	1	2	5	7	9
85+	20	4.1	21	1	1	2	5	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.3	5	<1	1	3	5	6	8	8
B. *Operated*	16	1.9	8	<1	1	1	2	3	9	12
2. MULTIPLE DX										
A. *Not Operated*	160	4.4	9	1	1	4	6	8	10	13
B. *Operated*	162	3.0	8	1	1	2	3	7	9	13
1. SINGLE DX	29	2.6	7	<1	1	1	3	6	8	12
2. MULTIPLE DX	322	3.7	9	1	1	3	5	7	10	13
A. NOT OPERATED	173	4.3	8	1	1	4	6	8	10	13
B. OPERATED	178	2.9	8	1	1	2	3	7	10	13
TOTAL 65-69 YRS	96	3.5	7	1	1	3	5	7	10	13
70-74	88	3.6	9	1	1	3	5	8	10	13
75-79	77	3.5	6	1	1	3	5	7	9	11
80-84	46	3.3	10	1	1	2	5	7	9	18
85+	44	4.4	15	1	1	3	6	10	12	18
GRAND TOTAL	**351**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	3	22.0	1261	1	1	2	48	63	63	63
B. *Operated*										
65-69 YRS	54	1.4		<1	1	1	2	2	2	3
70-74	45	1.6	2	<1	1	1	2	2	3	9
75-79	20	1.8	2	<1	1	1	2	4	5	6
80-84	5	1.4		<1	<1	1	2	2	2	2
85+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.6	15	<1	1	4	5	12	13	14
70-74	17	7.1	33	1	3	4	11	17	18	18
75-79	16	6.9	54	1	3	4	6	22	26	27
80-84	12	7.9	56	1	2	6	8	21	26	27
85+	14	5.3	17	1	1	5	7	10	14	15
B. *Operated*										
65-69 YRS	166	2.0	3	1	1	2	2	3	5	11
70-74	97	2.6	13	1	1	2	2	4	9	22
75-79	41	2.8	7	1	1	2	3	5	9	14
80-84	15	4.5	31	<1	1	2	5	11	19	22
85+	8	2.1	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.9	375	1	1	2	2	33	63	63
B. *Operated*	128	1.6	1	<1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	82	6.2	32	<1	1	4	7	15	18	27
B. *Operated*	327	2.4	8	1	1	2	2	4	6	15
1. SINGLE DX	138	2.0	28	<1	1	1	2	2	3	15
2. MULTIPLE DX	409	3.2	15	1	1	2	3	7	11	22
A. NOT OPERATED	92	6.3	66	1	1	4	7	15	18	48
B. OPERATED	455	2.2	6	1	1	2	2	4	5	14
TOTAL 65-69 YRS	247	2.1	4	1	1	2	2	4	5	13
70-74	161	2.8	14	<1	1	2	3	5	11	18
75-79	78	3.3	18	1	1	2	4	6	10	26
80-84	32	5.3	39	<1	1	3	7	13	22	27
85+	29	5.6	133	1	1	2	6	9	17	63
GRAND TOTAL	**547**	**2.9**	**19**	**1**	**1**	**2**	**3**	**5**	**9**	**22**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.1	3	2	2	3	5	7	7	7
70-74	8	13.4	759	1	1	3	8	60	81	81
75-79	4	8.0	4	7	7	7	9	11	11	11
80-84	3	11.7	49	5	5	11	17	19	19	19
85+	2	21.0	162	12	12	21	30	30	30	30
B. *Operated*										
65-69 YRS	9	6.4	199	1	1	2	3	28	44	44
70-74	11	1.4		<1	<1	1	2	2	2	2
75-79	5	6.2	23	1	1	6	10	12	12	12
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	5	4.4	29	1	1	2	6	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	6.7	46	2	3	5	8	11	16	47
70-74	52	8.2	51	2	3	6	10	16	22	44
75-79	44	8.5	67	2	3	6	9	14	29	41
80-84	31	12.0	235	3	3	8	12	24	41	82
85+	32	8.2	52	2	3	6	9	17	29	31
B. *Operated*										
65-69 YRS	78	7.8	190	1	1	2	7	23	28	84
70-74	63	10.3	195	1	1	4	13	40	45	53
75-79	43	10.6	166	1	1	5	16	28	30	66
80-84	23	10.2	107	1	1	7	15	23	33	44
85+	18	6.8	21	1	2	6	9	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	9.7	251	2	2	5	11	18	40	81
B. *Operated*	33	4.0	62	1	1	2	3	10	14	44
2. MULTIPLE DX										
A. *Not Operated*	219	8.4	80	2	3	6	9	15	23	46
B. *Operated*	225	9.2	164	1	1	4	12	24	36	61
1. SINGLE DX	59	6.5	150	1	1	3	7	12	25	78
2. MULTIPLE DX	444	8.8	123	1	1	5	10	19	30	54
A. NOT OPERATED	245	8.5	97	2	3	6	9	15	23	52
B. OPERATED	258	8.5	154	1	1	3	10	23	34	59
TOTAL 65-69 YRS	156	7.1	123	1	1	4	7	15	26	58
70-74	134	8.9	157	1	1	5	10	20	43	58
75-79	96	9.3	106	1	2	6	11	23	29	54
80-84	60	10.8	165	1	2	7	12	20	36	78
85+	57	7.9	48	2	2	6	9	15	27	31
GRAND TOTAL	**503**	**8.5**	**126**	**1**	**1**	**5**	**10**	**18**	**30**	**56**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	209	2.6	3	1	1	2	3	5	6	8
70-74	159	2.7	4	1	1	2	3	5	7	11
75-79	128	2.9	4	1	1	3	3	5	7	10
80-84	70	2.8	3	1	1	2	3	6	7	7
85+	49	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
65-69 YRS	46	2.4	3	1	1	2	3	4	6	11
70-74	29	2.6	4	1	1	2	4	5	6	8
75-79	15	2.4	2	1	1	2	3	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1162	3.6	8	1	1	3	4	7	8	13
70-74	1133	4.0	8	1	1	3	5	7	9	14
75-79	1082	4.2	8	1	2	3	5	7	9	15
80-84	746	4.4	9	1	2	4	6	8	10	15
85+	507	5.2	32	1	2	4	6	9	12	26
B. *Operated*										
65-69 YRS	125	5.8	17	1	1	5	8	13	14	16
70-74	112	6.2	38	1	2	4	8	12	16	35
75-79	75	7.7	40	2	2	6	10	14	17	39
80-84	45	7.3	36	1	2	6	9	12	20	32
85+	17	11.2	258	2	2	5	12	23	54	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	2.8	3	1	1	2	3	5	6	9
B. *Operated*	94	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4630	4.1	11	1	1	3	5	7	10	15
B. *Operated*	374	6.7	42	1	2	5	9	13	16	32
1. SINGLE DX	709	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5004	4.3	13	1	2	3	5	8	10	16
A. NOT OPERATED	5245	4.0	10	1	1	3	5	7	9	14
B. OPERATED	468	5.9	37	1	1	4	8	12	15	31
TOTAL 65-69 YRS	1542	3.6	8	1	1	3	4	7	9	14
70-74	1433	4.0	10	1	1	3	5	7	10	15
75-79	1300	4.2	10	1	1	3	5	8	10	16
80-84	862	4.4	10	1	2	4	6	8	11	16
85+	576	5.2	37	1	2	4	6	9	12	34
GRAND TOTAL	**5713**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.0		2	2	2	2	2	2	2
70-74	5	2.4		2	2	2	3	3	3	3
75-79	9	2.0		2	2	2	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	119	1.6	1	1	1	1	2	3	3	4
70-74	48	1.9	1	1	1	2	3	3	3	4
75-79	29	1.8	1	1	1	2	2	3	3	4
80-84	7	2.1		1	1	2	3	3	3	3
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	1.8		<1	<1	2	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	7	4.0	17	1	1	2	4	11	13	13
80-84	4	3.3	2	2	2	3	4	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	96	1.9	1	1	1	2	3	3	3	5
70-74	55	2.0	2	1	1	2	3	3	5	8
75-79	23	2.3	1	1	1	2	3	4	5	5
80-84	12	2.1	1	1	1	2	3	4	4	4
85+	4	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.1		2	2	2	2	3	3	3
B. *Operated*	205	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	19	3.0	7	<1	1	2	3	5	10	13
B. *Operated*	190	2.0	1	1	1	2	3	3	4	5
1. SINGLE DX	229	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	209	2.1	2	1	1	2	3	3	4	6
A. NOT OPERATED	43	2.5	3	1	2	2	2	3	5	13
B. OPERATED	395	1.8	1	1	1	2	2	3	3	5
TOTAL 65-69 YRS	229	1.7	1	1	1	2	2	3	3	4
70-74	109	2.0	1	1	1	2	3	3	4	6
75-79	68	2.2	3	1	1	2	3	3	4	12
80-84	25	2.3	1	1	1	2	3	4	4	5
85+	7	2.1	1	1	1	2	2	4	4	4
GRAND TOTAL	**438**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.2	3	1	1	3	4	5	6	6
70-74	9	3.2	3	1	1	3	5	5	5	5
75-79	4	3.5		3	3	3	4	4	4	4
80-84	2	5.0	8	3	3	5	7	7	7	7
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	117	1.4	1	<1	1	1	2	2	3	4
70-74	47	1.7	1	<1	1	1	2	3	4	6
75-79	22	1.5	1	<1	<1	1	2	2	3	4
80-84	15	2.1	4	<1	<1	1	2	5	7	8
85+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	4.8	16	1	2	4	5	8	14	22
70-74	27	3.7	16	1	1	3	4	6	10	22
75-79	26	4.7	16	<1	1	4	5	9	12	20
80-84	20	5.2	11	1	2	4	7	9	12	15
85+	11	5.7	38	1	2	4	5	15	22	23
B. *Operated*										
65-69 YRS	236	1.9	4	1	1	1	2	3	5	11
70-74	125	2.3	8	<1	1	2	2	3	7	16
75-79	61	2.2	4	1	1	2	2	4	6	13
80-84	32	2.9	5	1	1	2	3	6	8	10
85+	13	3.0	14	1	1	2	3	7	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.6	3	1	1	3	5	6	7	8
B. *Operated*	204	1.5	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	130	4.7	17	1	1	4	5	9	14	22
B. *Operated*	467	2.2	6	1	1	1	2	4	6	13
1. SINGLE DX	231	1.8	2	<1	1	1	2	4	4	7
2. MULTIPLE DX	597	2.7	9	1	1	2	3	5	8	18
A. NOT OPERATED	157	4.5	15	1	1	4	5	8	11	22
B. OPERATED	671	2.0	4	<1	1	1	2	3	5	12
TOTAL 65-69 YRS	410	2.1	5	<1	1	1	2	4	6	13
70-74	208	2.4	8	1	1	2	3	4	6	17
75-79	113	2.7	7	<1	1	2	3	5	8	16
80-84	69	3.4	8	<1	1	2	4	8	9	14
85+	28	4.0	24	1	1	3	4	9	16	23
GRAND TOTAL	**828**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	7.9	22	2	3	7	11	16	17	17
70-74	19	6.6	16	2	2	6	9	12	15	17
75-79	20	7.6	8	2	4	8	9	10	13	15
80-84	9	9.0	28	4	4	6	13	17	17	17
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	7	14.3	397	2	3	8	10	49	59	59
70-74	14	13.0	32	4	6	13	18	19	21	22
75-79	7	8.6	33	2	2	10	11	17	18	18
80-84	2	8.0	2	7	7	8	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.3	9	6	6	11	12	13	13	13
B. *Operated*	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	67	7.6	16	2	3	7	10	15	16	17
B. *Operated*	30	11.9	109	2	3	10	17	19	22	59
1. SINGLE DX	6	9.8	12	5	5	11	13	13	13	13
2. MULTIPLE DX	97	8.9	48	2	3	8	11	17	18	42
A. NOT OPERATED	71	7.7	16	2	3	7	10	14	16	17
B. OPERATED	32	11.8	103	2	3	10	15	19	22	59
TOTAL 65-69 YRS	27	9.6	115	2	3	7	11	16	23	59
70-74	36	9.4	30	2	3	8	13	18	19	22
75-79	28	8.0	14	2	3	8	10	12	15	18
80-84	11	8.8	23	4	4	7	12	16	17	17
85+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**103**	**9.0**	**46**	**2**	**3**	**8**	**11**	**17**	**18**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	14.7	409	2	2	4	29	38	38	38
75-79	4	3.3	4	2	2	3	4	6	6	6
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	57	5.2	33	1	1	2	9	15	16	21
70-74	31	5.8	31	1	1	2	10	14	16	19
75-79	14	7.3	72	<1	1	2	16	22	23	23
80-84	5	8.2	43	1	1	9	14	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	6.5	23	1	2	5	8	12	15	25
70-74	203	7.7	43	1	2	6	9	14	19	42
75-79	205	8.0	40	2	2	6	10	16	22	30
80-84	132	8.5	45	2	3	6	10	17	22	37
85+	97	8.1	37	2	3	7	10	17	20	72
B. *Operated*										
65-69 YRS	547	10.8	95	1	2	10	15	23	28	53
70-74	463	12.6	145	1	2	11	17	27	35	56
75-79	233	12.7	126	1	1	10	19	29	33	51
80-84	63	13.3	144	1	1	11	20	27	35	62
85+	22	14.9	261	1	2	10	20	31	52	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.7	107	2	2	5	8	21	37	38
B. *Operated*	107	5.8	37	1	1	2	11	16	17	22
2. MULTIPLE DX										
A. *Not Operated*	815	7.7	38	2	2	6	9	15	20	37
B. *Operated*	1328	12.0	123	1	2	10	16	26	32	57
1. SINGLE DX	118	6.0	43	1	1	2	9	16	18	28
2. MULTIPLE DX	2143	10.3	95	1	2	8	14	22	29	48
A. NOT OPERATED	826	7.7	39	2	2	6	9	15	20	38
B. OPERATED	1435	11.5	119	1	1	10	16	25	31	54
TOTAL 65-69 YRS	783	9.4	79	1	2	8	13	20	25	43
70-74	700	10.9	117	1	2	8	15	24	30	51
75-79	456	10.3	90	1	2	7	15	23	30	40
80-84	202	10.0	80	1	2	7	14	21	27	40
85+	120	9.3	82	2	3	7	10	19	26	80
GRAND TOTAL	**2261**	**10.1**	**93**	**1**	**2**	**8**	**14**	**22**	**28**	**46**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	3.3	8	1	1	3	4	6	7	13
70-74	117	3.8	6	1	1	3	5	7	8	15
75-79	97	4.0	7	1	2	3	5	8	9	16
80-84	59	4.6	52	1	2	3	5	8	10	52
85+	46	3.4	4	1	1	3	5	6	8	8
B. *Operated*										
65-69 YRS	20	4.0	25	<1	1	3	4	6	15	24
70-74	18	4.9	41	1	1	2	6	15	21	24
75-79	8	4.0	9	1	1	3	5	9	10	10
80-84	5	1.4		<1	<1	1	2	2	2	2
85+	4	10.0	88	2	2	9	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1575	4.9	15	1	2	4	6	9	11	19
70-74	1498	5.1	15	1	2	4	6	9	12	20
75-79	1231	5.3	17	1	2	4	7	10	12	19
80-84	851	5.8	33	1	2	4	7	11	14	37
85+	543	5.3	21	1	2	4	6	10	12	24
B. *Operated*										
65-69 YRS	305	7.2	73	1	1	5	9	13	20	36
70-74	267	7.7	66	1	1	6	10	17	22	36
75-79	203	7.4	59	1	1	5	9	15	22	37
80-84	111	6.7	34	1	1	5	9	14	19	57
85+	64	9.0	87	1	1	6	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.8	13	1	1	3	5	7	9	15
B. *Operated*	55	4.5	31	<1	1	2	5	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	5698	5.2	19	1	2	4	6	10	12	21
B. *Operated*	950	7.5	64	1	1	5	9	16	21	37
1. SINGLE DX	511	3.8	15	1	1	3	5	7	9	18
2. MULTIPLE DX	6648	5.5	26	1	2	4	7	10	13	25
A. NOT OPERATED	6154	5.1	19	1	2	4	6	9	12	21
B. OPERATED	1005	7.3	63	1	1	5	9	16	21	36
TOTAL 65-69 YRS	2037	5.1	25	1	2	4	6	9	12	22
70-74	1900	5.4	23	1	2	4	7	10	13	24
75-79	1539	5.5	23	1	2	4	7	10	13	23
80-84	1026	5.8	35	1	2	4	7	11	14	37
85+	657	5.6	28	1	2	4	6	11	15	27
GRAND TOTAL	**7159**	**5.4**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	4.4	9	1	1	4	5	9	10	13
70-74	51	5.1	10	1	2	5	7	8	10	20
75-79	41	5.7	13	1	2	5	8	11	13	16
80-84	42	5.9	25	2	2	4	7	11	14	31
85+	40	5.1	8	2	3	5	7	8	9	17
B. *Operated*										
65-69 YRS	16	2.3	2	1	1	2	3	3	6	7
70-74	6	5.0	55	1	1	2	3	18	20	20
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	3.7	2	2	2	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1129	6.9	27	2	3	6	9	12	15	27
70-74	1492	7.4	24	2	3	6	9	13	17	25
75-79	1522	7.6	30	2	3	6	9	14	18	28
80-84	1323	8.3	51	2	3	7	10	15	20	37
85+	1122	8.5	46	2	3	7	11	16	20	41
B. *Operated*										
65-69 YRS	239	8.9	70	1	2	7	12	18	26	99+
70-74	266	12.0	163	1	2	9	14	24	36	96
75-79	196	12.7	149	2	3	10	15	24	33	76
80-84	125	15.4	242	4	5	11	18	39	95	99+
85+	88	15.8	186	4	6	13	18	29	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.2	13	1	2	4	7	9	11	18
B. *Operated*	26	3.3	15	1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	6588	7.7	35	2	3	6	9	14	18	31
B. *Operated*	914	12.2	154	2	2	9	15	25	37	99+
1. SINGLE DX	250	5.0	13	1	1	4	6	9	11	20
2. MULTIPLE DX	7502	8.3	52	2	3	6	10	15	20	39
A. NOT OPERATED	6812	7.7	35	2	3	6	9	14	18	31
B. OPERATED	940	12.0	152	1	2	9	15	25	37	99+
TOTAL 65-69 YRS	1434	7.1	34	2	2	6	9	13	17	34
70-74	1815	8.0	47	2	3	6	9	15	19	34
75-79	1760	8.2	45	2	3	6	10	15	19	33
80-84	1493	8.8	70	2	3	7	10	16	23	60
85+	1250	8.9	59	2	3	7	11	17	22	46
GRAND TOTAL	**7752**	**8.2**	**51**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.5	6	1	1	2	6	7	8	8
70-74	12	5.9	12	2	2	6	8	11	13	13
75-79	7	5.0	29	2	2	4	4	14	17	17
80-84	2	8.5	1	8	8	8	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	31	4.6	23	1	1	2	7	13	16	17
70-74	34	4.8	20	1	1	3	8	11	14	18
75-79	13	3.0	21	1	1	2	2	7	16	18
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	195	8.0	47	2	2	6	10	16	21	36
70-74	212	7.4	26	1	2	6	10	14	18	27
75-79	191	8.7	44	2	3	7	11	16	18	34
80-84	145	10.2	113	2	3	8	12	18	21	70
85+	95	10.0	47	2	3	9	13	19	22	37
B. *Operated*										
65-69 YRS	311	10.0	88	1	2	7	14	22	30	45
70-74	261	12.4	163	2	2	9	15	31	38	87
75-79	140	11.4	89	2	3	9	14	24	30	52
80-84	77	14.8	236	2	3	10	20	28	62	95
85+	33	16.5	104	2	4	15	24	33	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.1	14	2	2	4	7	9	13	17
B. *Operated*	79	4.4	21	1	1	2	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*	838	8.6	53	2	3	7	11	16	20	37
B. *Operated*	822	11.7	129	2	2	8	15	26	35	71
1. SINGLE DX	110	4.6	19	1	1	2	7	11	15	18
2. MULTIPLE DX	1660	10.1	93	2	2	8	13	20	29	51
A. NOT OPERATED	869	8.5	52	2	2	7	11	16	19	37
B. OPERATED	901	11.1	124	1	2	8	14	24	35	69
TOTAL 65-69 YRS	547	8.8	71	1	2	6	11	19	27	41
70-74	519	9.7	102	1	2	7	12	20	32	74
75-79	351	9.5	64	2	2	7	12	17	24	36
80-84	225	11.7	158	2	3	9	14	21	31	82
85+	128	11.7	69	2	3	9	15	23	28	39
GRAND TOTAL	**1770**	**9.8**	**90**	**2**	**2**	**7**	**12**	**19**	**28**	**49**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	744	8.2	10	3	4	8	10	11	13	16
70-74	591	8.2	10	3	4	8	10	12	13	17
75-79	442	8.9	38	3	4	8	10	13	15	22
80-84	237	8.5	11	3	4	8	10	13	15	18
85+	180	9.0	15	3	4	9	11	14	15	21
B. *Operated*										
65-69 YRS	194	8.9	17	2	4	8	11	14	15	21
70-74	115	9.5	18	3	5	9	11	14	16	27
75-79	41	9.7	103	2	2	8	11	14	16	69
80-84	15	10.7	19	5	6	9	13	15	20	22
85+	4	6.0	19	2	2	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8444	9.8	22	4	5	9	12	15	17	27
70-74	9369	10.3	28	4	6	9	12	15	19	30
75-79	8790	10.6	28	4	6	10	12	16	20	30
80-84	6740	10.9	33	4	6	10	13	17	21	34
85+	4920	11.2	42	4	6	10	13	18	23	37
B. *Operated*										
65-69 YRS	3490	12.6	66	3	6	11	15	21	28	46
70-74	2668	14.3	89	4	6	12	17	25	32	55
75-79	1748	15.6	111	5	7	13	18	27	34	62
80-84	914	16.1	93	6	8	14	20	27	34	57
85+	551	18.0	168	6	8	15	21	32	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2194	8.4	16	3	4	8	10	12	14	19
B. *Operated*	369	9.2	27	2	4	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	38263	10.5	30	4	6	10	12	16	20	31
B. *Operated*	9371	14.3	92	4	6	12	17	25	32	56
1. SINGLE DX	2563	8.6	18	3	4	8	10	12	14	20
2. MULTIPLE DX	47634	11.2	44	4	6	10	13	18	22	38
A. NOT OPERATED	40457	10.4	29	4	5	10	12	16	19	30
B. OPERATED	9740	14.1	91	4	6	12	17	24	32	55
TOTAL 65-69 YRS	12872	10.5	35	4	5	10	12	16	20	35
70-74	12743	11.0	43	4	6	10	13	17	22	36
75-79	11021	11.3	46	4	6	10	13	18	23	38
80-84	7906	11.4	43	4	6	10	13	18	23	37
85+	5655	11.8	58	4	6	10	14	19	25	46
GRAND TOTAL	**50197**	**11.1**	**43**	**4**	**6**	**10**	**13**	**18**	**22**	**37**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	417	2.9	3	1	1	3	4	5	6	8
70-74	341	3.0	5	1	1	3	4	5	6	12
75-79	268	3.0	4	1	1	3	4	5	6	8
80-84	180	3.0	2	1	1	3	4	5	6	7
85+	154	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
65-69 YRS	170	2.1	2	1	1	2	2	4	6	9
70-74	87	3.0	9	<1	1	2	4	7	9	17
75-79	41	2.2	4	<1	1	2	2	3	6	13
80-84	10	3.6	26	1	1	2	3	11	18	18
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6020	4.1	7	1	2	3	5	7	9	14
70-74	6136	4.3	9	1	2	4	5	7	9	15
75-79	5622	4.4	11	1	2	4	5	8	10	17
80-84	4123	4.6	13	1	2	4	6	8	10	18
85+	3037	4.6	14	1	2	4	5	8	10	17
B. *Operated*										
65-69 YRS	3297	5.1	26	1	1	3	7	12	15	23
70-74	2309	5.5	31	1	1	3	8	12	16	25
75-79	1082	6.5	42	1	1	4	9	15	19	30
80-84	403	8.4	60	1	1	7	12	16	24	36
85+	140	10.7	104	2	3	8	13	23	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	2.9	4	1	1	3	4	5	6	9
B. *Operated*	310	2.4	6	<1	1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	24938	4.4	10	1	2	4	5	8	10	15
B. *Operated*	7231	5.7	35	1	1	3	8	13	16	28
1. SINGLE DX	1670	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	32169	4.7	16	1	2	4	6	9	11	20
A. NOT OPERATED	26298	4.3	10	1	2	4	5	7	9	15
B. OPERATED	7541	5.6	34	1	1	3	8	13	16	27
TOTAL 65-69 YRS	9904	4.3	14	1	1	3	5	9	11	18
70-74	8873	4.5	15	1	1	3	5	9	11	19
75-79	7013	4.7	16	1	2	4	6	9	11	20
80-84	4716	4.9	18	1	2	4	6	9	11	21
85+	3333	4.7	19	1	2	4	6	8	11	22
GRAND TOTAL	**33839**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	727	3.6	5	1	1	3	5	6	8	11
70-74	720	3.8	4	1	2	3	5	6	8	11
75-79	570	4.1	8	1	2	3	5	7	8	16
80-84	376	4.0	5	1	2	4	5	7	8	12
85+	238	4.0	5	1	2	4	5	7	9	12
B. *Operated*										
65-69 YRS	183	4.1	10	1	1	3	6	9	10	16
70-74	111	4.9	17	1	1	4	6	10	14	19
75-79	59	6.2	31	1	1	5	8	16	20	23
80-84	16	5.7	37	1	1	3	6	18	19	19
85+	5	6.4	8	3	3	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10429	4.9	10	2	2	4	6	8	10	15
70-74	11674	5.1	11	2	2	4	6	9	11	17
75-79	10867	5.4	13	2	2	5	7	9	12	18
80-84	8028	5.7	15	2	2	5	7	10	12	19
85+	5538	5.9	22	2	2	5	7	10	13	24
B. *Operated*										
65-69 YRS	4976	8.4	53	1	2	7	11	16	20	35
70-74	4095	9.5	64	1	2	8	13	18	23	41
75-79	2408	10.4	81	1	2	9	14	20	26	49
80-84	911	11.0	83	2	3	9	14	22	29	55
85+	352	12.2	79	3	4	10	15	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	3.8	6	1	2	3	5	7	8	11
B. *Operated*	374	4.8	17	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	46536	5.3	14	2	2	5	7	9	11	18
B. *Operated*	12742	9.4	66	1	2	8	12	18	23	42
1. SINGLE DX	3005	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	59278	6.2	28	2	2	5	8	12	15	26
A. NOT OPERATED	49167	5.3	13	2	2	4	6	9	11	18
B. OPERATED	13116	9.3	65	1	2	8	12	18	23	41
TOTAL 65-69 YRS	16315	5.9	26	1	2	5	7	11	14	25
70-74	16600	6.1	28	2	2	5	7	12	15	26
75-79	13904	6.2	29	2	2	5	7	12	15	26
80-84	9331	6.2	24	2	2	5	7	11	14	26
85+	6133	6.2	27	2	2	5	7	11	15	27
GRAND TOTAL	**62283**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

143: Miscellanecus ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	4.3	15	1	1	3	6	10	10	22
70-74	61	3.8	13	1	1	3	5	7	9	23
75-79	34	6.8	58	1	1	4	8	15	16	42
80-84	28	4.9	16	1	2	4	6	11	14	18
85+	12	5.9	40	1	2	4	7	13	23	25
B. *Operated*										
65-69 YRS	1325	4.1	18	1	1	2	6	11	13	17
70-74	841	4.4	24	1	1	2	6	12	15	21
75-79	319	4.5	25	<1	1	2	5	13	15	22
80-84	56	6.1	40	<1	1	4	8	16	19	27
85+	11	7.3	73	1	1	2	11	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1116	4.8	12	1	2	4	6	9	11	16
70-74	1159	5.1	15	1	2	4	6	10	12	20
75-79	1074	5.7	18	2	2	5	7	11	14	22
80-84	780	6.0	23	2	2	5	7	11	14	24
85+	666	6.4	40	2	2	5	8	12	15	45
B. *Operated*										
65-69 YRS	9253	7.1	55	1	1	5	10	15	19	35
70-74	6245	8.0	67	1	1	6	11	17	22	39
75-79	2598	8.8	75	1	1	7	12	19	26	41
80-84	613	9.7	95	1	1	7	14	21	28	49
85+	134	8.9	57	1	2	7	12	20	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.7	23	1	1	3	6	10	13	25
B. *Operated*	2552	4.3	22	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	4795	5.5	20	1	2	4	7	10	13	22
B. *Operated*	18843	7.7	64	1	1	6	11	16	21	39
1. SINGLE DX	2761	4.4	22	1	1	2	6	11	14	21
2. MULTIPLE DX	23638	7.3	55	1	1	5	10	15	20	36
A. NOT OPERATED	5004	5.5	20	1	2	4	7	10	13	23
B. OPERATED	21395	7.3	60	1	1	5	11	16	21	37
TOTAL 65-69 YRS	11768	6.5	48	1	1	4	9	14	18	31
70-74	8306	7.2	57	1	1	5	10	15	20	36
75-79	4025	7.6	58	1	1	5	11	16	22	36
80-84	1477	7.5	57	1	2	5	10	16	21	42
85+	823	6.8	44	1	2	5	9	13	18	35
GRAND TOTAL	**26399**	**7.0**	**53**	**1**	**1**	**4**	**10**	**15**	**19**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	8.9	10	4	5	9	11	13	13	21
70-74	91	8.9	12	4	5	8	11	13	16	20
75-79	48	8.4	13	4	5	8	10	12	15	22
80-84	32	9.3	14	4	5	9	11	15	16	19
85+	16	9.2	17	3	5	8	11	15	18	19
B. *Operated*										
65-69 YRS	20	9.4	13	3	5	9	12	14	15	15
70-74	18	10.8	20	4	6	10	15	18	19	20
75-79	10	10.2	23	5	6	9	10	18	22	22
80-84	7	7.9	14	2	3	7	10	13	14	14
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1036	10.3	24	5	6	10	12	15	18	29
70-74	1191	10.6	25	5	6	10	13	16	19	29
75-79	1006	11.4	36	5	6	10	13	18	21	31
80-84	735	11.9	41	5	6	10	14	18	24	40
85+	540	12.3	50	5	6	11	14	19	26	38
B. *Operated*										
65-69 YRS	394	13.8	75	5	7	12	16	24	29	49
70-74	349	15.6	125	6	8	12	17	28	40	65
75-79	274	15.7	87	6	7	14	20	27	33	73
80-84	188	14.5	75	6	7	12	17	24	29	55
85+	127	16.9	94	6	7	15	20	30	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	8.9	12	4	5	8	11	13	15	20
B. *Operated*	56	9.8	17	4	5	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	4508	11.1	33	5	6	10	13	17	20	32
B. *Operated*	1332	15.1	93	5	7	12	18	26	33	57
1. SINGLE DX	345	9.0	13	4	5	9	11	13	15	20
2. MULTIPLE DX	5840	12.0	50	5	6	10	14	19	24	41
A. NOT OPERATED	4797	11.0	32	5	6	10	13	17	20	31
B. OPERATED	1388	14.8	91	5	7	12	18	26	33	56
TOTAL 65-69 YRS	1552	11.1	38	5	6	10	13	17	21	36
70-74	1649	11.6	50	5	6	10	13	18	22	42
75-79	1338	12.2	49	5	6	11	14	20	24	38
80-84	962	12.3	48	5	7	11	14	19	25	42
85+	684	13.1	60	5	6	11	15	22	28	46
GRAND TOTAL	**6185**	**11.9**	**48**	**5**	**6**	**10**	**14**	**19**	**24**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	13.3	92	3	3	15	20	22	22	22
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	7.0	72	1	1	7	13	13	13	13
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	22.9	190	5	6	21	31	40	50	64
70-74	110	24.3	173	6	8	22	32	43	47	60
75-79	94	24.0	151	7	9	22	31	44	49	78
80-84	71	24.4	184	6	7	22	36	44	49	91
85+	50	25.7	212	7	9	25	33	43	47	80
B. *Operated*										
65-69 YRS	69	29.3	238	9	11	28	44	52	58	92
70-74	58	27.9	187	7	13	29	35	49	52	62
75-79	59	31.5	266	8	11	30	44	53	58	69
80-84	44	29.1	207	5	11	29	36	45	56	72
85+	20	28.8	192	10	13	28	37	51	52	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	9.0	64	1	1	8	14	21	22	22
B. *Operated*	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	425	24.1	177	6	8	22	32	43	48	73
B. *Operated*	250	29.4	222	8	12	29	40	51	56	70
1. SINGLE DX	10	8.0	55	1	1	6	13	18	22	22
2. MULTIPLE DX	675	26.1	200	6	9	25	35	47	51	71
A. NOT OPERATED	432	23.8	179	5	8	22	32	43	48	72
B. OPERATED	253	29.1	226	7	11	29	40	51	56	70
TOTAL 65-69 YRS	170	25.4	220	5	7	23	34	48	55	69
70-74	172	25.3	180	6	9	24	33	44	48	61
75-79	155	26.6	213	6	9	24	37	48	53	69
80-84	117	25.9	200	6	8	24	36	44	52	81
85+	71	26.3	208	8	9	26	34	46	52	75
GRAND TOTAL	**685**	**25.8**	**203**	**6**	**8**	**24**	**35**	**46**	**51**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	2.1	2	<1	1	2	3	4	5	7
70-74	54	2.7	15	1	1	2	3	4	6	28
75-79	39	3.0	6	1	1	2	4	5	9	13
80-84	23	2.8	6	<1	1	3	3	4	7	13
85+	14	3.3	5	1	1	3	5	6	8	8
B. *Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	684	4.1	13	1	1	3	5	8	11	16
70-74	752	4.5	11	1	1	4	6	9	10	15
75-79	589	4.9	28	1	1	4	6	9	12	20
80-84	421	5.3	27	1	2	4	6	9	13	31
85+	309	5.6	18	1	2	4	7	11	15	20
B. *Operated*										
65-69 YRS	47	7.7	82	2	2	6	9	13	18	62
70-74	55	10.1	111	2	2	7	13	24	29	59
75-79	39	7.6	31	1	2	7	10	16	18	27
80-84	42	10.1	39	3	4	8	14	20	22	29
85+	18	10.9	73	2	3	9	15	31	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.6	7	1	1	2	3	4	6	13
B. *Operated*	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2755	4.7	19	1	1	4	6	9	12	19
B. *Operated*	201	9.2	70	2	2	7	12	18	24	61
1. SINGLE DX	197	2.6	7	1	1	2	3	4	6	13
2. MULTIPLE DX	2956	5.0	23	1	1	4	6	10	13	22
A. NOT OPERATED	2947	4.6	18	1	1	4	6	9	11	19
B. OPERATED	206	9.0	70	2	2	7	11	18	24	61
TOTAL 65-69 YRS	796	4.1	17	1	1	3	5	8	11	17
70-74	862	4.7	20	1	1	4	6	9	12	22
75-79	668	4.9	27	1	1	4	6	9	12	20
80-84	486	5.6	29	1	2	4	7	10	15	30
85+	341	5.8	22	1	2	5	7	13	16	32
GRAND TOTAL	**3153**	**4.9**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	389	2.4	3	<1	<1	2	3	5	6	8
70-74	383	2.5	4	<1	1	2	3	5	6	11
75-79	244	3.3	17	<1	1	2	4	6	8	15
80-84	147	3.2	5	<1	1	3	4	6	7	11
85+	89	3.1	4	1	1	2	4	5	7	12
B. *Operated*										
65-69 YRS	13	2.8	6	<1	<1	2	4	7	8	8
70-74	7	3.4	12	1	1	2	5	9	10	10
75-79	10	2.8	3	<1	<1	2	4	5	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4346	4.5	13	1	1	4	6	9	11	18
70-74	5061	4.9	18	1	1	4	6	9	11	19
75-79	4686	5.4	21	1	2	4	7	10	13	22
80-84	3644	5.9	29	1	2	5	7	11	14	29
85+	2908	6.2	27	1	2	5	8	11	15	28
B. *Operated*										
65-69 YRS	441	8.5	52	1	2	7	11	17	23	39
70-74	500	10.2	86	2	3	8	13	21	29	66
75-79	505	10.3	85	2	2	8	13	21	27	49
80-84	367	11.6	111	2	3	9	15	23	31	91
85+	299	13.5	175	2	3	10	16	29	42	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	2.8	7	<1	1	2	4	5	7	11
B. *Operated*	33	3.1	6	<1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	20645	5.3	21	1	2	4	7	10	13	22
B. *Operated*	2112	10.6	98	2	3	8	13	21	29	63
1. SINGLE DX	1285	2.8	7	<1	1	2	4	5	7	11
2. MULTIPLE DX	22757	5.8	31	1	2	4	7	11	14	28
A. NOT OPERATED	21897	5.1	21	1	1	4	7	10	13	21
B. OPERATED	2145	10.5	97	2	2	8	13	21	29	61
TOTAL 65-69 YRS	5189	4.7	17	1	1	4	6	9	12	21
70-74	5951	5.2	26	1	1	4	7	10	13	24
75-79	5445	5.8	29	1	2	4	7	11	15	27
80-84	4159	6.3	39	1	2	5	8	12	16	33
85+	3298	6.8	45	1	2	5	8	13	17	36
GRAND TOTAL	**24042**	**5.6**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	3.4	5	1	1	3	4	6	8	12
70-74	213	3.2	5	1	1	3	4	6	7	13
75-79	218	3.3	6	1	1	3	4	6	8	13
80-84	143	4.3	13	1	1	4	5	8	10	19
85+	98	4.2	12	1	1	3	5	9	10	19
B. *Operated*										
65-69 YRS	138	4.3	10	1	1	4	5	8	9	14
70-74	169	4.5	13	1	1	4	5	9	11	15
75-79	190	4.1	9	1	1	3	5	8	10	15
80-84	158	5.0	9	1	2	5	7	9	11	15
85+	134	4.4	8	1	1	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5028	5.0	15	1	2	4	6	9	12	20
70-74	5779	5.5	19	1	2	4	7	10	13	21
75-79	5421	5.7	22	1	2	5	7	10	14	22
80-84	4197	6.1	25	2	2	5	7	11	14	25
85+	3700	6.4	30	2	2	5	8	12	15	29
B. *Operated*										
65-69 YRS	2107	8.0	46	1	2	6	10	15	20	38
70-74	2768	8.2	53	2	2	6	10	16	21	40
75-79	3061	8.0	43	2	3	6	10	15	19	33
80-84	2647	8.8	49	2	3	7	11	16	21	37
85+	2417	9.1	60	2	3	7	11	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	3.6	7	1	1	3	4	7	8	14
B. *Operated*	789	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	24125	5.7	22	1	2	5	7	10	13	23
B. *Operated*	13000	8.4	50	2	3	7	10	16	20	38
1. SINGLE DX	1706	4.0	9	1	1	3	5	8	9	14
2. MULTIPLE DX	37125	6.6	34	2	2	5	8	13	16	29
A. NOT OPERATED	25042	5.6	21	1	2	5	7	10	13	22
B. OPERATED	13789	8.2	49	2	2	6	10	15	20	37
TOTAL 65-69 YRS	7518	5.8	26	1	2	4	7	11	15	25
70-74	8929	6.3	31	1	2	5	8	12	16	28
75-79	8890	6.4	30	2	2	5	8	12	15	27
80-84	7145	7.0	36	2	2	6	9	13	17	30
85+	6349	7.4	43	2	2	6	9	14	18	32
GRAND TOTAL	**38831**	**6.5**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	261	4.8	10	1	2	4	7	9	11	15
70-74	336	5.4	18	1	2	4	7	10	13	25
75-79	400	5.3	17	1	2	4	6	9	11	25
80-84	416	5.3	15	1	2	4	6	9	13	19
85+	547	5.3	16	1	2	4	6	9	13	22
B. *Operated*										
65-69 YRS	6	6.8	23	1	1	6	10	14	14	14
70-74	11	9.2	55	2	2	7	15	20	23	23
75-79	12	4.0	9	1	1	3	5	9	11	11
80-84	4	12.5	111	5	5	8	19	28	28	28
85+	6	9.8	49	1	1	10	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14084	7.4	31	2	3	6	9	13	17	28
70-74	18323	7.5	30	2	3	6	9	14	17	28
75-79	20407	7.7	33	2	3	6	9	14	18	30
80-84	18535	7.9	35	2	3	7	10	14	18	30
85+	20095	8.4	47	2	3	7	10	15	20	36
B. *Operated*										
65-69 YRS	1911	13.2	124	2	3	10	16	26	34	62
70-74	2306	13.6	114	3	4	11	17	26	34	66
75-79	2279	14.5	130	3	4	12	18	28	38	75
80-84	1729	14.7	132	4	5	12	18	28	38	78
85+	1509	15.0	144	4	5	12	19	29	38	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1960	5.3	15	1	2	4	7	9	13	21
B. *Operated*	39	7.7	44	1	2	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	91444	7.8	36	2	3	6	10	14	18	31
B. *Operated*	9734	14.2	128	3	4	11	18	28	36	72
1. SINGLE DX	1999	5.3	16	1	2	4	7	9	13	22
2. MULTIPLE DX	101178	8.4	48	2	3	7	10	16	20	37
A. NOT OPERATED	93404	7.8	35	2	3	6	9	14	18	30
B. OPERATED	9773	14.1	128	3	4	11	18	27	36	72
TOTAL 65-69 YRS	16262	8.1	45	2	3	6	10	15	20	34
70-74	20976	8.2	43	2	3	6	10	15	20	34
75-79	23098	8.4	47	2	3	7	10	16	20	37
80-84	20684	8.4	47	2	3	7	10	16	20	36
85+	22157	8.8	56	2	3	7	11	16	21	40
GRAND TOTAL	**103177**	**8.4**	**48**	**2**	**3**	**7**	**10**	**16**	**20**	**36**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	2.9	11	<1	<1	2	3	6	10	16
70-74	72	3.2	6	<1	<1	3	4	7	8	10
75-79	54	4.6	12	1	1	4	5	8	11	20
80-84	22	5.6	23	2	2	5	6	11	19	20
85+	16	3.7	2	2	2	3	4	6	7	7
B. *Operated*										
65-69 YRS	182	4.7	56	1	1	2	6	11	14	22
70-74	154	4.9	39	1	1	2	8	14	17	22
75-79	99	4.8	26	<1	1	2	7	13	16	21
80-84	26	4.1	21	1	1	2	4	11	15	17
85+	6	2.3	11	1	1	1	1	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2036	6.9	27	2	2	6	9	13	17	25
70-74	1912	7.7	36	2	3	6	10	14	18	30
75-79	1598	7.6	36	2	3	6	9	14	18	30
80-84	1034	7.8	40	2	3	6	10	14	18	39
85+	738	8.0	43	2	3	6	10	15	20	35
B. *Operated*										
65-69 YRS	1910	9.1	82	1	1	7	13	20	24	43
70-74	1808	9.8	87	1	1	8	14	21	27	44
75-79	1123	11.7	141	1	1	9	16	24	33	59
80-84	472	13.2	157	2	2	11	17	27	38	70
85+	150	11.5	66	2	2	10	15	24	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.5	11	<1	<1	3	4	7	10	19
B. *Operated*	467	4.7	41	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	7318	7.5	35	2	2	6	9	14	18	31
B. *Operated*	5463	10.3	103	1	1	8	14	22	28	50
1. SINGLE DX	771	4.2	30	<1	<1	2	5	11	14	20
2. MULTIPLE DX	12781	8.7	66	1	2	7	11	17	23	41
A. NOT OPERATED	7622	7.3	35	2	2	6	9	14	17	31
B. OPERATED	5930	9.9	101	1	1	8	14	21	27	49
TOTAL 65-69 YRS	4268	7.7	55	1	1	6	10	16	21	35
70-74	3946	8.5	61	1	2	6	11	17	23	37
75-79	2874	9.0	81	1	2	7	12	18	24	47
80-84	1554	9.3	81	2	2	7	11	18	25	50
85+	910	8.4	48	2	2	7	11	16	23	35
GRAND TOTAL	**13552**	**8.4**	**65**	**1**	**2**	**6**	**11**	**17**	**23**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	7.3	20	3	3	7	11	12	12	12
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	80	5.5	21	1	2	4	7	10	12	28
70-74	91	5.1	15	1	2	4	6	10	13	20
75-79	103	6.4	21	2	2	5	9	14	17	20
80-84	94	5.7	14	1	2	5	8	11	14	18
85+	106	6.3	22	1	2	6	8	12	17	59
B. *Operated*										
65-69 YRS	75	6.5	40	1	2	4	9	14	18	35
70-74	48	7.3	64	1	2	5	9	20	31	99+
75-79	31	10.3	138	1	2	6	12	21	36	58
80-84	22	10.4	103	1	1	8	11	18	34	49
85+	9	13.7	368	1	1	9	12	45	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	15	2	2	4	7	11	12	12
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	474	5.9	19	1	2	5	8	12	15	22
B. *Operated*	185	8.2	87	1	2	6	10	17	24	61
1. SINGLE DX	9	4.1	12	1	1	3	5	10	12	12
2. MULTIPLE DX	659	6.5	39	1	2	5	8	13	17	39
A. NOT OPERATED	480	5.8	19	1	2	5	7	12	15	22
B. OPERATED	188	8.1	86	1	2	6	10	17	24	61
TOTAL 65-69 YRS	157	5.9	30	1	2	4	8	12	16	30
70-74	142	5.9	33	1	2	4	7	13	19	45
75-79	137	7.2	49	1	2	5	9	15	18	40
80-84	117	6.6	33	1	2	6	8	12	15	32
85+	115	6.9	50	1	2	6	8	15	18	76
GRAND TOTAL	**668**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**39**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	13.0	50	8	8	13	18	18	18	18
75-79	1	25.0		25	25	25	25	25	25	25
80-84	2	5.0	8	3	3	5	7	7	7	7
85+	4	9.3	32	1	1	11	13	14	14	14
B. *Operated*										
65-69 YRS	13	10.2	49	1	2	10	15	20	22	22
70-74	6	16.7	195	1	1	15	25	38	39	39
75-79	4	11.5	123	3	3	8	19	27	27	27
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	14.0	129	3	5	10	19	25	41	52
70-74	29	13.9	91	<1	2	13	19	26	32	39
75-79	33	10.8	28	2	4	10	15	19	23	99+
80-84	26	14.6	41	4	6	16	20	23	38	99+
85+	54	14.4	184	2	3	10	18	33	44	73
B. *Operated*										
65-69 YRS	107	24.3	266	5	7	21	33	50	63	99+
70-74	65	23.2	225	2	5	21	29	52	65	99+
75-79	50	31.6	474	4	11	30	39	76	95	99+
80-84	18	25.3	208	10	13	20	29	52	59	60
85+	17	22.6	167	9	11	20	27	43	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.1	60	<1	<1	8	13	21	25	25
B. *Operated*	24	11.9	92	1	2	10	17	25	31	39
2. MULTIPLE DX										
A. *Not Operated*	161	13.6	105	2	3	11	18	24	37	96
B. *Operated*	257	25.4	291	5	8	22	34	57	66	99+
1. SINGLE DX	35	11.0	82	<1	1	10	16	25	27	39
2. MULTIPLE DX	418	20.9	253	3	5	17	28	44	61	99+
A. NOT OPERATED	172	13.3	103	2	3	11	18	24	35	94
B. OPERATED	281	24.3	288	3	6	21	33	54	65	99+
TOTAL 65-69 YRS	141	21.3	254	2	5	18	28	49	61	99+
70-74	102	20.0	197	2	3	18	26	40	58	99+
75-79	88	22.8	387	3	5	18	33	59	90	99+
80-84	47	18.1	136	5	7	17	22	32	57	99+
85+	75	16.0	184	2	3	12	20	36	45	68
GRAND TOTAL	**453**	**20.1**	**246**	**2**	**5**	**17**	**27**	**43**	**60**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	24.4	271	8	8	15	40	45	45	45
70-74	8	26.9	364	8	8	21	41	56	58	58
75-79	3	5.0	12	<1	<1	7	7	7	7	7
80-84	7	13.4	163	1	2	11	13	35	41	41
85+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
65-69 YRS	8	23.5	102	12	12	25	35	76	99+	99+
70-74	13	31.5	299	13	15	22	40	61	66	67
75-79	4	31.0	231	16	16	30	64	99+	99+	99+
80-84	3	17.3	44	10	10	19	22	23	23	23
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	19.4	264	1	6	14	26	46	54	58
B. *Operated*	29	27.0	218	10	12	23	38	62	98	99+
1. SINGLE DX										
2. MULTIPLE DX	53	23.6	249	7	8	20	36	53	65	99+
A. NOT OPERATED	24	19.4	264	1	6	14	26	46	54	58
B. OPERATED	29	27.0	218	10	12	23	38	62	98	99+
TOTAL 65-69 YRS	13	23.8	150	9	12	22	39	50	89	99+
70-74	21	29.8	312	9	11	21	40	58	63	67
75-79	7	19.9	312	<1	2	21	41	86	99+	99+
80-84	10	14.6	122	1	4	11	19	32	41	41
85+	2	14.5	61	9	9	14	20	20	20	20
GRAND TOTAL	**53**	**23.6**	**249**	**7**	**8**	**20**	**36**	**53**	**65**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.7	67	1	2	8	10	16	18	45
70-74	39	6.8	26	1	1	6	10	13	15	24
75-79	41	10.0	113	1	2	6	12	23	33	53
80-84	33	11.3	233	2	3	8	12	19	35	87
85+	29	9.5	76	1	2	8	12	18	23	44
B. *Operated*										
65-69 YRS	41	10.1	75	2	4	8	10	26	30	41
70-74	56	8.5	25	3	4	7	10	15	19	27
75-79	49	11.4	79	3	5	8	14	20	33	49
80-84	35	12.0	98	4	5	8	14	22	32	54
85+	18	13.3	253	5	5	9	14	16	51	75
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	322	11.8	98	2	4	9	15	22	30	67
70-74	452	11.5	99	2	3	9	15	23	31	65
75-79	490	12.6	107	2	4	10	16	24	30	59
80-84	454	13.0	102	3	4	11	16	25	35	55
85+	412	12.8	123	3	4	10	16	25	35	78
B. *Operated*										
65-69 YRS	237	18.7	243	4	5	14	26	39	60	99+
70-74	290	20.2	250	5	6	16	27	43	59	99+
75-79	277	18.1	178	5	6	15	24	35	51	99+
80-84	232	21.9	273	5	7	18	28	46	65	99+
85+	165	20.7	245	5	7	16	27	41	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	9.2	102	1	2	7	11	16	23	51
B. *Operated*	199	10.6	82	3	5	8	12	18	27	52
2. MULTIPLE DX										
A. *Not Operated*	2130	12.4	106	2	4	10	16	24	32	66
B. *Operated*	1201	19.8	237	5	6	16	26	41	59	99+
1. SINGLE DX	370	10.0	92	1	3	8	11	17	26	52
2. MULTIPLE DX	3331	15.1	166	3	4	11	20	31	42	94
A. NOT OPERATED	2301	12.1	106	2	3	10	15	24	31	65
B. OPERATED	1400	18.5	225	4	6	14	25	38	56	99+
TOTAL 65-69 YRS	629	14.1	162	3	4	10	18	29	44	92
70-74	837	14.1	164	3	4	11	18	31	41	90
75-79	857	14.2	136	3	4	11	19	28	38	85
80-84	754	15.6	177	3	4	12	21	33	43	98
85+	624	14.7	169	3	4	11	18	30	42	91
GRAND TOTAL	**3701**	**14.5**	**161**	**3**	**4**	**11**	**19**	**30**	**41**	**90**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	15.9	192	2	5	12	20	33	46	87
70-74	162	15.8	167	4	6	12	19	28	38	90
75-79	190	17.0	197	4	6	13	20	35	49	85
80-84	164	17.1	167	6	7	13	21	32	45	83
85+	166	15.2	136	4	6	12	18	29	45	99+
B. *Operated*										
65-69 YRS	61	23.9	277	6	7	20	31	47	63	81
70-74	69	22.9	321	4	8	20	30	54	92	99+
75-79	62	23.2	217	7	10	20	31	47	85	99+
80-84	48	24.3	362	7	8	19	33	59	81	99+
85+	31	21.6	297	6	8	16	25	44	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	798	16.2	171	4	6	13	19	30	45	91
B. *Operated*	271	23.3	288	7	8	19	31	52	76	99+
1. SINGLE DX										
2. MULTIPLE DX	1069	18.0	210	5	6	14	22	37	54	99+
A. NOT OPERATED	798	16.2	171	4	6	13	19	30	45	91
B. OPERATED	271	23.3	288	7	8	19	31	52	76	99+
TOTAL 65-69 YRS	177	18.6	234	4	6	14	24	40	56	82
70-74	231	17.9	223	4	6	14	22	38	54	99+
75-79	252	18.5	208	5	7	14	23	39	54	99+
80-84	212	18.7	219	6	7	14	22	36	56	90
85+	197	16.2	165	4	6	13	19	30	46	99+
GRAND TOTAL	**1069**	**18.0**	**210**	**5**	**6**	**14**	**22**	**37**	**54**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	3.3	7	<1	<1	2	5	7	9	10
70-74	25	2.9	4	<1	<1	2	5	5	6	8
75-79	26	5.3	47	1	1	4	6	8	14	37
80-84	10	4.5	5	1	1	5	6	7	8	8
85+	6	3.3	3	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	707	4.2	7	1	1	4	5	7	9	14
70-74	734	4.2	8	1	1	4	5	7	10	16
75-79	534	4.5	9	1	1	4	5	8	10	15
80-84	228	5.0	14	1	1	4	6	9	13	22
85+	71	5.3	13	1	2	5	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	326	5.0	15	1	1	4	6	10	12	21
70-74	366	6.0	22	1	2	5	8	11	14	25
75-79	393	5.1	34	1	2	5	7	11	15	35
80-84	325	6.7	30	2	2	5	8	12	16	31
85+	235	7.2	57	2	2	5	8	13	18	41
B. *Operated*										
65-69 YRS	3674	6.3	31	1	2	5	8	12	16	26
70-74	3784	6.5	29	1	2	5	8	12	16	28
75-79	2732	7.0	39	1	2	5	8	13	17	33
80-84	1209	7.5	42	1	2	6	9	14	18	36
85+	367	8.4	44	2	2	7	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.9	17	<1	<1	3	5	7	8	25
B. *Operated*	2274	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1645	6.1	30	1	2	5	7	11	15	29
B. *Operated*	11766	6.7	34	1	2	5	8	13	17	29
1. SINGLE DX	2369	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX	13411	6.7	34	1	2	5	8	12	16	29
A. NOT OPERATED	1740	6.0	30	1	2	5	7	11	14	29
B. OPERATED	14040	6.3	31	1	2	5	8	12	16	28
TOTAL 65-69 YRS	4735	5.9	27	1	2	5	7	11	15	24
70-74	4909	6.1	26	1	2	5	7	11	15	26
75-79	3685	6.5	35	1	2	5	8	12	16	31
80-84	1772	7.0	37	1	2	6	8	14	17	32
85+	679	7.6	46	1	2	6	10	15	19	36
GRAND TOTAL	**15780**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	10.4	50	2	4	8	14	21	25	30
70-74	52	8.9	27	2	3	8	11	16	19	26
75-79	45	9.9	96	2	3	7	10	24	31	53
80-84	31	11.0	67	3	4	9	13	18	34	38
85+	19	10.3	51	2	3	9	14	17	26	33
B. *Operated*										
65-69 YRS	173	9.8	106	2	2	7	13	17	25	56
70-74	182	11.2	154	2	4	7	12	25	36	98
75-79	143	12.4	178	2	3	9	15	24	37	98
80-84	51	13.4	75	3	4	11	19	25	28	40
85+	24	15.1	137	2	6	12	23	35	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	9.9	57	2	3	8	12	18	25	38
B. *Operated*	573	11.4	139	2	3	8	14	23	34	93
1. SINGLE DX										
2. MULTIPLE DX	757	11.1	119	2	3	8	13	22	30	77
A. NOT OPERATED	184	9.9	57	2	3	8	12	18	25	38
B. OPERATED	573	11.4	139	2	3	8	14	23	34	93
TOTAL 65-69 YRS	210	9.9	96	2	2	7	13	19	25	55
70-74	234	10.7	127	2	4	7	12	23	30	95
75-79	188	11.8	159	2	3	9	13	24	37	90
80-84	82	12.5	72	3	4	10	17	23	31	39
85+	43	13.0	103	2	3	10	16	32	40	99+
GRAND TOTAL	**757**	**11.1**	**119**	**2**	**3**	**8**	**13**	**22**	**30**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	194	6.6	24	1	2	6	8	12	15	25
70-74	206	6.9	42	2	2	5	8	12	15	38
75-79	229	6.7	19	2	3	6	8	13	17	21
80-84	202	8.1	51	2	3	6	10	14	19	40
85+	191	7.8	31	2	2	6	10	15	19	27
B. *Operated*										
65-69 YRS	42	7.4	51	1	1	6	9	14	25	34
70-74	45	5.5	38	1	1	4	7	8	12	41
75-79	17	5.2	11	1	1	5	9	10	11	11
80-84	15	9.5	89	1	1	5	17	23	29	31
85+	5	8.4	10	5	5	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3262	9.4	72	2	3	7	11	18	24	49
70-74	4422	9.7	74	3	3	7	11	18	24	57
75-79	4844	10.4	79	3	3	8	13	19	27	59
80-84	4345	11.0	92	3	4	9	13	21	29	66
85+	4304	11.1	94	3	4	9	13	21	29	69
B. *Operated*										
65-69 YRS	771	13.5	160	3	4	10	17	29	40	99+
70-74	835	15.0	183	3	4	11	19	35	48	99+
75-79	797	15.9	200	3	4	12	20	37	59	99+
80-84	545	18.9	227	4	5	15	25	45	59	99+
85+	390	21.1	285	4	5	17	30	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	7.2	34	2	2	6	9	14	17	27
B. *Operated*	124	6.7	45	1	1	5	8	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	21177	10.4	83	3	3	8	12	19	27	61
B. *Operated*	3338	16.2	207	3	4	12	21	38	57	99+
1. SINGLE DX	1146	7.1	35	2	2	6	9	13	17	28
2. MULTIPLE DX	24515	11.2	104	3	4	8	13	22	31	76
A. NOT OPERATED	22199	10.2	81	3	3	8	12	19	26	60
B. OPERATED	3462	15.9	204	3	4	12	21	38	56	99+
TOTAL 65-69 YRS	4269	10.0	89	2	3	7	12	19	27	60
70-74	5508	10.3	93	2	3	8	12	20	29	68
75-79	5887	11.0	97	3	3	8	13	21	30	77
80-84	5107	11.7	111	3	4	9	14	23	33	75
85+	4890	11.8	115	3	4	9	14	23	34	87
GRAND TOTAL	**25661**	**11.0**	**102**	**3**	**3**	**8**	**13**	**21**	**31**	**73**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1444	11.6	83	3	4	9	14	23	31	56
70-74	1995	12.5	109	3	4	10	15	23	32	59
75-79	2207	12.6	110	3	4	10	15	24	32	72
80-84	1995	13.4	114	4	5	10	16	27	36	74
85+	1957	13.1	107	4	5	10	16	24	34	86
B. *Operated*										
65-69 YRS	296	17.4	195	4	6	13	22	39	52	99+
70-74	335	19.5	297	5	6	15	23	45	67	99+
75-79	342	19.6	295	4	6	15	25	53	94	99+
80-84	256	21.0	267	5	7	16	28	46	78	99+
85+	192	21.7	239	6	8	18	29	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9598	12.7	106	3	4	10	15	24	33	68
B. *Operated*	1421	19.7	263	5	6	15	25	47	71	99+
1. SINGLE DX										
2. MULTIPLE DX	11019	13.6	132	3	5	10	16	27	38	86
A. NOT OPERATED	9598	12.7	106	3	4	10	15	24	33	68
B. OPERATED	1421	19.7	263	5	6	15	25	47	71	99+
TOTAL 65-69 YRS	1740	12.6	107	3	4	10	15	25	34	68
70-74	2330	13.5	143	3	4	10	16	25	37	74
75-79	2549	13.5	141	3	4	10	16	27	40	99+
80-84	2251	14.3	137	4	5	11	18	30	40	99+
85+	2149	13.9	125	4	5	11	17	26	37	99
GRAND TOTAL	**11019**	**13.6**	**132**	**3**	**5**	**10**	**16**	**27**	**38**	**86**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	339	3.4	4	1	1	3	4	6	8	9
70-74	376	3.3	4	1	1	3	4	6	7	10
75-79	363	3.6	7	1	1	3	5	7	9	14
80-84	319	3.5	5	1	1	3	5	6	8	12
85+	326	3.3	5	1	1	3	4	6	7	14
B. *Operated*										
65-69 YRS	121	4.3	34	1	1	3	5	8	12	27
70-74	94	3.0	5	1	1	2	4	6	8	10
75-79	93	3.7	10	1	1	2	5	8	11	15
80-84	36	4.8	14	1	1	4	7	12	13	13
85+	12	4.4	8	1	1	3	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3547	4.8	18	1	2	4	6	9	11	18
70-74	4769	5.1	17	1	2	4	6	9	12	20
75-79	5756	5.6	31	1	2	4	7	10	13	24
80-84	5561	6.0	39	2	2	5	7	11	14	30
85+	5882	6.2	44	2	2	5	7	11	15	40
B. *Operated*										
65-69 YRS	1093	6.5	30	1	2	5	8	13	17	28
70-74	1238	7.1	50	1	2	5	9	13	18	43
75-79	1049	7.9	60	2	2	6	9	16	22	46
80-84	720	9.1	73	2	2	7	11	19	26	53
85+	456	11.8	150	2	3	8	15	25	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1723	3.4	5	1	1	3	4	6	8	12
B. *Operated*	356	3.9	17	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	25515	5.6	32	1	2	4	7	10	13	27
B. *Operated*	4556	7.9	64	1	2	6	10	16	22	50
1. SINGLE DX	2079	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	30071	6.0	37	1	2	5	7	11	14	31
A. NOT OPERATED	27238	5.5	30	1	2	4	7	10	13	26
B. OPERATED	4912	7.6	61	1	2	6	9	15	21	48
TOTAL 65-69 YRS	5100	5.1	21	1	2	4	6	9	12	21
70-74	6477	5.4	23	1	2	4	7	10	13	23
75-79	7261	5.8	35	1	2	4	7	10	14	28
80-84	6636	6.2	43	1	2	5	7	11	15	33
85+	6676	6.4	52	1	2	5	7	12	16	49
GRAND TOTAL	**32150**	**5.8**	**36**	**1**	**2**	**4**	**7**	**11**	**14**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	131	5.8	15	1	2	5	8	10	11	18
70-74	177	7.1	32	1	2	5	9	14	20	28
75-79	176	7.0	44	2	2	6	9	13	16	55
80-84	164	7.5	31	2	2	6	9	13	18	30
85+	187	8.4	69	2	2	6	10	15	22	52
B. *Operated*										
65-69 YRS	24	9.1	170	1	2	5	9	15	39	64
70-74	30	7.6	118	1	1	5	7	15	25	58
75-79	12	8.0	119	2	2	5	7	18	39	42
80-84	8	11.8	69	1	2	11	18	24	24	24
85+	5	11.8	79	1	1	12	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1501	8.2	48	2	3	7	10	15	20	42
70-74	2021	8.6	60	2	3	7	10	16	21	50
75-79	2525	9.3	72	2	3	7	11	17	23	54
80-84	2397	9.4	62	3	3	7	11	17	24	46
85+	2833	9.6	67	3	3	8	12	17	23	45
B. *Operated*										
65-69 YRS	284	13.4	211	2	3	9	15	28	43	95
70-74	345	13.9	154	3	4	10	16	29	40	74
75-79	371	14.5	158	3	4	11	19	29	43	99+
80-84	262	16.9	234	4	4	13	21	35	63	99+
85+	220	19.4	302	4	6	13	25	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	835	7.2	40	2	2	6	9	13	19	32
B. *Operated*	79	8.8	123	1	2	6	9	20	27	62
2. MULTIPLE DX										
A. *Not Operated*	11277	9.1	64	2	3	7	11	17	22	46
B. *Operated*	1482	15.3	206	3	4	11	19	32	49	99+
1. SINGLE DX	914	7.4	48	2	2	6	9	13	19	42
2. MULTIPLE DX	12759	9.8	84	2	3	7	12	18	26	59
A. NOT OPERATED	12112	9.0	62	2	3	7	11	16	22	45
B. OPERATED	1561	14.9	204	3	4	11	18	32	48	99+
TOTAL 65-69 YRS	1940	8.8	75	2	3	7	11	16	22	46
70-74	2573	9.2	75	2	3	7	11	17	24	53
75-79	3084	9.8	84	2	3	7	12	19	26	65
80-84	2831	10.0	81	3	3	8	12	19	25	59
85+	3245	10.2	90	3	3	8	12	19	26	62
GRAND TOTAL	**13673**	**9.7**	**82**	**2**	**3**	**7**	**11**	**18**	**25**	**58**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	561	10.7	88	2	3	8	13	21	30	58
70-74	852	10.0	51	3	4	8	12	18	25	40
75-79	970	11.2	81	3	4	9	14	21	28	59
80-84	930	11.8	121	3	4	9	14	22	31	80
85+	1103	11.2	87	3	4	9	13	21	29	60
B. *Operated*										
65-69 YRS	105	15.2	171	3	4	11	19	29	42	69
70-74	135	15.3	153	3	4	11	19	33	46	99+
75-79	121	18.6	210	4	6	15	24	38	57	99+
80-84	96	19.0	323	5	6	13	22	44	63	97
85+	84	20.0	241	5	6	15	26	41	54	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4416	11.0	87	3	4	9	13	21	28	58
B. *Operated*	541	17.4	215	4	5	13	21	36	53	93
1. SINGLE DX										
2. MULTIPLE DX	4957	11.7	105	3	4	9	14	22	31	66
A. NOT OPERATED	4416	11.0	87	3	4	9	13	21	28	58
B. OPERATED	541	17.4	215	4	5	13	21	36	53	93
TOTAL 65-69 YRS	666	11.4	104	3	3	8	14	23	31	59
70-74	987	10.8	68	3	4	9	13	20	27	47
75-79	1091	12.0	101	3	4	9	15	23	30	71
80-84	1026	12.5	144	3	4	9	15	24	35	84
85+	1187	11.8	103	3	4	9	14	23	32	64
GRAND TOTAL	**4957**	**11.7**	**105**	**3**	**4**	**9**	**14**	**22**	**31**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.1	16	1	1	3	5	8	11	21
70-74	66	3.8	11	1	1	3	5	7	12	17
75-79	64	4.6	12	1	1	3	7	9	11	16
80-84	39	5.3	17	2	2	4	6	12	14	21
85+	31	4.2	11	1	2	3	5	10	13	15
B. *Operated*										
65-69 YRS	41	4.1	16	1	1	2	6	10	13	17
70-74	27	3.3	8	1	1	2	4	9	10	11
75-79	21	4.1	30	1	1	2	4	11	19	23
80-84	10	1.7	2	1	1	1	2	4	4	4
85+	5	3.6	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	873	5.8	23	2	2	5	7	10	14	29
70-74	1043	6.4	39	2	2	5	8	12	15	29
75-79	1137	7.0	48	2	2	5	8	13	16	37
80-84	1090	7.2	46	2	2	6	8	13	18	42
85+	1075	7.8	73	2	2	6	9	14	20	79
B. *Operated*										
65-69 YRS	266	8.5	84	1	2	6	10	19	26	50
70-74	312	9.0	109	1	1	6	11	17	25	62
75-79	232	9.8	143	1	2	7	12	21	28	92
80-84	143	12.3	192	2	2	8	14	28	48	99+
85+	98	12.2	182	2	2	9	15	39	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.4	13	1	1	3	5	9	12	17
B. *Operated*	104	3.7	15	1	1	2	4	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	5218	6.9	47	2	2	5	8	13	17	40
B. *Operated*	1051	9.8	130	1	2	7	12	21	31	92
1. SINGLE DX	353	4.2	14	1	1	3	5	9	12	17
2. MULTIPLE DX	6269	7.4	62	2	2	6	9	14	19	53
A. NOT OPERATED	5467	6.8	46	2	2	5	8	12	17	39
B. OPERATED	1155	9.2	122	1	2	6	11	19	29	89
TOTAL 65-69 YRS	1229	6.2	37	1	2	5	8	11	17	37
70-74	1448	6.8	54	1	2	5	8	14	17	38
75-79	1454	7.3	62	2	2	5	9	14	18	48
80-84	1282	7.7	64	2	2	6	9	14	20	53
85+	1209	8.1	82	2	2	6	9	15	22	98
GRAND TOTAL	**6622**	**7.2**	**60**	**1**	**2**	**5**	**9**	**14**	**18**	**51**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.0	3	<1	<1	1	3	5	5	5
70-74	4	3.8	14	1	1	3	6	9	9	9
75-79	4	6.8	58	1	1	5	12	17	17	17
80-84	4	4.5	16	1	1	3	7	10	10	10
85+	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
65-69 YRS	155	4.5	20	<1	1	2	7	11	14	19
70-74	136	4.7	26	1	1	3	7	11	14	24
75-79	91	4.0	17	1	1	2	6	9	13	21
80-84	39	4.8	22	1	1	3	8	13	14	15
85+	25	4.6	17	<1	1	2	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	5.3	23	<1	1	4	7	12	17	22
70-74	128	5.9	42	1	1	4	7	11	18	38
75-79	110	5.3	15	1	1	4	7	11	14	18
80-84	95	8.1	71	<1	1	6	10	18	29	80
85+	125	7.6	37	1	2	6	10	15	19	31
B. *Operated*										
65-69 YRS	1844	10.8	118	1	2	8	13	22	30	63
70-74	1842	10.9	117	1	1	8	14	24	33	60
75-79	1458	12.5	128	1	2	10	16	26	36	59
80-84	884	13.8	164	1	2	11	17	30	41	85
85+	863	13.8	143	2	4	11	17	27	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.0	18	<1	1	2	5	9	13	17
B. *Operated*	446	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	545	6.5	38	1	1	5	8	14	18	34
B. *Operated*	6891	11.9	131	1	2	9	15	25	35	70
1. SINGLE DX	468	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX	7436	11.5	126	1	2	9	15	24	34	66
A. NOT OPERATED	567	6.4	38	1	1	5	8	14	18	33
B. OPERATED	7337	11.5	127	1	1	9	15	24	34	66
TOTAL 65-69 YRS	2093	10.0	110	1	1	8	13	20	29	60
70-74	2110	10.2	110	1	1	8	13	22	31	57
75-79	1663	11.5	121	1	2	9	15	24	35	58
80-84	1022	12.9	155	1	2	10	16	29	40	84
85+	1016	12.8	132	2	3	10	16	25	34	81
GRAND TOTAL	**7904**	**11.1**	**122**	**1**	**1**	**9**	**14**	**23**	**33**	**63**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.5	3	<1	<1	2	4	5	6	6
70-74	12	6.8	68	<1	1	3	9	21	26	27
75-79	7	8.4	55	<1	<1	5	13	20	21	21
80-84	6	2.5	4	<1	<1	2	3	6	6	6
85+	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	152	8.6	17	1	1	9	11	13	16	18
70-74	156	8.6	19	1	2	9	11	13	17	19
75-79	109	9.0	20	1	2	9	11	14	16	21
80-84	38	10.1	31	1	2	10	14	17	20	21
85+	13	10.5	25	1	3	11	14	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	5.4	29	<1	1	3	7	13	17	21
70-74	166	5.9	36	1	1	4	8	15	19	29
75-79	197	5.6	30	1	1	4	6	12	16	29
80-84	156	7.1	47	1	2	5	9	14	21	31
85+	172	7.3	100	1	2	5	8	14	18	59
B. *Operated*										
65-69 YRS	1816	13.6	113	2	6	11	15	23	33	76
70-74	1902	13.8	114	2	5	11	16	24	34	65
75-79	1376	14.2	110	2	5	12	17	25	34	63
80-84	618	16.3	164	2	5	13	19	31	46	92
85+	216	17.0	138	2	7	15	21	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.8	34	<1	<1	3	5	13	20	27
B. *Operated*	468	8.9	19	1	2	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	832	6.3	49	1	1	4	8	14	18	31
B. *Operated*	5928	14.2	120	2	6	12	16	25	35	75
1. SINGLE DX	510	8.5	22	1	1	9	11	14	17	20
2. MULTIPLE DX	6760	13.2	118	2	3	11	16	24	33	70
A. NOT OPERATED	874	6.2	48	1	1	4	8	14	19	31
B. OPERATED	6396	13.8	114	2	5	11	16	24	34	71
TOTAL 65-69 YRS	2120	12.6	106	1	3	10	14	22	31	71
70-74	2236	12.8	107	2	3	11	15	23	31	62
75-79	1689	12.9	103	2	3	11	16	23	32	61
80-84	818	14.2	149	2	3	12	17	27	40	89
85+	407	12.5	139	2	2	10	16	24	33	82
GRAND TOTAL	**7270**	**12.9**	**113**	**2**	**3**	**11**	**15**	**23**	**32**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	1	2	2	2	4	4	4	4
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	45	6.3	14	1	1	6	9	10	13	17
70-74	54	7.2	25	2	2	6	9	13	17	30
75-79	38	6.7	13	1	1	7	9	11	12	16
80-84	12	6.1	16	1	1	6	9	11	12	12
85+	5	5.8	11	1	1	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	7.2	10	4	4	6	10	12	12	12
70-74	7	5.9	25	1	1	4	11	13	13	13
75-79	15	5.7	69	<1	1	3	5	11	28	34
80-84	9	5.4	29	2	2	3	6	15	17	17
85+	13	6.5	14	1	2	7	9	12	13	13
B. *Operated*										
65-69 YRS	282	10.2	74	1	2	8	12	19	27	48
70-74	310	11.3	128	2	3	9	13	20	27	74
75-79	234	10.9	90	2	3	8	13	20	25	69
80-84	121	12.7	117	3	4	10	15	25	33	64
85+	65	12.5	61	3	5	11	16	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	2	1	1	2	4	4	4	4
B. *Operated*	154	6.7	17	1	1	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	50	6.1	32	1	1	4	8	12	13	34
B. *Operated*	1012	11.1	99	2	3	9	14	20	28	63
1. SINGLE DX	162	6.5	17	1	1	6	9	11	13	19
2. MULTIPLE DX	1062	10.9	97	2	3	9	13	20	27	63
A. NOT OPERATED	58	5.6	29	1	1	4	7	12	13	33
B. OPERATED	1166	10.5	91	2	3	8	13	19	26	62
TOTAL 65-69 YRS	336	9.6	67	1	2	8	12	18	24	44
70-74	373	10.5	113	2	2	8	12	19	26	73
75-79	288	10.0	82	1	3	8	12	19	24	64
80-84	143	11.6	108	2	3	9	14	22	30	63
85+	84	11.0	56	2	4	10	14	19	24	41
GRAND TOTAL	**1224**	**10.3**	**89**	**2**	**2**	**8**	**12**	**19**	**25**	**61**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	5.5	21	<1	1	4	9	11	15	16
70-74	20	4.7	21	<1	<1	3	6	12	15	16
75-79	21	3.8	4	<1	1	4	5	7	7	7
80-84	10	4.4	13	1	1	3	7	10	12	12
85+	14	5.3	9	1	1	5	7	8	11	12
B. *Operated*										
65-69 YRS	274	5.8	20	1	1	5	8	11	14	21
70-74	245	6.0	23	1	1	6	9	11	13	21
75-79	150	6.3	22	1	1	6	9	12	14	23
80-84	108	6.2	22	1	1	6	9	12	15	20
85+	62	6.8	45	1	1	6	8	12	17	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	7.0	42	1	1	6	9	13	17	37
70-74	180	6.2	37	<1	1	5	8	12	15	32
75-79	189	6.8	21	1	2	6	9	12	15	25
80-84	156	7.1	24	1	2	6	9	13	16	24
85+	190	9.0	67	2	3	7	10	16	23	37
B. *Operated*										
65-69 YRS	2594	10.8	88	1	2	9	13	21	27	53
70-74	2535	11.0	88	1	2	9	14	22	28	51
75-79	1960	12.2	116	2	3	10	15	24	33	61
80-84	1210	12.5	99	2	3	10	16	24	32	55
85+	995	12.9	123	2	3	10	16	26	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.8	14	<1	1	4	7	11	12	16
B. *Operated*	839	6.1	24	1	1	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	893	7.2	40	1	1	6	9	13	18	31
B. *Operated*	9294	11.6	100	1	2	9	14	23	30	56
1. SINGLE DX	932	6.0	23	1	1	5	9	11	14	21
2. MULTIPLE DX	10187	11.2	96	1	2	9	14	22	29	54
A. NOT OPERATED	986	7.0	38	1	1	6	9	13	16	30
B. OPERATED	10133	11.2	96	1	2	9	14	22	29	54
TOTAL 65-69 YRS	3074	10.1	81	1	2	8	12	19	26	51
70-74	2980	10.3	82	1	2	9	13	20	27	50
75-79	2320	11.3	105	1	2	9	14	22	30	58
80-84	1484	11.4	90	1	2	9	15	22	29	53
85+	1261	11.9	113	2	3	9	15	24	31	57
GRAND TOTAL	**11119**	**10.8**	**92**	**1**	**2**	**9**	**13**	**21**	**28**	**53**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.2	39	1	1	2	7	13	23	24
70-74	39	4.7	30	<1	1	3	6	11	18	25
75-79	16	4.4	29	<1	1	3	5	9	19	23
80-84	13	4.4	8	1	1	4	6	8	10	10
85+	14	4.4	13	<1	1	3	6	8	13	14
B. *Operated*										
65-69 YRS	208	4.1	18	1	1	2	6	10	14	19
70-74	178	4.0	16	<1	1	2	6	9	11	19
75-79	114	4.9	35	1	1	2	6	10	16	29
80-84	64	5.5	37	<1	1	3	8	11	18	31
85+	23	4.9	30	1	1	2	6	15	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	306	5.7	24	1	1	4	8	11	15	23
70-74	318	6.3	25	1	2	5	8	13	18	24
75-79	297	6.6	31	1	2	5	8	13	18	28
80-84	218	7.0	38	1	2	5	9	13	20	37
85+	233	8.9	103	2	2	6	10	16	22	54
B. *Operated*										
65-69 YRS	1316	9.6	117	1	1	6	12	21	31	59
70-74	1298	10.3	140	1	1	7	13	23	32	64
75-79	976	10.2	99	1	2	8	13	22	31	54
80-84	604	11.2	118	1	2	8	15	23	31	52
85+	399	12.1	116	2	2	9	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.7	27	<1	1	3	6	10	17	24
B. *Operated*	587	4.4	23	1	1	2	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	1372	6.8	42	1	2	5	8	14	18	31
B. *Operated*	4593	10.4	120	1	2	7	13	22	31	60
1. SINGLE DX	704	4.4	24	1	1	2	6	10	15	22
2. MULTIPLE DX	5965	9.5	105	1	2	7	12	21	28	57
A. NOT OPERATED	1489	6.6	41	1	1	5	8	13	18	31
B. OPERATED	5180	9.7	113	1	1	7	13	21	30	58
TOTAL 65-69 YRS	1865	8.3	94	1	1	5	11	18	25	48
70-74	1833	8.9	111	1	1	6	11	20	26	59
75-79	1403	9.0	82	1	2	6	11	20	27	49
80-84	899	9.7	96	1	2	7	13	21	28	50
85+	669	10.6	110	1	2	8	14	21	29	60
GRAND TOTAL	**6669**	**9.0**	**98**	**1**	**1**	**6**	**11**	**20**	**27**	**51**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	7.1	8	3	4	7	9	10	12	17
70-74	233	6.5	8	2	3	6	8	10	11	16
75-79	182	7.0	9	3	3	7	8	10	13	15
80-84	116	6.8	10	2	3	6	9	11	13	16
85+	76	6.9	11	2	3	6	9	11	13	17
B. *Operated*										
65-69 YRS	127	7.1	16	2	2	7	9	11	15	22
70-74	100	7.1	17	1	2	7	9	12	13	23
75-79	68	6.3	12	1	2	6	9	11	12	15
80-84	48	7.9	18	2	3	8	10	13	15	21
85+	24	8.7	12	4	4	8	11	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1420	8.4	17	3	4	8	10	13	16	24
70-74	1417	8.4	18	3	4	8	10	13	16	23
75-79	1263	8.5	19	3	4	8	10	14	16	25
80-84	921	8.7	21	3	4	8	11	14	17	24
85+	717	9.0	29	3	4	8	11	15	17	26
B. *Operated*										
65-69 YRS	902	9.9	44	3	4	8	12	16	22	38
70-74	894	10.0	39	3	4	9	12	17	22	37
75-79	743	10.9	78	3	4	9	12	18	25	48
80-84	501	10.6	64	3	4	9	12	18	23	40
85+	377	11.1	61	4	5	9	13	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	6.9	9	2	3	7	8	10	12	17
B. *Operated*	367	7.2	16	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5738	8.5	20	3	4	8	10	14	16	24
B. *Operated*	3417	10.4	55	3	4	9	12	17	23	40
1. SINGLE DX	1248	7.0	11	2	3	7	9	11	13	17
2. MULTIPLE DX	9155	9.2	34	3	4	8	11	15	19	32
A. NOT OPERATED	6619	8.3	19	3	4	8	10	13	16	24
B. OPERATED	3784	10.1	52	3	4	9	12	17	22	39
TOTAL 65-69 YRS	2723	8.7	26	3	4	8	10	14	17	29
70-74	2644	8.7	25	3	4	8	10	14	18	28
75-79	2256	9.1	39	3	4	8	11	14	18	35
80-84	1586	9.1	35	3	4	8	11	15	19	29
85+	1194	9.5	39	3	4	8	11	15	19	37
GRAND TOTAL	**10403**	**8.9**	**32**	**3**	**4**	**8**	**11**	**14**	**18**	**30**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	9.6	25	2	4	9	12	16	20	21
70-74	21	8.7	46	2	3	7	11	20	24	26
75-79	15	10.0	59	4	4	7	11	19	29	33
80-84	19	8.9	43	2	3	7	12	20	24	24
85+	21	7.1	19	2	3	6	10	10	16	22
B. *Operated*										
65-69 YRS	203	4.5	33	1	1	3	5	9	14	35
70-74	119	4.5	20	1	1	3	5	9	16	25
75-79	82	6.6	45	1	1	4	8	15	24	31
80-84	54	9.2	105	1	2	6	11	21	34	47
85+	24	12.3	133	1	2	9	16	28	39	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	9.3	53	2	3	8	11	16	20	42
70-74	240	10.2	77	2	3	8	13	19	24	44
75-79	272	10.2	51	3	4	9	13	18	24	43
80-84	276	10.4	63	3	4	8	13	18	25	53
85+	248	10.3	52	3	4	8	12	20	24	37
B. *Operated*										
65-69 YRS	424	11.4	152	1	2	6	15	29	39	61
70-74	359	11.4	110	1	2	8	16	27	32	60
75-79	292	14.8	180	2	2	12	20	32	40	93
80-84	215	17.7	219	2	3	14	24	41	50	99+
85+	162	17.8	173	4	5	14	23	37	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.7	37	3	3	7	10	18	22	30
B. *Operated*	482	5.8	49	1	1	3	6	12	19	37
2. MULTIPLE DX										
A. *Not Operated*	1229	10.1	59	3	4	8	12	19	23	42
B. *Operated*	1452	13.7	166	2	2	10	19	31	40	76
1. SINGLE DX	571	6.2	48	1	1	4	8	14	20	36
2. MULTIPLE DX	2681	12.1	120	2	3	9	15	25	35	65
A. NOT OPERATED	1318	10.0	58	3	4	8	12	19	23	41
B. OPERATED	1934	11.7	149	1	2	8	16	28	37	73
TOTAL 65-69 YRS	833	9.2	106	1	2	5	11	21	31	55
70-74	739	9.8	89	1	2	7	13	22	29	50
75-79	661	11.8	115	2	3	9	15	24	32	71
80-84	564	13.0	139	2	3	10	16	28	41	75
85+	455	12.9	111	3	4	10	16	26	35	63
GRAND TOTAL	**3252**	**11.0**	**113**	**2**	**2**	**8**	**14**	**24**	**32**	**61**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	1.6	1	<1	<1	1	2	3	4	5
70-74	16	2.0	2	<1	<1	1	3	4	5	5
75-79	8	3.1	3	1	1	3	4	5	6	6
80-84	6	2.0	1	<1	<1	2	3	3	3	3
85+	10	2.5	5	<1	<1	2	3	6	8	8
B. *Operated*										
65-69 YRS	107	3.2	2	1	1	3	4	5	6	8
70-74	53	3.2	3	1	1	3	4	6	7	7
75-79	45	4.3	28	1	1	3	4	6	9	36
80-84	12	2.1	2	1	1	2	3	4	5	5
85+	10	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	4.1	20	1	1	3	5	7	8	26
70-74	151	3.9	8	1	1	3	5	7	8	15
75-79	149	4.1	11	1	1	3	5	7	9	19
80-84	114	6.0	117	1	2	4	6	9	14	74
85+	144	4.7	30	1	2	4	5	9	11	17
B. *Operated*										
65-69 YRS	1196	4.2	8	1	2	4	5	7	9	15
70-74	792	4.8	15	1	2	4	6	9	12	19
75-79	476	5.0	15	1	2	4	6	9	12	19
80-84	243	5.7	16	1	2	5	8	10	15	19
85+	128	6.3	50	2	2	5	7	12	14	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.1	2	<1	<1	1	3	4	5	8
B. *Operated*	227	3.3	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	682	4.5	34	1	1	3	5	8	10	20
B. *Operated*	2835	4.7	14	1	2	4	6	9	12	17
1. SINGLE DX	289	3.0	7	<1	1	3	4	5	6	8
2. MULTIPLE DX	3517	4.7	18	1	2	4	6	8	11	18
A. NOT OPERATED	744	4.3	32	<1	1	3	5	7	9	19
B. OPERATED	3062	4.6	14	1	2	4	6	8	11	17
TOTAL 65-69 YRS	1449	4.1	9	1	1	3	5	7	9	14
70-74	1012	4.5	14	1	1	4	5	8	11	18
75-79	678	4.7	15	1	2	4	6	9	11	19
80-84	375	5.6	46	1	2	4	7	10	15	21
85+	292	5.2	38	1	2	4	6	9	13	23
GRAND TOTAL	**3806**	**4.6**	**17**	**1**	**1**	**4**	**5**	**8**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	130	6.6	15	1	1	6	9	11	13	19
70-74	133	6.3	19	1	2	6	8	10	13	23
75-79	109	6.2	13	1	2	6	9	11	13	16
80-84	99	6.8	22	1	2	6	9	11	18	26
85+	50	6.5	10	2	2	6	9	11	12	12
B. *Operated*										
65-69 YRS	110	7.5	16	1	2	7	10	12	13	20
70-74	89	7.3	16	1	2	7	9	13	15	19
75-79	59	7.6	18	2	3	7	9	11	14	26
80-84	62	8.8	40	1	2	8	11	14	17	41
85+	21	8.2	18	2	3	8	12	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1699	6.6	24	1	2	6	9	12	14	22
70-74	1891	6.4	20	1	2	6	8	11	14	21
75-79	1852	6.9	28	2	2	6	9	12	15	25
80-84	1452	6.8	30	2	2	6	9	12	15	27
85+	1288	7.1	30	2	2	6	9	13	16	32
B. *Operated*										
65-69 YRS	1020	10.1	74	2	3	8	12	18	24	48
70-74	1006	10.0	58	2	3	9	12	17	23	43
75-79	869	10.1	66	2	3	8	12	18	24	49
80-84	574	11.1	65	3	4	9	13	20	27	45
85+	434	10.6	73	2	3	9	13	20	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	6.5	16	1	2	6	8	11	13	21
B. *Operated*	341	7.7	21	1	2	7	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*	8182	6.7	26	1	2	6	9	12	15	25
B. *Operated*	3903	10.3	67	2	3	9	12	18	24	46
1. SINGLE DX	862	7.0	18	1	2	7	9	12	14	21
2. MULTIPLE DX	12085	7.9	42	2	2	7	10	14	18	34
A. NOT OPERATED	8703	6.7	26	1	2	6	9	12	15	25
B. OPERATED	4244	10.1	63	2	3	8	12	18	23	45
TOTAL 65-69 YRS	2959	7.9	43	1	2	7	10	14	18	34
70-74	3119	7.6	35	1	2	7	9	14	17	29
75-79	2889	7.8	41	2	2	7	10	14	18	34
80-84	2187	8.0	42	2	2	7	10	15	19	34
85+	1793	7.9	42	2	2	7	10	14	19	37
GRAND TOTAL	**12947**	**7.8**	**40**	**2**	**2**	**7**	**10**	**14**	**18**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	33	3.4	6	1	1	3	4	7	10	12
70-74	33	4.2	6	1	1	4	6	7	8	10
75-79	13	4.0	2	2	2	4	5	7	7	7
80-84	12	3.6	9	1	1	3	5	8	11	11
85+	13	3.2	5	<1	1	3	4	5	8	9
B. *Operated*										
65-69 YRS	3	3.3		3	3	3	4	4	4	4
70-74	5	2.8	6	1	1	1	5	6	6	6
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	537	5.5	19	2	2	4	7	10	12	21
70-74	504	5.8	20	2	2	5	7	10	14	25
75-79	467	6.0	18	2	2	5	7	11	13	21
80-84	310	5.9	19	2	2	5	7	11	13	29
85+	317	6.0	14	2	2	5	8	10	12	19
B. *Operated*										
65-69 YRS	102	8.9	74	1	1	6	13	22	28	69
70-74	58	7.5	40	1	1	6	11	19	21	24
75-79	56	7.8	53	1	1	5	10	14	24	37
80-84	31	8.6	33	1	2	7	11	15	23	24
85+	29	11.0	87	3	4	8	11	24	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.7	5	1	1	3	5	7	8	11
B. *Operated*	13	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	2135	5.8	18	2	2	5	7	10	13	23
B. *Operated*	276	8.5	60	1	1	6	11	19	25	41
1. SINGLE DX	117	3.5	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2411	6.1	24	2	2	5	8	11	14	27
A. NOT OPERATED	2239	5.7	18	2	2	5	7	10	13	22
B. OPERATED	289	8.3	59	1	1	6	11	19	24	41
TOTAL 65-69 YRS	675	5.9	29	1	2	4	7	11	15	30
70-74	600	5.9	22	1	2	5	7	10	15	24
75-79	539	6.1	21	2	2	5	7	11	14	25
80-84	355	6.0	21	1	2	5	7	11	14	29
85+	359	6.3	21	2	2	5	8	11	13	26
GRAND TOTAL	**2528**	**6.0**	**23**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	4.7	5	2	2	4	6	8	8	13
70-74	113	4.7	5	2	2	5	5	8	9	12
75-79	96	4.7	6	1	2	4	6	8	10	14
80-84	79	4.7	8	1	2	4	6	9	11	13
85+	82	4.8	7	1	2	4	6	8	10	13
B. *Operated*										
65-69 YRS	10	5.6	16	1	1	5	7	11	15	15
70-74	4	5.8	7	2	2	6	7	8	8	8
75-79	4	7.8	9	4	4	8	10	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5949	6.8	22	2	3	6	8	12	15	25
70-74	6398	6.9	20	2	3	6	8	12	15	24
75-79	5390	7.1	22	2	3	6	9	12	15	25
80-84	3405	7.1	26	2	3	6	9	12	16	26
85+	2956	7.5	32	2	3	6	9	13	16	27
B. *Operated*										
65-69 YRS	485	11.1	81	2	3	9	14	21	28	57
70-74	487	12.4	110	3	4	9	15	24	35	61
75-79	432	11.9	85	3	4	9	14	24	33	61
80-84	253	13.3	162	4	4	9	15	26	37	99
85+	154	12.4	75	3	4	11	16	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	4.7	6	1	2	4	6	8	9	13
B. *Operated*	18	6.1	12	1	2	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	24098	7.0	23	2	3	6	9	12	15	25
B. *Operated*	1811	12.0	101	3	4	9	15	23	33	76
1. SINGLE DX	496	4.8	6	1	2	4	6	8	10	13
2. MULTIPLE DX	25909	7.4	30	2	3	6	9	13	16	29
A. NOT OPERATED	24576	7.0	23	2	3	6	8	12	15	25
B. OPERATED	1829	12.0	100	3	4	9	15	23	33	75
TOTAL 65-69 YRS	6552	7.1	28	2	3	6	8	12	16	28
70-74	7002	7.3	28	2	3	6	9	13	16	28
75-79	5922	7.4	28	2	3	6	9	13	16	29
80-84	3737	7.5	37	2	3	6	9	13	17	32
85+	3192	7.7	34	2	3	6	9	14	17	30
GRAND TOTAL	**26405**	**7.3**	**30**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74										
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	60	1.3		<1	<1	1	2	2	3	3
70-74	35	1.3		1	1	1	1	2	3	3
75-79	6	1.2		1	1	1	1	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	327	1.8	1	1	1	2	2	3	4	6
70-74	170	1.7	1	1	1	1	2	3	3	6
75-79	89	2.0	2	1	1	2	3	4	5	9
80-84	16	1.7	1	1	1	2	2	2	4	5
85+	7	6.1	73	1	1	3	6	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*	103	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*	609	1.9	2	1	1	2	2	3	4	6
1. SINGLE DX	105	1.4	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	617	1.9	2	1	1	2	2	3	4	6
A. NOT OPERATED	10	2.5	8	<1	<1	1	3	7	10	10
B. OPERATED	712	1.8	2	1	1	1	2	3	4	6
TOTAL 65-69 YRS	391	1.8	1	1	1	1	2	3	4	6
70-74	207	1.7	1	1	1	1	2	3	3	5
75-79	97	2.0	2	1	1	2	2	3	5	9
80-84	20	1.6	1	<1	1	1	2	2	4	5
85+	7	6.1	73	1	1	3	6	21	25	25
GRAND TOTAL	**722**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	22	1.5	1	<1	<1	1	2	3	4	5
70-74	24	1.5		<1	<1	1	2	2	3	3
75-79	13	1.5	1	<1	<1	1	2	3	3	3
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	5	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	25	<1	<1	1	6	11	11	11
70-74	2	7.0	72	1	1	7	13	13	13	13
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	171	2.1	2	1	1	2	2	4	5	8
70-74	111	2.3	5	1	1	2	3	4	6	12
75-79	63	3.4	15	<1	1	2	4	7	10	22
80-84	25	2.4	2	<1	1	2	3	5	5	6
85+	8	3.4	13	<1	<1	2	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	67	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	4.0	24	<1	<1	1	7	12	13	13
B. *Operated*	378	2.4	6	1	1	2	3	5	7	12
1. SINGLE DX	71	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	387	2.5	6	1	1	2	3	5	7	13
A. NOT OPERATED	13	3.3	17	<1	<1	1	4	11	13	13
B. OPERATED	445	2.3	5	1	1	2	3	4	6	11
TOTAL 65-69 YRS	199	2.1	2	<1	1	2	2	3	5	9
70-74	137	2.2	5	1	1	2	3	4	6	14
75-79	79	3.1	13	<1	1	2	3	7	9	21
80-84	30	2.4	2	<1	1	2	3	5	6	6
85+	13	2.8	8	<1	<1	2	3	7	10	11
GRAND TOTAL	**458**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	1.2		<1	<1	1	1	2	2	2
70-74	5	1.4		1	1	1	2	2	2	2
75-79	3	1.7		1	1	2	2	2	2	2
80-84	7	1.4	1	<1	<1	1	2	3	3	3
85+	9	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74										
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	14	1.2		1	1	1	1	2	2	2
70-74	11	1.6		1	1	2	2	3	3	3
75-79	5	2.8	12	1	1	1	4	9	9	9
80-84	5	1.8	1	<1	<1	1	3	3	3	3
85+	11	1.6	2	<1	<1	1	2	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*	46	1.7	2	<1	1	1	2	3	4	9
1. SINGLE DX	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	49	1.8	2	1	1	1	2	3	5	9
A. NOT OPERATED	3	3.7	6	1	1	4	5	6	6	6
B. OPERATED	76	1.5	1	<1	<1	1	2	2	3	8
TOTAL 65-69 YRS	22	1.4	1	<1	<1	1	1	2	4	6
70-74	16	1.6		1	1	2	2	2	3	3
75-79	8	2.4	7	1	1	2	2	7	9	9
80-84	12	1.6	1	<1	<1	1	2	3	3	3
85+	21	1.5	1	<1	<1	1	2	3	4	5
GRAND TOTAL	**79**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.5	5	1	1	3	5	7	8	10
70-74	15	2.9	2	1	1	3	4	5	5	5
75-79	16	4.2	8	1	1	3	6	8	9	10
80-84	8	6.6	59	<1	1	3	8	20	24	24
85+	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	229	1.7	2	<1	<1	1	2	3	5	7
70-74	170	1.8	2	<1	<1	1	2	3	5	9
75-79	69	1.6	1	<1	<1	1	2	3	3	6
80-84	29	2.1	3	<1	<1	2	2	4	5	10
85+	18	2.0	3	<1	1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	163	4.3	12	<1	1	3	5	10	12	15
70-74	106	4.8	12	1	1	4	6	9	11	16
75-79	83	4.8	11	1	1	4	6	9	10	19
80-84	63	4.3	6	1	1	4	6	8	9	12
85+	40	5.8	20	2	2	4	7	11	14	25
B. *Operated*										
65-69 YRS	657	3.7	36	1	1	2	4	7	13	30
70-74	518	3.7	25	1	1	2	4	8	12	33
75-79	282	4.4	33	1	1	2	5	10	18	31
80-84	119	6.0	66	1	1	3	8	14	21	44
85+	63	8.0	67	1	1	6	11	16	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.9	11	1	1	3	5	7	10	22
B. *Operated*	515	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	455	4.6	12	1	1	4	6	9	11	15
B. *Operated*	1639	4.2	36	1	1	2	4	9	15	32
1. SINGLE DX	584	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2094	4.3	31	1	1	2	5	9	14	29
A. NOT OPERATED	524	4.5	12	1	1	4	6	9	11	16
B. OPERATED	2154	3.6	29	<1	1	2	4	8	13	29
TOTAL 65-69 YRS	1075	3.4	25	<1	1	2	3	7	11	25
70-74	809	3.5	19	1	1	2	4	8	11	24
75-79	450	4.1	24	1	1	2	5	8	13	28
80-84	219	5.0	42	1	1	3	6	10	15	32
85+	125	6.2	45	1	1	4	8	14	16	35
GRAND TOTAL	**2678**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

1463 Hospitals, United States, January-December 1986

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	719	5.6	9	2	2	5	7	9	11	16
70-74	751	5.8	9	2	3	5	7	10	11	15
75-79	679	6.0	10	2	3	5	7	10	12	18
80-84	566	6.1	17	2	3	6	7	10	11	18
85+	751	6.7	13	3	3	6	8	11	13	20
B. *Operated*										
65-69 YRS	47	8.7	19	1	4	8	11	14	16	23
70-74	54	9.0	24	2	3	9	11	16	19	22
75-79	42	9.5	25	2	4	8	14	17	18	19
80-84	24	10.4	22	3	4	11	14	17	17	18
85+	15	11.4	58	2	4	10	14	26	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11440	8.1	29	3	3	7	10	14	17	27
70-74	14147	8.5	35	3	4	7	10	14	18	31
75-79	14925	8.9	35	3	4	8	11	15	19	31
80-84	13567	9.3	41	3	4	8	11	16	20	34
85+	17306	9.8	48	3	4	8	12	17	21	40
B. *Operated*										
65-69 YRS	1900	16.0	163	4	6	12	20	32	43	92
70-74	2208	15.6	141	5	6	12	19	29	40	90
75-79	2109	17.0	164	5	6	13	21	33	46	90
80-84	1672	17.6	183	5	7	14	21	33	48	99
85+	1614	18.4	176	6	7	15	22	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3466	6.0	12	2	3	5	7	10	12	18
B. *Operated*	182	9.4	25	2	4	9	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	71385	9.0	39	3	4	8	11	15	19	33
B. *Operated*	9503	16.8	165	5	6	13	21	32	45	95
1. SINGLE DX	3648	6.2	13	2	3	5	8	10	12	18
2. MULTIPLE DX	80888	9.9	60	3	4	8	12	17	23	45
A. NOT OPERATED	74851	8.8	38	3	4	7	11	15	19	32
B. OPERATED	9685	16.7	163	5	6	13	20	32	44	94
TOTAL 65-69 YRS	14106	9.0	54	3	3	7	11	16	21	41
70-74	17160	9.3	54	3	4	7	11	16	22	41
75-79	17755	9.8	57	3	4	8	12	17	23	43
80-84	15829	10.0	62	3	4	8	12	17	23	47
85+	19686	10.4	63	3	4	8	12	18	24	48
GRAND TOTAL	**84536**	**9.7**	**58**	**3**	**4**	**8**	**12**	**17**	**23**	**44**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	57	4.5	7	1	2	4	6	7	9	16
70-74	48	4.3	8	1	2	4	6	7	7	19
75-79	58	4.6	7	1	1	4	6	8	10	12
80-84	38	4.1	4	1	2	4	5	7	7	10
85+	38	4.6	10	1	1	4	6	10	12	13
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	663	5.4	10	2	2	5	7	9	11	17
70-74	821	5.7	13	2	2	5	7	10	13	20
75-79	801	6.1	17	2	2	5	7	11	14	22
80-84	599	6.4	16	2	3	6	8	11	14	22
85+	627	6.8	23	2	2	6	8	12	14	22
B. *Operated*										
65-69 YRS	39	9.6	38	3	3	8	13	16	22	30
70-74	36	11.4	92	3	5	8	13	19	31	53
75-79	33	17.5	254	4	4	13	21	44	46	78
80-84	38	12.6	101	2	3	10	19	28	41	99+
85+	21	10.3	28	3	4	10	13	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	4.4	7	1	2	4	6	7	9	13
B. *Operated*	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3511	6.0	16	2	2	5	8	11	13	21
B. *Operated*	167	12.3	111	3	3	10	15	24	32	73
1. SINGLE DX	242	4.5	8	1	2	4	6	7	9	14
2. MULTIPLE DX	3678	6.3	22	2	2	5	8	11	14	24
A. NOT OPERATED	3750	5.9	15	2	2	5	7	11	13	20
B. OPERATED	170	12.2	110	3	3	10	15	23	31	73
TOTAL 65-69 YRS	760	5.5	12	2	2	5	7	10	12	18
70-74	907	5.8	17	2	2	5	7	10	13	21
75-79	892	6.4	30	2	2	5	8	12	15	26
80-84	675	6.6	23	2	3	6	8	12	16	27
85+	686	6.8	23	2	2	6	8	12	14	22
GRAND TOTAL	**3920**	**6.2**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	5.9	10	2	3	5	8	10	12	16
70-74	103	5.5	8	2	3	5	7	10	11	15
75-79	88	5.3	8	2	2	5	7	9	10	16
80-84	39	5.7	9	1	2	6	8	9	10	15
85+	25	5.8	13	1	2	5	8	10	14	14
B. *Operated*										
65-69 YRS	16	3.0	4	<1	<1	3	4	5	7	8
70-74	11	3.4	7	<1	<1	3	5	8	8	8
75-79	7	4.7	17	<1	<1	4	8	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1410	7.1	26	2	3	6	9	12	16	25
70-74	1490	7.4	36	2	3	6	9	13	16	32
75-79	1202	7.2	27	2	3	6	9	13	16	24
80-84	724	7.2	30	2	3	6	8	13	16	27
85+	582	7.3	40	2	3	6	9	13	17	33
B. *Operated*										
65-69 YRS	224	10.3	145	1	2	8	12	19	27	94
70-74	174	11.4	109	1	2	10	14	22	33	70
75-79	140	10.9	84	1	2	9	13	25	33	99+
80-84	78	9.5	54	2	3	8	13	20	29	99+
85+	44	11.9	63	3	5	10	14	24	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.6	9	2	2	5	7	9	11	15
B. *Operated*	36	3.6	8	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5408	7.2	31	2	3	6	9	13	16	28
B. *Operated*	660	10.7	106	1	2	8	13	22	32	96
1. SINGLE DX	404	5.4	9	1	2	5	7	9	11	15
2. MULTIPLE DX	6068	7.6	40	2	3	6	9	14	18	33
A. NOT OPERATED	5776	7.1	30	2	3	6	9	13	16	28
B. OPERATED	696	10.4	104	1	2	8	13	21	30	94
TOTAL 65-69 YRS	1763	7.4	41	2	3	6	9	13	17	31
70-74	1778	7.7	43	2	3	6	9	14	18	36
75-79	1437	7.4	33	2	3	6	9	13	17	32
80-84	842	7.3	31	2	3	6	9	13	17	32
85+	652	7.5	42	2	3	6	9	14	17	33
GRAND TOTAL	**6472**	**7.5**	**39**	**2**	**3**	**6**	**9**	**13**	**17**	**33**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	5.9	17	1	2	5	7	9	12	26
70-74	105	6.2	17	2	2	5	8	11	14	25
75-79	64	6.7	23	2	2	6	8	10	13	30
80-84	29	5.1	7	1	3	4	7	9	10	11
85+	6	5.8	9	1	1	6	9	9	9	9
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	4	4.5	27	<1	<1	2	8	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1185	8.0	39	2	3	6	10	14	19	31
70-74	1316	8.0	35	2	3	7	10	15	18	34
75-79	991	8.1	38	2	3	7	10	14	19	36
80-84	454	8.2	28	2	3	7	10	14	18	31
85+	210	8.4	52	3	3	7	10	15	19	53
B. *Operated*										
65-69 YRS	159	15.0	188	2	4	11	18	32	49	86
70-74	142	16.9	220	3	5	13	22	36	60	99+
75-79	99	15.8	124	3	5	14	20	30	37	84
80-84	49	23.8	549	4	6	15	33	62	85	96
85+	18	12.2	34	3	6	11	16	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	6.1	17	2	2	5	8	10	12	26
B. *Operated*	9	3.2	12	<1	<1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	4156	8.0	37	2	3	7	10	14	18	34
B. *Operated*	467	16.6	221	2	5	13	20	35	53	99
1. SINGLE DX	309	6.0	17	2	2	5	8	10	12	26
2. MULTIPLE DX	4623	8.9	62	2	3	7	11	16	21	44
A. NOT OPERATED	4456	7.9	36	2	3	7	10	14	18	32
B. OPERATED	476	16.3	221	2	4	12	20	35	52	98
TOTAL 65-69 YRS	1442	8.6	59	2	3	7	10	16	21	43
70-74	1565	8.7	57	2	3	7	10	16	22	48
75-79	1158	8.7	49	2	3	7	10	17	21	39
80-84	533	9.4	95	2	3	7	11	16	22	62
85+	234	8.6	51	3	3	7	10	16	19	41
GRAND TOTAL	**4932**	**8.7**	**60**	**2**	**3**	**7**	**10**	**16**	**21**	**43**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	730	4.9	9	1	2	4	6	9	10	15
70-74	563	4.8	8	1	2	4	6	8	10	14
75-79	391	4.7	8	1	2	4	6	8	11	16
80-84	176	5.3	12	2	2	5	7	9	11	16
85+	88	5.0	13	2	2	4	6	9	12	22
B. *Operated*										
65-69 YRS	9	6.8	12	2	2	6	9	12	12	12
70-74	2	9.5	1	9	9	9	10	10	10	10
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5034	6.5	20	2	3	6	8	11	14	24
70-74	4588	6.7	20	2	3	6	8	12	14	24
75-79	3335	6.8	21	2	3	6	8	12	14	23
80-84	1845	7.4	25	2	3	6	9	14	17	26
85+	1078	7.6	26	2	3	7	10	13	17	25
B. *Operated*										
65-69 YRS	272	12.4	112	3	4	9	14	26	34	63
70-74	240	12.2	85	3	5	10	15	23	33	53
75-79	160	13.2	106	3	4	10	17	26	32	52
80-84	93	16.0	177	4	5	13	20	30	37	75
85+	48	12.9	150	3	4	8	18	27	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1948	4.9	9	1	2	4	6	8	10	16
B. *Operated*	14	6.9	12	1	2	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	15880	6.8	21	2	3	6	8	12	15	24
B. *Operated*	813	12.9	113	3	4	10	16	26	34	62
1. SINGLE DX	1962	4.9	9	1	2	4	6	8	10	16
2. MULTIPLE DX	16693	7.1	27	2	3	6	9	12	16	28
A. NOT OPERATED	17828	6.6	20	2	3	6	8	11	14	23
B. OPERATED	827	12.8	112	3	4	10	15	26	33	61
TOTAL 65-69 YRS	6045	6.6	25	2	3	5	8	11	14	28
70-74	5393	6.8	23	2	3	6	8	12	15	25
75-79	3888	6.9	25	2	3	6	8	12	15	25
80-84	2115	7.6	34	2	3	6	9	14	18	29
85+	1214	7.7	32	2	3	6	10	13	18	30
GRAND TOTAL	**18655**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**27**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	538	5.8	12	2	2	5	7	10	12	17
70-74	485	6.3	22	2	2	5	8	11	13	26
75-79	343	5.7	13	2	2	5	7	10	14	17
80-84	158	5.2	13	1	2	5	6	9	11	17
85+	61	4.6	8	1	2	4	6	7	9	16
B. *Operated*										
65-69 YRS	22	5.9	17	1	2	4	9	12	14	15
70-74	12	3.9	8	<1	1	3	6	8	10	10
75-79	7	9.4	23	3	4	10	12	16	17	17
80-84	5	5.0	23	<1	<1	4	7	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5315	7.5	30	2	3	6	9	13	17	28
70-74	5549	7.8	34	2	3	6	10	14	18	30
75-79	4155	7.9	42	2	3	6	10	14	18	34
80-84	2371	7.8	34	2	3	6	10	14	18	31
85+	1115	8.0	39	2	3	6	10	15	20	39
B. *Operated*										
65-69 YRS	522	14.9	241	2	4	10	17	35	56	99+
70-74	589	14.0	162	3	4	10	17	29	41	99+
75-79	440	14.2	162	3	4	11	17	27	45	96
80-84	203	14.3	134	3	5	11	18	29	41	99+
85+	99	14.0	109	4	5	11	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1585	5.9	15	2	2	5	7	10	13	18
B. *Operated*	46	5.8	18	1	1	4	9	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	18505	7.7	35	2	3	6	9	14	18	31
B. *Operated*	1853	14.3	178	3	4	11	17	29	48	99+
1. SINGLE DX	1631	5.9	15	2	2	5	7	10	13	18
2. MULTIPLE DX	20358	8.3	52	2	3	7	10	15	20	41
A. NOT OPERATED	20090	7.6	34	2	3	6	9	14	17	30
B. OPERATED	1899	14.1	176	3	4	11	17	29	48	99+
TOTAL 65-69 YRS	6397	8.0	50	2	3	6	10	14	19	40
70-74	6635	8.2	48	2	3	7	10	15	19	37
75-79	4945	8.3	54	2	3	7	10	15	20	42
80-84	2737	8.2	44	2	3	7	10	15	19	34
85+	1275	8.3	47	2	3	7	10	16	22	50
GRAND TOTAL	**21989**	**8.2**	**49**	**2**	**3**	**6**	**10**	**15**	**19**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	2	1	1	3	4	4	4	4
70-74	6	5.3	13	2	2	4	7	11	12	12
75-79	4	6.0	8	4	4	5	8	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	4	4.5	16	1	1	3	7	10	10	10
B. *Operated*										
65-69 YRS	42	6.9	23	2	3	5	9	13	17	26
70-74	25	6.8	26	1	2	5	8	14	18	22
75-79	28	6.1	21	1	1	5	8	10	15	24
80-84	8	10.8	89	3	3	6	17	26	29	29
85+	9	10.6	73	2	3	8	12	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	7.3	34	1	2	6	9	15	21	28
70-74	64	6.3	26	2	2	4	8	12	16	25
75-79	57	5.7	20	1	2	5	7	11	12	28
80-84	27	7.1	17	1	2	7	9	12	15	20
85+	31	7.1	14	2	3	7	10	12	14	15
B. *Operated*										
65-69 YRS	344	11.7	101	2	4	9	14	24	32	52
70-74	367	11.7	96	2	4	9	15	26	31	48
75-79	273	13.1	122	3	4	10	17	26	36	58
80-84	157	12.0	106	4	4	10	15	23	27	69
85+	83	13.5	153	3	4	9	16	27	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.8	9	1	1	4	6	10	11	12
B. *Operated*	112	7.2	32	2	2	6	9	14	20	29
2. MULTIPLE DX										
A *Not Operated*	240	6.6	24	1	2	6	9	12	15	26
B. *Operated*	1224	12.2	108	3	4	9	15	25	32	53
1. SINGLE DX	132	6.9	30	1	2	5	8	14	20	29
2. MULTIPLE DX	1464	11.3	99	2	3	8	14	23	30	52
A. NOT OPERATED	260	6.5	23	1	2	5	9	12	15	25
B. OPERATED	1336	11.8	104	3	4	9	14	24	31	52
TOTAL 65-69 YRS	452	10.5	88	2	3	8	13	22	29	48
70-74	462	10.6	86	2	3	8	13	22	29	44
75-79	362	11.4	107	2	3	8	14	24	32	52
80-84	193	11.2	95	3	4	9	14	21	26	64
85+	127	11.5	117	3	3	8	14	23	30	59
GRAND TOTAL	**1596**	**10.9**	**95**	**2**	**3**	**8**	**13**	**22**	**29**	**51**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	5.0	21	1	1	4	6	9	11	29
70-74	107	4.6	13	1	1	4	7	8	10	21
75-79	93	5.4	17	<1	1	5	7	11	14	20
80-84	65	4.8	10	1	1	4	7	9	10	15
85+	91	6.4	18	1	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	126	5.9	21	<1	1	5	8	11	16	21
70-74	98	6.3	55	<1	1	4	8	14	17	44
75-79	71	5.6	29	<1	1	4	8	12	17	24
80-84	45	6.3	36	1	1	5	8	12	22	25
85+	23	7.3	83	1	1	4	10	16	28	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3035	7.1	37	2	2	6	9	13	17	29
70-74	3573	7.7	39	2	2	6	10	15	19	32
75-79	3538	8.2	41	2	3	7	10	15	20	32
80-84	2942	8.6	43	2	3	7	11	16	20	34
85+	3323	9.4	54	2	3	8	12	17	22	40
B. *Operated*										
65-69 YRS	1611	12.2	133	1	2	9	15	25	34	60
70-74	1598	13.0	153	2	3	10	16	26	37	77
75-79	1326	13.9	146	2	3	11	18	29	37	79
80-84	962	14.8	169	2	3	11	19	29	42	79
85+	808	16.7	180	3	5	13	21	35	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.2	16	1	1	4	7	10	12	20
B. *Operated*	363	6.1	37	<1	1	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	16411	8.2	43	2	3	7	10	15	20	34
B. *Operated*	6305	13.7	154	2	3	10	17	28	38	73
1. SINGLE DX	828	5.6	26	1	1	4	7	11	15	25
2. MULTIPLE DX	22716	9.7	80	2	3	7	12	19	26	50
A. NOT OPERATED	16876	8.1	43	2	3	7	10	15	20	34
B. OPERATED	6668	13.3	151	2	3	10	17	27	37	73
TOTAL 65-69 YRS	4881	8.7	74	1	2	6	11	17	23	46
70-74	5376	9.2	79	2	2	7	11	18	25	52
75-79	5028	9.6	75	2	3	7	12	19	25	47
80-84	4014	10.0	80	2	3	8	12	19	25	47
85+	4245	10.7	86	2	3	8	13	20	27	50
GRAND TOTAL	**23544**	**9.6**	**79**	**2**	**3**	**7**	**12**	**19**	**25**	**49**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	2.3	1	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	108	2.4	6	1	1	2	3	3	5	16
70-74	53	2.4	3	1	1	2	3	4	7	9
75-79	29	2.2	2	<1	<1	2	3	4	5	5
80-84	18	2.1	1	<1	<1	2	3	4	4	4
85+	11	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	4.8	17	<1	1	4	5	9	16	20
70-74	41	5.4	62	1	1	3	6	10	21	41
75-79	25	4.1	8	<1	1	3	6	9	9	10
80-84	25	4.2	8	<1	1	4	6	8	9	11
85+	23	4.0	7	<1	1	4	6	8	9	10
B. *Operated*										
65-69 YRS	360	3.6	50	1	1	2	3	5	8	41
70-74	295	3.0	12	1	1	2	3	6	8	19
75-79	229	3.9	35	1	1	2	3	7	18	36
80-84	137	3.1	9	1	1	2	3	8	10	15
85+	141	3.4	19	1	1	2	3	7	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	1	1	1	3	3	3	3	3
B. *Operated*	219	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	158	4.6	24	1	1	3	6	9	11	32
B. *Operated*	1162	3.4	29	1	1	2	3	6	10	28
1. SINGLE DX	227	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	1320	3.6	29	1	1	2	3	7	10	29
A. NOT OPERATED	166	4.5	23	1	1	3	6	9	11	31
B. OPERATED	1381	3.2	25	1	1	2	3	5	9	27
TOTAL 65-69 YRS	513	3.4	38	1	1	2	3	5	9	31
70-74	390	3.2	17	1	1	2	3	6	9	21
75-79	284	3.7	30	1	1	2	3	6	14	34
80-84	184	3.1	8	<1	1	2	4	7	9	14
85+	176	3.4	17	1	1	2	3	7	11	20
GRAND TOTAL	**1547**	**3.4**	**25**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.5	5	2	2	4	7	8	8	8
70-74	9	4.4	6	1	2	4	5	8	10	10
75-79	9	3.7	3	<1	1	4	4	6	7	7
80-84	7	4.7	1	3	3	5	6	6	6	6
85+	7	4.0	4	2	2	3	5	7	8	8
B. *Operated*										
65-69 YRS	105	2.0	2	1	1	2	2	3	5	8
70-74	70	2.3	3	<1	1	2	3	4	6	9
75-79	55	2.6	3	<1	1	2	3	5	5	10
80-84	25	2.3	2	<1	1	2	3	4	6	6
85+	14	4.7	22	1	1	2	9	15	79	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	6.8	27	1	2	6	8	12	16	30
70-74	95	6.4	25	1	2	5	7	12	16	27
75-79	87	6.9	24	2	3	6	9	12	16	29
80-84	76	7.1	21	2	3	6	8	13	17	27
85+	101	7.8	15	3	3	7	10	14	15	17
B. *Operated*										
65-69 YRS	214	3.9	17	1	1	3	4	8	12	19
70-74	165	4.2	28	1	1	3	4	10	14	23
75-79	147	5.5	64	1	1	3	6	14	19	37
80-84	95	6.9	133	1	1	3	8	14	17	72
85+	61	6.6	27	1	2	5	10	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.3	4	2	2	4	5	7	8	10
B. *Operated*	269	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	472	7.0	22	2	3	6	9	13	16	28
B. *Operated*	682	5.0	48	1	1	3	6	11	15	33
1. SINGLE DX	317	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	1154	5.8	38	1	1	4	7	12	15	30
A. NOT OPERATED	520	6.8	21	2	2	6	8	12	15	26
B. OPERATED	951	4.2	37	1	1	2	4	10	14	25
TOTAL 65-69 YRS	448	4.2	18	1	1	3	5	9	12	24
70-74	339	4.4	23	1	1	3	5	10	14	23
75-79	298	5.3	41	1	1	3	7	11	15	32
80-84	203	6.4	73	1	1	4	7	13	16	45
85+	183	7.0	20	2	2	6	10	14	15	23
GRAND TOTAL	**1471**	**5.1**	**33**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	2.6	2	1	1	3	4	4	5	7
70-74	68	2.8	4	1	1	2	4	5	6	10
75-79	45	2.4	2	<1	<1	2	3	5	5	5
80-84	34	3.0	7	<1	1	2	4	7	9	12
85+	23	3.4	9	<1	1	3	4	6	10	15
B. *Operated*										
65-69 YRS	89	5.1	18	<1	<1	4	7	10	13	21
70-74	87	4.2	9	<1	1	4	6	9	10	14
75-79	68	6.1	137	<1	<1	3	7	11	13	81
80-84	46	3.6	11	<1	<1	3	5	6	10	17
85+	31	4.1	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1367	4.5	14	1	2	4	5	8	10	19
70-74	1239	4.7	12	1	2	4	6	8	11	20
75-79	1087	4.9	13	1	2	4	6	9	12	19
80-84	799	5.3	19	1	2	4	7	9	13	25
85+	716	5.7	23	1	2	5	7	11	14	26
B. *Operated*										
65-69 YRS	1003	7.7	60	1	2	6	9	15	21	44
70-74	1076	8.1	76	1	2	6	9	16	23	47
75-79	889	8.3	68	1	2	6	10	17	22	43
80-84	712	8.7	76	1	2	6	10	17	24	49
85+	599	9.3	87	2	2	7	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.7	4	<1	1	2	4	5	6	10
B. *Operated*	321	4.7	39	<1	<1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	5208	4.9	16	1	2	4	6	9	12	20
B. *Operated*	4279	8.3	72	1	2	6	10	17	22	46
1. SINGLE DX	572	3.9	25	<1	1	3	5	8	10	16
2. MULTIPLE DX	9487	6.5	44	1	2	5	8	12	17	35
A. NOT OPERATED	5459	4.8	15	1	2	4	6	9	11	20
B. OPERATED	4600	8.1	71	1	2	6	10	16	22	46
TOTAL 65-69 YRS	2540	5.7	35	1	2	4	7	11	15	31
70-74	2470	6.1	43	1	2	4	7	11	16	34
75-79	2089	6.4	43	1	2	5	8	12	17	35
80-84	1591	6.7	47	1	2	5	8	13	18	36
85+	1369	7.2	54	1	2	5	9	14	19	38
GRAND TOTAL	**10059**	**6.3**	**43**	**1**	**2**	**5**	**7**	**12**	**17**	**34**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.7	18	<1	<1	4	6	8	8	25
70-74	24	5.0	5	2	2	5	7	8	9	10
75-79	22	3.8	3	2	2	3	5	6	7	8
80-84	9	4.9	4	2	2	5	6	8	8	8
85+	8	5.1	26	<1	<1	3	7	14	16	16
B. *Operated*										
65-69 YRS	22	7.1	21	<1	1	6	10	15	16	16
70-74	22	5.2	12	1	2	4	7	11	12	13
75-79	21	4.9	8	<1	<1	6	7	8	9	10
80-84	5	11.0	97	<1	<1	9	16	27	27	27
85+	7	6.7	6	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	308	5.4	9	2	2	5	7	9	11	15
70-74	340	5.5	12	2	2	5	7	10	13	18
75-79	341	5.7	12	2	2	5	7	10	12	19
80-84	253	6.7	28	2	3	5	8	12	15	26
85+	194	6.2	14	2	3	5	8	11	14	20
B. *Operated*										
65-69 YRS	345	7.6	40	2	2	6	9	14	19	37
70-74	375	8.3	42	2	3	7	10	15	19	35
75-79	327	8.8	44	2	3	7	11	15	20	37
80-84	253	9.0	46	2	3	7	11	16	21	39
85+	167	8.3	65	2	3	6	9	14	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.6	10	1	2	4	6	8	9	21
B. *Operated*	77	6.2	19	<1	1	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	1436	5.8	15	2	2	5	7	10	13	20
B. *Operated*	1467	8.4	45	2	3	7	10	15	19	37
1. SINGLE DX	174	5.3	15	<1	2	5	7	10	12	23
2. MULTIPLE DX	2903	7.1	32	2	2	6	9	13	17	30
A. NOT OPERATED	1533	5.8	14	2	2	5	7	10	13	20
B. OPERATED	1544	8.3	44	2	3	7	10	15	19	36
TOTAL 65-69 YRS	709	6.5	26	1	2	5	8	11	14	27
70-74	761	6.9	29	2	2	5	8	13	16	31
75-79	711	7.0	29	2	2	6	9	12	16	29
80-84	520	7.8	38	2	3	6	9	14	18	34
85+	376	7.1	38	2	3	6	9	12	16	27
GRAND TOTAL	**3077**	**7.0**	**31**	**2**	**2**	**6**	**8**	**13**	**16**	**29**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	4.2	4	1	2	4	5	7	8	10
70-74	66	4.4	6	2	2	4	5	8	10	13
75-79	69	3.7	2	2	2	3	5	6	7	7
80-84	36	5.6	26	2	2	5	7	8	9	33
85+	44	4.8	4	2	3	5	6	8	9	10
B. *Operated*										
65-69 YRS	59	6.1	7	3	3	6	8	10	11	12
70-74	67	6.9	21	2	3	6	9	12	13	29
75-79	56	6.1	13	2	3	5	8	12	13	17
80-84	35	8.6	43	3	4	7	10	14	26	33
85+	30	6.6	17	2	3	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	819	5.9	17	2	3	5	7	10	13	24
70-74	951	6.1	14	2	3	5	8	10	13	22
75-79	926	6.7	21	2	3	6	8	11	14	25
80-84	777	6.9	26	2	3	6	8	12	15	26
85+	745	7.5	24	3	3	6	9	13	17	26
B. *Operated*										
65-69 YRS	921	10.8	123	3	3	7	13	21	30	61
70-74	1017	10.1	74	3	3	8	12	19	26	53
75-79	1076	10.5	77	3	4	8	13	20	27	54
80-84	804	11.3	108	3	4	8	13	21	30	64
85+	803	12.0	110	3	4	9	14	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.4	7	2	2	4	5	7	8	12
B. *Operated*	247	6.7	19	2	3	6	9	12	13	29
2. MULTIPLE DX										
A. *Not Operated*	4218	6.6	20	2	3	6	8	11	14	25
B. *Operated*	4621	10.9	97	3	4	8	13	21	29	58
1. SINGLE DX	543	5.5	14	2	2	5	7	9	12	17
2. MULTIPLE DX	8839	8.8	65	3	3	7	10	17	23	46
A. NOT OPERATED	4514	6.5	20	2	3	5	8	11	14	24
B. OPERATED	4868	10.7	94	3	4	8	13	20	28	57
TOTAL 65-69 YRS	1880	8.2	74	2	3	6	9	16	22	48
70-74	2101	8.0	47	2	3	6	9	15	20	38
75-79	2127	8.5	53	3	3	7	10	16	22	40
80-84	1652	9.1	71	3	3	7	10	17	23	51
85+	1622	9.7	71	3	4	7	11	18	24	46
GRAND TOTAL	**9382**	**8.6**	**63**	**2**	**3**	**6**	**10**	**16**	**22**	**45**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	3.4	4	1	1	3	4	6	8	8
70-74	44	3.5	6	1	1	3	4	7	9	11
75-79	39	4.5	13	1	1	4	5	7	11	21
80-84	15	4.0	2	2	2	4	5	6	6	6
85+	22	4.1	8	1	2	4	5	7	10	14
B. *Operated*										
65-69 YRS	9	8.8	68	2	3	7	8	22	30	30
70-74	9	5.1	10	<1	<1	6	7	9	10	10
75-79	7	9.9	148	4	4	5	9	32	37	37
80-84	2	9.0	50	4	4	9	14	14	14	14
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	643	5.0	12	2	2	4	6	8	11	16
70-74	658	5.2	22	2	2	4	6	8	10	18
75-79	603	5.8	17	2	2	5	7	10	13	23
80-84	445	5.9	21	2	2	5	7	10	12	21
85+	326	6.5	21	2	3	5	8	12	16	33
B. *Operated*										
65-69 YRS	188	9.0	56	2	3	7	10	18	24	39
70-74	177	9.2	59	2	3	8	11	16	20	51
75-79	165	9.5	86	2	2	7	11	18	32	66
80-84	100	11.8	118	3	4	8	13	23	32	63
85+	58	8.9	65	2	3	7	12	16	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.8	7	1	1	3	5	7	8	14
B. *Operated*	29	7.6	61	1	2	5	8	12	30	37
2. MULTIPLE DX										
A. *Not Operated*	2675	5.5	18	2	2	5	7	9	12	20
B. *Operated*	688	9.6	74	2	3	8	11	17	26	54
1. SINGLE DX	208	4.3	16	1	1	4	5	7	9	25
2. MULTIPLE DX	3363	6.4	32	2	2	5	8	11	15	30
A. NOT OPERATED	2854	5.4	18	2	2	4	7	9	12	19
B. OPERATED	717	9.5	74	2	3	7	11	17	26	53
TOTAL 65-69 YRS	899	5.8	24	2	2	5	7	10	13	27
70-74	888	5.9	31	2	2	5	7	10	14	23
75-79	814	6.5	34	2	2	5	8	12	16	35
80-84	562	6.9	43	2	2	5	8	12	15	33
85+	408	6.7	28	2	2	5	8	13	17	50
GRAND TOTAL	**3571**	**6.2**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**30**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	153	4.3	4	2	2	4	5	7	8	11
70-74	137	4.3	4	2	2	4	5	6	7	11
75-79	99	4.7	5	2	2	4	6	8	9	11
80-84	60	5.0	9	2	2	4	6	9	10	18
85+	66	6.2	20	2	3	5	7	10	13	28
B. *Operated*										
65-69 YRS	51	9.1	18	2	4	9	11	15	18	21
70-74	47	8.6	19	2	3	8	11	13	17	21
75-79	51	9.5	32	4	4	9	11	14	17	39
80-84	31	12.0	46	4	5	11	13	23	28	32
85+	33	9.5	27	3	3	9	12	18	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1209	5.7	15	2	2	5	7	10	12	23
70-74	1326	6.2	15	2	3	5	7	10	13	21
75-79	1245	6.6	21	2	3	5	8	11	14	23
80-84	932	7.3	28	2	3	6	9	13	17	28
85+	996	8.1	50	3	3	6	9	14	18	35
B. *Operated*										
65-69 YRS	686	12.7	148	3	4	9	15	23	32	89
70-74	698	12.7	129	4	4	9	15	24	38	67
75-79	705	14.2	131	4	5	11	17	28	40	64
80-84	531	14.4	129	4	5	11	17	28	38	65
85+	494	14.3	113	4	5	11	18	26	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.7	7	2	2	4	6	8	10	14
B. *Operated*	213	9.6	28	3	4	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	5708	6.7	25	2	3	6	8	11	15	25
B. *Operated*	3114	13.6	132	3	4	10	16	26	37	69
1. SINGLE DX	728	6.1	18	2	2	5	8	11	14	21
2. MULTIPLE DX	8822	9.1	74	3	3	7	11	17	24	49
A. NOT OPERATED	6223	6.5	24	2	3	5	8	11	14	25
B. OPERATED	3327	13.3	126	3	4	10	16	25	36	68
TOTAL 65-69 YRS	2099	8.0	69	2	3	6	9	15	21	52
70-74	2208	8.2	60	2	3	6	9	15	21	46
75-79	2100	9.1	71	3	3	7	11	17	24	52
80-84	1554	9.7	74	3	3	7	12	19	26	44
85+	1589	9.9	76	3	4	7	12	19	24	47
GRAND TOTAL	**9550**	**8.9**	**70**	**2**	**3**	**7**	**10**	**17**	**23**	**48**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.5	7	1	1	4	7	8	10	11
70-74	13	5.5	16	1	1	4	8	12	14	14
75-79	3	8.7	66	3	3	5	15	18	18	18
80-84	5	6.4	5	3	3	6	8	9	9	9
85+	6	4.8	5	3	3	4	7	8	8	8
B. *Operated*										
65-69 YRS	28	9.1	13	3	5	9	10	14	18	19
70-74	18	8.8	11	4	5	8	10	14	15	16
75-79	15	13.5	62	4	6	12	17	29	29	29
80-84	3	8.3	36	2	2	9	13	14	14	14
85+	9	12.2	40	2	3	15	16	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	6.6	16	2	3	6	8	11	16	22
70-74	118	6.9	18	3	3	6	8	13	16	23
75-79	102	7.3	21	2	3	6	8	13	16	26
80-84	108	8.1	43	3	3	7	9	14	19	38
85+	92	9.6	69	3	3	7	12	16	21	52
B. *Operated*										
65-69 YRS	184	13.8	93	4	5	12	17	25	35	51
70-74	214	17.5	224	4	5	14	21	36	49	81
75-79	173	15.7	143	3	4	13	21	28	43	76
80-84	131	15.8	162	4	5	13	19	33	41	98
85+	104	15.7	122	5	6	12	20	31	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.4	13	1	2	4	7	10	12	18
B. *Operated*	73	10.3	29	3	5	9	13	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	518	7.6	33	3	3	6	9	14	17	29
B. *Operated*	806	15.7	155	4	5	13	20	31	41	74
1. SINGLE DX	114	8.5	29	2	3	7	11	16	18	29
2. MULTIPLE DX	1324	12.6	123	3	4	9	16	24	34	61
A. NOT OPERATED	559	7.5	32	3	3	6	9	13	17	29
B. OPERATED	879	15.3	146	4	5	12	19	29	39	70
TOTAL 65-69 YRS	324	10.8	71	3	4	8	13	20	26	47
70-74	363	13.2	166	3	4	9	16	25	37	76
75-79	293	12.6	111	3	4	10	16	24	32	63
80-84	247	12.1	120	3	4	9	15	25	34	65
85+	211	12.6	102	3	4	10	16	25	34	58
GRAND TOTAL	**1438**	**12.3**	**116**	**3**	**4**	**9**	**15**	**24**	**33**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	2.9	2	<1	1	3	4	5	6	8
70-74	79	3.4	5	<1	1	3	4	7	8	11
75-79	58	2.5	4	<1	1	2	3	6	7	10
80-84	37	3.6	7	<1	<1	3	5	7	9	12
85+	30	3.4	8	<1	<1	3	4	7	10	13
B. *Operated*										
65-69 YRS	25	3.7	11	<1	<1	2	6	8	11	12
70-74	20	3.7	9	<1	<1	3	5	9	10	11
75-79	17	5.8	34	<1	<1	4	8	17	18	18
80-84	9	3.9	7	<1	<1	4	6	7	8	8
85+	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1884	4.9	14	1	2	4	6	9	11	19
70-74	1923	5.2	16	1	2	4	6	10	12	21
75-79	1672	5.6	19	2	2	5	7	10	13	22
80-84	1327	5.8	26	2	2	5	7	10	13	26
85+	1151	6.4	28	2	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	599	7.5	40	2	3	6	9	13	18	36
70-74	601	8.4	58	2	3	7	10	15	21	33
75-79	541	8.3	47	2	3	7	10	16	20	31
80-84	374	9.0	43	2	3	7	12	17	23	34
85+	260	10.9	106	3	4	8	12	20	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	3.1	4	<1	1	3	4	6	8	11
B. *Operated*	74	4.2	15	<1	<1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	7957	5.5	19	2	2	4	7	10	13	22
B. *Operated*	2375	8.5	55	2	3	7	10	16	22	38
1. SINGLE DX	391	3.3	7	<1	<1	3	4	6	8	13
2. MULTIPLE DX	10332	6.2	29	2	2	5	7	11	15	26
A. NOT OPERATED	8274	5.4	19	1	2	4	7	10	13	22
B. OPERATED	2449	8.4	54	2	3	7	10	15	21	37
TOTAL 65-69 YRS	2621	5.4	21	1	2	4	6	10	13	24
70-74	2623	5.9	27	1	2	5	7	11	14	25
75-79	2288	6.1	27	2	2	5	7	11	15	25
80-84	1747	6.4	31	2	2	5	8	12	16	28
85+	1444	7.1	44	2	2	6	8	13	17	41
GRAND TOTAL	**10723**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	2.6	4	<1	<1	2	3	4	8	9
70-74	28	3.2	9	<1	1	2	4	8	11	12
75-79	14	4.6	40	1	1	2	4	11	22	25
80-84	16	3.5	9	<1	1	3	4	8	11	12
85+	10	2.4	2	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	5	4.4	18	<1	<1	2	8	10	10	10
70-74	11	9.0	23	3	4	7	11	16	20	20
75-79	10	13.4	12	9	9	12	17	18	18	18
80-84	4	9.3	38	3	3	9	14	15	15	15
85+	5	12.0	327	1	1	4	17	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	415	4.9	13	1	2	4	6	9	11	20
70-74	421	5.6	21	1	2	4	7	11	14	21
75-79	354	5.9	20	1	2	5	8	12	14	22
80-84	300	5.9	32	1	2	5	7	11	15	43
85+	230	7.3	84	2	2	5	9	13	16	52
B. *Operated*										
65-69 YRS	224	14.4	182	3	4	11	17	29	41	88
70-74	269	14.1	151	2	3	11	18	30	40	63
75-79	242	14.0	163	3	3	11	18	31	43	68
80-84	134	12.7	99	2	3	10	17	25	30	48
85+	114	15.5	190	3	5	11	18	35	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.2	12	<1	1	2	4	7	10	20
B. *Operated*	35	10.1	63	<1	2	9	14	18	20	44
2. MULTIPLE DX										
A. *Not Operated*	1720	5.8	30	1	2	4	7	11	14	24
B. *Operated*	983	14.1	158	2	3	11	18	30	40	67
1. SINGLE DX	128	5.1	35	<1	1	3	7	12	16	29
2. MULTIPLE DX	2703	8.8	93	1	2	6	11	18	26	53
A. NOT OPERATED	1813	5.6	29	1	2	4	7	11	14	24
B. OPERATED	1018	14.0	155	2	3	11	17	29	40	66
TOTAL 65-69 YRS	669	8.0	90	1	2	5	10	16	25	52
70-74	729	8.7	86	1	2	6	11	19	27	54
75-79	620	9.2	92	1	2	6	12	19	28	55
80-84	454	7.9	60	1	2	6	10	17	23	45
85+	359	9.8	134	1	2	6	11	20	31	61
GRAND TOTAL	**2831**	**8.6**	**91**	**1**	**2**	**6**	**10**	**18**	**26**	**53**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	146	4.2	3	2	3	4	5	7	7	10
70-74	82	4.4	3	2	3	4	5	6	7	12
75-79	43	4.8	4	2	3	4	6	8	9	10
80-84	21	5.5	5	2	3	5	7	9	10	11
85+	15	4.5	9	2	2	3	5	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.3	23	1	1	4	6	13	17	17
70-74	6	4.5	12	1	1	4	5	10	11	11
75-79	4	4.3	2	3	3	4	5	6	6	6
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	3	13.7	177	5	5	7	23	29	29	29
B. *Operated*										
65-69 YRS	225	6.2	12	2	3	5	8	11	13	18
70-74	165	7.5	22	3	3	6	9	13	17	22
75-79	88	6.6	19	3	3	6	8	11	13	30
80-84	47	10.9	49	4	4	9	12	21	25	37
85+	33	10.8	153	2	3	8	12	18	19	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	307	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.9	34	1	2	5	6	11	20	29
B. *Operated*	558	7.3	30	3	3	6	9	13	16	27
1. SINGLE DX	309	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX	583	7.2	30	3	3	6	9	13	17	28
A. NOT OPERATED	27	5.7	32	1	2	5	6	10	19	29
B. OPERATED	865	6.3	22	2	3	5	7	11	14	22
TOTAL 65-69 YRS	380	5.4	10	2	3	5	7	9	11	16
70-74	255	6.4	18	3	3	5	8	11	14	20
75-79	135	5.9	15	3	3	5	7	9	11	23
80-84	71	9.0	41	3	4	7	11	16	22	36
85+	51	9.1	118	2	3	7	10	17	19	74
GRAND TOTAL	**892**	**6.3**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**22**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	11	2	2	5	8	11	11	11
70-74	5	7.4	20	3	3	6	9	15	15	15
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	153	7.9	11	4	4	7	9	11	14	20
70-74	81	7.7	15	4	4	7	9	11	14	26
75-79	51	9.5	21	4	5	8	11	15	21	23
80-84	22	7.3	9	3	4	7	9	11	13	15
85+	12	9.0	17	3	4	8	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	9.6	15	5	5	9	12	15	17	18
70-74	15	10.3	18	4	5	10	13	17	18	19
75-79	12	7.5	25	<1	1	7	11	15	16	16
80-84	6	15.7	296	6	6	8	16	47	50	50
85+	5	10.0	16	7	7	9	11	17	17	17
B. *Operated*										
65-69 YRS	468	11.6	60	5	6	10	13	21	26	40
70-74	427	12.2	81	5	6	10	14	21	26	49
75-79	248	12.8	83	5	6	11	14	21	28	61
80-84	164	12.9	58	6	6	10	15	25	28	42
85+	99	14.7	89	7	8	12	16	25	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.5	15	2	3	7	9	14	15	15
B. *Operated*	319	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	51	10.1	51	3	4	8	13	16	18	50
B. *Operated*	1406	12.4	73	5	6	10	14	21	27	48
1. SINGLE DX	332	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX	1457	12.3	72	5	6	10	14	21	27	49
A. NOT OPERATED	64	9.6	44	3	4	8	12	16	17	46
B. OPERATED	1725	11.6	65	5	6	9	13	20	26	45
TOTAL 65-69 YRS	639	10.6	50	4	5	9	12	18	23	38
70-74	528	11.4	71	4	5	9	13	19	25	45
75-79	313	12.0	73	5	6	10	14	20	27	58
80-84	193	12.4	62	5	6	10	15	23	28	43
85+	116	13.9	82	6	7	11	15	23	31	57
GRAND TOTAL	**1789**	**11.5**	**64**	**5**	**5**	**9**	**13**	**20**	**26**	**45**

1463 Hospitals, United States, January-December 1986

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.3	7	3	3	4	7	9	9	9
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.7	6	2	2	4	6	8	10	10
70-74	11	4.5	4	2	2	4	5	8	9	9
75-79	5	5.2	5	3	3	4	7	8	8	8
80-84	2	7.5	5	6	6	7	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	5.5	23	1	1	4	9	12	12	12
70-74	6	2.8	4	1	1	2	4	6	6	6
75-79	7	6.3	24	1	1	6	7	14	16	16
80-84	5	5.2	8	3	3	4	6	10	10	10
85+	4	6.3	15	2	2	6	9	10	10	10
B. *Operated*										
65-69 YRS	36	8.3	29	2	3	7	10	16	21	23
70-74	18	8.0	22	2	3	7	10	13	19	22
75-79	14	10.2	60	3	4	8	13	23	28	30
80-84	6	12.7	41	5	5	13	15	22	23	23
85+	3	13.3	8	10	10	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	6	2	2	4	5	9	9	9
B. *Operated*	30	4.9	5	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	26	5.2	14	1	1	4	7	10	13	16
B. *Operated*	77	9.1	34	3	3	8	11	16	22	28
1. SINGLE DX	36	4.8	5	2	2	4	6	9	9	10
2. MULTIPLE DX	103	8.1	32	2	3	7	10	15	21	26
A. NOT OPERATED	32	5.0	13	1	1	4	7	10	12	16
B. OPERATED	107	7.9	29	2	3	7	10	15	21	26
TOTAL 65-69 YRS	56	7.1	24	2	3	6	10	14	19	23
70-74	35	6.0	18	1	2	5	8	11	13	22
75-79	28	7.8	42	2	2	6	9	16	23	30
80-84	13	9.0	33	3	4	7	13	17	22	23
85+	7	9.3	25	2	2	10	14	15	15	15
GRAND TOTAL	**139**	**7.3**	**27**	**2**	**2**	**6**	**10**	**14**	**18**	**24**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.9	8	1	1	1	5	8	8	8
70-74	16	1.9	2	1	1	2	3	3	5	6
75-79	6	3.2	1	2	2	3	4	4	4	4
80-84	4	2.3	1	<1	<1	2	3	3	3	3
85+	9	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
65-69 YRS	2075	2.5	2	1	1	2	3	4	5	7
70-74	1674	2.5	2	<1	1	2	3	4	5	7
75-79	1197	2.7	3	1	1	3	3	5	6	7
80-84	616	2.7	2	1	1	3	4	5	5	8
85+	294	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	2.7	9	<1	<1	1	4	6	7	18
70-74	64	2.5	7	<1	<1	2	3	5	8	13
75-79	62	3.3	16	<1	<1	2	3	9	12	19
80-84	53	3.8	23	<1	<1	2	5	8	11	30
85+	35	4.2	24	<1	1	2	5	9	16	23
B. *Operated*										
65-69 YRS	3884	3.3	6	1	1	3	4	6	7	13
70-74	3707	3.5	9	1	1	3	4	6	8	13
75-79	2824	3.9	11	1	1	3	5	7	9	16
80-84	1647	4.3	13	1	1	3	5	8	10	19
85+	815	4.8	15	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	5856	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	290	3.2	14	<1	<1	2	4	7	10	20
B. *Operated*	12877	3.7	10	1	1	3	4	7	9	15
1. SINGLE DX	5902	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	13167	3.7	10	1	1	3	4	7	9	15
A. NOT OPERATED	336	3.1	13	<1	<1	2	4	7	10	19
B. OPERATED	18733	3.4	8	1	1	3	4	6	8	13
TOTAL 65-69 YRS	6046	3.0	5	1	1	3	4	5	6	11
70-74	5461	3.2	7	1	1	3	4	6	7	12
75-79	4089	3.5	9	1	1	3	4	6	8	14
80-84	2320	3.8	11	1	1	3	5	7	9	17
85+	1153	4.3	13	1	1	4	5	8	11	18
GRAND TOTAL	**19069**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	1.3		<1	<1	1	2	2	2	2
70-74	5	2.8	6	1	1	2	4	7	7	7
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	5	3.4	10	1	1	2	4	9	9	9
85+	12	2.9	3	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	170	3.4	5	1	1	3	4	6	7	9
70-74	162	3.7	4	1	2	3	5	6	7	11
75-79	145	3.8	8	1	1	3	5	7	8	14
80-84	107	4.3	12	1	1	4	5	7	9	21
85+	118	4.6	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.5	16	<1	1	3	6	9	14	15
70-74	17	5.8	130	1	1	2	5	9	35	49
75-79	27	4.0	9	1	1	3	6	9	10	11
80-84	25	4.5	23	<1	1	3	5	10	16	22
85+	52	4.5	20	1	1	2	6	12	16	19
B. *Operated*										
65-69 YRS	467	5.7	26	1	2	4	7	11	15	27
70-74	557	6.2	42	1	2	4	7	12	16	35
75-79	628	7.0	46	2	2	5	8	14	17	40
80-84	542	7.8	44	2	2	6	10	15	21	31
85+	536	8.5	54	2	3	7	10	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	702	3.9	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	134	4.6	31	1	1	3	6	10	14	26
B. *Operated*	2730	7.0	44	2	2	5	9	14	18	33
1. SINGLE DX	735	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	2864	6.9	44	1	2	5	8	14	18	33
A. NOT OPERATED	167	4.1	26	1	1	2	5	9	13	21
B. OPERATED	3432	6.4	38	1	2	5	8	12	17	31
TOTAL 65-69 YRS	658	5.0	21	1	1	4	6	9	14	27
70-74	741	5.6	36	1	2	4	6	11	15	30
75-79	803	6.3	39	1	2	5	7	12	17	34
80-84	679	7.1	40	1	2	5	9	14	20	30
85+	718	7.4	46	1	2	6	9	14	19	33
GRAND TOTAL	**3599**	**6.3**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**30**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	65	2.7	2	1	1	2	3	5	6	7
70-74	37	2.3	3	<1	<1	2	3	4	5	10
75-79	25	2.6	2	<1	1	2	3	5	6	6
80-84	10	3.4	2	1	1	3	5	5	5	5
85+	14	3.9	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	2.0	2	<1	<1	2	3	4	4	4
70-74	11	3.8	6	<1	1	3	6	7	8	8
75-79	4	3.5	6	1	1	3	5	6	6	6
80-84	5	4.4	8	2	2	3	6	9	9	9
85+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
65-69 YRS	176	4.1	18	1	1	3	5	7	10	15
70-74	108	4.0	10	1	1	3	5	8	10	19
75-79	79	4.2	7	1	1	4	5	8	10	13
80-84	35	4.6	9	1	2	4	6	8	11	12
85+	22	5.6	33	<1	1	4	7	9	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	151	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	28	3.5	6	<1	1	3	5	7	8	9
B. *Operated*	420	4.2	14	1	1	3	5	8	10	16
1. SINGLE DX	154	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	448	4.2	13	1	1	3	5	8	10	15
A. NOT OPERATED	31	3.3	6	<1	1	2	5	7	8	9
B. OPERATED	571	3.8	11	1	1	3	5	7	9	14
TOTAL 65-69 YRS	248	3.6	14	1	1	3	5	6	8	13
70-74	156	3.6	8	<1	1	3	5	7	9	17
75-79	110	3.7	6	1	1	3	5	7	8	12
80-84	50	4.3	7	1	2	4	6	8	10	12
85+	38	4.9	21	1	1	4	7	9	10	28
GRAND TOTAL	**602**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.3	3	1	1	2	4	5	5	5
70-74	5	2.2	5	1	1	1	3	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	435	4.0	5	1	1	4	5	7	8	10
70-74	340	4.1	5	1	1	4	5	7	8	11
75-79	193	4.6	6	1	2	5	6	8	8	11
80-84	88	4.5	6	1	1	4	6	8	9	12
85+	35	4.6	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	3.7	19	<1	<1	2	5	8	12	24
70-74	38	3.3	8	<1	<1	2	5	7	8	12
75-79	33	3.5	4	<1	1	4	5	7	7	7
80-84	25	4.6	12	<1	1	4	7	9	12	14
85+	19	3.8	5	2	2	3	5	7	9	10
B. *Operated*										
65-69 YRS	1132	6.0	19	1	2	5	7	10	13	21
70-74	1023	6.2	24	2	2	5	7	11	14	24
75-79	646	6.3	15	2	2	5	8	11	13	19
80-84	251	6.7	23	1	2	6	9	11	15	22
85+	137	8.1	67	2	2	6	10	14	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.6	4	1	1	2	4	6	7	7
B. *Operated*	1091	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	163	3.7	11	<1	1	3	5	7	9	16
B. *Operated*	3189	6.2	22	2	2	5	8	11	14	23
1. SINGLE DX	1106	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX	3352	6.1	22	1	2	5	8	11	14	23
A. NOT OPERATED	178	3.6	10	<1	1	3	5	7	9	15
B. OPERATED	4280	5.7	19	1	2	5	7	10	13	20
TOTAL 65-69 YRS	1622	5.3	16	1	2	5	7	9	11	19
70-74	1406	5.6	20	1	2	5	7	10	13	21
75-79	873	5.8	13	1	2	5	7	10	13	19
80-84	365	6.0	19	1	2	5	8	10	14	21
85+	192	7.1	52	2	2	5	9	13	17	41
GRAND TOTAL	**4458**	**5.6**	**18**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	3.2	2	1	1	3	4	5	6	8
70-74	18	3.5	4	1	2	3	4	6	8	9
75-79	15	3.8	6	<1	1	3	6	7	8	8
80-84	9	3.1	5	<1	<1	3	4	7	8	8
85+	10	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*										
65-69 YRS	18	6.6	8	1	2	7	8	11	12	12
70-74	12	6.7	9	2	3	7	8	11	12	12
75-79	9	6.9	3	4	4	7	8	9	9	9
80-84	4	7.8	34	1	1	8	12	14	14	14
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	510	4.2	8	1	1	4	5	7	8	16
70-74	610	4.4	9	1	2	4	5	7	10	15
75-79	499	4.7	9	2	2	4	6	8	10	15
80-84	364	5.1	10	2	2	4	6	9	11	18
85+	308	5.5	14	2	2	5	7	9	12	21
B. *Operated*										
65-69 YRS	283	8.2	27	2	3	7	10	15	17	36
70-74	254	9.9	55	3	3	8	12	17	23	42
75-79	166	9.8	58	2	2	8	13	20	23	38
80-84	88	9.7	43	3	4	8	12	19	22	34
85+	57	10.6	64	2	2	8	15	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.4	4	1	1	3	4	6	8	9
B. *Operated*	44	6.8	9	2	3	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	2291	4.7	10	1	2	4	6	8	10	16
B. *Operated*	848	9.4	46	2	3	8	11	17	22	37
1. SINGLE DX	120	4.6	8	1	1	4	7	8	10	13
2. MULTIPLE DX	3139	5.9	24	1	2	5	7	11	15	25
A. NOT OPERATED	2367	4.6	10	1	2	4	6	8	10	16
B. OPERATED	892	9.2	44	2	3	8	11	17	22	37
TOTAL 65-69 YRS	835	5.6	18	1	2	5	7	10	13	23
70-74	894	6.0	28	1	2	5	7	11	16	26
75-79	689	5.9	25	2	2	4	7	11	15	25
80-84	465	5.9	20	1	2	5	7	11	14	23
85+	376	6.3	24	2	2	5	7	12	16	28
GRAND TOTAL	**3259**	**5.9**	**23**	**1**	**2**	**5**	**7**	**11**	**15**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	54	3.2	7	1	1	2	4	6	8	17
70-74	44	2.4	1	1	1	2	3	4	5	5
75-79	33	2.8	5	1	1	2	3	6	7	12
80-84	15	3.9	11	1	2	3	4	6	13	15
85+	13	3.2	6	<1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	3	2	2	4	5	6	6	6
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	5	7.4	50	1	1	4	14	16	16	16
80-84	9	3.3	6	1	1	3	5	7	8	8
85+	10	9.1	24	3	3	8	13	16	16	16
B. *Operated*										
65-69 YRS	98	4.7	11	1	2	4	6	9	11	18
70-74	106	4.7	16	1	1	4	6	9	14	21
75-79	101	4.5	15	1	1	3	5	9	12	20
80-84	62	6.4	39	1	1	5	8	13	22	31
85+	35	6.0	22	1	2	4	8	15	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	159	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	34	5.6	22	1	1	4	6	14	16	16
B. *Operated*	402	5.0	19	1	1	4	6	9	14	22
1. SINGLE DX	162	3.0	6	1	1	2	3	5	7	15
2. MULTIPLE DX	436	5.1	19	1	1	4	6	10	15	22
A. NOT OPERATED	37	5.3	21	1	1	4	6	14	16	16
B. OPERATED	561	4.4	16	1	1	3	5	8	13	21
TOTAL 65-69 YRS	158	4.2	10	1	1	3	5	8	10	17
70-74	156	4.0	13	1	1	3	5	7	13	21
75-79	139	4.2	14	1	1	3	5	9	13	20
80-84	87	5.6	32	1	1	4	7	12	17	30
85+	58	5.9	22	1	1	4	8	14	16	22
GRAND TOTAL	**598**	**4.5**	**16**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.4	5	1	1	3	4	6	9	10
70-74	11	3.7	6	1	1	3	6	7	8	8
75-79	9	2.2	2	1	1	2	3	5	5	5
80-84	4	3.5	1	3	3	3	4	5	5	5
85+	14	4.9	7	1	1	5	6	8	10	10
B. *Operated*										
65-69 YRS	201	4.5	11	1	1	4	6	8	10	19
70-74	226	4.9	9	1	2	4	7	10	11	14
75-79	159	5.3	12	1	2	4	7	10	12	17
80-84	94	5.6	13	1	2	5	7	10	13	17
85+	76	6.4	17	2	2	5	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	4.5	9	1	2	4	6	8	11	15
70-74	65	5.0	17	1	2	4	6	8	10	26
75-79	100	5.5	14	2	2	5	7	10	12	20
80-84	76	5.9	81	1	2	4	7	9	11	62
85+	96	6.1	16	2	2	5	8	12	15	18
B. *Operated*										
65-69 YRS	768	8.5	56	2	3	7	10	16	23	44
70-74	740	9.0	51	2	3	7	11	17	22	44
75-79	731	9.5	63	2	3	8	12	17	24	44
80-84	598	11.3	76	3	4	9	14	21	29	49
85+	497	12.1	79	3	4	10	15	24	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	5	1	1	3	5	7	8	10
B. *Operated*	756	5.1	12	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	405	5.5	27	1	2	4	7	10	12	20
B. *Operated*	3334	9.9	65	2	3	8	12	19	25	47
1. SINGLE DX	812	5.0	11	1	2	4	7	10	11	17
2. MULTIPLE DX	3739	9.4	63	2	3	7	12	18	24	45
A. NOT OPERATED	461	5.2	24	1	2	4	6	10	12	20
B. OPERATED	4090	9.0	58	2	3	7	11	17	24	43
TOTAL 65-69 YRS	1055	7.4	47	1	2	6	9	14	21	38
70-74	1042	7.8	43	2	2	6	10	15	20	36
75-79	999	8.4	53	2	3	7	10	16	21	38
80-84	772	10.0	74	2	3	8	12	19	26	47
85+	683	10.5	69	2	3	8	13	20	26	41
GRAND TOTAL	**4551**	**8.6**	**56**	**2**	**2**	**7**	**11**	**17**	**22**	**42**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	415	4.1	8	1	1	3	5	7	9	15
70-74	376	3.9	5	1	1	4	5	7	8	12
75-79	308	4.4	7	1	2	4	6	8	10	12
80-84	215	4.5	10	1	2	4	6	8	10	16
85+	183	5.1	18	1	2	4	6	9	13	19
B. *Operated*										
65-69 YRS	155	10.8	25	5	6	10	13	17	21	28
70-74	146	10.4	24	5	6	9	13	16	20	32
75-79	98	10.9	39	5	6	9	13	17	25	37
80-84	92	11.7	39	6	7	10	13	19	22	42
85+	69	12.3	39	4	6	11	15	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2203	5.9	20	2	2	5	7	11	14	25
70-74	2497	6.3	22	2	2	5	8	11	14	23
75-79	2438	6.5	25	2	2	5	8	12	15	25
80-84	2052	7.0	27	2	2	6	9	13	16	26
85+	2163	7.9	44	2	3	6	10	14	19	33
B. *Operated*										
65-69 YRS	1517	15.5	133	5	7	12	18	28	37	73
70-74	1694	15.6	117	6	7	13	18	28	38	61
75-79	1569	16.1	124	6	7	13	19	29	39	84
80-84	1205	16.3	118	6	7	14	20	29	37	79
85+	1022	16.2	88	6	8	14	19	28	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1497	4.3	9	1	1	4	5	8	10	15
B. *Operated*	560	11.1	31	5	6	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	11353	6.7	28	2	2	5	8	12	15	27
B. *Operated*	7007	15.9	118	6	7	13	19	28	37	66
1. SINGLE DX	2057	6.1	24	1	2	5	8	12	15	25
2. MULTIPLE DX	18360	10.2	82	2	3	8	13	20	27	49
A. NOT OPERATED	12850	6.4	26	2	2	5	8	12	15	26
B. OPERATED	7567	15.6	113	6	7	13	18	27	36	64
TOTAL 65-69 YRS	4290	9.3	81	2	2	7	12	18	25	45
70-74	4713	9.6	77	2	3	7	12	19	25	47
75-79	4413	9.9	81	2	3	7	12	20	27	50
80-84	3564	10.1	78	2	3	8	13	20	26	46
85+	3437	10.3	71	2	3	8	13	20	26	43
GRAND TOTAL	**20417**	**9.8**	**78**	**2**	**3**	**7**	**12**	**19**	**26**	**46**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	223	2.7	4	1	1	2	3	5	6	13
70-74	177	3.0	6	1	1	2	4	5	7	12
75-79	159	3.0	3	1	1	2	4	6	7	10
80-84	116	3.3	4	1	1	3	4	6	7	9
85+	108	3.3	5	1	1	2	4	7	8	11
B. *Operated*										
65-69 YRS	24	7.4	29	2	2	6	9	17	19	20
70-74	13	6.5	11	2	3	7	9	11	12	12
75-79	5	6.8	16	<1	<1	6	10	11	11	11
80-84	7	8.4	37	2	2	5	14	17	17	17
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2401	4.8	17	1	2	4	6	9	11	19
70-74	2682	4.8	14	1	2	4	6	8	11	19
75-79	2569	5.3	24	1	2	4	6	10	13	23
80-84	2116	5.4	24	2	2	4	7	10	12	26
85+	2025	5.8	28	2	2	5	7	11	14	22
B. *Operated*										
65-69 YRS	359	9.9	93	2	3	7	12	19	25	57
70-74	399	10.7	91	2	3	8	13	22	28	49
75-79	343	11.8	108	2	4	9	14	22	34	54
80-84	259	11.8	91	3	4	9	15	23	30	55
85+	203	11.9	88	3	4	9	15	22	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	3.0	4	1	1	2	4	6	7	11
B. *Operated*	50	7.1	23	2	2	6	10	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	11793	5.2	21	1	2	4	6	9	12	22
B. *Operated*	1563	11.1	95	2	3	8	14	21	29	55
1. SINGLE DX	833	3.3	6	1	1	2	4	6	8	15
2. MULTIPLE DX	13356	5.9	33	1	2	4	7	11	15	29
A. NOT OPERATED	12576	5.1	20	1	2	4	6	9	12	21
B. OPERATED	1613	11.0	93	2	3	8	14	21	29	55
TOTAL 65-69 YRS	3007	5.3	28	1	2	4	6	10	13	25
70-74	3271	5.4	27	1	2	4	6	10	14	28
75-79	3076	5.9	37	1	2	4	7	11	15	30
80-84	2498	6.0	34	2	2	4	7	11	15	31
85+	2337	6.2	35	2	2	5	7	12	15	27
GRAND TOTAL	**14189**	**5.7**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	497	4.8	6	1	2	4	6	8	9	13
70-74	432	4.8	5	1	2	5	6	8	9	13
75-79	334	4.8	7	1	2	4	6	8	10	14
80-84	200	4.5	6	<1	1	4	6	8	9	12
85+	177	4.6	10	<1	1	4	6	8	11	15
B. *Operated*										
65-69 YRS	152	9.6	17	3	5	9	11	15	16	23
70-74	103	10.2	19	3	5	9	12	16	19	23
75-79	63	11.2	17	5	6	10	13	17	19	21
80-84	32	11.6	26	7	7	10	14	16	20	32
85+	14	10.9	37	2	2	10	14	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2459	5.7	11	2	2	5	7	10	12	18
70-74	2756	5.9	14	2	2	5	7	10	12	20
75-79	2855	6.3	20	2	2	5	8	11	13	22
80-84	2534	6.6	24	2	3	6	8	12	15	25
85+	2616	7.1	30	2	3	6	9	12	16	30
B. *Operated*										
65-69 YRS	1624	13.5	91	4	5	11	16	24	31	59
70-74	1591	13.2	82	3	5	11	16	23	31	54
75-79	1454	14.0	104	4	5	11	17	25	33	57
80-84	977	15.0	128	4	5	12	18	27	36	76
85+	700	14.5	120	3	4	12	19	29	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1640	4.7	7	1	2	4	6	8	9	13
B. *Operated*	364	10.3	19	3	6	10	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	13220	6.3	20	2	2	5	8	11	14	23
B. *Operated*	6346	13.9	101	4	5	11	17	25	33	58
1. SINGLE DX	2004	5.7	13	1	2	5	7	10	13	17
2. MULTIPLE DX	19566	8.8	59	2	3	7	11	17	22	42
A. NOT OPERATED	14860	6.1	19	2	2	5	7	11	13	22
B. OPERATED	6710	13.7	97	4	5	11	16	24	32	57
TOTAL 65-69 YRS	4732	8.4	53	2	3	7	10	15	21	37
70-74	4882	8.3	48	2	3	6	10	16	21	37
75-79	4706	8.6	59	2	3	7	11	16	22	41
80-84	3743	8.7	64	2	3	7	11	17	23	42
85+	3507	8.5	56	2	3	6	10	16	23	42
GRAND TOTAL	**21570**	**8.5**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.3	4	<1	<1	4	5	5	5	5
70-74	5	2.2	2	<1	<1	2	3	4	4	4
75-79	6	2.3	1	1	1	2	3	4	4	4
80-84	3	3.0	4	<1	<1	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	157	2.7	8	<1	1	2	3	4	5	13
70-74	103	2.8	6	<1	1	2	3	5	8	13
75-79	50	3.1	8	1	1	3	4	6	8	17
80-84	29	3.3	6	1	1	3	4	6	9	12
85+	12	4.8	15	1	1	4	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	6.1	38	<1	1	5	8	10	18	39
70-74	54	6.2	27	2	2	5	7	11	16	31
75-79	34	6.7	37	1	2	5	7	15	16	31
80-84	23	7.6	113	1	2	5	7	14	30	53
85+	23	9.0	29	2	3	9	13	18	44	99+
B. *Operated*										
65-69 YRS	693	4.8	34	1	1	3	5	10	13	29
70-74	465	5.4	39	1	1	3	6	12	18	29
75-79	300	6.4	60	1	1	4	7	14	21	43
80-84	126	7.2	55	1	1	5	8	16	23	39
85+	71	9.7	102	1	2	6	11	22	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*	351	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	189	6.8	43	1	2	5	8	14	18	48
B. *Operated*	1655	5.7	46	1	1	4	6	12	18	35
1. SINGLE DX	372	2.9	7	<1	1	2	3	5	6	14
2. MULTIPLE DX	1844	5.8	46	1	1	4	7	12	18	35
A. NOT OPERATED	210	6.4	40	1	2	5	7	13	18	45
B. OPERATED	2006	5.2	40	1	1	3	6	10	16	33
TOTAL 65-69 YRS	911	4.5	31	1	1	3	5	9	13	29
70-74	627	5.0	33	1	1	3	6	10	16	28
75-79	390	6.0	52	1	1	4	7	12	18	41
80-84	181	6.6	55	1	1	4	8	14	20	47
85+	107	8.9	78	1	2	6	11	20	30	72
GRAND TOTAL	**2216**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	3.7	7	<1	<1	3	5	8	9	11
70-74	151	3.1	6	<1	1	2	4	6	8	11
75-79	146	3.9	10	<1	<1	3	5	8	11	14
80-84	115	3.6	18	<1	1	3	4	6	8	22
85+	130	3.7	10	1	1	3	5	8	10	15
B. *Operated*										
65-69 YRS	169	6.4	24	1	1	6	9	13	15	25
70-74	160	5.8	23	<1	1	5	8	10	13	16
75-79	120	7.1	40	<1	1	6	10	13	19	33
80-84	79	7.0	21	1	1	6	10	13	16	19
85+	62	8.7	86	1	2	7	10	15	20	62
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1850	5.7	25	1	2	4	7	11	14	26
70-74	2054	6.1	27	1	2	5	8	12	15	25
75-79	2252	6.3	34	1	2	5	8	12	15	24
80-84	1894	6.6	43	1	2	5	8	13	17	31
85+	2305	6.5	34	1	2	5	8	13	17	31
B. *Operated*										
65-69 YRS	2081	12.1	140	2	3	9	15	25	35	78
70-74	2092	12.7	151	2	3	9	16	26	35	74
75-79	1788	13.5	149	2	3	10	16	27	36	74
80-84	1289	13.3	140	2	3	10	16	26	38	72
85+	1052	14.0	140	3	4	11	18	27	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	3.6	10	<1	1	3	5	7	9	13
B. *Operated*	590	6.7	33	<1	1	6	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	10355	6.2	33	1	2	5	8	12	16	28
B. *Operated*	8302	13.0	145	2	3	10	16	26	36	75
1. SINGLE DX	1317	5.0	23	<1	1	4	7	10	13	21
2. MULTIPLE DX	18657	9.2	94	1	2	6	11	19	26	56
A. NOT OPERATED	11082	6.1	32	1	2	5	8	12	15	27
B. OPERATED	8892	12.6	140	2	3	9	15	26	35	73
TOTAL 65-69 YRS	4285	8.8	91	1	2	6	10	18	26	53
70-74	4457	9.1	96	1	2	6	11	19	27	55
75-79	4306	9.2	94	1	2	7	11	18	26	54
80-84	3377	9.0	90	1	2	6	11	18	26	54
85+	3549	8.7	78	1	2	6	11	18	25	53
GRAND TOTAL	**19974**	**9.0**	**90**	**1**	**2**	**6**	**11**	**18**	**26**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.2	129	<1	1	4	7	15	39	44
70-74	6	10.0	74	4	4	7	9	25	27	27
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	16	3.4	7	1	1	2	6	8	8	8
70-74	9	3.4	14	1	1	2	5	10	12	12
75-79	3	3.0	3	1	1	4	4	4	4	4
80-84										
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	485	9.9	64	2	3	8	12	19	23	41
70-74	349	9.9	56	2	3	8	13	18	25	46
75-79	132	9.9	44	2	3	8	13	20	22	31
80-84	57	10.7	56	2	4	8	14	20	26	35
85+	14	9.9	18	5	6	8	13	16	18	19
B. *Operated*										
65-69 YRS	271	11.7	103	1	2	9	15	25	34	65
70-74	129	11.9	98	2	3	9	16	25	30	51
75-79	61	15.2	244	1	2	10	19	31	53	72
80-84	14	18.6	300	1	3	13	23	48	60	63
85+	3	9.7	4	8	8	9	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.1	98	1	1	6	8	17	35	44
B. *Operated*	29	3.7	10	1	1	2	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	1037	9.9	57	2	3	8	13	19	24	38
B. *Operated*	478	12.4	126	1	2	9	16	26	35	68
1. SINGLE DX	50	5.5	51	1	1	4	7	10	12	44
2. MULTIPLE DX	1515	10.7	80	2	3	8	14	21	28	51
A. NOT OPERATED	1058	9.9	58	2	3	8	13	19	24	40
B. OPERATED	507	11.9	124	1	2	8	16	25	34	68
TOTAL 65-69 YRS	785	10.3	79	2	3	8	13	20	27	50
70-74	493	10.3	68	2	3	8	13	20	27	46
75-79	197	11.5	111	1	3	9	14	22	28	62
80-84	72	12.2	109	2	4	9	15	22	34	59
85+	18	9.9	15	5	6	9	12	15	18	19
GRAND TOTAL	**1565**	**10.5**	**80**	**2**	**3**	**8**	**14**	**20**	**27**	**50**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	8	<1	<1	1	4	7	8	8
70-74	4	4.3	8	1	1	4	6	7	7	7
75-79	5	4.6	29	<1	<1	3	6	14	14	14
80-84	4	16.8	723	1	1	4	31	57	57	57
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	55	3.4	30	1	1	1	3	10	15	28
70-74	41	2.7	9	<1	<1	1	2	8	9	11
75-79	17	3.8	27	<1	1	2	4	8	17	22
80-84	11	8.2	198	1	1	2	10	31	45	46
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	282	9.2	71	2	2	8	11	16	23	44
70-74	326	8.9	36	2	3	8	11	17	20	33
75-79	256	9.2	52	2	3	7	11	19	26	37
80-84	151	9.9	58	2	3	8	13	19	21	28
85+	65	10.8	68	3	4	8	14	20	23	50
B. *Operated*										
65-69 YRS	337	9.3	105	1	1	7	13	21	29	46
70-74	322	8.9	64	1	1	7	13	20	24	40
75-79	211	10.2	86	1	1	8	15	23	28	44
80-84	104	11.8	81	1	2	9	16	21	28	48
85+	46	13.8	68	3	4	13	19	22	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.3	141	<1	<1	3	6	12	31	57
B. *Operated*	124	3.6	38	<1	1	1	3	9	13	33
2. MULTIPLE DX										
A. *Not Operated*	1080	9.3	54	2	3	8	12	18	22	36
B. *Operated*	1020	9.8	85	1	1	8	14	21	27	45
1. SINGLE DX	146	4.0	53	<1	1	1	4	10	14	46
2. MULTIPLE DX	2100	9.6	69	1	1	8	13	20	24	39
A. NOT OPERATED	1102	9.2	56	2	3	8	11	18	22	37
B. OPERATED	1144	9.2	84	1	1	7	13	21	26	45
TOTAL 65-69 YRS	682	8.7	86	1	1	7	11	19	26	45
70-74	693	8.5	49	1	1	7	11	18	21	33
75-79	489	9.4	67	1	1	7	13	21	27	38
80-84	270	10.6	81	1	2	8	15	20	24	55
85+	112	12.0	69	3	4	10	16	21	27	43
GRAND TOTAL	**2246**	**9.2**	**70**	**1**	**1**	**7**	**12**	**19**	**24**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.7	10	<1	1	4	6	9	11	12
70-74	16	5.1	16	1	1	4	7	9	14	16
75-79	12	4.3	8	<1	1	4	5	9	10	10
80-84	5	7.8	41	3	3	6	9	19	19	19
85+	4	6.0	17	1	1	6	9	11	11	11
B. *Operated*										
65-69 YRS	20	2.4	5	<1	1	2	3	5	8	10
70-74	23	4.3	20	<1	1	2	7	9	14	19
75-79	16	4.9	37	<1	<1	1	8	16	18	19
80-84	7	5.7	23	1	1	5	9	13	14	14
85+	4	6.0	13	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	612	8.7	62	2	3	7	10	16	22	42
70-74	471	9.0	69	2	3	7	11	17	23	49
75-79	358	9.2	51	2	3	7	12	18	22	34
80-84	222	9.5	60	2	3	7	12	18	22	45
85+	119	8.0	52	2	3	6	9	15	19	41
B. *Operated*										
65-69 YRS	222	12.7	118	1	2	10	17	28	36	49
70-74	196	12.2	122	1	2	9	16	27	35	64
75-79	153	14.8	150	2	3	11	21	30	38	63
80-84	70	14.8	151	2	3	12	18	30	42	63
85+	37	16.1	82	5	6	15	22	31	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.1	14	1	1	4	7	10	12	19
B. *Operated*	70	4.1	20	<1	1	2	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	1782	8.9	61	2	3	7	11	17	22	42
B. *Operated*	678	13.5	128	1	2	10	18	29	36	55
1. SINGLE DX	127	4.5	17	<1	1	3	7	10	13	19
2. MULTIPLE DX	2460	10.2	84	2	3	7	13	21	28	50
A. NOT OPERATED	1839	8.8	60	2	3	7	11	17	22	42
B. OPERATED	748	12.6	126	1	2	9	17	28	35	53
TOTAL 65-69 YRS	874	9.5	79	2	2	7	11	19	28	45
70-74	706	9.7	84	2	2	7	12	20	27	51
75-79	539	10.5	86	2	3	8	14	22	27	56
80-84	304	10.6	85	2	3	8	13	20	28	51
85+	164	9.7	68	2	3	7	13	20	27	38
GRAND TOTAL	**2587**	**9.9**	**82**	**2**	**3**	**7**	**12**	**20**	**27**	**50**

1463 Hospitals, United States, January-December 1986

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	2.8	3	1	1	2	3	5	6	9
70-74	119	3.4	4	1	1	3	5	6	7	8
75-79	108	3.5	8	1	1	3	4	7	9	16
80-84	69	4.3	5	2	2	4	5	8	9	11
85+	97	4.4	7	1	1	4	6	8	9	12
B. *Operated*										
65-69 YRS	1582	6.0	5	3	4	6	7	9	10	14
70-74	994	6.5	6	3	4	6	8	10	11	15
75-79	549	7.0	8	4	4	6	8	11	12	16
80-84	225	7.9	10	4	5	8	9	12	14	17
85+	140	8.8	18	3	4	8	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1143	4.8	11	1	2	4	6	9	10	18
70-74	1174	5.2	16	1	2	4	6	10	12	22
75-79	1129	5.9	23	1	2	5	7	11	13	24
80-84	904	6.3	23	2	2	5	8	11	14	28
85+	1057	6.9	27	2	2	6	8	12	15	27
B. *Operated*										
65-69 YRS	6729	8.7	29	4	4	7	10	14	17	29
70-74	5892	9.6	33	4	5	8	11	16	19	31
75-79	4252	10.7	45	4	5	9	13	18	22	37
80-84	2392	12.0	54	5	6	10	14	20	25	42
85+	1580	13.6	70	6	7	12	16	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	3.5	5	1	1	3	5	7	8	11
B. *Operated*	3490	6.6	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	5407	5.8	20	1	2	5	7	10	13	23
B. *Operated*	20845	10.1	41	4	5	8	12	17	21	35
1. SINGLE DX	4068	6.1	8	2	3	6	7	10	11	15
2. MULTIPLE DX	26252	9.2	40	3	4	8	11	16	20	33
A. NOT OPERATED	5985	5.6	19	1	2	5	7	10	13	22
B. OPERATED	24335	9.6	38	4	5	8	11	16	20	33
TOTAL 65-69 YRS	9639	7.7	25	3	4	7	9	13	16	25
70-74	8179	8.5	30	3	4	7	10	14	18	28
75-79	6038	9.4	41	3	4	8	11	16	20	33
80-84	3590	10.2	50	3	4	9	12	18	22	39
85+	2874	10.6	61	3	4	9	13	19	24	45
GRAND TOTAL	**30320**	**8.8**	**37**	**3**	**4**	**7**	**11**	**15**	**19**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	83	3.2	4	<1	1	3	4	6	7	9
70-74	42	3.1	5	1	1	3	4	6	8	10
75-79	44	4.0	13	1	2	3	5	6	7	25
80-84	29	3.9	4	1	2	3	5	7	7	8
85+	25	5.7	11	1	2	5	7	10	13	14
B. *Operated*										
65-69 YRS	95	7.0	21	3	4	7	8	10	12	31
70-74	67	7.1	7	3	4	7	8	11	12	14
75-79	36	7.6	17	3	4	7	9	12	13	25
80-84	17	8.5	16	4	5	8	10	13	18	20
85+	12	8.8	20	4	5	8	9	15	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	329	5.4	12	1	2	5	7	10	12	16
70-74	402	5.9	13	2	2	5	7	10	12	18
75-79	357	6.0	16	1	2	5	8	11	13	20
80-84	272	7.4	26	2	3	6	9	14	18	27
85+	325	7.8	24	2	3	7	10	13	16	23
B. *Operated*										
65-69 YRS	614	10.1	43	4	5	9	12	16	21	33
70-74	542	10.9	46	4	5	9	13	18	24	38
75-79	425	12.6	66	5	5	10	15	22	28	43
80-84	285	13.4	92	5	6	11	16	21	28	66
85+	200	14.6	81	6	7	12	17	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.7	7	1	1	3	5	7	8	13
B. *Operated*	227	7.3	16	3	4	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	1685	6.4	18	2	2	6	8	12	14	22
B. *Operated*	2066	11.7	61	4	5	10	14	20	26	42
1. SINGLE DX	450	5.5	15	1	2	5	7	10	12	20
2. MULTIPLE DX	3751	9.3	49	2	3	8	11	16	22	37
A. NOT OPERATED	1908	6.1	18	1	2	5	8	11	14	21
B. OPERATED	2293	11.3	58	4	5	9	13	19	25	41
TOTAL 65-69 YRS	1121	7.9	35	2	3	7	10	14	17	28
70-74	1053	8.4	36	2	3	7	10	14	19	33
75-79	862	9.2	52	2	3	8	11	17	23	39
80-84	603	10.1	67	2	3	8	13	18	22	40
85+	562	10.1	55	3	4	8	12	18	23	41
GRAND TOTAL	**4201**	**8.9**	**47**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.8	3	<1	1	4	5	6	6	6
70-74	20	4.4	11	1	1	3	6	8	12	15
75-79	14	3.9	5	<1	1	4	5	7	8	9
80-84	12	5.2	44	2	2	3	5	11	24	26
85+	17	4.8	9	<1	1	4	7	8	11	13
B. *Operated*										
65-69 YRS	104	7.0	28	1	1	7	9	12	15	31
70-74	104	7.6	23	1	1	8	10	13	15	22
75-79	94	7.3	30	1	1	7	11	16	18	22
80-84	46	6.5	26	1	1	5	10	15	16	17
85+	71	9.2	63	1	1	9	13	17	21	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	127	5.0	11	1	2	4	7	9	11	18
70-74	120	5.4	9	1	2	5	6	10	12	14
75-79	127	6.5	21	2	2	5	8	12	15	24
80-84	116	6.2	15	2	2	5	8	10	14	21
85+	163	7.2	21	2	3	6	9	14	16	23
B. *Operated*										
65-69 YRS	606	11.1	52	2	4	10	14	19	23	39
70-74	653	11.9	68	3	5	10	14	20	24	50
75-79	744	12.5	76	2	4	11	16	20	26	53
80-84	571	13.6	73	3	5	12	17	23	31	50
85+	544	14.2	103	3	5	12	17	24	29	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.4	13	1	1	4	5	7	9	23
B. *Operated*	419	7.5	33	1	1	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	653	6.1	17	2	2	5	8	11	14	20
B. *Operated*	3118	12.6	75	3	5	11	15	21	26	51
1. SINGLE DX	494	7.1	31	1	1	6	10	14	17	24
2. MULTIPLE DX	3771	11.5	71	2	3	10	14	20	25	47
A. NOT OPERATED	728	5.9	17	1	2	5	7	11	14	21
B. OPERATED	3537	12.0	73	2	4	11	15	21	26	49
TOTAL 65-69 YRS	849	9.6	49	1	2	8	12	17	21	37
70-74	897	10.3	60	2	3	9	13	18	23	43
75-79	979	11.1	70	2	3	10	14	19	24	47
80-84	745	11.8	70	2	3	11	15	21	27	42
85+	795	12.1	90	2	3	10	15	22	26	55
GRAND TOTAL	**4265**	**11.0**	**68**	**2**	**3**	**10**	**14**	**19**	**24**	**44**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.9	4	1	1	4	5	7	8	9
70-74	21	4.0	5	<1	1	3	5	8	8	9
75-79	13	5.8	20	1	3	5	6	10	18	20
80-84	14	3.9	6	<1	1	4	5	7	9	10
85+	17	3.8	4	1	1	4	5	6	8	9
B. *Operated*										
65-69 YRS	27	7.3	45	1	1	5	10	19	23	26
70-74	13	8.7	46	1	2	8	14	20	21	21
75-79	12	8.6	66	1	1	6	14	21	24	25
80-84	10	5.8	21	<1	<1	6	8	12	14	14
85+	7	6.4	26	1	1	4	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	175	6.2	16	2	2	5	8	12	14	20
70-74	206	6.6	19	2	2	6	8	11	14	25
75-79	183	6.9	23	1	2	6	9	13	15	22
80-84	171	6.9	14	2	3	6	9	11	14	21
85+	215	8.0	41	2	3	6	9	14	19	37
B. *Operated*										
65-69 YRS	281	11.5	74	1	2	10	16	21	28	49
70-74	286	13.6	98	2	3	12	17	27	34	52
75-79	274	12.0	67	1	3	11	16	22	25	38
80-84	212	13.8	102	3	4	12	17	23	27	54
85+	185	15.3	128	2	5	13	18	28	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.2	7	1	1	4	5	7	9	16
B. *Operated*	69	7.5	42	1	1	5	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*	950	6.9	23	2	2	6	9	12	15	24
B. *Operated*	1238	13.1	92	2	3	11	17	24	30	53
1. SINGLE DX	155	5.7	25	1	1	4	7	12	19	25
2. MULTIPLE DX	2188	10.4	71	2	3	8	13	20	25	45
A. NOT OPERATED	1036	6.7	23	2	2	6	8	12	15	23
B. OPERATED	1307	12.8	91	2	3	11	16	23	29	52
TOTAL 65-69 YRS	504	9.1	57	1	2	7	12	19	23	39
70-74	526	10.4	75	2	3	8	13	21	28	46
75-79	482	9.8	55	1	2	9	13	19	23	35
80-84	407	10.4	72	2	3	9	13	19	23	41
85+	424	11.0	92	2	3	8	13	21	29	53
GRAND TOTAL	**2343**	**10.1**	**70**	**2**	**2**	**8**	**13**	**20**	**25**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	158	5.4	15	1	2	5	7	9	11	23
70-74	126	5.6	14	2	2	5	6	10	12	20
75-79	84	5.4	15	1	2	5	7	9	10	25
80-84	66	5.3	9	1	2	5	7	9	11	14
85+	43	4.9	5	2	2	5	6	8	9	10
B. *Operated*										
65-69 YRS	25	7.1	35	<1	1	7	8	12	22	27
70-74	31	7.4	38	<1	<1	6	11	17	18	19
75-79	11	3.8	6	1	1	3	6	7	9	9
80-84	16	7.0	31	1	1	5	11	12	18	21
85+	4	8.8	23	2	2	10	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1201	6.8	21	2	3	6	8	12	16	24
70-74	1086	7.3	31	2	3	6	9	13	16	27
75-79	942	7.4	31	2	3	6	9	13	16	28
80-84	697	8.1	34	2	3	6	10	15	20	33
85+	626	8.2	30	3	4	7	10	14	17	31
B. *Operated*										
65-69 YRS	523	15.6	208	3	4	11	19	30	51	83
70-74	445	15.1	163	3	5	11	19	32	43	99+
75-79	365	14.1	125	2	4	12	17	28	36	71
80-84	265	15.9	163	3	5	12	20	30	42	67
85+	167	17.3	166	5	6	14	21	31	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	5.4	13	2	2	5	7	9	11	19
B. *Operated*	87	6.9	31	<1	1	6	9	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	4552	7.4	29	2	3	6	9	13	16	29
B. *Operated*	1765	15.4	169	3	5	12	19	30	44	81
1. SINGLE DX	564	5.6	16	1	2	5	7	10	12	21
2. MULTIPLE DX	6317	9.7	81	2	3	7	11	18	26	55
A. NOT OPERATED	5029	7.3	28	2	3	6	9	13	16	28
B. OPERATED	1852	15.0	166	2	4	11	18	29	43	80
TOTAL 65-69 YRS	1907	9.1	88	2	3	7	11	18	24	56
70-74	1688	9.2	77	2	3	7	11	17	25	54
75-79	1402	9.0	63	2	3	7	11	16	24	50
80-84	1044	9.9	78	2	3	7	12	20	28	53
85+	840	9.9	69	3	4	7	12	18	24	44
GRAND TOTAL	**6881**	**9.3**	**77**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	3.6	5	<1	1	3	5	7	9	11
70-74	119	3.9	7	<1	1	3	5	7	9	15
75-79	87	3.9	5	1	1	3	5	7	8	12
80-84	89	4.4	9	1	1	4	6	8	10	17
85+	124	4.2	8	1	1	4	6	7	9	15
B. *Operated*										
65-69 YRS	21	6.1	9	1	2	6	8	10	11	13
70-74	20	5.0	11	1	1	4	7	11	12	12
75-79	19	6.5	32	<1	1	5	9	15	20	23
80-84	10	3.6	10	<1	<1	3	4	9	10	10
85+	9	7.6	26	3	3	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2428	5.6	23	2	2	5	7	10	13	25
70-74	2885	6.1	29	2	2	5	7	11	14	26
75-79	3117	6.3	28	2	2	5	7	11	14	25
80-84	2972	6.6	28	2	2	5	8	12	15	29
85+	3775	6.8	27	2	3	6	8	12	15	24
B. *Operated*										
65-69 YRS	865	8.8	71	2	3	6	11	18	23	57
70-74	1045	9.9	100	2	3	7	11	19	27	55
75-79	1080	9.7	77	3	3	7	11	18	26	43
80-84	892	10.4	87	3	3	8	13	20	27	52
85+	738	10.9	95	3	3	8	13	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	4.0	7	1	1	3	5	7	9	13
B. *Operated*	79	5.8	18	1	1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	15177	6.3	27	2	2	5	8	11	14	25
B. *Operated*	4620	9.9	86	2	3	7	12	19	27	54
1. SINGLE DX	607	4.2	9	1	1	4	6	8	10	15
2. MULTIPLE DX	19797	7.2	43	2	2	6	8	13	18	34
A. NOT OPERATED	15705	6.2	27	2	2	5	8	11	14	25
B. OPERATED	4699	9.8	85	2	3	7	12	19	27	53
TOTAL 65-69 YRS	3423	6.4	36	2	2	5	8	12	16	32
70-74	4069	7.0	49	2	2	5	8	13	18	39
75-79	4303	7.1	42	2	2	5	8	13	18	34
80-84	3963	7.4	43	2	3	6	9	14	18	33
85+	4646	7.4	40	2	3	6	9	13	17	33
GRAND TOTAL	**20404**	**7.1**	**42**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	2	1	1	3	4	5	5	5
70-74										
75-79										
80-84	3	6.7	5	4	4	8	8	8	8	8
85+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.3	2	3	3	4	5	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	7.0	37	2	2	5	8	15	19	33
70-74	40	7.9	66	2	2	6	8	17	20	49
75-79	40	8.5	40	2	3	6	12	19	22	28
80-84	26	12.5	354	3	4	8	10	17	51	98
85+	24	10.6	58	3	4	9	13	21	26	34
B. *Operated*										
65-69 YRS	49	16.2	131	4	5	12	23	31	41	49
70-74	32	19.1	245	4	7	15	26	40	76	99+
75-79	32	14.7	192	4	4	10	17	40	65	99+
80-84	22	9.7	25	3	4	9	13	17	19	20
85+	8	19.5	532	2	3	13	18	58	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.2	8	1	2	4	8	9	9	9
B. *Operated*	6	7.8	37	3	3	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	170	8.9	97	2	3	6	10	18	22	47
B. *Operated*	143	15.7	179	4	5	11	19	31	45	99+
1. SINGLE DX	16	6.2	19	1	3	5	8	14	16	16
2. MULTIPLE DX	313	12.0	145	2	3	9	14	26	36	86
A. NOT OPERATED	180	8.7	93	2	3	6	10	17	21	46
B. OPERATED	149	15.4	175	3	4	11	18	31	44	99+
TOTAL 65-69 YRS	95	11.6	107	2	3	8	16	27	33	47
70-74	75	12.5	170	2	3	8	16	30	45	95
75-79	73	11.1	115	3	3	8	12	26	38	93
80-84	51	10.9	191	3	4	8	11	17	20	97
85+	35	12.7	164	3	4	10	15	21	31	75
GRAND TOTAL	**329**	**11.7**	**141**	**2**	**3**	**8**	**14**	**25**	**34**	**83**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	19	1	1	3	7	11	11	11
70-74	3	10.0	31	4	4	11	14	15	15	15
75-79	4	6.0	17	3	3	4	8	12	12	12
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	24	3.9	19	1	1	2	4	12	15	16
70-74	10	6.2	58	<1	<1	2	8	20	21	21
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	3	13.0	124	3	3	11	21	25	25	25
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	8.3	107	2	3	6	9	14	16	75
70-74	68	8.7	50	1	2	6	12	18	25	33
75-79	62	8.0	22	2	2	8	11	13	16	24
80-84	41	11.5	47	4	5	9	14	21	26	33
85+	36	10.1	42	3	4	8	14	22	23	26
B. *Operated*										
65-69 YRS	126	8.3	79	1	1	5	11	24	27	61
70-74	106	10.6	128	1	2	7	13	24	38	51
75-79	79	12.0	175	2	2	9	17	24	34	98
80-84	25	12.4	101	2	3	9	20	29	32	34
85+	11	24.2	679	1	2	13	39	63	86	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.3	19	1	2	4	11	12	14	15
B. *Operated*	45	4.7	35	1	1	2	4	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	271	9.1	56	2	3	7	11	17	22	32
B. *Operated*	347	10.6	142	1	2	7	14	25	35	88
1. SINGLE DX	59	5.1	31	1	1	3	5	13	18	25
2. MULTIPLE DX	618	9.9	105	1	2	7	13	21	29	51
A. NOT OPERATED	285	8.9	55	2	3	7	11	16	22	32
B. OPERATED	392	9.9	133	1	1	6	13	24	34	72
TOTAL 65-69 YRS	218	7.7	81	1	1	5	10	16	25	60
70-74	187	9.6	95	1	1	6	13	19	34	49
75-79	153	9.7	107	1	2	8	12	19	25	92
80-84	71	11.7	67	3	3	9	16	24	29	34
85+	48	13.3	212	3	4	9	14	23	45	88
GRAND TOTAL	**677**	**9.5**	**100**	**1**	**2**	**7**	**12**	**21**	**28**	**50**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.2	38	3	3	6	10	15	24	29
70-74	29	8.1	19	3	3	7	11	13	18	20
75-79	24	6.5	9	2	3	6	8	11	12	12
80-84	21	10.8	93	3	3	10	12	19	35	46
85+	24	10.6	85	2	3	7	13	25	35	35
B. *Operated*										
65-69 YRS	22	14.1	62	4	5	13	17	28	29	29
70-74	23	13.2	84	2	2	13	19	23	32	39
75-79	16	16.0	168	2	3	13	19	37	47	50
80-84	9	12.4	66	1	3	12	15	24	30	30
85+	9	16.3	81	7	8	14	20	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	125	8.8	47	3	3	7	11	14	23	38
B. *Operated*	79	14.3	90	2	4	13	18	28	32	47
1. SINGLE DX	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	204	10.9	71	3	3	9	14	21	29	42
A. NOT OPERATED	126	8.7	47	3	3	7	11	14	23	38
B. OPERATED	81	14.0	92	2	3	13	18	28	32	47
TOTAL 65-69 YRS	49	10.8	56	3	3	9	14	25	29	29
70-74	54	10.0	54	2	2	8	13	19	21	39
75-79	40	10.3	92	2	3	7	12	19	31	50
80-84	30	11.3	83	3	3	10	13	21	30	46
85+	34	11.9	89	2	3	9	14	29	35	35
GRAND TOTAL	**207**	**10.8**	**71**	**2**	**3**	**9**	**14**	**21**	**29**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	3	8.7	58	2	2	7	14	17	17	17
80-84										
85+										
B. *Operated*										
65-69 YRS	40	3.6	9	<1	1	2	5	8	10	12
70-74	38	4.0	65	<1	1	2	4	5	15	48
75-79	22	4.1	16	<1	1	2	6	10	14	16
80-84	16	3.6	9	1	1	3	4	9	11	12
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	196	7.5	43	1	2	6	9	15	21	36
70-74	246	7.9	44	2	2	6	10	15	19	33
75-79	249	10.0	115	2	3	7	11	20	29	50
80-84	222	10.6	92	2	3	8	12	19	30	58
85+	218	9.6	85	2	3	8	11	19	25	53
B. *Operated*										
65-69 YRS	537	11.0	123	1	2	8	14	24	32	52
70-74	470	11.0	128	1	2	7	15	23	33	76
75-79	359	13.8	156	1	2	10	19	30	39	66
80-84	209	12.8	146	1	2	10	18	25	35	78
85+	88	12.9	195	1	2	9	16	26	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.4	29	2	2	5	9	15	17	17
B. *Operated*	118	3.8	27	1	1	2	4	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	1131	9.2	78	2	2	7	11	17	25	49
B. *Operated*	1663	11.9	139	1	2	9	16	26	35	68
1. SINGLE DX	126	4.0	28	1	1	2	4	8	12	27
2. MULTIPLE DX	2794	10.8	116	1	2	8	14	23	31	63
A. NOT OPERATED	1139	9.1	78	2	2	7	11	17	25	49
B. OPERATED	1781	11.4	136	1	2	8	15	25	35	66
TOTAL 65-69 YRS	776	9.7	101	1	2	7	12	22	29	49
70-74	756	9.6	101	1	2	7	13	20	28	57
75-79	633	12.0	140	2	2	8	15	27	37	64
80-84	447	11.4	118	2	2	8	15	24	31	69
85+	308	10.5	118	2	2	8	13	21	28	69
GRAND TOTAL	**2920**	**10.5**	**114**	**1**	**2**	**7**	**14**	**23**	**31**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	16.8	761	3	3	4	22	66	66	66
70-74	5	6.6	50	<1	<1	2	12	17	17	17
75-79	9	6.0	25	1	1	5	8	14	17	17
80-84	8	4.5	2	3	3	4	5	7	7	7
85+	5	8.4	50	2	2	6	14	19	19	19
B. *Operated*										
65-69 YRS	14	6.3	41	1	1	4	7	18	22	23
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	3	12.0	127	5	5	6	20	25	25	25
80-84	1	18.0		18	18	18	18	18	18	18
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	442	9.6	51	2	3	8	12	17	21	41
70-74	550	9.7	57	2	3	8	12	18	24	33
75-79	622	9.7	40	2	4	8	12	17	22	33
80-84	605	10.2	50	3	4	8	13	19	23	39
85+	696	10.3	58	3	4	8	13	18	23	42
B. *Operated*										
65-69 YRS	387	17.2	213	3	4	13	22	36	44	77
70-74	413	17.4	169	3	5	15	22	32	41	74
75-79	355	18.5	149	4	7	15	24	34	43	63
80-84	269	17.1	130	5	7	14	22	33	41	98
85+	165	18.2	181	5	6	15	23	35	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.8	135	1	2	5	8	17	19	66
B. *Operated*	21	7.2	52	1	1	5	7	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	2915	9.9	51	3	4	8	12	18	23	39
B. *Operated*	1589	17.6	170	4	6	14	22	34	43	81
1. SINGLE DX	53	7.5	101	1	1	5	8	17	22	65
2. MULTIPLE DX	4504	12.6	107	3	4	10	16	24	33	60
A. NOT OPERATED	2947	9.9	52	3	3	8	12	18	23	40
B. OPERATED	1610	17.5	170	4	5	14	22	34	43	81
TOTAL 65-69 YRS	848	13.0	143	2	3	10	16	26	37	64
70-74	971	12.9	119	2	3	10	16	25	32	61
75-79	989	12.8	97	3	4	10	16	25	33	52
80-84	883	12.3	84	3	4	10	15	23	31	55
85+	866	11.8	91	3	4	9	15	22	30	62
GRAND TOTAL	**4557**	**12.6**	**107**	**3**	**4**	**10**	**16**	**24**	**33**	**60**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.4	4	2	2	4	5	7	9	10
70-74	31	4.8	5	2	2	4	6	8	10	11
75-79	29	4.3	5	1	1	4	6	7	8	9
80-84	21	5.9	11	3	3	5	7	10	13	16
85+	21	4.9	8	2	2	4	7	9	11	12
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	3	8.3	14	4	4	10	11	11	11	11
75-79	2	10.5	25	7	7	10	14	14	14	14
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	868	6.4	14	2	3	6	8	11	13	23
70-74	924	6.9	23	3	3	6	8	11	15	22
75-79	881	7.2	20	2	3	6	9	12	15	25
80-84	707	7.3	28	3	3	6	9	12	15	26
85+	796	8.3	40	3	3	7	10	14	18	31
B. *Operated*										
65-69 YRS	221	12.3	119	4	4	10	14	21	26	83
70-74	198	11.7	86	4	4	10	14	19	27	45
75-79	149	12.1	53	4	5	11	15	20	25	42
80-84	120	12.6	42	4	6	11	16	22	24	34
85+	87	14.7	178	4	5	11	16	28	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.7	6	2	2	4	6	8	10	12
B. *Operated*	7	9.7	11	4	5	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	4176	7.2	25	3	3	6	9	12	15	25
B. *Operated*	775	12.4	93	4	5	10	15	21	28	56
1. SINGLE DX	168	4.9	7	2	2	4	6	9	10	14
2. MULTIPLE DX	4951	8.0	39	3	3	7	10	14	18	31
A. NOT OPERATED	4337	7.1	24	3	3	6	9	12	15	25
B. OPERATED	782	12.4	92	4	5	10	15	21	27	56
TOTAL 65-69 YRS	1149	7.4	40	2	3	6	9	12	17	29
70-74	1156	7.7	37	3	3	6	9	13	17	32
75-79	1061	7.8	27	2	3	7	9	14	17	28
80-84	848	8.0	33	3	3	7	10	14	18	28
85+	905	8.8	56	3	3	7	10	15	19	43
GRAND TOTAL	**5119**	**7.9**	**38**	**3**	**3**	**7**	**9**	**14**	**18**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.9	7	1	2	4	6	8	11	12
70-74	27	4.4	7	1	1	4	5	9	10	11
75-79	18	5.9	15	2	2	5	7	9	15	19
80-84	13	5.2	8	1	2	4	7	9	11	12
85+	12	5.8	7	3	3	5	7	9	12	12
B. *Operated*										
65-69 YRS	6	10.5	96	4	4	7	10	28	30	30
70-74	5	6.4	20	2	2	4	10	13	13	13
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	3	8.7	56	<1	<1	9	14	16	16	16
85+	4	5.5	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	383	6.2	15	2	3	5	8	10	13	21
70-74	416	7.0	19	3	3	6	8	12	15	24
75-79	413	7.0	20	2	3	6	8	11	14	28
80-84	321	7.5	23	3	3	6	9	13	16	25
85+	354	8.0	26	3	3	7	10	15	18	23
B. *Operated*										
65-69 YRS	176	12.3	97	3	5	10	16	21	26	49
70-74	156	13.1	112	3	4	10	16	24	37	48
75-79	136	14.9	156	4	5	11	19	32	37	97
80-84	72	13.6	114	3	5	10	17	24	31	59
85+	66	15.7	216	3	5	11	19	26	47	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.1	9	1	2	5	7	9	11	16
B. *Operated*	20	7.6	42	1	2	6	9	14	23	30
2. MULTIPLE DX										
A. *Not Operated*	1887	7.1	21	3	3	6	9	12	15	24
B. *Operated*	606	13.6	129	3	5	10	17	24	36	61
1. SINGLE DX	113	5.5	15	1	2	5	7	10	12	23
2. MULTIPLE DX	2493	8.7	55	3	3	7	10	16	21	41
A. NOT OPERATED	1980	7.0	20	2	3	6	8	12	15	23
B. OPERATED	626	13.4	128	3	4	10	17	24	35	60
TOTAL 65-69 YRS	588	8.0	48	2	3	6	9	15	20	35
70-74	604	8.5	50	2	3	7	10	16	21	39
75-79	569	8.9	63	2	3	7	10	17	23	43
80-84	409	8.5	44	3	3	7	10	15	19	38
85+	436	9.0	61	3	3	7	11	16	20	45
GRAND TOTAL	**2606**	**8.6**	**54**	**3**	**3**	**7**	**10**	**16**	**20**	**40**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	2.1	3	1	1	2	3	4	5	8
70-74	124	2.3	2	1	1	2	3	4	6	8
75-79	53	2.7	13	1	1	2	3	4	7	25
80-84	31	2.5	2	1	1	2	3	5	6	8
85+	12	3.4	13	1	1	1	5	9	12	12
B. *Operated*										
65-69 YRS	212	4.2	10	1	1	3	6	8	10	14
70-74	141	4.2	9	1	1	3	5	9	11	13
75-79	57	4.8	19	1	1	4	5	10	13	25
80-84	26	4.5	8	1	1	4	6	9	10	10
85+	8	7.9	35	2	2	6	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	394	3.2	6	1	1	2	4	7	8	12
70-74	324	3.2	5	1	1	2	4	6	8	11
75-79	213	4.1	22	1	1	3	5	7	10	26
80-84	121	4.4	13	1	1	3	5	9	12	18
85+	74	5.7	22	1	1	4	8	11	14	26
B. *Operated*										
65-69 YRS	598	7.9	41	1	2	7	10	15	20	34
70-74	471	8.3	64	1	2	6	10	16	22	36
75-79	268	8.6	81	1	2	6	10	16	22	53
80-84	144	10.4	94	2	3	8	12	21	31	51
85+	79	8.5	40	2	2	7	12	16	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.3	4	1	1	2	3	4	6	10
B. *Operated*	444	4.3	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1126	3.7	11	1	1	3	5	7	9	15
B. *Operated*	1560	8.4	60	1	2	7	11	16	21	41
1. SINGLE DX	852	3.4	9	1	1	2	4	7	9	14
2. MULTIPLE DX	2686	6.4	45	1	1	5	8	13	18	33
A. NOT OPERATED	1534	3.3	10	1	1	2	4	7	9	14
B. OPERATED	2004	7.5	52	1	2	6	10	15	20	36
TOTAL 65-69 YRS	1392	5.2	27	1	1	3	7	12	15	25
70-74	1060	5.5	38	1	1	4	7	11	16	26
75-79	591	6.1	53	1	1	4	7	12	17	44
80-84	322	6.9	58	1	2	5	8	13	20	46
85+	173	6.9	32	1	1	6	10	14	18	27
GRAND TOTAL	**3538**	**5.7**	**38**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	509	1.9	1	<1	1	2	2	3	4	7
70-74	268	2.0	2	1	1	2	3	4	5	7
75-79	124	2.2	1	<1	1	2	3	4	5	6
80-84	46	1.8	1	1	1	2	2	3	4	5
85+	17	2.2	4	1	1	1	2	5	8	9
B. *Operated*										
65-69 YRS	460	4.2	9	1	1	3	6	8	11	15
70-74	301	4.4	12	1	1	3	6	9	11	17
75-79	142	4.8	12	1	1	4	7	8	11	18
80-84	38	4.9	16	1	2	3	7	11	12	19
85+	20	4.8	8	1	2	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	804	2.7	4	1	1	2	3	5	7	10
70-74	546	2.9	4	1	1	2	4	6	7	10
75-79	344	3.0	5	1	1	2	4	6	7	11
80-84	142	3.8	6	1	1	3	5	7	9	11
85+	82	3.8	4	1	2	3	5	7	8	11
B. *Operated*										
65-69 YRS	1155	6.2	23	1	2	5	8	11	15	25
70-74	874	7.0	35	1	2	5	9	14	18	30
75-79	583	8.3	63	1	2	7	10	16	22	38
80-84	298	8.3	41	2	2	7	11	16	19	39
85+	116	9.2	58	2	3	8	12	16	20	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	964	2.0	2	<1	1	2	2	4	4	6
B. *Operated*	961	4.4	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1918	2.9	4	1	1	2	4	6	7	10
B. *Operated*	3026	7.2	38	1	2	6	9	14	18	30
1. SINGLE DX	1925	3.2	8	1	1	2	4	7	8	13
2. MULTIPLE DX	4944	5.5	29	1	1	4	7	11	15	26
A. NOT OPERATED	2882	2.6	4	1	1	2	3	5	6	10
B. OPERATED	3987	6.5	33	1	2	5	8	13	16	28
TOTAL 65-69 YRS	2928	4.2	15	1	1	3	6	9	11	19
70-74	1989	4.8	23	1	1	3	6	10	13	22
75-79	1193	5.7	41	1	1	4	7	12	16	29
80-84	524	6.3	32	1	2	5	9	13	16	30
85+	235	6.4	39	1	2	5	9	13	16	32
GRAND TOTAL	**6869**	**4.9**	**24**	**1**	**1**	**3**	**6**	**10**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	2.4	2	1	1	2	3	4	6	7
70-74	15	2.3	3	1	1	2	3	5	6	7
75-79	9	4.1	6	1	1	3	6	8	8	8
80-84	4	2.0	1	<1	<1	2	3	3	3	3
85+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	90	4.5	10	<1	1	4	7	9	11	12
70-74	68	3.8	11	<1	1	2	6	9	9	14
75-79	45	5.2	28	1	1	3	8	10	17	27
80-84	19	3.2	9	1	1	2	5	8	10	11
85+	9	5.8	22	<1	<1	4	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	5.3	25	1	1	4	7	9	13	26
70-74	173	5.7	19	1	2	4	8	11	15	21
75-79	175	6.5	22	2	2	5	8	13	17	30
80-84	149	6.9	23	1	2	5	9	14	18	22
85+	137	7.0	25	2	2	6	8	12	16	27
B. *Operated*										
65-69 YRS	678	8.3	42	1	2	7	11	16	21	32
70-74	656	9.1	68	1	2	7	12	19	23	36
75-79	465	8.5	51	1	2	7	12	18	23	33
80-84	285	9.5	89	1	2	7	12	18	26	42
85+	151	10.9	114	1	2	8	15	23	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.9	4	1	1	2	4	7	7	8
B. *Operated*	231	4.4	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	818	6.2	23	1	2	5	8	12	16	23
B. *Operated*	2235	8.9	63	1	2	7	12	18	23	36
1. SINGLE DX	279	4.1	13	<1	1	3	6	9	10	16
2. MULTIPLE DX	3053	8.2	53	1	2	6	11	17	21	35
A. NOT OPERATED	866	6.0	23	1	2	5	8	11	15	22
B. OPERATED	2466	8.5	60	1	1	7	11	17	22	35
TOTAL 65-69 YRS	969	7.3	38	1	1	6	10	14	19	30
70-74	912	7.9	57	1	1	6	10	17	21	33
75-79	694	7.7	43	1	2	6	10	17	21	32
80-84	457	8.3	66	1	2	6	11	16	21	37
85+	300	8.9	74	1	2	7	11	19	24	43
GRAND TOTAL	**3332**	**7.8**	**51**	**1**	**2**	**6**	**10**	**16**	**21**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	1.8	2	<1	1	1	2	3	5	7
70-74	7	1.7		1	1	2	2	2	2	2
75-79	8	1.9	1	1	1	2	3	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	35	2.4	3	<1	1	2	3	6	6	8
70-74	39	3.0	13	<1	<1	2	4	6	8	21
75-79	17	3.7	11	<1	1	2	5	9	12	13
80-84	20	3.5	10	1	1	2	5	8	11	12
85+	7	4.4	12	2	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.6	9	1	1	3	5	7	8	17
70-74	28	3.3	6	1	1	3	5	7	8	10
75-79	22	3.5	5	1	1	3	4	7	9	10
80-84	14	4.1	13	<1	1	3	6	10	11	11
85+	19	5.6	17	1	2	4	8	12	15	16
B. *Operated*										
65-69 YRS	240	5.3	16	1	1	4	7	10	13	18
70-74	297	5.1	14	1	2	4	7	9	13	19
75-79	242	6.4	31	1	2	5	9	12	16	29
80-84	179	7.3	69	1	1	5	9	14	16	44
85+	142	7.7	48	1	2	6	10	16	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	2	1	1	2	2	4	5	7
B. *Operated*	118	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	132	3.9	9	1	1	3	5	8	10	16
B. *Operated*	1100	6.1	32	1	1	5	8	12	15	29
1. SINGLE DX	156	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	1232	5.9	30	1	1	4	8	12	15	27
A. NOT OPERATED	170	3.4	8	1	1	2	4	7	10	15
B. OPERATED	1218	5.8	31	1	1	4	8	12	15	27
TOTAL 65-69 YRS	344	4.5	14	1	1	3	7	9	12	17
70-74	371	4.7	14	1	1	4	6	9	12	20
75-79	289	5.9	28	1	1	4	8	12	14	28
80-84	214	6.8	61	1	1	5	9	13	16	42
85+	170	7.3	43	1	2	5	10	15	21	47
GRAND TOTAL	**1388**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.6	6	1	1	1	3	6	8	8
70-74	8	3.5	16	1	1	2	3	10	13	13
75-79	5	3.8	4	2	2	3	5	7	7	7
80-84	5	3.0	1	2	2	3	4	4	4	4
85+	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	80	2.1	4	<1	<1	1	2	5	6	12
70-74	77	2.4	3	<1	<1	2	3	4	6	10
75-79	62	2.7	6	<1	<1	2	3	6	8	13
80-84	37	2.1	3	<1	<1	2	3	4	5	10
85+	16	4.8	13	<1	1	5	6	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	6.1	33	1	2	5	7	10	12	21
70-74	175	6.0	57	2	2	5	7	10	12	22
75-79	252	5.8	13	2	2	5	7	10	13	20
80-84	260	6.6	16	2	3	6	8	12	15	20
85+	288	7.1	24	2	3	6	8	12	16	26
B. *Operated*										
65-69 YRS	452	5.5	31	1	1	4	7	11	14	29
70-74	573	6.0	43	1	1	4	8	12	16	27
75-79	517	6.1	31	1	1	5	8	11	16	28
80-84	433	7.6	80	1	2	5	9	14	19	61
85+	440	8.4	73	2	2	7	10	15	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	6	1	1	3	4	5	8	13
B. *Operated*	272	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1139	6.4	26	2	2	5	8	11	14	23
B. *Operated*	2415	6.7	52	1	1	5	8	13	17	34
1. SINGLE DX	306	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	3554	6.6	43	1	2	5	8	12	16	29
A. NOT OPERATED	1173	6.3	26	2	2	5	8	11	14	23
B. OPERATED	2687	6.2	48	1	1	4	8	12	16	32
TOTAL 65-69 YRS	705	5.2	30	1	1	4	7	11	13	26
70-74	833	5.7	43	1	1	4	7	11	15	25
75-79	836	5.7	25	1	1	5	7	11	14	25
80-84	735	6.9	54	1	2	5	9	13	17	39
85+	751	7.8	53	2	2	6	10	14	18	35
GRAND TOTAL	**3860**	**6.2**	**42**	**1**	**1**	**5**	**8**	**12**	**15**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	4	1.8	2	1	1	1	3	4	4	4
80-84	2	15.0	32	11	11	15	19	19	19	19
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	76	2.4	2	<1	1	2	3	5	6	7
70-74	88	2.2	2	<1	<1	2	3	4	5	8
75-79	93	2.8	5	<1	<1	2	4	6	8	10
80-84	52	2.7	5	<1	<1	2	4	5	6	13
85+	31	2.5	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.4	5	<1	<1	3	4	6	8	9
70-74	20	3.2	4	<1	1	3	4	5	8	10
75-79	33	3.2	3	1	1	3	4	5	7	8
80-84	20	6.2	22	1	2	4	9	14	16	17
85+	27	6.3	44	1	1	5	8	10	19	35
B. *Operated*										
65-69 YRS	439	4.0	12	1	1	3	5	8	10	19
70-74	543	4.2	13	1	1	3	5	8	11	19
75-79	486	4.4	12	1	1	4	6	9	11	16
80-84	318	4.9	21	1	1	4	6	9	13	26
85+	261	6.4	38	1	2	5	8	13	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	43	1	1	2	7	17	19	19
B. *Operated*	340	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	113	4.5	18	1	1	3	5	8	12	24
B. *Operated*	2047	4.6	18	1	1	3	6	9	12	22
1. SINGLE DX	348	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2160	4.6	18	1	1	3	6	9	12	22
A. NOT OPERATED	121	4.5	20	1	1	3	5	9	12	24
B. OPERATED	2387	4.3	16	1	1	3	5	9	11	21
TOTAL 65-69 YRS	528	3.7	11	1	1	3	5	8	9	16
70-74	651	3.9	12	<1	1	3	5	7	10	18
75-79	616	4.1	11	1	1	3	5	8	11	16
80-84	392	4.7	20	1	1	3	6	9	13	25
85+	321	6.0	36	1	1	4	7	12	18	38
GRAND TOTAL	**2508**	**4.3**	**16**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	3.5	5	1	1	3	5	7	8	11
70-74	90	3.5	6	1	1	3	5	7	9	11
75-79	106	4.5	10	1	1	4	6	9	10	18
80-84	91	4.9	14	1	1	4	7	9	12	20
85+	111	5.1	20	1	1	4	7	10	11	24
B. *Operated*										
65-69 YRS	233	2.7	4	<1	1	2	4	5	5	9
70-74	232	3.4	9	<1	1	3	4	6	9	15
75-79	162	3.0	5	1	1	2	4	5	7	11
80-84	93	3.4	7	<1	1	3	5	6	8	14
85+	66	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2771	6.8	24	2	3	6	8	12	15	28
70-74	3831	7.0	24	2	3	6	9	12	15	24
75-79	4781	7.7	34	2	3	6	9	14	17	32
80-84	4958	8.2	44	2	3	7	10	14	18	36
85+	6170	8.4	43	2	3	7	10	15	19	37
B. *Operated*										
65-69 YRS	1927	7.4	63	1	1	5	9	15	21	44
70-74	2267	7.9	65	1	2	6	10	16	22	47
75-79	2237	9.6	93	1	2	7	12	20	26	52
80-84	1839	9.8	89	2	2	7	12	19	26	57
85+	1655	11.9	135	2	3	9	15	23	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.3	12	1	1	3	6	8	10	16
B. *Operated*	786	3.1	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	22511	7.7	36	2	3	6	9	13	17	32
B. *Operated*	9925	9.2	90	1	2	7	12	19	25	54
1. SINGLE DX	1287	3.6	9	1	1	3	5	7	9	14
2. MULTIPLE DX	32436	8.2	53	2	3	6	10	15	20	41
A. NOT OPERATED	23012	7.7	36	2	3	6	9	13	17	32
B. OPERATED	10711	8.8	86	1	2	6	11	18	25	52
TOTAL 65-69 YRS	5034	6.8	39	1	2	5	8	13	17	35
70-74	6420	7.1	38	1	2	6	9	13	17	32
75-79	7286	8.2	52	2	3	6	10	15	21	39
80-84	6981	8.5	56	2	3	7	10	15	21	43
85+	8002	9.0	64	2	3	7	11	16	22	49
GRAND TOTAL	**33723**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.1	12	1	1	2	3	5	12	15
70-74	8	3.5	12	<1	<1	2	4	9	11	11
75-79	9	7.0	66	1	1	5	9	21	26	26
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	6	5.0	14	<1	<1	5	9	9	9	9
B. *Operated*										
65-69 YRS	2218	4.3	4	1	2	4	5	6	7	10
70-74	2011	4.5	4	1	2	4	5	7	8	11
75-79	1342	4.6	5	1	2	4	6	7	8	12
80-84	638	5.0	6	2	3	5	6	8	9	13
85+	265	5.3	8	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	3.6	12	<1	1	3	5	7	10	17
70-74	300	3.9	13	<1	1	3	5	8	10	17
75-79	253	4.5	25	<1	1	3	6	9	13	30
80-84	218	5.6	49	<1	1	4	7	12	16	54
85+	161	6.5	25	1	2	5	8	14	17	26
B. *Operated*										
65-69 YRS	9924	5.5	13	2	3	5	6	9	12	18
70-74	10332	5.9	17	2	3	5	7	10	13	20
75-79	8216	6.5	19	2	3	5	8	11	14	22
80-84	4795	7.3	33	3	3	6	8	13	16	29
85+	2567	8.2	33	3	3	7	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.3	23	<1	1	2	5	10	14	26
B. *Operated*	6474	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1159	4.7	25	<1	1	3	6	10	13	25
B. *Operated*	35834	6.3	20	2	3	5	7	11	14	23
1. SINGLE DX	6516	4.5	5	1	2	4	6	7	8	12
2. MULTIPLE DX	36993	6.2	20	2	3	5	7	11	14	23
A. NOT OPERATED	1201	4.6	25	<1	1	3	6	10	13	25
B. OPERATED	42308	6.0	18	2	3	5	7	10	13	22
TOTAL 65-69 YRS	12384	5.3	11	2	2	5	6	9	11	18
70-74	12651	5.6	15	2	3	5	7	9	12	20
75-79	9820	6.2	18	2	3	5	7	11	13	21
80-84	5655	7.0	31	2	3	6	8	12	16	28
85+	2999	7.8	31	3	3	6	9	15	18	28
GRAND TOTAL	**43509**	**6.0**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.7	3	1	1	4	5	7	7	7
70-74	12	3.6	3	1	1	3	5	6	6	6
75-79	7	3.4	3	1	1	4	4	6	6	6
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	23	2.2	2	<1	1	2	3	4	5	6
70-74	16	2.5	3	<1	<1	2	4	5	5	5
75-79	11	4.3	11	1	1	3	6	10	12	12
80-84	11	2.3	2	1	1	2	3	4	5	5
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	214	5.2	10	2	2	5	6	8	10	15
70-74	147	4.8	9	1	2	4	6	8	10	14
75-79	104	5.1	9	2	2	5	6	8	9	19
80-84	55	5.2	11	2	2	4	6	9	13	17
85+	40	5.4	13	2	3	4	7	8	9	23
B. *Operated*										
65-69 YRS	231	5.6	18	1	1	5	7	11	14	22
70-74	206	5.7	19	1	2	5	8	13	15	56
75-79	165	6.9	36	1	2	5	9	13	20	31
80-84	93	7.4	56	2	2	5	9	15	19	45
85+	72	7.8	42	2	3	6	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.6	3	1	1	4	4	6	7	7
B. *Operated*	63	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	560	5.1	10	2	2	5	6	8	10	16
B. *Operated*	767	6.3	29	1	2	5	8	13	16	28
1. SINGLE DX	111	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1327	5.8	22	1	2	5	7	11	14	26
A. NOT OPERATED	608	5.0	10	2	2	4	6	8	10	16
B. OPERATED	830	6.1	28	1	2	5	8	13	16	27
TOTAL 65-69 YRS	493	5.2	14	1	2	4	6	9	11	19
70-74	381	5.2	15	1	2	4	6	10	13	24
75-79	287	6.0	25	1	2	5	7	11	16	29
80-84	162	6.2	38	1	2	4	7	13	16	27
85+	115	6.9	32	2	3	5	8	13	18	31
GRAND TOTAL	**1438**	**5.6**	**21**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	106	2.1	2	1	1	2	3	4	5	6
70-74	78	2.0	1	<1	1	2	3	3	4	4
75-79	49	2.0	2	<1	<1	1	3	4	4	7
80-84	19	2.1	1	1	1	2	2	4	5	5
85+	9	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	8	1	1	2	7	7	7	7
70-74	3	5.0	19	2	2	3	8	10	10	10
75-79	1	6.0		6	6	6	6	6	6	6
80-84	4	6.3	26	2	2	6	10	12	12	12
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	212	3.2	12	1	1	3	4	6	8	12
70-74	179	3.1	8	1	1	2	4	7	8	15
75-79	109	3.3	9	1	1	3	4	7	9	17
80-84	62	4.6	53	1	1	3	4	10	12	51
85+	30	4.5	23	1	1	3	5	9	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		1	1	2	2	2	2	2
B. *Operated*	261	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	4.6	13	1	2	2	7	10	11	12
B. *Operated*	592	3.4	15	1	1	3	4	7	9	18
1. SINGLE DX	265	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	607	3.4	15	1	1	3	4	7	9	17
A. NOT OPERATED	19	4.0	11	1	1	2	7	10	11	12
B. OPERATED	853	3.0	11	1	1	2	3	5	8	15
TOTAL 65-69 YRS	326	2.8	8	1	1	2	3	5	7	11
70-74	261	2.8	6	1	1	2	3	5	8	11
75-79	160	2.9	7	1	1	2	3	6	8	15
80-84	85	4.1	41	1	1	3	4	9	12	42
85+	40	3.9	18	1	1	3	4	7	13	24
GRAND TOTAL	**872**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.2	8	2	2	5	6	9	10	17
70-74	31	5.7	10	3	3	5	7	9	13	17
75-79	22	5.6	14	1	1	5	7	11	13	15
80-84	11	4.5	5	2	2	4	5	7	10	10
85+	7	5.3	2	4	4	5	7	7	7	7
B. *Operated*										
65-69 YRS	25	4.0	10	1	2	3	4	8	11	15
70-74	20	5.4	17	1	1	4	7	12	15	16
75-79	8	2.4	6	<1	<1	1	3	7	8	8
80-84	8	3.4	8	1	1	3	4	8	10	10
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	5.8	9	2	3	5	7	10	10	16
70-74	211	6.4	13	2	3	6	8	10	13	19
75-79	147	6.7	42	3	3	5	8	10	13	17
80-84	89	6.6	15	2	3	6	8	12	14	20
85+	39	6.7	14	2	2	6	9	12	13	17
B. *Operated*										
65-69 YRS	128	6.8	46	1	1	6	9	12	15	49
70-74	140	7.2	32	1	1	6	9	14	18	26
75-79	114	7.8	26	1	2	8	11	14	17	27
80-84	65	8.8	28	2	2	8	11	16	18	26
85+	37	7.6	32	1	2	6	9	13	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.4	9	2	2	5	6	9	11	17
B. *Operated*	63	4.2	12	<1	1	3	5	8	12	16
2. MULTIPLE DX										
A. *Not Operated*	694	6.3	18	2	3	5	8	10	13	18
B. *Operated*	484	7.5	34	1	2	6	10	13	17	28
1. SINGLE DX	184	4.9	10	1	2	4	6	9	11	16
2. MULTIPLE DX	1178	6.8	25	2	2	6	8	12	15	25
A. NOT OPERATED	815	6.2	17	2	3	5	8	10	12	18
B. OPERATED	547	7.1	33	1	2	6	9	13	16	27
TOTAL 65-69 YRS	411	5.9	21	2	2	5	7	10	12	20
70-74	402	6.5	20	1	2	6	8	12	15	24
75-79	291	6.9	34	1	2	6	9	12	14	23
80-84	173	7.2	21	2	2	6	9	13	16	22
85+	85	6.9	21	2	2	6	9	12	14	27
GRAND TOTAL	**1362**	**6.5**	**24**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	2	5.0	32	<1	<1	4	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	18	1.4	1	<1	<1	<1	1	3	4	4
70-74	17	1.4		<1	<1	1	2	2	3	3
75-79	4	1.8	1	1	1	2	2	3	3	3
80-84	7	1.9	1	<1	<1	2	2	4	4	4
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	4	2.8	2	1	1	3	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	4.5	15	<1	<1	3	7	10	10	10
85+	3	5.3	34	1	1	3	10	12	12	12
B. *Operated*										
65-69 YRS	65	2.2	3	<1	<1	2	3	3	6	11
70-74	63	2.3	3	<1	<1	2	3	4	6	10
75-79	35	4.0	14	1	1	2	6	10	12	15
80-84	28	3.4	9	<1	1	2	5	8	10	11
85+	24	3.0	5	<1	1	2	5	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*	49	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	13	3.7	12	<1	1	3	4	10	12	12
B. *Operated*	215	2.8	6	<1	1	2	3	6	8	12
1. SINGLE DX	52	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	228	2.8	7	<1	1	2	3	6	10	12
A. NOT OPERATED	16	3.7	13	<1	<1	2	4	10	11	12
B. OPERATED	264	2.5	5	<1	<1	2	3	6	8	11
TOTAL 65-69 YRS	84	2.0	3	<1	<1	2	2	3	5	10
70-74	85	2.1	3	<1	<1	2	3	4	5	10
75-79	40	3.8	13	1	1	2	5	10	11	15
80-84	41	3.3	9	<1	<1	2	5	9	10	11
85+	30	3.1	7	<1	<1	2	5	6	8	12
GRAND TOTAL	**280**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.9	6	1	1	2	4	7	9	9
70-74	6	2.2	2	1	1	2	3	4	4	4
75-79	3	2.7	8	<1	<1	1	5	6	6	6
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	208	2.6	3	1	1	2	3	5	6	9
70-74	111	2.4	2	1	1	2	3	5	5	8
75-79	52	2.8	4	1	1	2	4	6	7	8
80-84	21	2.7	3	<1	<1	2	4	5	6	7
85+	8	4.0	20	2	2	3	3	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	5.3	33	<1	1	4	7	10	17	29
70-74	38	5.4	18	<1	<1	5	9	10	13	18
75-79	25	6.0	29	1	2	4	8	11	16	27
80-84	19	5.8	17	1	1	5	8	12	15	16
85+	24	8.4	33	2	3	6	11	20	20	21
B. *Operated*										
65-69 YRS	595	3.7	16	1	1	3	4	7	10	20
70-74	349	4.6	53	1	1	3	5	8	14	33
75-79	170	5.2	47	1	1	3	6	11	19	27
80-84	74	8.0	131	1	1	4	10	18	26	65
85+	55	9.3	71	1	2	7	13	21	33	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	5	<1	1	2	4	6	7	9
B. *Operated*	400	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	142	6.0	27	<1	1	5	9	12	17	27
B. *Operated*	1243	4.7	42	1	1	3	5	9	16	30
1. SINGLE DX	426	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1385	4.8	40	1	1	3	5	10	16	28
A. NOT OPERATED	168	5.5	25	<1	1	4	8	11	16	26
B. OPERATED	1643	4.2	33	1	1	3	5	8	13	26
TOTAL 65-69 YRS	852	3.5	13	1	1	3	4	6	9	19
70-74	504	4.2	40	1	1	3	4	7	10	27
75-79	250	4.7	37	1	1	3	6	9	14	27
80-84	117	6.5	90	1	1	3	8	15	22	61
85+	88	8.5	57	1	2	6	12	20	22	76
GRAND TOTAL	**1811**	**4.3**	**32**	**1**	**1**	**3**	**5**	**9**	**14**	**26**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	200	1.6	1	<1	<1	1	2	3	4	5
70-74	140	1.7	1	<1	<1	1	2	3	4	7
75-79	86	1.7	1	<1	<1	1	2	3	4	7
80-84	32	1.7	1	<1	<1	2	2	3	3	4
85+	10	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	2	<1	<1	1	3	4	4	4
70-74	5	5.2	19	<1	<1	5	7	12	12	12
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	4.5	13	2	2	4	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	369	2.5	4	<1	<1	2	3	5	6	12
70-74	286	2.7	19	<1	<1	2	3	5	6	14
75-79	178	2.5	3	<1	1	2	3	5	5	8
80-84	90	3.3	21	<1	1	2	4	6	8	30
85+	42	4.3	74	<1	2	3	4	5	8	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	468	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	3.7	11	<1	<1	2	5	8	11	12
B. *Operated*	965	2.7	13	<1	<1	2	3	5	6	13
1. SINGLE DX	470	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	977	2.7	13	<1	<1	2	3	5	6	13
A. NOT OPERATED	14	3.3	11	<1	<1	2	5	7	11	12
B. OPERATED	1433	2.4	9	<1	<1	2	3	4	5	10
TOTAL 65-69 YRS	573	2.2	3	<1	<1	2	2	4	6	9
70-74	432	2.4	14	<1	<1	2	3	4	6	12
75-79	266	2.2	2	<1	<1	2	3	4	5	7
80-84	124	2.9	16	<1	<1	2	3	5	7	20
85+	52	3.8	61	<1	1	2	4	4	6	57
GRAND TOTAL	**1447**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.1	2	<1	<1	2	3	4	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	158	2.3	3	<1	<1	2	3	4	4	6
70-74	64	2.3	4	<1	<1	2	3	5	7	11
75-79	36	2.1	2	<1	<1	2	3	4	5	7
80-84	18	2.3	1	<1	<1	2	3	4	5	5
85+	13	2.2	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.7	37	<1	<1	5	8	17	21	21
70-74	29	3.3	12	<1	<1	2	4	9	11	15
75-79	22	5.2	11	<1	1	6	8	9	10	11
80-84	19	6.9	21	1	2	7	8	12	17	20
85+	12	5.3	17	<1	1	4	7	11	14	15
B. *Operated*										
65-69 YRS	289	3.0	5	<1	1	2	4	5	7	13
70-74	155	3.3	8	<1	1	2	4	7	10	14
75-79	88	3.9	29	1	1	3	5	6	14	34
80-84	48	4.6	34	1	1	2	4	13	20	28
85+	19	2.7	2	<1	1	2	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	289	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	103	5.3	20	<1	<1	4	7	11	14	21
B. *Operated*	599	3.4	12	1	1	2	4	6	9	15
1. SINGLE DX	303	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	702	3.6	13	<1	1	3	4	7	10	19
A. NOT OPERATED	117	4.9	19	<1	<1	4	7	10	14	21
B. OPERATED	888	3.0	9	<1	1	2	4	5	7	15
TOTAL 65-69 YRS	478	2.9	6	<1	<1	2	4	5	7	15
70-74	249	3.1	8	<1	<1	2	4	6	9	14
75-79	147	3.7	20	<1	1	2	5	7	9	16
80-84	86	4.6	26	1	1	3	5	10	16	25
85+	45	3.2	8	<1	<1	2	4	7	9	15
GRAND TOTAL	**1005**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84										
85+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	29	5.6	8	2	2	5	6	10	11	14
70-74	17	5.6	2	4	4	5	6	8	9	9
75-79	6	5.8	1	5	5	6	6	7	7	7
80-84	7	6.6	7	1	2	8	8	9	9	9
85+	7	6.9	10	3	3	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.7	25	1	1	4	9	14	15	15
70-74	5	5.0	11	2	2	4	8	9	9	9
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	10	6.9	53	2	2	4	9	19	25	25
85+	7	4.6	7	1	1	5	7	7	7	7
B. *Operated*										
65-69 YRS	145	6.6	8	4	4	6	7	9	11	16
70-74	130	8.4	31	4	4	7	10	14	16	30
75-79	97	7.9	11	4	5	7	9	13	15	18
80-84	52	9.3	23	5	5	8	11	18	20	24
85+	30	12.9	195	2	3	9	12	27	57	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	4	1	1	2	4	6	7	7
B. *Operated*	66	5.9	6	2	3	6	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	34	5.4	25	1	1	4	7	12	15	25
B. *Operated*	454	8.1	31	4	4	7	9	13	16	26
1. SINGLE DX	75	5.5	6	1	2	5	6	9	10	13
2. MULTIPLE DX	488	7.9	31	3	4	7	9	13	16	26
A. NOT OPERATED	43	4.9	22	1	1	4	6	10	14	25
B. OPERATED	520	7.8	28	3	4	7	9	12	16	25
TOTAL 65-69 YRS	185	6.4	8	3	4	6	7	10	12	16
70-74	154	7.9	28	4	4	7	9	14	16	26
75-79	108	7.5	11	3	4	7	9	13	14	18
80-84	69	8.7	26	2	4	8	11	17	20	25
85+	47	10.1	140	1	2	7	11	19	37	60
GRAND TOTAL	**563**	**7.6**	**28**	**3**	**4**	**6**	**9**	**12**	**16**	**25**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	1	2	2	4	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	5	3.8	12	<1	<1	2	7	8	8	8
70-74	5	6.0	7	2	2	6	7	9	9	9
75-79	1	32.0		32	32	32	32	32	32	32
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	7.0	17	3	3	6	8	11	16	21
70-74	18	7.3	14	2	3	7	10	13	13	13
75-79	11	7.7	18	2	3	7	11	14	16	16
80-84	9	6.1	14	1	2	4	10	11	11	11
85+	8	11.0	43	5	5	9	15	22	23	23
B. *Operated*										
65-69 YRS	79	7.3	18	2	3	6	9	13	17	22
70-74	58	10.1	75	2	4	8	11	18	22	59
75-79	37	13.2	208	4	5	8	14	20	56	67
80-84	13	13.6	65	5	6	14	16	24	32	34
85+	13	16.3	153	4	4	16	23	30	45	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	2	1	1	4	5	6	6	6
B. *Operated*	13	7.3	63	<1	<1	6	8	14	29	32
2. MULTIPLE DX										
A. *Not Operated*	66	7.5	20	2	3	7	10	13	17	23
B. *Operated*	200	10.2	87	3	4	7	12	18	23	64
1. SINGLE DX	22	5.9	40	<1	1	5	7	9	18	32
2. MULTIPLE DX	266	9.5	72	3	4	7	11	17	22	60
A. NOT OPERATED	75	7.1	19	2	3	6	9	13	15	22
B. OPERATED	213	10.0	86	2	4	7	11	18	24	64
TOTAL 65-69 YRS	108	7.0	17	2	3	6	8	12	17	22
70-74	82	9.1	59	2	3	8	11	16	19	50
75-79	49	12.3	174	3	5	8	13	20	37	67
80-84	23	10.5	55	2	4	9	15	17	26	34
85+	26	12.5	106	4	4	8	19	24	30	48
GRAND TOTAL	**288**	**9.3**	**70**	**2**	**3**	**7**	**11**	**17**	**22**	**57**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	6	6.3	9	2	2	6	9	10	10	10
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	3.7	9	1	1	3	6	7	7	7
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	78	7.5	22	4	4	6	8	13	15	32
70-74	41	6.1	4	3	4	6	7	9	10	12
75-79	12	8.3	7	2	5	8	9	11	14	14
80-84	6	7.0	4	5	5	6	9	10	10	10
85+	11	4.9	5	2	2	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	12	5.4	8	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	148	6.9	15	3	4	6	8	10	13	19
1. SINGLE DX	13	5.1	8	<1	1	5	7	9	10	10
2. MULTIPLE DX	148	6.9	15	3	4	6	8	10	13	19
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	160	6.8	14	3	4	6	8	10	13	19
TOTAL 65-69 YRS	84	7.4	21	3	4	6	8	13	14	31
70-74	42	6.1	4	3	4	6	7	9	10	12
75-79	16	6.9	13	<1	1	8	9	10	13	14
80-84	7	6.7	4	5	5	6	8	10	10	10
85+	12	4.8	4	2	2	5	6	8	9	9
GRAND TOTAL	**161**	**6.8**	**14**	**3**	**4**	**6**	**8**	**10**	**13**	**19**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		<1	<1	1	2	2	2	2
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	2	2.0	2	<1	<1	1	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	21	4.5	8	<1	<1	4	7	8	9	11
70-74	12	4.7	15	<1	1	4	6	10	13	14
75-79	13	2.9	4	<1	1	2	4	6	7	7
80-84	7	5.7	12	1	2	5	7	11	12	12
85+	6	5.5	8	2	2	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	7	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	6	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	59	4.4	9	<1	1	4	7	8	10	14
1. SINGLE DX	8	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	65	4.2	9	<1	1	4	6	8	10	14
A. NOT OPERATED	7	2.1	1	<1	<1	2	3	3	3	3
B. OPERATED	66	4.1	9	<1	1	4	6	8	10	14
TOTAL 65-69 YRS	28	3.9	8	<1	<1	3	6	8	9	11
70-74	14	4.3	14	<1	<1	3	5	9	13	14
75-79	16	2.8	4	<1	<1	2	4	6	7	7
80-84	9	4.8	13	1	1	4	6	10	12	12
85+	6	5.5	8	2	2	5	8	9	9	9
GRAND TOTAL	**73**	**3.9**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	2	5.0		5	5	5	5	5	5	5
80-84	2	7.0	8	5	5	7	9	9	9	9
85+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	8	2.1	1	<1	<1	2	3	4	4	4
70-74	6	2.3	8	<1	<1	1	2	7	8	8
75-79	6	5.0	24	1	1	3	7	13	14	14
80-84	3	2.7	8	<1	<1	1	5	6	6	6
85+	4	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	7.7	24	2	3	6	11	16	17	17
70-74	13	8.1	49	1	2	6	9	15	26	29
75-79	10	7.9	17	<1	1	8	11	13	14	14
80-84	12	12.3	214	1	3	8	12	28	53	57
85+	16	5.7	16	1	1	4	9	12	13	13
B. *Operated*										
65-69 YRS	48	7.6	63	1	1	5	11	16	19	47
70-74	47	8.2	75	<1	1	5	8	24	34	99+
75-79	30	10.4	165	1	1	8	12	22	29	66
80-84	15	8.6	48	<1	2	6	13	19	21	22
85+	19	8.5	51	2	3	7	10	14	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.6	4	2	2	4	6	7	9	9
B. *Operated*	27	2.9	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	66	8.2	61	1	2	7	10	14	16	52
B. *Operated*	159	8.5	82	1	1	6	11	19	26	64
1. SINGLE DX	39	3.4	8	<1	<1	2	5	7	9	14
2. MULTIPLE DX	225	8.4	75	1	1	6	11	16	25	59
A. NOT OPERATED	78	7.6	54	1	2	6	9	13	16	49
B. OPERATED	186	7.7	75	<1	1	5	11	16	25	59
TOTAL 65-69 YRS	72	7.0	50	1	1	5	10	15	17	42
70-74	69	7.4	64	<1	1	5	8	22	29	88
75-79	48	9.0	112	1	1	7	12	16	26	66
80-84	32	9.3	107	<1	1	7	11	18	22	57
85+	43	6.5	32	1	2	5	9	12	14	34
GRAND TOTAL	**264**	**7.7**	**69**	**1**	**1**	**5**	**10**	**16**	**22**	**55**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	4	2	2	3	5	6	6	6
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	4	10.3	60	3	3	8	15	21	21	21
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	762	5.4	4	3	3	5	7	8	9	12
70-74	669	5.7	4	3	3	6	7	8	9	12
75-79	399	5.6	6	2	3	5	7	8	9	11
80-84	141	5.8	6	3	3	6	7	9	10	13
85+	48	5.6	4	2	3	5	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	2.9	7	<1	<1	2	4	6	8	12
70-74	51	2.3	3	<1	<1	1	3	5	6	8
75-79	40	2.7	6	<1	<1	2	3	6	9	11
80-84	24	3.5	12	<1	<1	3	5	7	11	16
85+	20	7.1	56	<1	1	5	8	19	27	28
B. *Operated*										
65-69 YRS	2895	6.4	7	3	4	6	7	9	11	17
70-74	2370	6.6	9	3	4	6	8	9	11	17
75-79	1625	6.9	13	3	4	6	8	10	13	18
80-84	670	7.1	17	3	4	7	8	11	14	24
85+	231	8.1	18	4	4	7	10	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	30	1	2	4	7	13	20	21
B. *Operated*	2019	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	183	3.2	13	<1	<1	2	4	7	9	23
B. *Operated*	7791	6.7	10	3	4	6	8	10	12	18
1. SINGLE DX	2031	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX	7974	6.6	10	3	4	6	8	10	12	18
A. NOT OPERATED	195	3.4	15	<1	<1	2	4	7	9	24
B. OPERATED	9810	6.5	9	3	4	6	7	9	11	17
TOTAL 65-69 YRS	3708	6.1	7	3	4	6	7	9	10	16
70-74	3092	6.4	8	3	4	6	7	9	11	16
75-79	2068	6.6	12	3	3	6	8	10	12	17
80-84	836	6.8	16	3	3	6	8	10	13	21
85+	301	7.6	19	3	4	7	9	12	15	26
GRAND TOTAL	**10005**	**6.4**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	<1	<1	2	2	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	92	1.4	1	<1	<1	<1	1	2	3	7
70-74	64	1.5	1	<1	<1	1	2	3	4	6
75-79	35	1.7	2	<1	<1	1	2	3	4	8
80-84	30	1.9	2	<1	<1	1	2	4	5	6
85+	12	1.8	1	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	4.8	26	<1	<1	3	6	10	17	21
70-74	26	4.2	18	<1	1	3	6	9	16	17
75-79	25	4.2	16	<1	1	3	5	8	14	18
80-84	9	4.4	9	<1	<1	5	7	8	9	9
85+	24	4.3	9	1	1	4	6	8	11	12
B. *Operated*										
65-69 YRS	427	3.7	13	<1	<1	2	5	8	10	19
70-74	279	3.7	15	<1	1	2	5	8	10	20
75-79	197	3.1	7	<1	1	2	5	6	8	12
80-84	133	3.8	32	1	1	2	4	8	11	27
85+	93	4.0	21	<1	1	2	4	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	233	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	101	4.3	15	<1	1	3	6	9	12	19
B. *Operated*	1129	3.6	15	<1	1	2	5	8	10	20
1. SINGLE DX	245	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1230	3.7	15	<1	1	2	5	8	10	20
A. NOT OPERATED	113	4.0	14	<1	1	3	5	8	12	19
B. OPERATED	1362	3.3	14	<1	<1	2	4	7	9	19
TOTAL 65-69 YRS	541	3.3	12	<1	<1	2	5	7	9	19
70-74	371	3.4	13	<1	<1	2	5	7	9	19
75-79	259	3.0	8	<1	1	2	4	6	8	13
80-84	173	3.5	26	<1	1	2	4	7	10	20
85+	131	3.8	17	1	1	2	5	8	11	25
GRAND TOTAL	**1475**	**3.3**	**14**	**<1**	**<1**	**2**	**4**	**7**	**9**	**19**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	3	4.0	13	1	1	3	7	8	8	8
83+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	87	3.4	6	<1	<1	3	5	6	7	11
70-74	63	3.6	7	<1	<1	3	5	7	9	11
75-79	33	3.5	4	<1	1	3	5	6	7	7
80-84	19	2.9	6	<1	1	2	4	6	8	10
85+	8	3.3	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	5.2	30	<1	1	3	8	11	13	29
70-74	36	4.6	11	<1	1	4	6	10	11	14
75-79	36	4.9	14	1	1	4	7	11	13	15
80-84	36	6.2	23	1	2	5	8	13	22	99+
85+	43	7.2	40	1	2	5	8	18	21	30
B. *Operated*										
65-69 YRS	683	6.0	30	<1	1	5	7	10	15	29
70-74	474	6.9	49	1	1	5	8	15	19	38
75-79	275	7.5	63	1	1	6	9	15	23	38
80-84	174	8.3	91	1	1	6	11	17	24	47
85+	124	8.2	67	1	2	6	12	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	5	1	1	2	4	7	8	8
B. *Operated*	210	3.4	6	<1	<1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.7	25	1	1	4	7	12	15	30
B. *Operated*	1730	6.9	50	1	1	5	8	14	20	37
1. SINGLE DX	218	3.4	6	<1	<1	3	5	6	8	11
2. MULTIPLE DX	1915	6.8	47	1	1	5	8	13	20	37
A. NOT OPERATED	193	5.6	24	1	1	4	7	12	15	30
B. OPERATED	1940	6.5	46	<1	1	5	8	13	19	36
TOTAL 65-69 YRS	806	5.7	28	<1	1	5	7	10	14	28
70-74	573	6.4	43	<1	1	5	8	13	18	35
75-79	346	6.8	53	1	1	5	8	14	21	37
80-84	232	7.5	74	1	1	5	10	16	24	52
85+	176	7.7	58	1	2	5	9	17	24	39
GRAND TOTAL	**2133**	**6.4**	**44**	**<1**	**1**	**5**	**8**	**13**	**18**	**35**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	213	5.5	5	2	3	5	7	9	9	11
70-74	155	5.8	6	2	3	6	8	9	10	13
75-79	86	5.8	6	2	3	6	7	9	10	12
80-84	23	6.7	10	2	3	7	8	9	12	17
85+	15	6.5	9	2	3	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	4.3	49	<1	<1	2	4	9	19	33
70-74	24	5.9	30	1	2	4	7	13	17	25
75-79	10	5.8	27	1	1	4	10	13	16	16
80-84	10	4.2	20	<1	<1	4	5	11	16	16
85+	5	3.6	12	1	1	2	6	9	9	9
B. *Operated*										
65-69 YRS	590	6.5	13	3	3	6	8	9	11	22
70-74	394	6.7	9	3	3	6	8	10	12	18
75-79	242	6.8	12	2	3	6	8	12	14	19
80-84	123	7.5	17	3	4	7	8	12	15	24
85+	59	7.9	18	2	3	7	10	12	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	492	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	71	5.0	32	<1	1	3	7	11	16	31
B. *Operated*	1408	6.7	12	3	3	6	8	10	13	20
1. SINGLE DX	496	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX	1479	6.6	13	2	3	6	8	10	13	21
A. NOT OPERATED	75	4.8	31	<1	1	3	6	11	15	31
B. OPERATED	1900	6.5	11	2	3	6	8	10	12	19
TOTAL 65-69 YRS	826	6.1	12	2	3	6	7	9	10	21
70-74	574	6.4	9	2	3	6	8	10	11	18
75-79	339	6.5	11	2	3	6	8	11	13	19
80-84	157	7.1	16	2	3	7	8	11	15	22
85+	79	7.4	17	2	3	7	10	12	14	23
GRAND TOTAL	**1975**	**6.4**	**12**	**2**	**3**	**6**	**8**	**10**	**12**	**19**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated.										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	190	5.4	16	2	2	5	7	9	12	17
70-74	149	5.6	9	2	3	5	6	10	12	14
75-79	154	5.8	8	2	2	5	8	10	11	15
80-84	111	6.3	14	2	3	5	8	11	14	20
85+	122	5.8	12	2	3	5	6	11	14	17
B. *Operated*										
65-69 YRS	62	6.0	14	1	2	5	9	12	13	15
70-74	60	7.0	21	1	2	6	9	13	17	21
75-79	43	7.1	47	1	2	5	9	15	20	38
80-84	27	8.6	36	2	2	8	11	15	24	27
85+	32	7.2	31	1	2	5	11	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2177	7.8	38	2	3	6	9	14	17	28
70-74	2083	7.8	29	3	3	7	9	14	18	32
75-79	2026	8.1	31	3	3	7	10	14	17	30
80-84	1835	8.4	37	3	3	7	10	15	18	35
85+	2108	8.8	48	3	3	7	11	15	20	36
B. *Operated*										
65-69 YRS	1117	12.7	106	3	4	10	16	25	33	55
70-74	973	13.1	125	3	4	10	16	27	35	71
75-79	823	13.4	129	3	4	10	16	27	38	66
80-84	657	14.3	170	3	4	10	17	30	40	90
85+	615	12.9	100	3	4	10	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	5.7	12	2	2	5	7	10	12	17
B. *Operated*	224	7.0	27	1	2	6	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	10229	8.2	37	3	3	7	10	14	18	33
B. *Operated*	4185	13.2	124	3	4	10	16	27	36	68
1. SINGLE DX	950	6.0	16	2	2	5	8	11	13	20
2. MULTIPLE DX	14414	9.6	67	3	3	7	11	18	24	47
A. NOT OPERATED	10955	8.0	35	3	3	7	10	14	18	32
B. OPERATED	4409	12.9	121	3	4	10	16	26	35	66
TOTAL 65-69 YRS	3546	9.2	63	2	3	7	11	17	22	42
70-74	3265	9.3	63	3	3	7	11	18	25	47
75-79	3046	9.4	62	3	3	7	11	17	22	46
80-84	2630	9.8	76	3	4	8	11	18	26	55
85+	2877	9.5	61	3	3	7	11	18	24	46
GRAND TOTAL	**15364**	**9.4**	**65**	**3**	**3**	**7**	**11**	**17**	**24**	**46**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.5	6	1	2	4	6	7	9	10
70-74	15	4.9	18	1	2	4	6	7	16	19
75-79	16	3.9	4	<1	2	4	5	8	8	8
80-84	8	5.9	14	1	2	5	9	11	11	11
85+	9	4.2	10	1	1	3	5	10	11	11
B. *Operated*										
65-69 YRS	24	3.8	21	<1	1	2	4	13	16	17
70-74	11	5.3	43	<1	<1	3	6	14	23	24
75-79	14	6.0	30	<1	1	4	9	15	17	18
80-84	6	5.0	20	<1	<1	3	10	11	11	11
85+	9	6.2	26	1	1	7	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.4	23	2	3	7	9	14	17	27
70-74	198	7.1	19	2	3	6	9	12	15	23
75-79	166	6.2	13	2	3	5	8	10	12	22
80-84	160	7.9	40	3	3	6	9	13	17	43
85+	161	7.6	27	3	3	6	9	13	17	32
B. *Operated*										
65-69 YRS	218	9.2	54	1	2	7	12	19	23	33
70-74	220	10.2	72	2	3	8	14	20	25	48
75-79	159	10.1	59	2	3	9	13	19	25	49
80-84	92	12.0	67	3	4	9	16	23	27	45
85+	94	9.6	71	2	3	7	12	18	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.6	9	1	2	4	6	8	11	18
B. *Operated*	64	5.0	27	<1	<1	3	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	908	7.3	24	2	3	6	9	12	16	26
B. *Operated*	783	10.0	64	2	3	8	13	20	25	44
1. SINGLE DX	131	4.8	18	<1	1	3	6	11	14	20
2. MULTIPLE DX	1691	8.5	44	2	3	7	10	16	21	33
A. NOT OPERATED	975	7.1	23	2	3	6	8	12	16	26
B. OPERATED	847	9.6	63	1	2	8	13	19	24	44
TOTAL 65-69 YRS	484	7.9	38	1	2	7	10	16	20	31
70-74	444	8.5	48	2	3	7	10	17	21	31
75-79	355	7.9	38	2	3	6	10	15	19	38
80-84	266	9.2	53	3	3	7	11	17	24	45
85+	273	8.2	43	2	3	7	10	15	19	35
GRAND TOTAL	**1822**	**8.3**	**43**	**2**	**3**	**7**	**10**	**16**	**21**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.8	5	<1	<1	2	3	6	8	8
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	3	2.3	1	1	1	3	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	6	1	1	3	5	6	6	6
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	21	4.3	27	<1	1	3	5	7	16	25
70-74	11	8.8	330	1	1	3	6	31	60	63
75-79	4	4.3	10	2	2	3	6	9	9	9
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	16	3.1	6	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	19	1	2	5	10	13	14	14
B. *Operated*	40	5.6	105	1	1	3	5	9	18	63
1. SINGLE DX	17	3.6	10	<1	<1	3	4	8	11	12
2. MULTIPLE DX	48	5.8	90	1	1	3	6	10	15	63
A. NOT OPERATED	9	7.2	20	1	2	6	11	13	14	14
B. OPERATED	56	4.9	77	<1	1	3	5	8	10	61
TOTAL 65-69 YRS	34	4.0	20	<1	1	3	5	8	11	25
70-74	13	8.6	276	1	1	3	7	21	55	63
75-79	7	4.4	15	1	1	3	8	11	11	11
80-84	7	3.9	9	1	1	3	5	9	10	10
85+	4	7.5	22	4	4	6	11	14	14	14
GRAND TOTAL	**65**	**5.2**	**69**	**<1**	**1**	**3**	**6**	**10**	**12**	**57**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	29	1.3	1	<1	<1	<1	1	2	3	6
70-74	14	1.5	3	<1	<1	<1	1	2	6	7
75-79	4	1.3		<1	<1	<1	1	2	2	2
80-84	7	1.6	1	<1	<1	<1	2	3	3	3
85+	3	3.3	10	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	1	5	5	5	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	21.0		21	21	21	21	21	21	21
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	28	3.0	9	<1	<1	2	4	6	9	14
70-74	22	2.8	8	<1	<1	2	3	8	10	12
75-79	17	5.4	9	<1	1	6	7	9	10	10
80-84	11	4.5	17	<1	<1	3	7	11	14	14
85+	9	3.4	5	1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	57	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*	6	6.8	51	1	1	5	6	19	21	21
B. *Operated*	87	3.7	10	<1	<1	3	6	8	9	14
1. SINGLE DX	58	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX	93	3.9	13	<1	<1	3	6	8	10	18
A. NOT OPERATED	7	6.0	47	1	1	4	6	18	21	21
B. OPERATED	144	2.8	8	<1	<1	1	3	7	9	14
TOTAL 65-69 YRS	59	2.2	6	<1	<1	1	2	5	6	14
70-74	37	2.4	6	<1	<1	1	3	6	8	12
75-79	22	4.4	10	<1	<1	5	7	9	10	10
80-84	19	4.3	28	<1	<1	2	5	12	18	21
85+	14	3.3	5	<1	1	3	4	7	8	8
GRAND TOTAL	**151**	**2.9**	**10**	**<1**	**<1**	**1**	**4**	**7**	**9**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	6.5	41	1	1	4	7	17	19	33
70-74	50	6.2	49	1	1	4	7	12	15	46
75-79	35	8.1	50	1	2	6	11	19	22	31
80-84	42	6.9	30	1	2	6	8	15	20	22
85+	22	9.1	22	3	3	8	12	16	18	19
B. *Operated*										
65-69 YRS	183	4.0	28	<1	<1	2	4	11	16	23
70-74	134	4.5	27	<1	<1	2	6	11	16	26
75-79	97	6.7	66	<1	1	3	8	18	24	39
80-84	84	8.7	76	<1	1	7	12	17	23	44
85+	72	10.8	166	<1	1	7	13	25	34	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	836	9.4	82	2	2	7	12	18	25	56
70-74	874	9.7	70	2	3	7	12	20	25	44
75-79	941	10.4	87	2	3	8	13	20	31	57
80-84	849	10.1	62	2	3	8	13	20	25	42
85+	1039	11.5	119	2	3	9	13	22	32	60
B. *Operated*										
65-69 YRS	1179	14.6	223	1	1	10	20	36	47	88
70-74	1206	16.3	229	2	3	12	22	38	55	99+
75-79	1293	17.7	238	2	3	14	23	39	58	99+
80-84	1116	17.8	238	3	4	13	24	41	58	99+
85+	1319	17.7	225	3	5	14	22	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	7.1	40	1	2	5	9	15	19	32
B. *Operated*	570	6.1	64	<1	<1	3	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	4539	10.3	86	2	3	8	12	20	28	53
B. *Operated*	6113	16.8	232	2	3	13	22	38	55	99+
1. SINGLE DX	769	6.4	58	<1	1	4	8	16	21	35
2. MULTIPLE DX	10652	14.0	180	2	3	10	18	31	44	91
A. NOT OPERATED	4738	10.1	84	2	3	8	12	20	27	53
B. OPERATED	6683	15.9	227	1	2	12	21	36	52	99+
TOTAL 65-69 YRS	2248	11.6	163	1	1	8	15	27	39	72
70-74	2264	12.8	167	1	2	9	16	29	41	82
75-79	2366	14.2	183	2	3	10	18	32	45	99+
80-84	2091	14.1	172	2	3	10	18	31	44	99
85+	2452	14.8	186	3	4	11	18	31	45	87
GRAND TOTAL	**11421**	**13.5**	**176**	**1**	**3**	**10**	**17**	**30**	**43**	**90**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.3	8	1	2	6	8	10	10	10
70-74	4	5.8	12	3	3	5	8	10	10	10
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	2	13.5	181	4	4	13	23	23	23	23
85+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
65-69 YRS	5	7.6	40	1	1	7	10	18	18	18
70-74	2	7.5	1	7	7	7	8	8	8	8
75-79	2	40.0	3042	<1	<1	39	79	79	79	79
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	7.9	27	3	3	7	9	13	17	36
70-74	147	7.9	45	2	2	6	10	17	21	99+
75-79	117	8.8	46	2	3	7	11	16	22	69
80-84	49	9.3	54	2	3	8	12	16	28	37
85+	29	11.2	154	3	3	8	14	17	25	70
B. *Operated*										
65-69 YRS	93	13.8	131	2	4	11	16	26	34	64
70-74	83	13.5	99	3	4	11	17	28	35	47
75-79	67	17.2	309	3	5	12	19	39	67	99+
80-84	34	19.4	282	4	5	14	23	41	44	90
85+	11	14.5	41	3	5	14	19	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.4	21	2	2	6	7	10	16	23
B. *Operated*	9	14.8	605	<1	<1	7	10	55	79	79
2. MULTIPLE DX										
A. *Not Operated*	506	8.4	47	2	3	7	11	16	21	60
B. *Operated*	288	15.2	180	3	4	12	19	31	42	86
1. SINGLE DX	30	8.9	196	1	2	6	8	14	23	79
2. MULTIPLE DX	794	10.9	106	2	3	8	13	21	31	76
A. NOT OPERATED	527	8.3	46	2	3	7	10	16	21	57
B. OPERATED	297	15.2	191	2	4	11	19	31	43	85
TOTAL 65-69 YRS	271	9.9	70	2	3	8	11	18	26	53
70-74	236	9.8	70	2	3	7	12	20	29	54
75-79	189	12.0	179	2	3	9	14	24	42	99
80-84	85	13.4	168	3	4	10	15	28	38	74
85+	43	11.6	119	3	3	9	15	19	24	70
GRAND TOTAL	**824**	**10.8**	**109**	**2**	**3**	**8**	**13**	**21**	**31**	**79**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	5.3	6	2	2	5	7	9	10	12
70-74	49	5.4	7	2	2	5	7	9	10	14
75-79	37	7.2	71	2	3	5	7	12	18	52
80-84	19	5.3	12	1	2	5	6	10	14	15
85+	6	10.2	245	2	2	4	6	38	42	42
B. *Operated*										
65-69 YRS	272	6.6	21	1	2	5	10	13	15	20
70-74	196	6.8	20	1	2	6	10	13	15	19
75-79	92	8.0	31	1	2	8	12	14	17	27
80-84	27	7.6	17	2	3	8	11	13	14	16
85+	8	10.9	114	3	3	6	16	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	377	7.5	43	1	3	6	9	13	16	32
70-74	389	7.1	33	2	3	6	8	13	17	32
75-79	337	7.8	27	2	2	7	10	14	18	26
80-84	204	7.4	40	2	3	6	8	13	17	29
85+	98	8.4	55	2	3	6	10	17	24	43
B. *Operated*										
65-69 YRS	766	9.1	49	1	2	8	12	17	23	38
70-74	557	10.4	67	2	2	9	13	19	24	46
75-79	319	11.9	106	2	3	10	14	23	30	61
80-84	116	13.2	90	2	3	12	17	22	26	59
85+	37	10.9	36	1	3	11	14	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	5.9	28	2	2	5	7	9	11	36
B. *Operated*	595	7.0	23	1	2	6	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*	1405	7.5	37	2	3	6	9	14	17	31
B. *Operated*	1795	10.3	69	2	2	9	13	19	24	43
1. SINGLE DX	774	6.8	24	1	2	6	9	13	15	21
2. MULTIPLE DX	3200	9.1	57	2	3	7	12	17	22	40
A. NOT OPERATED	1584	7.3	36	2	3	6	9	13	17	31
B. OPERATED	2390	9.5	59	2	2	8	12	17	23	40
TOTAL 65-69 YRS	1483	8.0	42	1	2	7	11	15	20	34
70-74	1191	8.5	49	2	2	7	11	16	20	40
75-79	785	9.5	66	2	3	8	12	17	23	42
80-84	366	9.1	60	2	3	7	12	18	21	42
85+	149	9.3	60	2	3	7	12	19	23	42
GRAND TOTAL	**3974**	**8.6**	**51**	**2**	**2**	**7**	**11**	**16**	**20**	**38**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.3	11	<1	1	3	7	9	11	12
70-74	35	5.5	25	1	1	4	8	11	14	26
75-79	38	5.1	18	<1	<1	4	7	10	14	20
80-84	32	4.6	12	1	2	4	6	8	10	18
85+	46	6.0	21	1	2	4	7	12	15	24
B. *Operated*										
65-69 YRS	2229	9.8	17	2	4	10	12	15	16	20
70-74	2111	10.3	17	3	6	10	12	15	16	22
75-79	1461	10.9	14	5	7	11	13	15	17	22
80-84	700	11.1	15	6	7	11	14	16	17	21
85+	226	11.7	15	6	7	11	14	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	[illegible]	5.2	28	<1	1	4	7	10	15	29
70-74	453	5.5	33	<1	1	4	7	11	14	25
75-79	521	5.5	21	1	1	4	7	11	14	21
80-84	486	5.9	63	1	1	5	8	13	17	32
85+	523	7.6	66	1	2	6	10	15	21	96
B. *Operated*										
65-69 YRS	5048	11.2	36	3	5	11	14	17	20	30
70-74	5468	12.0	40	4	7	11	14	18	21	37
75-79	4598	12.9	44	5	7	12	15	19	23	38
80-84	2351	13.8	54	6	8	13	16	21	25	46
85+	829	14.1	59	6	8	13	16	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	5.2	18	1	1	4	7	11	14	23
B. *Operated*	6727	10.4	16	3	6	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	2392	6.2	44	1	1	5	8	12	16	34
B. *Operated*	18294	12.4	43	4	7	11	15	18	22	37
1. SINGLE DX	6912	10.2	17	2	5	10	13	15	16	22
2. MULTIPLE DX	20686	11.6	47	2	4	11	14	18	22	37
A. NOT OPERATED	2577	6.1	42	1	1	4	8	12	16	33
B. OPERATED	25021	11.8	37	4	6	11	14	17	21	32
TOTAL 65-69 YRS	[illegible]	10.5	32	2	4	10	13	16	19	28
70-74	8067	11.2	36	2	5	11	14	17	20	30
75-79	6618	11.8	40	3	5	11	14	18	21	34
80-84	3569	12.2	53	3	5	11	15	19	23	41
85+	1624	11.5	63	2	3	11	15	20	23	51
GRAND TOTAL	**27598**	**11.3**	**40**	**2**	**4**	**11**	**14**	**17**	**21**	**33**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	4.0	6	<1	1	4	5	8	9	10
70-74	21	6.0	32	1	2	5	6	10	18	28
75-79	25	4.6	13	1	2	4	6	8	12	18
80-84	11	4.7	10	1	1	4	7	9	11	11
85+	13	3.2	9	1	1	2	3	6	12	13
B. *Operated*										
65-69 YRS	121	7.4	31	1	1	6	11	14	19	23
70-74	76	8.8	37	1	2	8	12	16	19	32
75-79	49	10.5	34	2	3	10	13	19	22	29
80-84	31	8.7	20	1	2	10	12	14	15	17
85+	13	11.2	20	4	5	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	8.0	45	2	2	6	9	16	20	34
70-74	226	8.7	64	2	2	6	11	17	26	41
75-79	181	7.7	43	2	2	6	9	15	20	37
80-84	166	8.3	48	2	2	6	10	17	24	37
85+	191	7.8	54	2	3	6	9	15	21	54
B. *Operated*										
65-69 YRS	371	12.8	143	1	3	10	17	26	34	64
70-74	314	14.7	144	2	3	12	19	30	38	68
75-79	230	15.3	124	3	4	13	18	30	37	60
80-84	144	16.4	107	3	5	15	21	31	42	59
85+	90	17.0	152	4	5	14	22	30	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.6	15	1	1	4	6	8	10	23
B. *Operated*	290	8.6	33	1	2	9	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	948	8.1	51	2	2	6	10	16	21	39
B. *Operated*	1149	14.6	137	2	3	12	18	29	38	63
1. SINGLE DX	387	7.6	31	1	2	7	11	15	18	27
2. MULTIPLE DX	2097	11.7	109	2	3	9	15	24	32	54
A. NOT OPERATED	1045	7.8	49	2	2	6	9	16	21	38
B. OPERATED	1439	13.4	122	2	3	11	16	27	35	58
TOTAL 65-69 YRS	703	10.2	100	1	2	8	13	21	29	53
70-74	637	11.6	109	2	3	9	15	23	34	47
75-79	485	11.4	93	2	3	9	14	22	30	54
80-84	352	11.5	85	2	3	9	15	24	31	44
85+	307	10.5	98	2	3	7	14	22	29	54
GRAND TOTAL	**2484**	**11.0**	**99**	**2**	**2**	**9**	**14**	**22**	**30**	**51**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7	1	<1	<1	1	2	3	3	3
70-74	5	1.4	1	<1	<1	1	2	3	3	3
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	62	2.0	3	<1	<1	1	2	4	6	9
70-74	50	2.6	5	<1	<1	2	3	6	7	10
75-79	21	3.0	17	<1	<1	2	3	5	12	20
80-84	10	3.0	14	<1	<1	2	3	8	13	13
85+	7	4.1	10	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	22	<1	<1	2	4	12	14	14
70-74	13	2.7	2	1	1	3	4	5	5	5
75-79	6	6.0	18	<1	<1	5	9	13	13	13
80-84	4	3.5	4	1	1	3	5	6	6	6
85+	3	4.3	5	3	3	3	6	7	7	7
B. *Operated*										
65-69 YRS	329	2.8	8	<1	<1	2	3	6	9	14
70-74	217	2.7	7	<1	<1	2	3	6	8	14
75-79	135	3.7	46	<1	<1	2	3	7	11	32
80-84	55	3.9	9	<1	1	3	6	9	10	14
85+	22	2.9	4	1	1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.1	3	<1	<1	1	3	5	7	7
B. *Operated*	150	2.5	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	10	<1	1	3	4	7	12	14
B. *Operated*	758	3.0	15	<1	<1	2	3	6	9	17
1. SINGLE DX	161	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	791	3.1	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	44	3.3	9	<1	<1	3	4	7	10	14
B. OPERATED	908	3.0	13	<1	<1	2	3	6	9	16
TOTAL 65-69 YRS	401	2.7	7	<1	<1	2	3	6	9	14
70-74	285	2.7	6	<1	<1	2	3	5	7	14
75-79	163	3.7	41	<1	<1	2	3	7	12	25
80-84	71	3.7	9	<1	1	3	5	8	10	14
85+	32	3.3	6	1	1	3	4	7	8	9
GRAND TOTAL	**952**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.3	4	<1	1	3	5	6	7	9
70-74	21	5.2	11	1	2	4	7	10	13	13
75-79	16	3.6	4	1	2	3	5	6	7	8
80-84	12	3.8	8	1	1	3	5	8	11	11
85+	16	4.0	6	1	1	3	5	9	10	10
B. *Operated*										
65-69 YRS	82	4.0	13	<1	1	3	5	9	11	17
70-74	61	4.0	13	<1	1	2	6	11	12	15
75-79	42	5.5	34	1	2	4	7	11	14	36
80-84	32	5.3	17	1	1	5	7	10	11	19
85+	16	5.6	20	1	1	5	6	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	6.7	57	1	1	5	8	13	18	48
70-74	188	6.7	67	1	2	4	8	11	25	43
75-79	221	7.5	76	1	2	5	8	14	23	51
80-84	215	7.4	79	2	2	5	8	14	20	76
85+	258	7.3	88	1	2	5	8	12	19	57
B. *Operated*										
65-69 YRS	280	6.8	59	1	1	4	8	14	19	39
70-74	221	7.0	41	1	1	5	10	16	20	34
75-79	180	8.2	77	1	1	6	10	17	22	54
80-84	97	10.0	104	1	1	7	14	20	26	59
85+	77	11.5	170	1	2	7	16	31	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.9	7	1	1	3	5	7	9	13
B. *Operated*	233	4.5	18	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1098	7.1	74	1	2	5	8	13	20	52
B. *Operated*	855	7.9	75	1	1	5	10	17	23	53
1. SINGLE DX	329	4.4	15	1	1	3	6	9	12	17
2. MULTIPLE DX	1953	7.5	74	1	2	5	9	15	22	52
A. NOT OPERATED	1194	6.9	69	1	2	5	8	12	19	51
B. OPERATED	1088	7.2	65	1	1	5	9	16	21	44
TOTAL 65-69 YRS	609	6.2	50	1	1	4	8	13	18	36
70-74	491	6.4	47	1	1	4	8	13	19	39
75-79	459	7.5	70	1	2	5	9	15	22	50
80-84	356	7.8	80	1	2	5	9	15	21	68
85+	367	8.0	102	1	2	5	9	16	28	63
GRAND TOTAL	**2282**	**7.0**	**67**	**1**	**1**	**5**	**8**	**14**	**20**	**49**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.0	22	1	2	3	5	14	17	18
70-74	13	13.0	184	5	6	9	12	26	50	56
75-79	9	5.6	9	2	2	5	7	10	11	11
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
65-69 YRS	7	12.6	121	6	6	9	11	32	37	37
70-74	7	15.1	43	5	6	16	21	23	23	23
75-79	9	17.6	158	2	3	18	22	37	43	43
80-84	1	18.0		18	18	18	18	18	18	18
85+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	42	7.6	77	2	2	6	9	15	18	56
B. *Operated*	25	15.6	99	4	5	16	20	27	38	43
1. SINGLE DX	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX	67	10.6	99	2	2	7	15	21	28	54
A. NOT OPERATED	45	7.4	73	2	2	5	8	14	18	56
B. OPERATED	26	15.0	103	2	5	14	20	27	38	43
TOTAL 65-69 YRS	22	7.4	62	1	2	5	9	15	26	37
70-74	22	12.8	129	3	5	9	17	22	36	56
75-79	19	11.2	113	2	2	7	17	25	36	43
80-84	4	8.5	46	2	2	7	13	18	18	18
85+	4	8.3	68	2	2	5	14	20	20	20
GRAND TOTAL	**71**	**10.2**	**97**	**2**	**2**	**7**	**14**	**20**	**27**	**53**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	4.7	9	1	1	4	7	9	10	12
70-74	67	5.4	11	1	1	5	8	10	12	13
75-79	57	5.7	18	1	1	5	8	11	17	94
80-84	36	6.0	11	2	2	6	8	10	13	15
85+	23	5.6	13	2	3	5	6	11	14	17
B. *Operated*										
65-69 YRS	328	4.7	20	1	1	3	7	10	15	20
70-74	220	5.5	26	1	1	4	8	13	16	24
75-79	135	5.9	33	1	1	4	8	13	17	26
80-84	35	6.3	30	1	1	5	9	15	18	19
85+	14	9.8	109	1	2	6	10	29	36	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	618	6.2	16	1	2	5	8	11	14	18
70-74	687	6.5	19	1	2	5	8	12	15	25
75-79	695	7.4	36	2	3	6	9	13	17	31
80-84	604	7.4	51	2	2	6	9	13	17	54
85+	580	7.5	33	2	2	6	9	14	19	38
B. *Operated*										
65-69 YRS	913	7.8	52	1	1	6	10	15	21	34
70-74	791	9.1	79	1	1	7	11	17	23	52
75-79	541	10.1	79	1	2	8	13	20	26	46
80-84	257	11.8	98	1	2	10	15	23	31	66
85+	70	12.0	119	2	3	11	16	21	34	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.3	12	1	1	5	7	10	12	19
B. *Operated*	732	5.3	27	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	3184	7.0	31	2	2	6	9	13	16	29
B. *Operated*	2572	9.2	74	1	1	7	12	19	24	45
1. SINGLE DX	993	5.3	23	1	1	4	8	11	15	22
2. MULTIPLE DX	5756	8.0	51	1	2	6	10	15	20	38
A. NOT OPERATED	3445	6.9	30	2	2	6	9	12	16	28
B. OPERATED	3304	8.3	66	1	1	7	11	17	22	40
TOTAL 65-69 YRS	1937	6.7	34	1	1	5	9	13	17	29
70-74	1765	7.5	49	1	1	6	10	15	19	34
75-79	1428	8.2	54	1	2	7	11	16	20	39
80-84	932	8.5	66	1	2	7	11	16	22	58
85+	687	7.9	45	2	2	6	10	15	20	42
GRAND TOTAL	**6749**	**7.6**	**48**	**1**	**1**	**6**	**10**	**15**	**20**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	203	5.9	12	1	2	6	8	10	12	16
70-74	144	6.5	16	1	2	6	9	12	14	22
75-79	89	6.1	12	2	2	6	8	9	11	22
80-84	36	6.5	17	2	2	6	9	11	15	19
85+	19	5.3	11	1	2	4	8	10	12	13
B. *Operated*										
65-69 YRS	899	6.0	21	1	1	5	8	12	15	21
70-74	447	6.6	24	1	1	6	9	13	16	23
75-79	211	6.7	29	1	1	6	9	13	16	26
80-84	69	7.3	47	1	1	6	9	15	18	41
85+	27	7.6	25	1	1	6	10	12	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	829	7.2	21	1	2	6	9	13	15	23
70-74	812	8.0	26	2	3	7	10	14	18	26
75-79	611	8.2	32	2	3	7	11	14	17	23
80-84	413	8.1	28	2	3	7	10	14	17	31
85+	245	8.1	34	2	3	7	11	14	17	35
B. *Operated*										
65-69 YRS	1749	9.1	49	1	2	8	11	18	22	36
70-74	1242	10.1	58	1	2	9	14	19	24	38
75-79	724	10.6	62	1	2	9	14	20	25	41
80-84	301	11.8	67	2	3	11	16	22	28	41
85+	100	12.3	86	2	3	10	16	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	6.1	14	1	2	6	8	10	13	19
B. *Operated*	1653	6.3	24	1	1	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2910	7.8	27	2	3	7	10	14	17	26
B. *Operated*	4116	9.9	57	1	2	8	13	19	24	37
1. SINGLE DX	2144	6.3	22	1	1	6	9	12	15	22
2. MULTIPLE DX	7026	9.1	46	1	2	8	11	17	21	34
A. NOT OPERATED	3401	7.6	26	2	3	7	10	13	16	26
B. OPERATED	5769	8.9	50	1	1	8	12	17	22	35
TOTAL 65-69 YRS	3680	7.8	36	1	1	7	10	15	18	30
70-74	2645	8.7	42	1	2	7	11	16	21	31
75-79	1635	8.9	46	1	2	8	11	17	21	34
80-84	819	9.3	47	2	3	8	12	17	22	34
85+	391	9.0	49	2	3	8	11	17	22	36
GRAND TOTAL	**9170**	**8.4**	**41**	**1**	**2**	**7**	**11**	**16**	**20**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	4.7	8	1	2	4	7	9	10	11
70-74	23	5.5	22	1	1	4	9	11	17	18
75-79	12	6.3	10	1	2	6	9	10	10	10
80-84	2	10.0	32	6	6	10	14	14	14	14
85+	3	7.0	39	2	2	5	12	14	14	14
B. *Operated*										
65-69 YRS	122	5.4	17	1	1	5	7	11	15	19
70-74	56	4.3	10	1	1	4	6	9	11	13
75-79	24	6.2	21	1	1	5	8	13	16	17
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	162	6.9	22	2	2	5	9	14	17	21
70-74	123	6.0	20	1	2	5	8	11	13	26
75-79	85	7.8	38	2	2	6	9	15	19	37
80-84	65	6.1	15	2	2	5	8	11	13	20
85+	44	7.7	30	2	3	6	9	15	20	26
B. *Operated*										
65-69 YRS	210	8.8	73	1	1	7	12	17	25	49
70-74	147	8.7	48	1	2	7	11	15	22	42
75-79	78	8.6	47	1	1	7	12	19	22	32
80-84	21	16.0	202	3	4	12	20	37	49	58
85+	9	8.7	30	1	2	9	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.6	15	1	1	5	8	10	14	18
B. *Operated*	207	5.1	15	1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	479	6.8	24	2	2	6	9	13	16	25
B. *Operated*	465	9.1	67	1	1	7	12	18	24	42
1. SINGLE DX	271	5.2	15	1	1	4	7	10	14	18
2. MULTIPLE DX	944	7.9	47	1	2	6	10	15	20	37
A. NOT OPERATED	543	6.6	23	2	2	5	9	12	16	24
B. OPERATED	672	7.9	54	1	1	6	10	16	21	41
TOTAL 65-69 YRS	518	7.2	43	1	1	5	9	15	17	32
70-74	349	6.8	33	1	1	6	9	13	16	31
75-79	199	7.8	38	1	2	6	10	16	20	32
80-84	90	8.4	75	2	2	6	10	18	21	52
85+	59	7.5	29	2	2	6	9	15	18	26
GRAND TOTAL	**1215**	**7.3**	**41**	**1**	**2**	**6**	**9**	**15**	**19**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.2	15	2	2	7	9	13	13	13
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	7	6.1	19	1	2	5	7	13	15	15
80-84	3	4.0	9	<1	<1	4	6	7	7	7
85+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	7.1	27	2	2	6	9	13	17	25
70-74	38	7.3	15	2	3	7	9	13	15	19
75-79	34	9.0	78	2	3	7	10	16	25	49
80-84	15	5.3	6	1	2	5	7	9	10	10
85+	20	7.7	42	2	2	5	10	14	23	30
B. *Operated*										
65-69 YRS	8	10.1	86	1	1	8	14	25	29	29
70-74	16	11.3	114	1	1	8	18	30	32	33
75-79	13	7.2	27	1	2	6	8	17	19	19
80-84	3	15.7	44	8	8	19	20	20	20	20
85+	3	12.7	121	2	2	12	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.6	14	<1	1	5	7	11	14	15
B. *Operated*	7	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	151	7.5	36	2	2	6	9	13	16	30
B. *Operated*	43	10.3	76	1	1	8	15	23	30	33
1. SINGLE DX	26	4.9	12	1	1	4	7	8	13	15
2. MULTIPLE DX	194	8.1	46	1	2	6	10	15	23	32
A. NOT OPERATED	170	7.3	33	2	2	6	9	13	16	29
B. OPERATED	50	9.2	72	1	1	6	14	22	29	33
TOTAL 65-69 YRS	59	7.4	33	2	2	6	10	14	20	29
70-74	58	8.1	45	1	1	7	10	15	22	33
75-79	55	8.1	58	1	2	6	9	16	19	48
80-84	21	6.6	24	1	2	5	8	14	19	20
85+	27	7.7	45	2	2	5	11	15	25	30
GRAND TOTAL	**220**	**7.7**	**43**	**1**	**2**	**6**	**10**	**15**	**20**	**32**

1463 Hospitals, United States, January-December 1986

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	4.5	5	1	2	4	7	8	8	8
70-74	26	6.0	12	2	3	5	8	9	12	18
75-79	15	7.7	78	<1	1	5	9	15	31	36
80-84	12	8.0	38	3	3	6	10	16	24	25
85+	8	6.8	9	3	4	6	8	12	13	13
B. *Operated*										
65-69 YRS	19	2.9	12	<1	1	2	4	5	11	16
70-74	4	1.3		1	1	1	2	2	2	2
75-79	5	4.4	25	1	1	3	6	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	7.0	16	2	3	6	9	12	14	23
70-74	182	7.6	22	2	3	7	9	12	17	27
75-79	141	7.1	18	2	3	6	9	13	15	20
80-84	113	8.2	35	3	3	7	10	14	18	36
85+	76	7.8	28	2	3	6	11	15	19	27
B. *Operated*										
65-69 YRS	49	9.0	62	1	1	8	13	19	22	41
70-74	37	9.1	54	2	2	8	10	17	28	35
75-79	38	9.1	42	1	2	8	13	19	22	26
80-84	20	10.7	52	2	3	10	14	21	27	28
85+	12	8.4	26	2	3	7	13	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.2	26	1	2	5	8	10	13	32
B. *Operated*	29	3.1	13	1	1	2	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*	693	7.5	23	2	3	6	9	13	16	27
B. *Operated*	156	9.2	50	1	2	8	12	18	24	35
1. SINGLE DX	114	5.4	24	1	1	4	8	9	13	29
2. MULTIPLE DX	849	7.8	28	2	3	6	10	14	17	29
A. NOT OPERATED	778	7.3	23	2	3	6	9	13	15	27
B. OPERATED	185	8.2	49	1	1	7	12	17	22	33
TOTAL 65-69 YRS	273	6.8	25	1	2	6	9	13	15	25
70-74	249	7.5	27	2	3	6	9	12	18	30
75-79	199	7.5	27	2	2	6	9	14	17	29
80-84	146	8.5	38	3	3	7	11	15	21	36
85+	96	7.8	26	2	3	6	11	14	18	26
GRAND TOTAL	**963**	**7.5**	**28**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	207	4.5	14	1	1	4	6	9	11	17
70-74	167	4.4	11	1	1	4	6	9	11	14
75-79	130	5.1	17	1	1	4	7	10	13	23
80-84	59	4.5	14	<1	1	3	6	9	12	17
85+	30	4.8	13	1	1	4	7	10	13	13
B. *Operated*										
65-69 YRS	595	5.2	18	1	1	5	8	11	14	18
70-74	558	5.7	20	1	1	5	8	11	14	19
75-79	336	5.8	22	1	1	6	9	11	14	21
80-84	102	6.5	31	1	1	6	10	12	17	26
85+	31	6.7	25	1	1	7	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1088	6.4	23	1	2	5	8	12	15	22
70-74	1077	6.5	24	1	2	5	8	11	15	24
75-79	894	6.7	20	1	2	6	9	12	15	21
80-84	753	7.4	32	2	2	6	10	13	17	32
85+	586	7.4	47	2	2	6	9	13	17	36
B. *Operated*										
65-69 YRS	1591	8.2	43	1	1	7	11	16	21	33
70-74	1525	9.2	51	1	1	8	12	18	22	35
75-79	1035	10.2	73	1	2	9	13	19	25	39
80-84	500	11.4	88	1	2	10	14	22	29	51
85+	173	12.7	112	2	4	10	16	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	4.6	14	1	1	4	6	9	11	16
B. *Operated*	1622	5.6	20	1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	4398	6.8	28	1	2	6	9	12	15	25
B. *Operated*	4824	9.4	60	1	1	8	12	18	23	38
1. SINGLE DX	2215	5.3	19	1	1	5	8	11	13	19
2. MULTIPLE DX	9222	8.2	46	1	2	7	10	16	20	33
A. NOT OPERATED	4991	6.5	26	1	2	5	8	12	15	25
B. OPERATED	6446	8.5	53	1	1	7	11	17	21	35
TOTAL 65-69 YRS	3481	6.9	32	1	1	6	9	14	17	28
70-74	3327	7.5	38	1	1	6	10	15	18	29
75-79	2395	8.0	47	1	1	7	10	15	20	32
80-84	1414	8.7	55	1	2	7	11	16	22	42
85+	820	8.4	64	1	2	7	10	16	20	45
GRAND TOTAL	**11437**	**7.6**	**42**	**1**	**1**	**6**	**10**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.2	3	<1	1	3	4	5	6	7
70-74	28	4.0	10	1	1	3	6	8	10	15
75-79	15	6.6	24	1	1	5	9	15	16	17
80-84	11	3.2	2	1	1	3	4	5	6	6
85+	15	3.2	1	1	2	3	4	4	6	6
B. *Operated*										
65-69 YRS	254	2.6	5	<1	<1	2	3	5	7	11
70-74	130	2.6	5	<1	<1	2	3	5	7	12
75-79	64	2.7	5	<1	<1	2	4	5	8	11
80-84	21	4.8	57	<1	<1	2	4	10	22	35
85+	11	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	211	5.3	14	1	2	4	7	10	13	18
70-74	170	5.6	12	1	2	5	8	10	11	16
75-79	169	5.5	14	2	2	4	8	11	14	18
80-84	117	5.9	15	2	2	5	8	11	14	19
85+	106	6.3	16	2	2	6	8	12	16	19
B. *Operated*										
65-69 YRS	524	4.4	22	<1	1	3	5	9	12	22
70-74	332	5.2	28	<1	1	3	6	11	17	25
75-79	206	5.5	31	1	1	4	7	11	17	28
80-84	97	6.2	38	<1	1	4	8	13	21	32
85+	48	7.4	35	1	1	6	10	17	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.0	9	1	1	3	5	7	10	16
B. *Operated*	480	2.7	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	773	5.6	14	1	2	5	7	11	14	18
B. *Operated*	1207	5.0	27	<1	1	3	6	10	15	26
1. SINGLE DX	572	2.9	8	<1	<1	2	4	5	8	15
2. MULTIPLE DX	1980	5.3	22	1	1	4	7	10	14	23
A. NOT OPERATED	865	5.5	14	1	2	4	7	10	13	18
B. OPERATED	1687	4.4	23	<1	1	3	5	9	13	25
TOTAL 65-69 YRS	1012	4.1	16	<1	1	3	5	8	11	20
70-74	660	4.7	20	<1	1	3	6	10	13	22
75-79	454	5.1	22	1	1	4	6	11	15	26
80-84	246	5.8	28	1	1	4	8	11	16	28
85+	180	6.1	21	1	2	5	8	12	17	23
GRAND TOTAL	**2552**	**4.7**	**20**	**<1**	**1**	**3**	**6**	**10**	**13**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	228	2.4	3	<1	1	2	3	4	5	8
70-74	175	2.3	3	<1	<1	2	3	4	5	8
75-79	102	2.5	2	<1	1	2	3	5	5	7
80-84	35	2.1	2	<1	<1	2	3	4	5	6
85+	20	2.5	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	2.6	4	<1	<1	2	3	5	7	8
70-74	12	3.6	10	<1	<1	3	5	8	11	11
75-79	11	1.8	3	<1	<1	1	2	5	7	7
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
65-69 YRS	1383	3.1	4	1	1	3	4	5	6	10
70-74	1020	3.1	5	1	1	3	4	6	7	10
75-79	588	3.2	5	1	1	3	4	6	7	11
80-84	227	4.0	46	1	1	3	4	6	8	25
85+	84	3.6	7	1	1	3	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	560	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	43	2.7	6	<1	<1	2	3	7	8	11
B. *Operated*	3302	3.2	8	1	1	3	4	6	7	11
1. SINGLE DX	563	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3345	3.2	7	1	1	3	4	6	7	11
A. NOT OPERATED	46	2.7	5	<1	<1	2	3	7	7	11
B. OPERATED	3862	3.1	7	1	1	3	4	5	7	11
TOTAL 65-69 YRS	1625	3.0	4	1	1	3	4	5	6	9
70-74	1207	3.0	5	<1	1	3	4	5	7	10
75-79	702	3.1	4	1	1	3	4	6	7	10
80-84	266	3.7	40	<1	1	3	4	6	8	16
85+	108	3.4	6	<1	1	3	4	7	8	13
GRAND TOTAL	**3908**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	4.0	13	<1	<1	3	7	8	8	8
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	58	1.9	2	<1	<1	1	2	4	5	6
70-74	34	2.6	4	<1	<1	2	3	6	7	8
75-79	27	2.4	3	<1	<1	2	3	5	7	8
80-84	7	4.9	8	<1	1	4	7	9	9	9
85+	9	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	6	1	1	3	5	8	8	8
70-74	8	3.9	18	<1	<1	2	6	11	12	12
75-79	10	4.9	13	2	2	4	6	10	14	14
80-84	5	9.8	51	2	2	11	16	18	18	18
85+	3	7.7	17	3	3	9	10	11	11	11
B. *Operated*										
65-69 YRS	90	3.7	21	<1	1	2	4	8	10	28
70-74	85	3.8	14	<1	1	3	5	7	9	24
75-79	62	3.5	8	<1	1	3	4	8	10	14
80-84	31	3.6	4	<1	1	4	5	6	6	7
85+	17	4.2	7	<1	1	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.8	8	<1	<1	3	6	8	8	8
B. *Operated*	135	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	39	5.1	19	1	1	3	8	12	15	18
B. *Operated*	285	3.7	13	<1	1	3	5	7	9	16
1. SINGLE DX	143	2.4	4	<1	<1	2	3	5	7	8
2. MULTIPLE DX	324	3.9	14	<1	1	3	5	8	10	17
A. NOT OPERATED	47	4.9	17	1	1	3	7	11	14	18
B. OPERATED	420	3.2	10	<1	<1	2	4	7	8	14
TOTAL 65-69 YRS	163	3.0	13	<1	<1	2	4	7	8	15
70-74	130	3.5	12	<1	<1	3	5	7	9	19
75-79	101	3.4	8	<1	<1	2	4	7	9	14
80-84	43	4.5	13	<1	1	4	6	8	12	18
85+	30	3.7	9	<1	<1	2	7	8	9	11
GRAND TOTAL	**467**	**3.4**	**11**	**<1**	**<1**	**2**	**4**	**7**	**9**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	10.2	250	<1	1	6	11	15	41	78
70-74	11	9.5	44	1	2	9	13	19	24	24
75-79	6	9.5	62	4	4	6	10	23	25	25
80-84	3	15.3	44	8	8	17	20	21	21	21
85+	5	16.4	75	6	6	15	22	29	29	29
B. *Operated*										
65-69 YRS	56	11.0	142	<1	2	7	13	21	38	65
70-74	42	12.2	170	1	2	7	16	26	40	66
75-79	26	8.3	42	1	1	7	14	18	20	23
80-84	18	6.7	21	1	2	5	10	14	16	16
85+	14	12.0	184	1	2	9	13	20	49	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	185	15.3	134	4	6	12	19	33	43	51
70-74	150	14.0	153	3	4	10	17	29	39	84
75-79	113	13.9	78	4	6	12	17	28	31	45
80-84	105	14.1	115	2	4	11	18	27	39	54
85+	109	14.1	111	4	5	12	18	26	34	57
B. *Operated*										
65-69 YRS	589	18.9	224	3	4	15	27	41	48	81
70-74	464	17.8	203	4	5	14	23	40	50	81
75-79	369	19.0	186	3	5	16	25	41	46	73
80-84	225	18.5	268	3	4	13	24	44	53	87
85+	197	18.9	208	5	5	15	24	38	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	11.0	144	1	2	7	14	21	26	78
B. *Operated*	156	10.4	123	1	2	7	14	21	27	65
2. MULTIPLE DX										
A. *Not Operated*	662	14.4	121	3	5	11	18	29	38	57
B. *Operated*	1844	18.6	215	3	5	14	24	41	48	80
1. SINGLE DX	203	10.6	128	1	2	7	14	21	27	66
2. MULTIPLE DX	2506	17.5	193	3	5	13	22	38	46	78
A. NOT OPERATED	709	14.2	124	3	5	11	17	29	37	59
B. OPERATED	2000	18.0	212	3	4	14	24	40	48	79
TOTAL 65-69 YRS	852	17.4	205	2	4	13	23	39	46	77
70-74	667	16.5	191	3	4	12	21	38	47	81
75-79	514	17.3	163	3	4	14	23	36	45	64
80-84	351	16.6	216	3	4	12	20	41	48	78
85+	325	17.0	177	5	5	13	20	34	44	63
GRAND TOTAL	**2709**	**17.0**	**192**	**3**	**4**	**13**	**22**	**37**	**46**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	5.2	22	1	2	4	6	9	12	31
70-74	85	5.8	17	1	2	5	8	11	14	21
75-79	94	5.8	36	1	1	5	7	10	12	38
80-84	87	5.8	15	1	2	5	7	11	14	20
85+	93	6.0	19	1	2	5	8	11	12	25
B. *Operated*										
65-69 YRS	203	6.7	26	1	1	5	9	14	17	23
70-74	154	7.3	36	1	2	6	10	13	16	39
75-79	115	8.4	27	1	2	8	12	15	16	24
80-84	77	9.0	34	2	2	8	11	17	19	31
85+	50	10.5	30	2	3	11	15	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1273	7.9	41	2	2	6	10	15	20	30
70-74	1765	8.1	42	2	2	7	10	15	19	33
75-79	2097	8.5	43	2	3	7	11	15	19	36
80-84	2008	8.6	47	2	3	7	11	16	20	31
85+	2076	8.6	49	2	3	7	11	16	21	37
B. *Operated*										
65-69 YRS	958	11.7	89	2	3	10	15	22	29	65
70-74	1086	12.3	86	2	3	11	15	22	29	50
75-79	1011	13.3	85	3	4	11	17	24	30	52
80-84	686	14.9	123	4	5	12	18	27	35	69
85+	559	14.8	107	4	6	13	18	25	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	5.7	22	1	2	5	7	10	13	22
B. *Operated*	599	7.8	31	1	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	9219	8.4	45	2	3	7	10	15	20	33
B. *Operated*	4300	13.1	96	2	4	11	16	24	31	63
1. SINGLE DX	1032	6.9	28	1	2	6	9	13	16	25
2. MULTIPLE DX	13519	9.9	66	2	3	8	12	18	24	45
A. NOT OPERATED	9652	8.3	44	2	3	7	10	15	19	33
B. OPERATED	4899	12.5	92	2	3	11	16	23	30	57
TOTAL 65-69 YRS	2508	9.1	62	2	2	7	12	18	23	44
70-74	3090	9.5	61	2	3	8	12	17	23	40
75-79	3317	9.9	60	2	3	8	13	18	23	44
80-84	2858	10.1	71	2	3	8	12	19	24	47
85+	2778	9.8	66	2	3	8	13	18	23	51
GRAND TOTAL	**14551**	**9.7**	**64**	**2**	**3**	**8**	**12**	**18**	**23**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	16	4.3	9	1	1	4	5	9	12	13
70-74	14	7.1	29	2	2	5	8	16	20	21
75-79	12	4.7	17	<1	<1	2	9	10	11	11
80-84	3	9.7	52	5	5	6	15	18	18	18
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	15.4	302	1	1	9	23	40	59	64
70-74	13	23.4	570	1	2	14	34	68	73	74
75-79	17	17.0	283	3	3	11	18	45	56	62
80-84	6	22.2	153	3	4	23	28	38	39	39
85+	9	17.9	659	2	3	11	14	59	85	85
B. *Operated*										
65-69 YRS	108	5.5	26	1	1	4	8	11	14	29
70-74	74	5.8	18	1	2	4	9	12	15	17
75-79	56	7.6	35	2	2	6	9	17	21	28
80-84	22	7.9	42	1	1	6	12	18	21	24
85+	13	5.1	16	<1	1	3	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	47	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	59	18.7	378	1	2	12	23	46	65	84
B. *Operated*	273	6.2	27	1	1	4	8	12	17	27
1. SINGLE DX	48	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX	332	8.4	111	1	1	5	10	17	24	64
A. NOT OPERATED	60	18.4	375	1	2	12	23	45	65	84
B. OPERATED	320	6.1	26	1	1	4	8	12	17	25
TOTAL 65-69 YRS	138	6.3	59	1	1	4	8	12	20	40
70-74	102	8.2	119	1	2	5	9	16	19	70
75-79	85	9.1	96	1	2	7	10	18	25	56
80-84	31	10.8	91	1	1	7	17	25	28	39
85+	24	9.5	282	<1	1	5	11	14	39	85
GRAND TOTAL	**380**	**8.0**	**101**	**1**	**1**	**5**	**9**	**16**	**23**	**63**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	11	4.6	14	<1	<1	4	8	10	11	11
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	8	1	1	2	6	7	7	7
70-74	4	11.5	166	1	1	7	20	30	30	30
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	5.9	14	1	2	5	8	11	14	17
70-74	41	5.9	14	1	2	5	7	9	12	22
75-79	34	6.7	23	2	2	6	9	12	13	26
80-84	29	6.2	21	1	1	6	8	13	17	18
85+	17	8.5	119	2	3	6	8	14	37	49
B. *Operated*										
65-69 YRS	16	9.4	134	1	1	5	9	33	38	39
70-74	11	5.6	12	1	2	5	6	12	12	12
75-79	9	14.0	77	1	1	15	19	25	29	29
80-84	3	20.0	148	12	12	14	29	34	34	34
85+	3	8.7	16	5	5	8	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	11	<1	1	2	5	10	11	11
B. *Operated*	13	5.6	61	1	1	3	6	14	27	30
2. MULTIPLE DX										
A. *Not Operated*	163	6.4	28	1	2	5	8	12	14	25
B. *Operated*	42	10.1	91	1	2	6	14	23	34	39
1. SINGLE DX	30	4.6	32	1	1	3	6	10	11	30
2. MULTIPLE DX	205	7.2	43	1	2	5	8	14	18	37
A. NOT OPERATED	180	6.2	26	1	2	5	8	11	14	25
B. OPERATED	55	9.0	87	1	1	6	12	20	33	39
TOTAL 65-69 YRS	67	6.3	44	1	1	5	8	12	17	38
70-74	67	6.0	22	1	1	5	7	11	12	29
75-79	47	7.8	40	2	2	6	11	15	21	29
80-84	33	7.4	44	1	2	7	9	15	18	34
85+	21	8.3	98	2	3	6	8	14	30	49
GRAND TOTAL	**235**	**6.8**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	4.3	8	1	1	4	7	9	10	10
70-74	53	4.2	11	1	1	4	5	8	10	19
75-79	31	3.7	10	<1	1	3	4	7	9	16
80-84	11	3.4	5	<1	1	3	4	7	9	9
85+	19	4.5	13	1	1	4	6	9	13	15
B. *Operated*										
65-69 YRS	308	2.8	8	<1	1	2	4	6	8	16
70-74	214	2.8	8	<1	<1	2	3	7	10	11
75-79	108	3.1	15	<1	<1	2	3	8	10	21
80-84	44	3.9	33	<1	1	2	4	8	12	36
85+	15	4.5	15	1	1	2	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	479	5.3	22	1	2	4	7	10	13	23
70-74	445	5.8	39	1	1	4	7	12	16	32
75-79	413	5.7	18	1	2	4	8	11	13	20
80-84	328	6.5	40	1	2	5	8	12	16	30
85+	250	6.4	33	2	2	5	8	12	15	41
B. *Operated*										
65-69 YRS	741	6.0	66	1	1	4	7	13	18	49
70-74	529	6.2	59	1	1	3	7	14	21	42
75-79	381	7.4	58	1	1	6	10	15	22	32
80-84	174	7.9	77	1	1	5	10	19	25	40
85+	94	9.0	89	1	2	6	12	23	30	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.1	9	1	1	3	5	8	10	16
B. *Operated*	689	3.0	11	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	1915	5.8	30	1	2	4	7	11	15	29
B. *Operated*	1919	6.7	65	1	1	4	8	15	22	46
1. SINGLE DX	854	3.2	11	<1	1	2	4	7	10	16
2. MULTIPLE DX	3834	6.3	48	1	1	4	8	13	18	37
A. NOT OPERATED	2080	5.7	28	1	2	4	7	11	14	26
B. OPERATED	2608	5.7	54	1	1	3	7	13	18	41
TOTAL 65-69 YRS	1579	5.1	41	1	1	3	6	11	15	29
70-74	1241	5.4	43	1	1	3	7	11	16	36
75-79	933	6.1	36	1	1	4	8	13	16	28
80-84	557	6.7	52	1	1	5	8	13	19	32
85+	378	6.9	47	1	2	5	8	14	19	48
GRAND TOTAL	**4688**	**5.7**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	4.8	6	2	2	4	7	9	9	9
70-74	10	4.4	6	1	1	4	6	8	9	9
75-79	6	4.3	8	2	2	3	4	9	10	10
80-84	4	5.5	6	3	3	5	7	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	16.0	18	13	13	16	19	19	19	19
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	33	4.9	7	2	2	4	6	9	10	11
B. *Operated*	4	10.8	43	5	5	9	16	19	19	19
1. SINGLE DX										
2. MULTIPLE DX	37	5.5	13	2	2	4	7	10	12	19
A. NOT OPERATED	33	4.9	7	2	2	4	6	9	10	11
B. OPERATED	4	10.8	43	5	5	9	16	19	19	19
TOTAL 65-69 YRS	13	4.8	6	2	2	4	6	9	9	9
70-74	11	4.5	6	1	1	4	6	8	9	9
75-79	8	7.3	38	2	2	4	11	17	19	19
80-84	4	5.5	6	3	3	5	7	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**37**	**5.5**	**13**	**2**	**2**	**4**	**7**	**10**	**12**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	11.0	8	9	9	11	13	13	13	13
75-79	4	11.3	88	2	2	10	19	22	22	22
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	7.8	30	2	2	6	13	15	15	15
70-74	6	5.8	27	1	1	4	10	14	14	14
75-79	4	9.8	119	3	3	5	16	26	26	26
80-84	5	12.2	547	1	1	2	16	54	54	54
85+	4	6.8	24	2	2	6	10	13	13	13
B. *Operated*										
65-69 YRS	11	9.7	49	2	2	7	13	21	24	24
70-74	8	7.4	39	2	2	4	12	17	17	17
75-79	5	8.8	40	3	3	9	12	19	19	19
80-84	3	4.0	1	3	3	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	3	<1	<1	2	5	5	5	5
B. *Operated*	7	10.4	49	2	3	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	24	8.4	131	1	1	4	11	16	34	54
B. *Operated*	27	8.2	39	2	2	6	11	18	20	24
1. SINGLE DX	13	6.9	41	<1	1	5	10	17	21	22
2. MULTIPLE DX	51	8.3	80	1	2	5	11	18	24	54
A. NOT OPERATED	30	7.3	109	1	1	4	8	14	26	54
B. OPERATED	34	8.7	40	2	2	6	13	19	21	24
TOTAL 65-69 YRS	19	8.4	38	2	2	6	12	17	22	24
70-74	19	6.5	29	1	1	5	10	16	17	17
75-79	14	9.2	67	<1	2	5	16	22	25	26
80-84	8	9.1	331	1	1	3	4	39	54	54
85+	4	6.8	24	2	2	6	10	13	13	13
GRAND TOTAL	**64**	**8.0**	**72**	**1**	**2**	**5**	**11**	**17**	**23**	**50**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	1.6		<1	<1	2	2	3	3	3
70-74	12	2.5	2	1	1	2	4	5	5	5
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	5	1.8		1	1	2	2	2	2	2
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	18	1.8	1	<1	1	2	3	3	3	3
70-74	19	3.7	39	<1	<1	2	3	5	18	29
75-79	16	1.8	1	<1	1	2	2	3	4	4
80-84	5	2.0	2	1	1	2	3	4	4	4
85+	8	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*	66	2.3	12	<1	1	2	2	3	4	25
1. SINGLE DX	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX	70	2.4	12	<1	1	2	3	4	5	24
A. NOT OPERATED	4	3.8	5	1	1	4	5	6	6	6
B. OPERATED	100	2.2	8	<1	1	2	2	3	4	17
TOTAL 65-69 YRS	29	1.8	1	<1	1	2	2	3	3	3
70-74	32	3.3	24	<1	1	2	4	5	6	29
75-79	19	1.7	1	<1	<1	2	2	3	4	4
80-84	12	2.1	2	1	1	2	2	4	5	5
85+	12	1.6		<1	<1	1	2	3	3	3
GRAND TOTAL	**104**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**5**	**17**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	3	6.0	3	4	4	7	7	7	7	7
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	10	4.2	37	1	1	2	3	13	21	21
70-74	8	6.5	27	1	1	6	11	14	14	14
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.4	8	1	1	4	5	10	10	12
70-74	37	5.8	18	1	1	5	7	12	14	20
75-79	29	6.1	14	2	2	6	8	12	14	15
80-84	23	5.5	19	1	2	5	6	14	16	17
85+	23	6.6	16	1	2	6	9	12	15	16
B. *Operated*										
65-69 YRS	96	8.7	79	1	1	6	12	19	30	41
70-74	66	9.4	68	1	2	7	14	21	25	41
75-79	48	10.9	102	1	2	9	14	22	35	48
80-84	33	10.3	54	2	3	8	13	18	25	38
85+	21	10.9	200	1	2	7	12	19	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	12	1	1	4	7	10	11	11
B. *Operated*	21	5.2	28	1	1	3	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	141	5.7	15	1	2	5	7	11	14	17
B. *Operated*	264	9.7	86	1	2	8	13	20	27	44
1. SINGLE DX	28	5.2	24	1	1	3	7	12	15	21
2. MULTIPLE DX	405	8.3	65	1	2	6	11	16	22	40
A. NOT OPERATED	148	5.6	15	1	2	5	7	11	14	17
B. OPERATED	285	9.3	83	1	1	7	13	20	26	43
TOTAL 65-69 YRS	137	7.4	64	1	1	4	10	17	22	39
70-74	114	7.9	50	1	2	6	11	15	23	36
75-79	80	9.1	72	1	2	7	12	20	23	45
80-84	58	8.2	45	1	2	6	11	17	19	37
85+	44	8.6	106	1	2	7	11	14	19	68
GRAND TOTAL	**433**	**8.1**	**63**	**1**	**1**	**6**	**11**	**16**	**22**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX										
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. NOT OPERATED										
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	5.2	20	<1	<1	4	7	12	13	13
70-74										
75-79	6	7.0	22	1	1	6	12	13	13	13
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	6.9	51	1	2	5	7	17	26	27
70-74	16	5.2	23	<1	1	4	5	10	18	21
75-79	14	6.9	27	1	2	5	10	15	17	17
80-84	20	4.8	5	1	2	5	6	7	9	11
85+	19	4.7	9	<1	1	4	6	9	11	13
B. *Operated*										
65-69 YRS	38	8.6	51	1	2	8	9	14	24	39
70-74	42	11.5	103	1	3	8	15	21	41	46
75-79	22	8.6	36	2	2	7	11	18	21	25
80-84	28	12.2	54	1	2	12	16	21	23	34
85+	12	13.0	107	3	3	9	18	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	16	6.4	20	<1	1	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	80	5.5	19	1	2	4	6	10	14	25
B. *Operated*	142	10.5	70	1	3	8	13	20	28	42
1. SINGLE DX	17	6.1	20	<1	<1	5	11	13	13	13
2. MULTIPLE DX	222	8.7	58	1	2	7	11	17	21	41
A. NOT OPERATED	81	5.4	19	1	1	4	6	10	14	25
B. OPERATED	158	10.1	67	1	2	8	13	19	27	42
TOTAL 65-69 YRS	56	7.8	48	<1	1	7	9	14	24	38
70-74	58	9.8	89	1	2	7	12	20	33	46
75-79	42	7.8	30	1	2	7	11	16	18	25
80-84	50	8.9	46	1	2	6	13	17	21	34
85+	33	8.1	59	1	2	6	10	18	27	35
GRAND TOTAL	**239**	**8.5**	**56**	**1**	**2**	**6**	**11**	**17**	**21**	**40**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	9	1.7	1	1	1	1	2	3	3	3
1. SINGLE DX	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	10	1.6	1	<1	<1	1	2	3	3	3
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	11	1.5	1	1	1	1	2	3	3	3
TOTAL 65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	4	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	**12**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	3.4	6	<1	<1	3	5	7	7	7
70-74	10	5.8	8	<1	2	6	8	9	9	9
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.8	13	1	1	4	7	10	12	12
70-74	12	5.0	10	2	2	4	6	9	12	13
75-79	9	5.6	16	1	2	5	6	12	15	15
80-84	6	5.2	14	2	2	4	6	11	12	12
85+	6	5.0	7	2	2	4	7	9	9	9
B. *Operated*										
65-69 YRS	60	6.8	34	1	2	6	8	14	16	32
70-74	40	9.9	60	1	2	7	13	24	25	29
75-79	29	10.2	74	1	2	8	12	19	28	43
80-84	15	8.2	13	2	6	7	10	15	15	15
85+	12	6.5	20	1	2	5	10	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	24	4.1	7	<1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	11	1	2	4	7	9	12	15
B. *Operated*	156	8.3	47	1	2	7	10	17	24	33
1. SINGLE DX	30	3.8	6	<1	1	4	5	8	9	9
2. MULTIPLE DX	202	7.6	40	1	2	6	9	15	21	31
A. NOT OPERATED	52	4.8	11	1	2	4	6	9	12	15
B. OPERATED	180	7.8	43	1	2	6	9	15	22	32
TOTAL 65-69 YRS	83	6.1	28	1	1	5	8	12	15	31
70-74	65	8.0	46	1	2	6	9	21	24	29
75-79	40	8.8	62	1	2	7	10	17	23	43
80-84	23	6.8	16	1	2	6	9	13	15	15
85+	21	5.5	15	1	1	4	9	11	13	15
GRAND TOTAL	**232**	**7.1**	**37**	**1**	**2**	**6**	**9**	**14**	**19**	**30**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	4.0	9	<1	<1	3	6	8	8	8
70-74	3	1.3		<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	38	3.1	3	<1	1	3	4	6	7	8
70-74	18	3.4	5	1	1	3	4	7	9	10
75-79	10	4.2	5	1	1	4	6	7	8	8
80-84	5	3.6	13	<1	<1	2	5	10	10	10
85+	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	73	3.4	4	<1	1	3	4	7	8	10
1. SINGLE DX	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX	73	3.4	4	<1	1	3	4	7	8	10
A. NOT OPERATED										
B. OPERATED	84	3.4	6	<1	1	3	4	7	8	13
TOTAL 65-69 YRS	42	3.2	4	<1	1	3	4	6	7	8
70-74	21	3.1	5	<1	1	2	4	6	8	10
75-79	13	3.8	5	1	1	3	5	7	8	8
80-84	5	3.6	13	<1	<1	2	5	10	10	10
85+	3	6.3	46	1	1	4	11	14	14	14
GRAND TOTAL	**84**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**7**	**8**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.4	10	2	2	3	4	10	12	12
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84										
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	36	4.2	11	1	1	3	6	9	10	13
70-74	17	5.9	76	1	1	4	6	10	28	38
75-79	11	3.9	24	1	1	3	3	11	17	18
80-84	3	3.7	6	1	1	4	5	6	6	6
85+	3	4.7	6	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	7.3	54	2	2	5	8	13	18	44
70-74	33	6.5	19	2	3	6	8	11	15	24
75-79	28	7.0	34	2	2	5	8	14	21	26
80-84	24	6.7	15	2	4	6	8	10	16	20
85+	26	7.0	23	2	2	7	8	11	21	21
B. *Operated*										
65-69 YRS	94	7.7	29	1	2	7	10	14	17	26
70-74	65	8.0	50	1	1	6	11	18	23	32
75-79	41	10.2	75	1	1	7	16	22	28	37
80-84	22	8.7	63	1	2	5	13	21	25	28
85+	9	12.0	39	6	6	9	15	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.8	6	1	2	3	4	6	10	12
B. *Operated*	70	4.6	27	1	1	3	6	9	10	34
2. MULTIPLE DX										
A. *Not Operated*	150	6.9	30	2	2	6	8	12	20	26
B. *Operated*	231	8.5	47	1	2	7	12	18	25	31
1. SINGLE DX	86	4.4	23	1	1	3	5	9	11	31
2. MULTIPLE DX	381	7.9	41	1	2	6	10	16	21	29
A. NOT OPERATED	166	6.6	29	2	2	5	8	12	16	26
B. OPERATED	301	7.6	45	1	1	6	10	16	21	31
TOTAL 65-69 YRS	177	6.7	31	1	1	5	9	13	14	26
70-74	118	7.1	44	1	1	5	9	16	22	35
75-79	82	8.1	57	1	1	6	10	19	25	35
80-84	49	7.4	37	1	2	5	9	17	20	28
85+	41	7.7	29	2	2	7	8	16	21	25
GRAND TOTAL	**467**	**7.2**	**39**	**1**	**2**	**6**	**9**	**15**	**20**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	119	3.7	6	1	1	3	5	7	9	12
70-74	104	3.4	17	1	1	2	4	7	8	24
75-79	87	3.8	7	1	1	3	5	6	8	15
80-84	55	3.2	2	1	1	3	4	5	6	7
85+	29	3.0	3	<1	1	3	4	6	6	7
B. *Operated*										
65-69 YRS	10	3.3	3	2	2	3	4	6	7	7
70-74	4	4.0	5	2	2	3	5	7	7	7
75-79	3	4.0	12	2	2	2	7	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1291	5.5	26	1	2	4	7	10	14	31
70-74	1480	5.7	26	1	2	4	7	11	14	25
75-79	1285	6.2	31	1	2	5	8	11	15	26
80-84	968	6.5	32	2	2	5	8	12	16	29
85+	845	6.9	42	2	2	5	9	13	17	37
B. *Operated*										
65-69 YRS	120	11.5	170	2	3	8	13	20	41	89
70-74	155	10.6	73	2	3	8	15	25	31	99+
75-79	108	10.5	117	2	2	8	13	19	44	99+
80-84	70	13.5	203	2	4	9	16	25	61	96
85+	58	12.9	110	3	4	10	17	27	43	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.5	9	1	1	3	4	7	8	11
B. *Operated*	18	3.6	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	5869	6.1	31	1	2	5	7	11	15	28
B. *Operated*	511	11.4	127	2	3	8	14	23	36	99+
1. SINGLE DX	412	3.5	8	1	1	3	4	7	8	11
2. MULTIPLE DX	6380	6.5	41	1	2	5	8	12	17	35
A. NOT OPERATED	6263	5.9	30	1	2	5	7	11	15	27
B. OPERATED	529	11.2	125	2	3	8	14	23	34	99+
TOTAL 65-69 YRS	1540	5.8	39	1	2	4	7	11	15	37
70-74	1743	6.0	32	1	2	4	7	12	16	31
75-79	1483	6.4	37	1	2	5	8	12	16	34
80-84	1094	6.7	45	2	2	5	8	12	17	35
85+	932	7.1	48	2	2	6	9	14	19	51
GRAND TOTAL	**6792**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**34**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.3	6	1	2	3	6	8	9	11
70-74	50	4.2	11	1	1	3	5	8	12	15
75-79	32	4.8	8	1	1	4	7	9	11	12
80-84	20	5.9	11	1	2	5	7	11	13	14
85+	19	5.2	18	2	2	4	5	9	16	21
B. *Operated*										
65-69 YRS	5	8.6	123	1	1	6	12	28	28	28
70-74	4	11.8	29	6	6	11	15	19	19	19
75-79	4	8.5	15	4	4	8	11	13	13	13
80-84	3	8.7	4	7	7	8	10	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	720	6.1	19	2	2	5	7	10	15	22
70-74	796	6.5	35	2	2	5	8	11	14	26
75-79	710	6.9	24	2	3	6	8	13	16	28
80-84	522	6.8	31	2	2	5	8	13	16	26
85+	452	6.7	27	2	2	5	8	14	18	26
B. *Operated*										
65-69 YRS	169	12.1	76	3	4	10	15	23	28	55
70-74	159	13.5	98	4	4	11	17	26	33	52
75-79	126	13.2	96	2	4	11	17	23	28	51
80-84	86	14.3	116	3	4	12	16	29	37	52
85+	50	13.3	142	4	4	9	15	26	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.7	10	1	2	4	6	8	11	15
B. *Operated*	16	9.4	44	1	2	8	11	18	25	28
2. MULTIPLE DX										
A. *Not Operated*	3200	6.6	27	2	2	5	8	12	16	25
B. *Operated*	590	13.1	97	3	4	11	16	25	32	53
1. SINGLE DX	180	5.1	15	1	2	4	7	10	12	20
2. MULTIPLE DX	3790	7.6	44	2	2	6	9	15	19	34
A. NOT OPERATED	3364	6.5	27	2	2	5	8	12	15	25
B. OPERATED	606	13.0	96	3	4	10	16	25	32	53
TOTAL 65-69 YRS	937	7.1	34	2	2	5	9	14	18	30
70-74	1009	7.5	50	2	2	5	9	14	19	38
75-79	872	7.8	39	2	3	6	9	15	20	31
80-84	631	7.8	49	2	3	6	9	14	22	35
85+	521	7.3	41	2	2	5	9	15	19	32
GRAND TOTAL	**3970**	**7.5**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

1463 Hospitals, United States, January-December 1986

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	2.9	3	<1	1	3	4	5	6	7
70-74	16	3.3	4	1	1	3	4	6	7	8
75-79	9	4.3	10	<1	<1	4	6	9	10	10
80-84	4	4.3	21	1	1	2	7	11	11	11
85+	4	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	11	2.4	2	<1	<1	2	3	5	5	5
70-74	3	2.0		2	2	2	2	2	2	2
75-79	4	2.8	4	<1	<1	2	4	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	4.3	9	1	1	3	5	8	11	15
70-74	203	4.1	8	1	1	3	5	8	10	15
75-79	176	4.6	12	1	2	4	6	8	10	18
80-84	129	4.6	25	1	1	3	5	9	12	29
85+	80	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
65-69 YRS	57	7.2	73	1	1	6	8	12	30	45
70-74	41	6.7	27	1	1	5	9	16	17	22
75-79	35	7.0	13	2	3	6	9	11	13	19
80-84	15	5.1	12	1	1	5	8	10	11	11
85+	9	5.7	20	1	1	4	7	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.4	5	1	1	3	4	7	8	11
B. *Operated*	19	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	812	4.3	12	1	1	3	5	8	10	16
B. *Operated*	157	6.7	39	1	1	6	8	12	16	38
1. SINGLE DX	74	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	969	4.7	17	1	1	4	6	9	11	18
A. NOT OPERATED	867	4.2	11	1	1	3	5	8	10	16
B. OPERATED	176	6.2	37	1	1	5	8	11	16	37
TOTAL 65-69 YRS	314	4.6	21	1	1	3	6	8	11	24
70-74	263	4.5	12	1	1	3	6	9	11	17
75-79	224	4.9	13	1	2	4	6	9	11	18
80-84	148	4.7	24	1	1	3	6	9	12	25
85+	94	3.8	7	1	1	3	5	7	8	14
GRAND TOTAL	**1043**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	2.9	3	1	1	3	4	5	6	9
70-74	67	3.0	4	1	1	2	4	6	7	10
75-79	46	2.8	3	1	1	2	3	5	6	8
80-84	46	3.0	4	<1	1	3	4	6	7	9
85+	33	2.2	2	<1	1	2	3	5	5	6
B. *Operated*										
65-69 YRS	89	4.5	8	1	1	4	6	8	9	16
70-74	71	3.7	7	1	1	3	5	7	8	15
75-79	56	3.6	4	1	1	4	5	6	6	10
80-84	39	3.9	6	1	1	4	5	6	7	14
85+	21	4.1	7	1	1	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	3.8	14	1	1	3	5	7	9	17
70-74	282	3.7	8	1	1	3	5	6	9	17
75-79	306	3.6	7	1	1	3	4	7	8	13
80-84	224	3.4	6	1	1	3	4	6	8	13
85+	227	4.1	26	1	1	3	5	7	8	22
B. *Operated*										
65-69 YRS	318	5.2	18	1	1	4	6	9	12	22
70-74	296	5.2	17	1	2	4	6	10	14	26
75-79	259	5.5	29	1	1	4	6	10	13	25
80-84	176	5.0	14	1	1	4	6	9	11	21
85+	132	5.3	18	1	2	4	6	9	12	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	2.8	3	1	1	2	4	5	7	9
B. *Operated*	276	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	1334	3.7	12	1	1	3	5	7	9	15
B. *Operated*	1181	5.2	20	1	1	4	6	9	13	25
1. SINGLE DX	538	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX	2515	4.4	16	1	1	4	5	8	11	20
A. NOT OPERATED	1596	3.6	11	1	1	3	4	6	8	14
B. OPERATED	1457	5.0	17	1	1	4	6	9	12	22
TOTAL 65-69 YRS	772	4.4	15	1	1	4	5	8	10	20
70-74	716	4.2	12	1	1	3	5	8	10	20
75-79	667	4.3	16	1	1	3	5	8	10	18
80-84	485	4.0	9	1	1	3	5	7	9	14
85+	413	4.3	21	1	1	3	5	8	10	23
GRAND TOTAL	**3053**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.7	4	<1	<1	2	4	6	7	7
70-74	11	2.1	6	1	1	1	2	5	9	9
75-79	5	1.8	1	1	1	2	2	3	3	3
80-84	8	2.0	1	1	1	2	3	4	4	4
85+										
B. *Operated*										
65-69 YRS	21	2.0	2	<1	<1	2	2	4	6	7
70-74	19	2.5	6	<1	<1	2	3	6	9	10
75-79	11	2.7	14	<1	<1	2	2	7	13	14
80-84	3	1.7		1	1	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	228	6.4	45	1	1	4	8	15	19	35
70-74	221	6.9	63	1	1	4	8	15	19	46
75-79	205	6.3	28	1	2	4	8	13	15	27
80-84	163	7.1	50	1	2	5	9	14	20	41
85+	178	8.0	40	2	2	6	11	17	20	31
B. *Operated*										
65-69 YRS	108	7.9	73	1	1	4	11	20	30	35
70-74	90	11.2	140	1	1	8	16	23	37	61
75-79	69	11.1	217	1	1	6	11	27	49	76
80-84	55	11.8	165	1	1	8	16	24	36	63
85+	38	17.8	199	2	6	14	21	39	53	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.2	3	<1	1	2	2	4	7	9
B. *Operated*	54	2.3	6	<1	<1	2	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	995	6.9	46	1	2	5	9	14	19	33
B. *Operated*	360	11.0	151	1	1	7	15	24	36	62
1. SINGLE DX	88	2.3	5	<1	<1	2	2	4	7	12
2. MULTIPLE DX	1355	8.0	77	1	2	5	10	17	23	49
A. NOT OPERATED	1029	6.8	45	1	2	5	9	14	19	33
B. OPERATED	414	9.9	140	1	1	6	14	23	33	60
TOTAL 65-69 YRS	367	6.5	51	1	1	4	8	15	20	34
70-74	341	7.6	84	1	1	4	10	17	23	51
75-79	290	7.2	77	1	1	5	9	14	22	49
80-84	229	8.0	80	1	1	5	10	18	25	47
85+	216	9.8	81	2	2	7	13	19	23	51
GRAND TOTAL	**1443**	**7.6**	**74**	**1**	**1**	**5**	**10**	**17**	**23**	**46**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	13.2	472	2	2	4	17	52	52	52
70-74	4	12.5	79	3	3	11	19	24	24	24
75-79	2	17.0	162	8	8	17	26	26	26	26
80-84	1	5.0		5	5	5	5	5	5	5
85+	4	4.8	19	1	1	5	8	9	9	9
B. *Operated*										
65-69 YRS	19	12.2	57	1	2	10	18	23	25	26
70-74	37	11.1	132	1	2	8	15	20	32	63
75-79	32	8.4	49	1	2	7	9	20	21	35
80-84	39	8.8	24	1	2	9	12	15	18	20
85+	36	11.6	125	2	3	8	12	23	34	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	7.3	26	1	2	7	9	13	17	28
70-74	62	7.7	24	2	3	7	11	14	17	25
75-79	64	9.6	46	1	2	8	13	19	23	31
80-84	64	8.3	37	2	3	7	10	17	20	31
85+	135	9.2	90	1	2	7	11	19	30	47
B. *Operated*										
65-69 YRS	572	17.5	192	3	5	13	23	36	47	82
70-74	635	17.0	170	4	5	13	22	34	44	86
75-79	595	16.5	175	3	5	13	21	33	43	80
80-84	498	16.4	195	3	5	13	20	30	42	85
85+	763	14.8	114	4	5	13	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	10.9	176	1	1	6	12	26	44	52
B. *Operated*	163	10.2	80	1	3	8	13	20	24	55
2. MULTIPLE DX										
A. *Not Operated*	390	8.6	53	1	2	7	11	16	22	36
B. *Operated*	3063	16.3	166	3	5	13	20	32	42	79
1. SINGLE DX	179	10.3	87	1	2	8	13	21	25	56
2. MULTIPLE DX	3453	15.5	159	3	4	12	19	30	41	75
A. NOT OPERATED	406	8.7	58	1	2	7	11	17	23	38
B. OPERATED	3226	16.0	163	3	5	13	20	31	42	78
TOTAL 65-69 YRS	661	16.3	183	3	4	13	21	34	46	80
70-74	738	15.9	163	3	5	13	20	33	42	85
75-79	693	15.5	163	3	4	12	20	30	41	77
80-84	602	15.0	176	3	4	11	18	28	40	75
85+	938	13.8	115	3	4	11	18	26	33	58
GRAND TOTAL	**3632**	**15.2**	**157**	**3**	**4**	**12**	**19**	**30**	**40**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	727	2.5	3	1	1	2	3	4	5	8
70-74	449	2.5	3	1	1	2	3	4	5	8
75-79	305	2.4	2	1	1	2	3	4	5	8
80-84	150	3.2	25	1	1	2	3	5	6	19
85+	117	3.0	5	1	1	2	3	6	8	11
B. *Operated*										
65-69 YRS	379	2.0	3	<1	1	2	2	3	6	9
70-74	181	1.9	1	<1	1	2	2	3	5	7
75-79	58	2.1	3	<1	<1	2	2	5	6	7
80-84	20	2.2	1	<1	1	2	2	3	4	5
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5663	3.4	5	1	1	3	4	6	7	11
70-74	4631	3.6	7	1	1	3	4	6	8	13
75-79	3495	3.8	10	1	1	3	5	7	8	14
80-84	2109	4.0	15	1	1	3	5	7	9	16
85+	1465	4.1	17	1	1	3	5	7	10	17
B. *Operated*										
65-69 YRS	1675	3.8	14	1	1	2	5	8	10	17
70-74	1053	4.4	17	1	1	3	6	9	12	17
75-79	513	5.1	21	1	1	4	7	10	14	24
80-84	161	6.1	31	1	1	4	8	14	16	28
85+	66	7.4	27	1	2	6	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1748	2.6	5	1	1	2	3	4	5	9
B. *Operated*	640	2.0	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	17363	3.6	9	1	1	3	4	6	8	13
B. *Operated*	3468	4.3	18	1	1	3	6	9	12	20
1. SINGLE DX	2388	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX	20831	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	19111	3.6	9	1	1	3	4	6	8	13
B. OPERATED	4108	4.0	16	1	1	2	5	9	11	19
TOTAL 65-69 YRS	8444	3.3	7	1	1	3	4	6	8	12
70-74	6314	3.6	8	1	1	3	4	7	8	14
75-79	4371	3.8	11	1	1	3	5	7	9	16
80-84	2440	4.0	17	1	1	3	5	7	10	18
85+	1650	4.2	17	1	1	3	5	7	10	17
GRAND TOTAL	**23219**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	2.5	6	<1	1	2	3	6	7	13
70-74	21	3.5	9	<1	<1	3	4	8	10	12
75-79	26	3.8	12	<1	<1	3	5	11	11	12
80-84	14	3.3	4	1	1	3	4	6	7	8
85+	13	3.8	13	1	1	3	4	8	14	15
B. *Operated*										
65-69 YRS	41	2.6	5	<1	<1	2	3	6	7	11
70-74	39	3.8	10	1	1	3	5	8	11	12
75-79	21	2.5	5	<1	<1	1	3	7	8	8
80-84	11	3.7	11	<1	<1	3	4	9	12	12
85+	5	2.6	6	<1	<1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	693	5.3	17	1	1	4	7	10	13	21
70-74	691	5.5	20	1	2	4	7	10	14	24
75-79	617	5.5	21	1	2	4	7	11	13	19
80-84	405	6.0	36	1	2	4	8	11	16	30
85+	321	5.5	24	1	2	4	7	11	14	28
B. *Operated*										
65-69 YRS	313	5.6	35	1	1	4	7	12	17	34
70-74	325	6.1	35	1	1	4	8	13	17	33
75-79	224	7.6	49	1	1	6	10	16	23	38
80-84	110	6.8	48	1	2	5	9	15	18	74
85+	71	8.3	56	1	2	7	11	16	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.2	8	<1	1	2	4	7	10	14
B. *Operated*	117	3.1	7	<1	<1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2727	5.5	22	1	2	4	7	11	14	24
B. *Operated*	1043	6.5	41	1	1	4	8	14	19	35
1. SINGLE DX	232	3.2	8	<1	1	2	4	7	9	13
2. MULTIPLE DX	3770	5.8	28	1	1	4	7	12	15	29
A. NOT OPERATED	2842	5.4	22	1	1	4	7	10	14	24
B. OPERATED	1160	6.2	39	1	1	4	8	14	18	34
TOTAL 65-69 YRS	1088	5.2	22	1	1	4	7	10	14	25
70-74	1076	5.6	24	1	1	4	7	11	14	27
75-79	888	5.9	28	1	1	4	8	12	15	28
80-84	540	6.0	38	1	2	4	8	12	16	32
85+	410	5.9	30	1	2	4	7	12	15	29
GRAND TOTAL	**4002**	**5.6**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	2.0	1	1	1	2	2	4	4	5
70-74	55	2.0	1	<1	1	2	3	3	4	4
75-79	34	3.1	29	1	1	1	3	6	8	32
80-84	29	2.2	2	<1	<1	2	3	4	4	5
85+	18	3.8	3	1	1	4	5	6	7	8
B. *Operated*										
65-69 YRS	31	4.3	8	1	1	4	5	8	12	12
70-74	19	5.1	15	1	1	4	7	12	14	14
75-79	15	4.7	8	<1	1	4	7	9	10	10
80-84	14	4.3	6	<1	1	4	5	7	10	11
85+	11	4.3	3	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	375	3.8	9	1	1	3	5	7	10	15
70-74	417	4.0	12	1	1	3	5	7	10	20
75-79	375	4.7	37	1	1	4	6	9	11	20
80-84	316	5.4	33	1	1	4	7	10	13	28
85+	338	5.8	21	1	2	5	7	12	16	23
B. *Operated*										
65-69 YRS	323	7.0	35	1	2	6	9	14	17	27
70-74	373	7.2	30	1	2	6	9	14	16	32
75-79	357	7.9	59	1	2	6	9	15	22	42
80-84	279	7.6	42	1	2	6	10	14	20	34
85+	245	8.3	33	2	2	7	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.4	6	<1	1	2	3	4	5	8
B. *Operated*	90	4.5	8	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1821	4.7	22	1	1	4	6	9	12	21
B. *Operated*	1577	7.6	40	1	2	6	9	14	19	33
1. SINGLE DX	286	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	3398	6.0	33	1	1	5	8	12	15	27
A. NOT OPERATED	2017	4.5	21	1	1	3	6	8	12	21
B. OPERATED	1667	7.4	39	1	2	6	9	14	19	31
TOTAL 65-69 YRS	789	5.0	22	1	1	4	6	11	13	22
70-74	864	5.3	22	1	1	4	7	11	14	22
75-79	781	6.1	49	1	1	4	7	11	16	32
80-84	638	6.2	37	1	1	5	8	12	15	31
85+	612	6.7	26	1	2	5	9	13	17	23
GRAND TOTAL	**3684**	**5.8**	**31**	**1**	**1**	**4**	**7**	**12**	**15**	**26**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	246	3.4	13	1	1	3	4	6	8	17
70-74	188	2.9	5	<1	1	2	4	6	8	11
75-79	154	2.9	10	<1	1	2	3	5	7	14
80-84	81	3.0	5	<1	1	2	4	6	7	12
85+	92	3.4	9	1	1	3	4	6	10	17
B. *Operated*										
65-69 YRS	41	3.3	8	<1	1	2	4	7	9	14
70-74	17	3.8	14	<1	<1	2	6	9	12	13
75-79	17	3.8	13	<1	<1	2	6	7	12	15
80-84	6	6.3	12	2	2	6	8	12	12	12
85+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1520	4.3	13	1	1	3	5	8	10	15
70-74	1551	4.6	11	1	1	4	6	9	11	17
75-79	1359	4.8	14	1	2	4	6	9	12	20
80-84	1055	4.8	20	1	2	4	6	9	11	19
85+	954	5.5	34	1	2	4	7	10	14	27
B. *Operated*										
65-69 YRS	318	7.2	37	1	2	6	9	14	19	31
70-74	316	7.7	45	1	2	6	10	16	20	38
75-79	241	8.6	77	1	2	7	11	17	22	75
80-84	143	8.6	91	1	2	7	10	16	22	88
85+	95	9.5	43	2	3	8	12	21	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.2	9	<1	1	2	4	6	8	14
B. *Operated*	83	3.8	12	<1	1	2	6	8	12	15
2. MULTIPLE DX										
A. *Not Operated*	6439	4.7	17	1	2	4	6	9	11	19
B. *Operated*	1113	8.0	56	1	2	6	10	15	21	42
1. SINGLE DX	844	3.2	10	<1	1	2	4	6	8	14
2. MULTIPLE DX	7552	5.2	24	1	2	4	6	10	13	24
A. NOT OPERATED	7200	4.6	17	1	1	4	6	9	11	19
B. OPERATED	1196	7.8	54	1	2	6	10	15	21	39
TOTAL 65-69 YRS	2125	4.6	18	1	1	4	6	9	11	21
70-74	2072	4.9	18	1	1	4	6	9	12	22
75-79	1771	5.2	25	1	1	4	6	10	13	24
80-84	1285	5.1	29	1	1	4	6	10	12	24
85+	1143	5.7	34	1	2	4	7	10	15	27
GRAND TOTAL	**8396**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	2.9	5	<1	1	2	4	7	8	9
70-74	31	2.7	3	<1	1	2	4	5	6	7
75-79	26	4.3	12	<1	<1	3	6	10	11	13
80-84	29	2.9	3	1	1	3	4	6	6	7
85+	19	3.6	11	<1	1	2	5	8	12	13
B. *Operated*										
65-69 YRS	12	2.3	4	<1	<1	1	3	6	7	7
70-74	24	4.4	12	<1	1	4	7	10	11	12
75-79	6	4.2	7	<1	<1	5	6	7	7	7
80-84	5	3.0	8	<1	<1	1	5	7	7	7
85+	7	4.6	28	<1	<1	2	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	766	5.2	19	1	1	4	6	10	14	22
70-74	892	5.1	18	1	2	4	6	9	12	20
75-79	774	5.4	22	1	2	4	7	10	14	24
80-84	607	5.4	22	1	2	4	7	10	14	20
85+	575	5.7	27	1	2	5	7	10	13	25
B. *Operated*										
65-69 YRS	303	7.0	61	1	1	5	9	15	20	42
70-74	308	8.5	78	1	1	6	11	20	23	42
75-79	245	8.6	85	1	1	7	11	17	23	55
80-84	184	8.3	74	1	1	6	10	18	27	41
85+	176	8.5	64	1	2	6	11	19	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.2	6	<1	1	3	4	7	8	13
B. *Operated*	54	3.8	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	3614	5.3	21	1	2	4	7	10	13	22
B. *Operated*	1216	8.1	73	1	1	6	11	18	23	47
1. SINGLE DX	195	3.4	8	<1	1	3	5	7	9	13
2. MULTIPLE DX	4830	6.0	36	1	1	4	7	12	16	29
A. NOT OPERATED	3755	5.3	21	1	2	4	7	10	13	22
B. OPERATED	1270	7.9	71	1	1	6	10	17	23	46
TOTAL 65-69 YRS	1117	5.6	31	1	1	4	7	11	16	26
70-74	1255	5.8	35	1	1	4	7	11	16	30
75-79	1051	6.1	39	1	1	4	8	12	15	29
80-84	825	6.0	34	1	2	4	7	11	16	30
85+	777	6.3	36	1	2	5	7	12	16	29
GRAND TOTAL	**5025**	**5.9**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	406	3.1	11	1	1	2	4	6	8	16
70-74	412	3.5	10	1	1	3	5	7	9	14
75-79	397	3.2	7	1	1	2	4	6	8	15
80-84	287	3.3	7	1	1	3	4	7	9	13
85+	267	3.5	10	1	1	2	4	7	10	17
B. *Operated*										
65-69 YRS	90	3.3	9	<1	<1	2	4	8	9	15
70-74	60	3.5	13	<1	1	2	4	7	10	22
75-79	43	3.0	7	<1	1	2	3	7	8	12
80-84	27	4.2	21	<1	1	2	4	12	16	17
85+	14	4.5	18	<1	1	2	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5759	5.5	26	1	2	4	7	11	14	27
70-74	6933	5.6	26	1	2	4	7	11	14	26
75-79	6944	5.6	28	1	2	4	7	11	14	26
80-84	5776	5.8	31	1	2	4	7	11	15	30
85+	5403	5.7	29	1	2	4	7	11	14	27
B. *Operated*										
65-69 YRS	1107	9.5	134	1	1	6	12	22	33	66
70-74	1174	10.6	144	1	2	7	13	24	37	88
75-79	1083	10.1	120	1	2	7	12	21	33	68
80-84	768	9.7	98	1	2	7	12	21	29	56
85+	609	10.5	128	1	2	7	13	21	34	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1769	3.3	9	1	1	2	4	6	9	15
B. *Operated*	234	3.5	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	30815	5.7	28	1	2	4	7	11	14	27
B. *Operated*	4741	10.1	127	1	2	7	12	22	33	72
1. SINGLE DX	2003	3.3	9	1	1	2	4	7	9	15
2. MULTIPLE DX	35556	6.2	43	1	2	4	7	12	17	36
A. NOT OPERATED	32584	5.5	27	1	2	4	7	11	14	27
B. OPERATED	4975	9.8	123	1	2	7	12	21	33	70
TOTAL 65-69 YRS	7362	6.0	44	1	1	4	7	12	17	35
70-74	8579	6.2	44	1	2	4	7	12	17	37
75-79	8467	6.0	41	1	2	4	7	12	16	36
80-84	6858	6.1	39	1	2	4	7	12	16	34
85+	6293	6.1	40	1	2	4	7	12	16	34
GRAND TOTAL	**37559**	**6.1**	**42**	**1**	**2**	**4**	**7**	**12**	**16**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	6	5.8	26	1	1	4	12	12	12	12
75-79	2	3.5	13	<1	<1	3	6	6	6	6
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
65-69 YRS	2	6.0	50	1	1	6	11	11	11	11
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	9.0	68	1	1	9	11	16	27	37
70-74	13	7.9	32	1	2	9	12	15	18	19
75-79	23	12.0	122	1	2	9	16	28	35	43
80-84	5	10.6	106	3	3	8	15	28	28	28
85+	13	10.2	52	4	4	7	14	23	25	25
B. *Operated*										
65-69 YRS	30	19.8	493	1	1	8	33	50	62	89
70-74	14	15.0	160	3	4	9	25	34	38	39
75-79	20	18.9	272	3	4	17	25	52	86	99+
80-84	11	27.7	517	1	3	26	42	58	75	77
85+	12	8.3	27	1	2	8	12	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.8	13	<1	1	4	6	11	12	12
B. *Operated*	4	5.8	21	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	79	10.0	76	1	1	9	12	24	28	41
B. *Operated*	87	18.2	342	1	2	12	29	44	63	96
1. SINGLE DX	20	5.0	14	<1	1	4	7	11	12	12
2. MULTIPLE DX	166	14.3	231	1	2	9	19	37	44	87
A. NOT OPERATED	95	9.1	69	1	1	7	12	22	27	40
B. OPERATED	91	17.7	334	1	2	12	27	43	61	95
TOTAL 65-69 YRS	60	13.9	308	1	1	8	16	38	50	86
70-74	34	10.5	94	1	2	8	13	26	34	39
75-79	45	14.7	196	1	2	11	20	36	49	99+
80-84	19	19.6	411	2	3	9	29	45	63	77
85+	28	8.9	37	2	3	7	12	19	22	25
GRAND TOTAL	**186**	**13.3**	**216**	**1**	**2**	**9**	**17**	**34**	**43**	**85**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	30	2	2	3	10	12	12	12
70-74	5	6.0	18	1	1	8	9	10	10	10
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	7	17.3	781	1	1	4	22	67	77	77
B. *Operated*										
65-69 YRS	3	5.7	52	1	1	2	11	14	14	14
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	10.3	168	2	2	6	11	18	38	67
70-74	53	12.8	201	2	3	9	15	30	39	79
75-79	43	8.6	41	1	2	7	11	18	21	30
80-84	33	9.9	39	3	4	9	13	21	22	26
85+	28	9.9	99	2	2	7	12	28	47	99+
B. *Operated*										
65-69 YRS	38	18.1	377	1	2	10	33	53	91	99+
70-74	34	13.1	145	1	2	11	17	27	33	60
75-79	21	22.0	500	1	2	17	28	59	74	79
80-84	21	12.5	97	2	2	9	19	29	32	34
85+	13	13.6	562	1	1	5	11	39	79	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	9.5	307	1	1	3	9	22	55	77
B. *Operated*	3	5.7	52	1	1	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	200	10.5	119	2	2	8	12	21	30	73
B. *Operated*	127	16.0	309	1	2	10	20	43	60	99+
1. SINGLE DX	22	9.0	270	1	1	3	9	18	48	77
2. MULTIPLE DX	327	12.6	199	2	2	8	16	29	46	91
A. NOT OPERATED	219	10.4	134	2	2	7	12	21	30	78
B. OPERATED	130	15.8	305	1	2	10	20	42	59	99+
TOTAL 65-69 YRS	87	13.4	265	2	2	8	17	44	58	99+
70-74	92	12.6	171	2	2	9	16	28	38	72
75-79	67	12.5	220	1	2	8	16	24	45	77
80-84	55	10.8	62	2	3	9	13	22	28	34
85+	48	12.0	308	1	2	6	12	29	78	99+
GRAND TOTAL	**349**	**12.4**	**204**	**1**	**2**	**8**	**16**	**29**	**46**	**89**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5	1	1	1	1	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	23	2.1	2	<1	1	2	3	4	5	6
70-74	27	3.7	8	1	1	3	5	8	10	14
75-79	14	4.8	52	1	1	3	5	9	25	29
80-84	9	3.7	14	1	1	2	4	10	12	12
85+	6	4.3	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	4.5	12	<1	2	3	6	10	13	15
70-74	52	4.8	19	1	1	4	5	11	14	23
75-79	50	5.0	32	1	1	3	6	11	14	35
80-84	48	5.8	18	1	2	4	8	13	15	16
85+	82	6.6	75	1	1	5	8	11	17	58
B. *Operated*										
65-69 YRS	127	7.0	87	1	1	5	9	14	18	43
70-74	116	6.4	82	1	1	4	8	13	18	48
75-79	121	6.3	39	1	2	5	8	13	18	37
80-84	79	7.2	27	1	2	6	10	14	18	26
85+	73	8.3	118	2	2	5	10	15	20	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	1	1	1	3	3	3	3
B. *Operated*	79	3.5	15	1	1	2	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	267	5.5	38	1	1	4	7	12	15	33
B. *Operated*	516	6.9	70	1	1	5	9	14	18	37
1. SINGLE DX	86	3.4	14	1	1	2	4	6	8	24
2. MULTIPLE DX	783	6.4	59	1	1	4	8	13	17	36
A. NOT OPERATED	274	5.4	37	1	1	4	6	11	15	32
B. OPERATED	595	6.5	64	1	1	4	8	13	18	34
TOTAL 65-69 YRS	189	5.9	64	1	1	3	8	13	17	26
70-74	196	5.6	56	1	1	3	7	12	15	31
75-79	185	5.8	38	1	1	4	7	12	17	36
80-84	137	6.4	24	1	2	5	9	13	16	24
85+	162	7.2	92	1	2	5	8	14	18	64
GRAND TOTAL	**869**	**6.1**	**56**	**1**	**1**	**4**	**8**	**13**	**17**	**34**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	156	5.4	17	1	2	4	7	10	13	25
70-74	145	6.6	15	1	2	6	9	12	14	17
75-79	151	7.0	16	2	2	6	9	12	14	21
80-84	118	6.7	21	2	3	6	9	12	15	24
85+	123	6.1	16	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	12	7.1	25	1	2	6	10	15	16	16
70-74	14	10.4	84	2	2	8	13	21	33	36
75-79	3	5.3	20	1	1	5	9	10	10	10
80-84	3	17.3	9	14	14	18	19	20	20	20
85+	2	10.0	50	5	5	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	835	8.4	35	2	3	7	10	15	19	30
70-74	1130	8.7	35	2	3	7	11	15	19	29
75-79	1494	8.8	31	3	3	8	11	15	19	30
80-84	1490	8.9	44	2	3	7	11	16	20	31
85+	1698	8.9	57	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	154	13.4	118	3	4	10	18	25	36	88
70-74	156	16.0	208	2	3	13	21	32	47	99
75-79	207	15.9	132	3	5	13	20	32	44	99+
80-84	148	16.1	146	5	6	13	20	29	37	71
85+	146	15.2	152	4	5	12	18	28	41	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	6.3	17	2	2	5	8	12	14	21
B. *Operated*	34	9.4	54	1	2	7	14	18	20	36
2. MULTIPLE DX										
A. *Not Operated*	6647	8.8	42	2	3	7	11	16	20	31
B. *Operated*	811	15.4	150	3	5	12	19	29	40	94
1. SINGLE DX	727	6.5	19	2	2	5	8	12	14	21
2. MULTIPLE DX	7458	9.5	58	2	3	8	12	17	22	40
A. NOT OPERATED	7340	8.6	40	2	3	7	11	15	19	31
B. OPERATED	845	15.1	148	3	5	12	19	29	40	94
TOTAL 65-69 YRS	1157	8.7	48	2	3	7	10	16	21	36
70-74	1445	9.3	58	2	3	8	11	17	22	38
75-79	1855	9.4	47	3	3	8	12	16	22	40
80-84	1759	9.4	56	2	3	8	12	18	22	36
85+	1969	9.2	65	2	3	7	11	16	21	42
GRAND TOTAL	**8185**	**9.2**	**55**	**2**	**3**	**8**	**11**	**17**	**22**	**38**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	18	9	9	12	15	15	15	15
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	2	11.0	18	8	8	11	14	14	14	14
75-79	2	13.0	50	8	8	13	18	18	18	18
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	34	2	2	8	13	17	18	18
70-74	17	11.0	38	1	4	11	12	20	24	26
75-79	12	9.3	21	1	3	9	13	15	17	17
80-84	18	11.2	64	3	3	9	12	21	30	35
85+	14	7.2	16	2	3	7	8	13	16	17
B. *Operated*										
65-69 YRS	19	23.3	203	6	9	21	35	49	75	99+
70-74	11	25.6	236	6	11	26	38	71	96	99+
75-79	13	25.0	361	8	10	15	31	56	67	70
80-84	4	20.3	26	16	16	20	24	26	26	26
85+	4	26.0	121	13	13	33	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.6	19	3	3	9	11	15	15	15
B. *Operated*	4	12.0	24	8	8	11	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	71	9.6	37	2	3	8	12	17	21	33
B. *Operated*	51	24.2	218	7	11	22	33	53	94	99+
1. SINGLE DX	9	10.1	22	3	5	9	14	17	18	18
2. MULTIPLE DX	122	15.7	164	3	4	13	21	37	51	99+
A. NOT OPERATED	76	9.6	36	2	3	9	12	17	20	33
B. OPERATED	55	23.3	213	7	9	20	33	52	88	99+
TOTAL 65-69 YRS	31	17.8	183	2	5	14	24	47	51	99+
70-74	31	15.9	155	3	5	13	23	36	56	99+
75-79	29	16.5	227	4	6	12	17	36	54	70
80-84	22	12.8	69	3	4	11	17	24	30	35
85+	18	11.4	99	2	4	8	16	35	72	99+
GRAND TOTAL	**131**	**15.4**	**156**	**3**	**4**	**12**	**20**	**35**	**50**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	3.0	4	1	1	2	4	6	7	9
70-74	46	3.2	6	1	1	3	4	6	7	15
75-79	47	3.0	5	1	1	2	4	6	8	10
80-84	39	3.5	5	1	1	3	5	7	8	11
85+	50	4.5	20	1	1	3	5	9	12	28
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	621	5.7	18	1	2	5	8	11	13	21
70-74	671	6.5	30	1	2	5	8	13	16	25
75-79	742	7.2	52	2	2	5	8	14	18	43
80-84	684	7.0	31	2	2	6	9	13	18	32
85+	895	7.5	61	2	2	5	9	14	19	44
B. *Operated*										
65-69 YRS	139	11.8	125	2	3	9	14	27	36	55
70-74	140	12.4	129	2	3	9	14	23	35	59
75-79	129	13.0	180	3	3	9	16	27	42	91
80-84	96	11.9	50	3	4	11	15	24	27	69
85+	91	14.8	129	3	3	12	20	29	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.4	9	1	1	3	4	7	9	14
B. *Operated*	5	4.4	6	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3613	6.9	41	1	2	5	8	13	17	33
B. *Operated*	595	12.7	127	2	3	10	15	26	35	59
1. SINGLE DX	234	3.5	9	1	1	3	4	7	9	14
2. MULTIPLE DX	4208	7.7	57	2	2	6	9	15	20	44
A. NOT OPERATED	3842	6.7	39	1	2	5	8	13	16	33
B. OPERATED	600	12.6	126	2	3	10	15	26	35	59
TOTAL 65-69 YRS	808	6.6	41	1	2	5	8	12	17	36
70-74	858	7.3	50	1	2	5	9	14	19	39
75-79	919	7.8	73	1	2	6	9	15	21	54
80-84	820	7.4	35	2	2	6	10	15	19	34
85+	1037	8.0	70	2	2	6	10	15	21	48
GRAND TOTAL	**4442**	**7.5**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**44**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	6.8	28	2	2	6	8	14	17	28
70-74	111	6.6	13	2	3	6	8	12	14	17
75-79	150	6.9	17	2	2	6	9	13	15	18
80-84	154	8.1	33	2	3	7	10	14	18	31
85+	231	7.4	38	2	2	6	9	13	17	27
B. *Operated*										
65-69 YRS	3	22.3	289	3	3	29	33	35	35	35
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	19.7	82	10	10	21	26	28	28	28
80-84	2	24.0	392	10	10	24	38	38	38	38
85+	1	60.0		60	60	60	60	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	423	10.9	83	3	4	9	13	20	27	48
70-74	732	10.4	64	3	4	9	13	18	24	46
75-79	960	10.6	67	3	4	9	13	19	24	51
80-84	1134	10.8	69	3	4	9	13	20	25	50
85+	1795	10.6	83	3	4	9	13	19	25	63
B. *Operated*										
65-69 YRS	89	25.0	336	5	7	20	34	52	63	81
70-74	119	20.4	214	6	7	16	27	44	59	99+
75-79	125	19.7	208	5	6	16	26	41	60	99+
80-84	149	21.4	278	4	6	17	28	48	66	99+
85+	158	17.1	201	3	5	13	21	34	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	7.2	28	2	2	6	9	13	17	25
B. *Operated*	10	24.1	309	3	5	24	35	49	60	60
2. MULTIPLE DX										
A. *Not Operated*	5044	10.6	74	3	4	9	13	19	25	51
B. *Operated*	640	20.3	246	4	6	16	26	44	60	99+
1. SINGLE DX	757	7.5	35	2	2	6	9	14	17	31
2. MULTIPLE DX	5684	11.7	103	3	4	9	14	22	30	65
A. NOT OPERATED	5791	10.2	69	3	3	8	12	18	24	49
B. OPERATED	650	20.4	247	4	6	16	27	44	60	99+
TOTAL 65-69 YRS	616	12.4	141	2	3	9	14	26	38	64
70-74	963	11.2	90	3	4	9	14	20	30	60
75-79	1238	11.1	85	3	4	9	13	20	29	60
80-84	1439	11.6	99	3	4	9	14	22	30	63
85+	2185	10.8	92	3	3	9	13	19	26	66
GRAND TOTAL	**6441**	**11.2**	**97**	**3**	**4**	**9**	**13**	**21**	**29**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	2.6	3	<1	1	2	4	5	6	8
70-74	66	3.7	10	1	1	3	4	8	10	16
75-79	95	2.7	3	1	1	2	4	5	6	8
80-84	86	3.7	10	<1	1	3	5	7	8	19
85+	85	3.9	10	1	1	3	5	8	11	17
B. *Operated*										
65-69 YRS	161	4.1	8	1	1	4	5	7	9	15
70-74	141	4.7	42	1	1	3	5	8	10	50
75-79	156	4.4	10	1	1	4	6	9	11	15
80-84	97	4.6	13	1	1	3	6	10	13	17
85+	99	5.1	13	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	6.3	48	1	2	4	7	12	17	43
70-74	316	6.3	40	1	2	5	8	13	17	45
75-79	423	6.8	52	1	2	5	8	13	18	43
80-84	479	7.2	61	1	2	5	9	14	22	58
85+	583	7.4	73	1	2	5	9	14	20	66
B. *Operated*										
65-69 YRS	416	8.2	82	1	2	6	9	18	24	63
70-74	425	8.5	105	1	2	6	10	15	22	52
75-79	490	8.6	65	1	2	6	11	16	24	44
80-84	444	10.7	138	1	2	7	13	21	34	80
85+	367	9.9	90	2	3	8	12	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.3	8	1	1	3	4	6	8	15
B. *Operated*	654	4.5	17	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2035	6.9	58	1	2	5	8	14	19	46
B. *Operated*	2142	9.1	97	1	2	6	11	18	25	61
1. SINGLE DX	1033	4.1	14	1	1	3	5	8	10	15
2. MULTIPLE DX	4177	8.1	79	1	2	6	10	16	23	53
A. NOT OPERATED	2414	6.4	52	1	1	4	8	13	18	43
B. OPERATED	2796	8.1	82	1	2	6	10	16	23	51
TOTAL 65-69 YRS	858	6.6	58	1	1	4	7	13	20	40
70-74	948	6.9	70	1	1	5	8	13	19	46
75-79	1164	6.9	51	1	1	5	8	14	19	41
80-84	1106	8.1	89	1	2	5	10	17	23	62
85+	1134	7.7	72	1	2	5	9	15	20	50
GRAND TOTAL	**5210**	**7.3**	**69**	**1**	**2**	**5**	**9**	**14**	**20**	**47**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.1	6	1	1	1	2	3	9	11
70-74	9	2.9	18	<1	<1	1	2	10	14	14
75-79	6	9.0	365	<1	<1	1	2	43	48	48
80-84	10	2.7	6	<1	<1	2	4	6	8	8
85+	7	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
65-69 YRS	376	2.3	3	<1	1	2	3	4	6	10
70-74	285	2.5	4	1	1	2	3	5	6	11
75-79	269	2.6	4	1	1	2	3	5	6	12
80-84	168	2.9	5	1	1	2	4	6	8	13
85+	124	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	4.9	24	1	1	4	6	9	18	27
70-74	81	5.3	42	1	1	4	6	11	13	43
75-79	81	6.6	61	1	1	4	8	14	22	46
80-84	78	5.8	35	1	1	4	6	12	19	32
85+	143	7.2	51	1	1	5	10	15	22	35
B. *Operated*										
65-69 YRS	555	5.3	45	1	1	3	6	11	14	34
70-74	541	5.2	33	1	1	3	6	11	15	36
75-79	493	5.6	36	1	1	4	7	11	16	30
80-84	416	6.9	110	1	1	4	7	14	19	73
85+	372	7.3	50	1	2	5	9	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.3	50	<1	1	1	3	6	11	48
B. *Operated*	1222	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	439	6.2	45	1	1	4	7	13	18	34
B. *Operated*	2377	5.9	53	1	1	4	7	12	17	41
1. SINGLE DX	1270	2.6	6	1	1	2	3	5	7	11
2. MULTIPLE DX	2816	6.0	52	1	1	4	7	12	17	39
A. NOT OPERATED	487	5.9	46	1	1	4	7	12	17	34
B. OPERATED	3599	4.8	39	1	1	3	5	10	14	33
TOTAL 65-69 YRS	1003	4.1	30	1	1	3	5	8	12	24
70-74	916	4.3	26	1	1	3	5	9	13	28
75-79	849	4.7	32	1	1	3	5	10	14	29
80-84	672	5.7	76	1	1	3	6	11	16	51
85+	646	6.4	44	1	1	4	8	14	20	41
GRAND TOTAL	**4086**	**4.9**	**40**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74										
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	3	1.3		1	1	1	2	2	2	2
85+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	55	2.1	2	<1	<1	2	3	4	6	9
70-74	35	3.1	12	<1	1	2	3	7	10	18
75-79	21	2.2	4	<1	<1	1	3	5	7	9
80-84	18	2.9	8	<1	1	2	4	8	9	10
85+	8	2.5	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.9	229	<1	<1	3	5	31	48	48
70-74	13	3.7	8	<1	1	3	5	7	10	11
75-79	15	5.7	23	1	1	4	7	15	16	16
80-84	12	5.9	40	1	1	4	6	15	23	24
85+	24	9.3	201	1	1	4	10	25	47	62
B. *Operated*										
65-69 YRS	107	2.9	6	1	1	2	4	5	9	13
70-74	100	3.6	11	1	1	3	5	7	10	19
75-79	60	4.5	20	1	1	3	6	12	13	21
80-84	43	6.0	100	1	1	4	6	9	24	50
85+	33	5.6	32	1	1	4	9	12	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	1	1	1	1	2	4	4	4
B. *Operated*	137	2.5	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	73	6.8	106	1	1	4	6	13	24	59
B. *Operated*	343	4.0	25	1	1	3	5	9	11	22
1. SINGLE DX	148	2.5	6	<1	1	2	3	5	8	10
2. MULTIPLE DX	416	4.5	40	1	1	3	5	10	12	43
A. NOT OPERATED	84	6.2	95	1	1	3	5	12	23	57
B. OPERATED	480	3.6	20	1	1	2	4	8	11	20
TOTAL 65-69 YRS	174	2.9	16	<1	1	2	3	5	6	14
70-74	148	3.5	11	1	1	2	5	7	10	18
75-79	98	4.2	18	<1	1	2	5	11	13	20
80-84	76	5.1	66	1	1	3	5	9	11	50
85+	68	6.3	91	1	1	3	7	13	23	58
GRAND TOTAL	**564**	**4.0**	**32**	**1**	**1**	**2**	**5**	**9**	**11**	**25**

1463 Hospitals, United States, January-December 1986

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	6.5	29	1	1	5	9	15	17	21
70-74	64	8.1	51	1	2	6	11	17	22	35
75-79	69	8.9	85	1	1	7	11	17	28	56
80-84	94	8.0	75	1	1	6	9	19	26	46
85+	116	8.7	66	1	2	6	11	20	24	38
B. *Operated*										
65-69 YRS	635	10.3	19	5	6	10	13	15	18	28
70-74	865	10.6	16	5	6	10	13	16	18	22
75-79	1135	11.5	25	6	7	11	14	17	19	32
80-84	1323	12.0	30	6	7	11	14	17	21	30
85+	1892	12.3	39	5	7	11	14	18	22	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	9.0	52	2	3	7	11	17	21	54
70-74	313	11.0	145	2	3	8	13	20	30	88
75-79	432	11.6	131	2	3	8	14	23	33	65
80-84	554	11.7	154	1	2	8	14	24	34	91
85+	976	10.4	104	2	3	8	13	20	30	90
B. *Operated*										
65-69 YRS	2800	14.3	80	6	7	12	16	23	30	52
70-74	4509	14.8	82	6	7	13	17	24	32	61
75-79	6975	15.0	91	6	8	13	17	24	32	67
80-84	8501	15.4	93	7	8	13	18	25	34	69
85+	12566	15.4	95	6	8	13	18	26	34	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	8.3	66	1	1	6	10	18	24	40
B. *Operated*	5850	11.6	29	5	6	11	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2456	10.9	122	2	3	8	13	21	31	78
B. *Operated*	35351	15.1	91	6	8	13	17	25	33	69
1. SINGLE DX	6223	11.4	32	5	6	11	14	17	20	31
2. MULTIPLE DX	37807	14.9	94	6	7	13	17	25	33	69
A. NOT OPERATED	2829	10.5	115	1	2	8	13	20	30	70
B. OPERATED	41201	14.6	84	6	7	13	17	24	31	64
TOTAL 65-69 YRS	3646	13.3	71	5	6	12	15	21	28	49
70-74	5751	13.9	78	5	7	12	16	22	30	57
75-79	8611	14.3	86	6	7	12	16	23	31	63
80-84	10472	14.7	90	6	7	13	17	24	32	65
85+	15550	14.6	91	6	7	13	17	24	32	73
GRAND TOTAL	**44030**	**14.4**	**87**	**6**	**7**	**12**	**17**	**24**	**31**	**65**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	9.9	89	<1	1	7	15	25	31	33
70-74	25	10.6	192	<1	1	5	12	22	49	59
75-79	24	13.3	270	2	2	8	14	38	54	70
80-84	33	12.5	206	2	3	7	17	23	53	65
85+	46	6.0	37	1	1	4	8	13	19	32
B. *Operated*										
65-69 YRS	47	11.4	98	2	3	9	12	21	36	47
70-74	43	14.2	106	4	6	12	17	22	31	64
75-79	44	13.4	26	5	7	13	17	20	22	27
80-84	52	12.9	46	4	4	12	17	22	25	37
85+	82	12.0	93	3	5	11	14	16	19	67
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	16.2	338	2	4	9	18	44	61	94
70-74	118	16.3	279	2	3	9	22	43	54	83
75-79	180	15.1	265	2	3	9	17	42	54	99+
80-84	169	15.1	271	2	3	10	18	40	62	99+
85+	328	13.8	237	2	3	8	16	36	49	94
B. *Operated*										
65-69 YRS	264	19.7	220	7	8	16	23	38	53	99
70-74	351	19.5	229	6	7	15	23	41	58	99+
75-79	394	17.9	177	5	7	14	21	37	55	99+
80-84	446	19.0	243	6	7	14	22	40	56	99+
85+	655	17.2	158	5	7	14	21	31	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	9.9	149	1	1	6	11	22	33	65
B. *Operated*	268	12.7	76	3	5	11	15	20	25	49
2. MULTIPLE DX										
A. *Not Operated*	890	14.9	265	2	3	9	17	40	56	99+
B. *Operated*	2110	18.4	200	6	7	14	22	37	52	99+
1. SINGLE DX	416	11.7	103	2	3	10	14	20	27	61
2. MULTIPLE DX	3000	17.4	222	3	5	13	21	38	54	99+
A. NOT OPERATED	1038	14.2	251	2	3	8	17	38	55	94
B. OPERATED	2378	17.7	189	5	7	14	21	35	49	99
TOTAL 65-69 YRS	426	17.6	236	3	5	13	22	38	52	98
70-74	537	18.0	233	3	5	14	22	40	55	99+
75-79	642	16.6	197	3	5	13	20	38	53	99+
80-84	700	17.3	238	3	5	13	20	37	56	99+
85+	1111	15.3	178	2	4	12	18	31	44	86
GRAND TOTAL	**3416**	**16.7**	**211**	**3**	**5**	**13**	**20**	**36**	**51**	**99**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	4.7	11	1	1	3	7	9	11	15
70-74	54	5.9	15	1	2	5	9	11	15	15
75-79	47	5.4	10	1	2	5	7	10	11	15
80-84	41	5.5	10	1	1	6	7	9	11	17
85+	30	5.3	12	1	2	5	5	10	15	15
B. *Operated*										
65-69 YRS	152	6.9	18	1	2	6	10	12	15	21
70-74	91	7.3	19	2	2	6	10	14	17	19
75-79	50	8.1	17	3	3	8	10	14	17	18
80-84	27	9.1	47	1	2	8	13	17	25	30
85+	30	6.6	19	2	2	6	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	183	7.2	55	1	2	5	9	14	19	60
70-74	172	8.4	54	2	3	6	10	16	22	43
75-79	199	8.5	54	2	3	7	10	16	23	47
80-84	182	7.8	30	2	3	6	10	17	20	25
85+	215	9.0	85	2	3	7	11	15	21	53
B. *Operated*										
65-69 YRS	398	12.0	113	3	4	9	15	23	31	56
70-74	326	12.6	117	2	3	9	15	28	35	70
75-79	251	13.0	99	3	4	10	17	26	35	62
80-84	208	13.7	147	2	3	11	17	26	35	62
85+	150	11.1	107	2	2	8	15	28	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	5.3	12	1	2	5	7	10	12	15
B. *Operated*	350	7.3	21	2	2	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	951	8.2	57	2	3	6	10	15	21	43
B. *Operated*	1333	12.5	116	2	3	10	16	25	34	70
1. SINGLE DX	590	6.5	18	1	2	6	9	13	15	19
2. MULTIPLE DX	2284	10.7	96	2	3	8	13	21	29	57
A. NOT OPERATED	1191	7.6	49	2	2	6	9	14	19	41
B. OPERATED	1683	11.4	101	2	3	9	14	23	30	60
TOTAL 65-69 YRS	801	9.3	80	2	2	7	12	18	26	54
70-74	643	10.2	84	2	3	8	13	20	29	54
75-79	547	10.3	74	2	3	8	12	21	28	55
80-84	458	10.3	92	2	3	7	13	20	26	57
85+	425	9.3	85	2	3	7	11	19	28	94
GRAND TOTAL	**2874**	**9.9**	**83**	**2**	**3**	**7**	**12**	**19**	**28**	**55**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.8	10	1	1	3	5	7	9	18
70-74	58	3.5	5	1	1	3	4	7	8	9
75-79	44	3.9	6	1	1	4	5	8	9	10
80-84	45	4.5	12	1	1	3	6	9	11	16
85+	33	3.9	7	1	1	3	5	7	10	11
B. *Operated*										
65-69 YRS	691	4.9	14	1	2	4	6	8	10	15
70-74	416	5.6	11	2	2	5	7	9	12	17
75-79	218	6.0	42	2	2	5	7	10	12	17
80-84	124	6.1	9	2	3	6	7	10	11	16
85+	95	7.6	21	1	3	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	5.6	32	1	1	4	7	10	20	81
70-74	221	6.8	75	1	2	5	7	12	18	48
75-79	224	6.9	63	1	2	5	8	12	17	40
80-84	194	7.5	54	1	2	6	9	14	21	53
85+	227	6.9	36	1	2	5	9	14	17	38
B. *Operated*										
65-69 YRS	1171	7.4	48	2	3	6	9	12	16	29
70-74	948	8.2	59	2	3	6	9	14	20	43
75-79	664	9.3	58	3	3	7	11	16	23	42
80-84	450	10.1	80	3	4	8	12	18	24	53
85+	288	10.7	78	2	4	8	13	19	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.9	8	1	1	3	5	8	9	15
B. *Operated*	1544	5.5	18	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	1045	6.8	53	1	2	5	8	12	18	44
B. *Operated*	3521	8.6	61	2	3	7	10	15	20	43
1. SINGLE DX	1788	5.3	17	1	2	5	6	9	11	16
2. MULTIPLE DX	4566	8.2	59	2	3	6	10	15	20	43
A. NOT OPERATED	1289	6.2	46	1	1	5	7	12	17	41
B. OPERATED	5065	7.6	50	2	3	6	9	14	18	37
TOTAL 65-69 YRS	2105	6.3	36	1	2	5	7	11	14	28
70-74	1643	7.2	49	2	2	6	8	13	17	37
75-79	1150	8.0	56	2	3	6	9	14	18	39
80-84	813	8.6	63	2	3	7	10	16	21	46
85+	643	8.6	55	1	2	7	11	16	21	41
GRAND TOTAL	**6354**	**7.4**	**49**	**2**	**2**	**6**	**9**	**13**	**18**	**38**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	3	4.3	12	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	4	2.5	6	1	1	2	4	6	6	6
70-74	4	4.0	1	3	3	4	5	5	5	5
75-79	2	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.1	24	1	2	4	10	13	15	23
70-74	71	6.6	65	1	2	5	7	11	16	55
75-79	73	6.6	24	1	1	6	9	14	16	82
80-84	81	6.5	16	1	2	6	9	13	14	17
85+	105	7.4	45	1	2	6	9	14	19	39
B. *Operated*										
65-69 YRS	27	8.1	126	1	2	5	10	13	21	61
70-74	19	6.4	34	<1	1	4	8	16	20	22
75-79	21	10.3	110	1	2	7	13	29	35	39
80-84	23	7.0	35	1	2	6	11	15	20	21
85+	11	7.5	30	1	2	5	13	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	7	<1	<1	2	5	7	8	8
B. *Operated*	10	2.8	4	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	397	6.7	35	1	2	5	9	13	16	34
B. *Operated*	101	7.9	74	1	1	5	11	15	21	50
1. SINGLE DX	21	3.1	5	<1	1	2	5	6	7	8
2. MULTIPLE DX	498	6.9	43	1	2	5	9	14	17	38
A. NOT OPERATED	408	6.6	34	1	2	5	9	13	16	34
B. OPERATED	111	7.5	69	1	1	5	10	15	21	48
TOTAL 65-69 YRS	98	6.5	52	1	1	4	9	13	14	43
70-74	96	6.4	55	1	1	5	7	12	17	48
75-79	99	7.2	44	1	1	5	9	15	23	69
80-84	107	6.5	20	1	2	6	9	13	14	20
85+	119	7.3	42	1	2	5	9	14	18	38
GRAND TOTAL	**519**	**6.8**	**42**	**1**	**1**	**5**	**9**	**13**	**17**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	4	13.8	34	5	5	16	17	17	17	17
75-79	3	10.7	46	3	3	13	15	16	16	16
80-84	4	8.5	6	5	5	9	10	10	10	10
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	6	13.2	127	3	3	11	19	31	32	32
70-74	5	20.6	840	4	4	11	27	72	72	72
75-79	4	27.3	914	6	6	15	45	72	72	72
80-84	5	22.6	283	2	2	18	37	44	44	44
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	15	9.3	31	1	2	9	15	17	17	17
B. *Operated*	20	20.2	442	2	3	13	25	58	72	72
1. SINGLE DX	4	3.8	18	1	1	2	6	10	10	10
2. MULTIPLE DX	35	15.5	290	2	3	11	17	35	65	72
A. NOT OPERATED	16	8.8	33	1	1	8	14	17	17	17
B. OPERATED	23	18.2	412	2	2	12	19	50	72	72
TOTAL 65-69 YRS	9	9.3	113	1	1	3	16	27	32	32
70-74	11	14.6	399	1	2	11	17	39	69	72
75-79	7	20.1	551	3	4	13	17	61	72	72
80-84	10	15.7	181	2	3	10	18	39	44	44
85+	2	7.5	1	7	7	7	8	8	8	8
GRAND TOTAL	**39**	**14.3**	**274**	**1**	**2**	**10**	**17**	**34**	**59**	**72**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	26	1.7	2	<1	<1	1	2	3	5	8
70-74	35	2.4	7	<1	<1	1	2	8	9	10
75-79	18	2.4	3	<1	1	2	3	6	6	6
80-84	14	3.6	31	<1	1	1	3	13	18	20
85+	14	1.5	1	<1	<1	1	1	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.3	48	1	1	3	5	11	23	30
70-74	9	7.7	61	<1	1	3	15	20	22	22
75-79	15	5.2	16	1	1	4	7	12	14	15
80-84	15	4.9	22	1	1	3	6	14	16	17
85+	23	5.4	19	1	1	4	8	10	14	20
B. *Operated*										
65-69 YRS	50	4.3	43	1	1	2	5	9	12	42
70-74	69	4.3	21	1	1	3	6	11	17	84
75-79	58	5.0	28	1	1	3	8	11	16	29
80-84	46	6.1	75	1	1	4	7	12	13	58
85+	61	5.6	47	1	1	3	8	14	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	107	2.3	8	<1	<1	1	2	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	79	5.5	29	1	1	4	7	13	17	28
B. *Operated*	284	5.0	41	1	1	3	7	11	16	41
1. SINGLE DX	114	2.2	7	<1	<1	1	2	5	8	15
2. MULTIPLE DX	363	5.1	38	1	1	3	7	11	16	37
A. NOT OPERATED	86	5.2	28	1	1	3	6	12	16	27
B. OPERATED	391	4.3	33	<1	1	2	6	10	14	35
TOTAL 65-69 YRS	95	3.7	33	<1	<1	2	4	8	11	37
70-74	114	4.0	21	<1	<1	2	6	10	16	49
75-79	91	4.5	22	1	1	3	6	10	15	25
80-84	77	5.3	55	1	1	3	7	12	14	48
85+	100	4.9	35	1	1	3	7	10	16	34
GRAND TOTAL	**477**	**4.4**	**32**	**<1**	**1**	**3**	**6**	**10**	**15**	**30**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	4	2.3	4	<1	<1	1	3	5	5	5
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	63	2.2	3	<1	<1	1	3	5	6	9
70-74	41	2.2	3	<1	<1	1	3	5	6	7
75-79	31	1.8	2	<1	<1	1	3	4	4	7
80-84	18	4.4	16	<1	1	3	7	10	13	14
85+	5	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	3.3	6	<1	<1	3	5	7	9	9
70-74	11	2.6	3	1	1	2	3	6	6	6
75-79	7	6.1	30	1	1	6	11	14	14	14
80-84	6	3.5	4	2	2	3	4	7	7	7
85+	7	6.0	40	2	2	4	6	17	20	20
B. *Operated*										
65-69 YRS	241	3.1	13	<1	<1	2	4	7	9	20
70-74	152	3.1	17	<1	<1	2	3	7	10	36
75-79	94	4.0	22	<1	1	2	5	9	11	25
80-84	52	4.1	22	1	1	2	4	10	14	25
85+	14	4.6	19	<1	<1	3	6	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	3	<1	<1	2	5	5	5	5
B. *Operated*	158	2.4	5	<1	<1	1	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	4.0	14	<1	1	3	6	7	13	20
B. *Operated*	553	3.4	16	<1	<1	2	4	8	11	25
1. SINGLE DX	167	2.4	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	599	3.5	16	<1	<1	2	4	8	11	24
A. NOT OPERATED	55	3.8	13	<1	1	3	5	7	12	20
B. OPERATED	711	3.2	14	<1	<1	2	4	7	10	22
TOTAL 65-69 YRS	320	3.0	10	<1	<1	2	3	7	9	19
70-74	208	2.9	13	<1	<1	2	3	7	8	27
75-79	135	3.6	18	<1	<1	2	4	8	11	25
80-84	76	4.1	19	1	1	2	5	10	13	22
85+	27	4.6	21	<1	1	4	6	11	17	20
GRAND TOTAL	**766**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**10**	**22**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	8	<1	<1	3	6	7	7	7
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	4	4.8	39	1	1	2	8	14	14	14
80-84	2	6.0	50	1	1	6	11	11	11	11
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	31	2.7	6	<1	1	2	4	7	8	9
70-74	31	4.2	21	1	1	2	5	11	14	19
75-79	18	3.9	21	<1	1	2	3	11	15	17
80-84	10	5.6	45	<1	<1	2	8	17	21	21
85+	7	4.4	16	1	1	2	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	7.5	27	1	1	6	10	16	17	19
70-74	22	4.9	10	1	1	4	6	10	11	12
75-79	23	9.3	129	2	3	6	8	19	38	54
80-84	16	7.1	25	2	2	6	11	15	16	16
85+	20	4.5	12	<1	1	3	6	8	12	16
B. *Operated*										
65-69 YRS	114	9.1	144	1	1	5	10	20	31	64
70-74	87	9.9	169	<1	1	5	11	25	38	61
75-79	64	9.5	82	1	2	6	12	24	30	38
80-84	35	10.0	126	1	1	4	14	30	37	44
85+	31	8.9	85	<1	<1	7	14	17	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.6	19	<1	<1	3	6	12	13	14
B. *Operated*	97	3.8	18	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	120	6.8	42	1	2	5	9	14	17	36
B. *Operated*	331	9.5	130	1	1	6	12	21	33	59
1. SINGLE DX	114	3.9	18	<1	1	2	5	10	13	20
2. MULTIPLE DX	451	8.8	108	1	1	6	11	19	30	55
A. NOT OPERATED	137	6.5	40	1	1	5	8	13	16	32
B. OPERATED	428	8.2	110	<1	1	4	10	20	30	56
TOTAL 65-69 YRS	192	7.5	98	1	1	4	9	17	25	58
70-74	142	7.8	116	<1	1	4	9	18	29	58
75-79	109	8.3	83	1	1	5	11	20	30	45
80-84	63	8.4	86	<1	1	5	12	18	31	43
85+	59	6.9	55	<1	1	5	10	16	18	44
GRAND TOTAL	**565**	**7.8**	**93**	**1**	**1**	**5**	**10**	**17**	**26**	**54**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.9	16	1	1	3	4	10	14	14
70-74	8	4.4	7	2	2	4	5	9	10	10
75-79	11	3.5	4	1	1	3	5	7	7	7
80-84	4	3.0		3	3	3	3	3	3	3
85+	9	5.0	5	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	22	4.4	3	2	2	4	5	7	8	8
70-74	16	4.7	9	1	1	5	7	8	10	11
75-79	15	6.2	9	1	3	6	8	11	12	12
80-84	3	7.3	37	2	2	6	12	14	14	14
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	4.7	9	1	2	4	6	8	11	16
70-74	53	5.1	22	<1	1	4	6	11	18	23
75-79	79	5.0	14	2	2	5	6	8	9	26
80-84	58	7.4	112	1	2	6	7	11	14	78
85+	69	5.7	23	2	2	4	7	9	12	29
B. *Operated*										
65-69 YRS	64	6.3	27	1	2	5	8	13	15	28
70-74	46	6.6	37	1	1	5	9	14	22	27
75-79	33	9.0	157	2	2	6	9	16	24	73
80-84	13	10.6	85	2	3	8	16	24	32	34
85+	16	6.2	15	1	2	5	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.0	7	1	2	3	5	7	9	14
B. *Operated*	57	5.1	8	1	2	5	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	310	5.6	36	1	2	4	7	9	12	28
B. *Operated*	172	7.2	58	1	2	5	9	14	20	33
1. SINGLE DX	98	4.7	8	1	2	4	6	8	10	14
2. MULTIPLE DX	482	6.2	44	1	2	5	7	11	15	30
A. NOT OPERATED	351	5.4	32	1	2	4	7	9	12	27
B. OPERATED	229	6.7	47	1	2	5	8	13	16	30
TOTAL 65-69 YRS	146	5.3	17	1	2	4	6	10	14	23
70-74	123	5.6	25	1	1	4	7	12	16	26
75-79	138	6.0	49	2	2	5	7	9	12	37
80-84	78	7.7	100	2	2	6	8	14	18	69
85+	95	5.7	20	2	2	5	7	9	12	29
GRAND TOTAL	**580**	**5.9**	**38**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	4.9	13	2	2	4	6	7	9	25
70-74	41	5.7	13	1	2	5	7	9	12	20
75-79	38	6.1	16	2	2	5	8	12	13	18
80-84	13	4.8	3	2	3	5	6	7	7	7
85+	17	6.3	9	2	2	6	8	10	12	13
B. *Operated*										
65-69 YRS	3	6.0	48	2	2	2	11	14	14	14
70-74	4	5.0	11	3	3	4	7	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	408	6.5	23	2	2	5	8	11	14	23
70-74	412	6.4	16	2	2	6	8	12	14	21
75-79	374	6.6	20	2	3	5	8	12	15	24
80-84	305	6.6	16	2	3	6	8	11	14	21
85+	277	7.2	30	2	3	6	9	12	17	36
B. *Operated*										
65-69 YRS	23	8.9	36	2	3	8	10	19	24	25
70-74	27	10.3	63	4	5	8	13	16	27	43
75-79	37	10.7	57	3	4	8	15	19	24	41
80-84	16	12.9	112	3	5	10	16	20	40	48
85+	10	20.3	402	3	3	14	23	53	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	5.4	12	2	2	5	7	9	12	19
B. *Operated*	7	5.4	22	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1776	6.6	21	2	2	6	8	12	14	23
B. *Operated*	113	11.4	96	3	4	8	14	21	25	56
1. SINGLE DX	194	5.4	13	2	2	5	7	9	12	19
2. MULTIPLE DX	1889	6.9	27	2	3	6	8	12	16	25
A. NOT OPERATED	1963	6.5	20	2	2	5	8	11	14	22
B. OPERATED	120	11.1	94	3	3	8	13	20	25	55
TOTAL 65-69 YRS	512	6.4	23	2	2	5	8	10	14	26
70-74	484	6.5	19	2	2	6	8	12	14	22
75-79	449	6.9	24	2	3	6	8	12	16	24
80-84	334	6.8	22	2	3	6	9	12	15	21
85+	304	7.6	46	2	3	6	9	13	18	39
GRAND TOTAL	**2083**	**6.8**	**25**	**2**	**2**	**6**	**8**	**12**	**15**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.6	8	1	1	3	6	7	10	12
70-74	33	4.2	4	1	2	4	5	7	7	8
75-79	18	3.8	8	1	1	3	5	6	10	12
80-84	10	4.2	9	<1	1	3	6	9	11	11
85+	14	3.8	9	1	1	3	6	8	10	11
B. *Operated*										
65-69 YRS	4	4.8	14	2	2	4	7	10	10	10
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	381	5.2	11	1	2	5	7	9	12	17
70-74	318	5.7	14	1	2	5	8	11	12	17
75-79	284	6.0	15	1	2	5	8	11	14	18
80-84	289	6.1	18	1	2	5	8	11	14	26
85+	277	6.2	20	2	2	5	7	12	16	24
B. *Operated*										
65-69 YRS	35	8.3	62	1	2	5	10	21	28	31
70-74	31	9.0	53	2	2	7	13	17	18	37
75-79	25	8.7	26	2	2	7	12	14	18	23
80-84	24	10.0	46	2	2	9	14	21	23	27
85+	16	9.5	67	1	1	8	13	17	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.9	6	1	1	3	6	7	8	12
B. *Operated*	8	4.8	13	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1549	5.8	15	1	2	5	8	11	13	21
B. *Operated*	131	9.0	49	1	2	7	13	18	23	34
1. SINGLE DX	114	4.0	7	1	1	3	6	7	10	12
2. MULTIPLE DX	1680	6.1	19	1	2	5	8	11	14	23
A. NOT OPERATED	1655	5.7	15	1	2	5	7	10	13	21
B. OPERATED	139	8.8	48	1	2	7	12	17	22	33
TOTAL 65-69 YRS	451	5.4	15	1	2	5	7	10	12	21
70-74	385	5.8	17	1	2	5	8	11	13	18
75-79	327	6.1	16	1	2	5	8	12	14	19
80-84	323	6.4	21	1	2	5	8	12	16	27
85+	308	6.3	22	1	2	5	7	12	16	26
GRAND TOTAL	**1794**	**5.9**	**18**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	2.2	3	1	1	1	3	5	6	7
70-74	8	2.8	1	2	2	3	3	4	5	5
75-79	12	2.8	2	1	1	3	4	5	6	6
80-84	13	2.7	2	1	1	3	4	4	4	4
85+	14	3.5	8	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	295	3.4	3	1	1	3	4	5	6	10
70-74	178	3.7	5	1	1	3	5	7	7	13
75-79	95	3.8	4	1	2	3	5	7	8	12
80-84	26	4.2	6	1	2	4	5	7	9	12
85+	6	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	121	4.2	12	1	1	3	5	9	12	17
70-74	132	4.4	11	1	1	4	6	8	10	19
75-79	123	6.3	75	1	2	4	7	11	18	83
80-84	131	5.6	15	1	2	4	7	11	14	19
85+	174	6.4	22	1	2	5	9	12	16	24
B. *Operated*										
65-69 YRS	454	4.5	13	1	2	4	5	7	10	23
70-74	335	5.0	10	1	2	4	6	9	11	17
75-79	158	5.7	30	1	2	4	6	10	15	34
80-84	60	6.4	43	2	2	5	7	11	16	44
85+	34	10.0	53	1	3	7	14	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	3	1	1	2	4	5	7	8
B. *Operated*	600	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	681	5.4	27	1	2	4	7	11	14	24
B. *Operated*	1041	5.1	19	1	2	4	6	9	13	23
1. SINGLE DX	668	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1722	5.3	22	1	2	4	6	10	13	24
A. NOT OPERATED	749	5.2	26	1	1	4	6	10	13	24
B. OPERATED	1641	4.6	14	1	2	4	5	7	10	22
TOTAL 65-69 YRS	891	4.0	10	1	1	3	5	6	9	19
70-74	653	4.5	9	1	2	4	6	8	10	16
75-79	388	5.3	38	1	2	4	6	10	13	43
80-84	230	5.5	21	1	2	4	7	11	12	22
85+	228	6.6	28	1	2	5	9	14	18	26
GRAND TOTAL	**2390**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	1.7	2	<1	1	1	2	4	4	7
70-74	32	2.1	2	<1	<1	2	3	4	4	6
75-79	27	2.1	1	1	1	2	3	4	5	5
80-84	24	2.5	3	<1	1	2	3	5	7	8
85+	16	2.2	3	1	1	2	2	5	6	7
B. *Operated*										
65-69 YRS										
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	388	3.4	8	1	1	3	4	7	8	14
70-74	392	4.1	29	1	1	3	5	8	12	17
75-79	454	4.7	25	1	1	3	6	10	12	21
80-84	384	5.7	41	1	1	4	7	11	16	27
85+	411	5.9	55	1	1	4	7	11	15	38
B. *Operated*										
65-69 YRS	141	4.7	21	1	1	3	6	11	15	21
70-74	163	5.4	37	1	1	3	7	12	20	28
75-79	171	6.4	87	1	1	4	8	13	17	52
80-84	149	6.0	93	1	1	3	7	12	17	44
85+	153	6.3	41	1	1	4	8	14	19	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2029	4.8	32	1	1	3	6	9	13	25
B. *Operated*	777	5.8	57	1	1	3	7	13	17	37
1. SINGLE DX	150	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2806	5.0	39	1	1	3	6	10	14	30
A. NOT OPERATED	2176	4.6	31	1	1	3	5	9	12	22
B. OPERATED	780	5.8	57	1	1	3	7	13	17	37
TOTAL 65-69 YRS	577	3.6	11	1	1	2	4	7	10	18
70-74	589	4.3	30	1	1	3	5	9	14	26
75-79	652	5.0	41	1	1	3	6	11	13	31
80-84	557	5.6	53	1	1	4	7	11	16	33
85+	581	5.9	50	1	1	4	7	12	17	44
GRAND TOTAL	**2956**	**4.9**	**38**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.7	23	1	1	2	6	13	15	17
70-74	20	4.2	19	1	1	3	5	10	14	18
75-79	15	3.3	8	1	1	2	4	8	9	10
80-84	11	3.5	13	1	1	2	5	10	11	11
85+	21	4.5	25	<1	1	3	4	11	18	21
B. *Operated*										
65-69 YRS	21	8.5	35	2	3	8	9	16	22	28
70-74	27	9.4	20	2	4	9	11	17	18	19
75-79	22	11.8	267	2	3	8	11	17	48	82
80-84	17	9.6	123	1	1	6	11	21	38	46
85+	18	10.3	38	3	4	8	14	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	244	5.4	34	1	1	3	7	13	17	34
70-74	280	7.2	61	1	1	5	9	15	20	42
75-79	323	8.7	89	1	2	6	11	20	25	38
80-84	349	7.9	73	1	1	5	10	17	23	48
85+	406	7.5	57	1	2	5	9	15	23	54
B. *Operated*										
65-69 YRS	167	14.9	207	1	2	11	20	41	54	99+
70-74	260	15.3	226	1	2	11	20	34	46	76
75-79	212	14.6	191	1	3	10	19	35	45	69
80-84	225	15.6	217	1	2	12	20	33	45	72
85+	231	14.6	198	1	2	11	19	34	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.1	18	1	1	2	5	11	14	20
B. *Operated*	105	9.9	92	2	3	8	11	18	22	62
2. MULTIPLE DX										
A. *Not Operated*	1602	7.5	65	1	1	5	9	16	23	43
B. *Operated*	1095	15.0	208	1	2	11	19	35	47	78
1. SINGLE DX	193	7.3	66	1	1	6	10	15	19	38
2. MULTIPLE DX	2697	10.5	137	1	2	7	13	24	35	70
A. NOT OPERATED	1690	7.3	63	1	1	5	9	16	22	42
B. OPERATED	1200	14.6	200	1	2	10	19	34	46	78
TOTAL 65-69 YRS	453	9.0	118	1	1	5	12	22	38	99+
70-74	587	10.8	148	1	2	7	13	23	35	67
75-79	572	10.9	140	1	2	7	13	24	35	63
80-84	602	10.8	141	1	1	7	14	24	33	65
85+	676	9.9	116	1	2	6	12	22	33	62
GRAND TOTAL	**2890**	**10.3**	**133**	**1**	**2**	**7**	**13**	**23**	**34**	**70**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	1.9	1	<1	<1	1	3	4	4	4
70-74	6	3.3	5	<1	<1	3	5	7	7	7
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	3	3.0	7	1	1	2	5	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	5	7.0	4	4	4	8	8	9	9	9
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79	4	9.8	78	1	1	9	17	20	20	20
80-84	1	21.0		21	21	21	21	21	21	21
85+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	128	5.7	17	1	2	5	7	11	15	19
70-74	108	6.4	33	1	2	5	8	14	18	33
75-79	110	7.2	30	1	2	6	9	15	18	27
80-84	89	8.9	111	2	2	6	10	17	26	62
85+	76	7.3	32	2	2	6	9	12	20	30
B. *Operated*										
65-69 YRS	158	11.4	106	2	3	8	14	26	31	43
70-74	127	11.6	92	3	3	9	16	23	33	66
75-79	96	10.9	55	3	4	10	13	19	22	44
80-84	74	12.9	100	3	5	9	17	26	41	88
85+	70	13.6	131	3	4	10	14	34	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	4	<1	<1	2	4	5	6	7
B. *Operated*	14	8.6	37	1	3	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	511	7.0	42	1	2	5	9	13	18	34
B. *Operated*	525	11.9	96	3	4	9	15	24	34	54
1. SINGLE DX	34	5.1	26	<1	1	4	7	12	19	21
2. MULTIPLE DX	1036	9.4	75	2	2	7	11	19	27	51
A. NOT OPERATED	531	6.8	42	1	2	5	8	13	18	34
B. OPERATED	539	11.8	95	3	4	9	14	24	33	53
TOTAL 65-69 YRS	298	8.6	72	1	2	6	11	18	26	39
70-74	243	9.0	69	2	3	7	11	19	25	51
75-79	213	8.8	45	1	2	7	12	18	20	34
80-84	167	10.6	109	2	2	8	12	22	34	64
85+	149	10.2	88	2	3	8	12	23	33	52
GRAND TOTAL	**1070**	**9.3**	**74**	**2**	**2**	**7**	**11**	**19**	**26**	**50**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	5	4.6	4	2	2	4	6	7	7	7
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	3	3.3	16	1	1	1	6	8	8	8
85+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
65-69 YRS	9	8.8	14	3	4	9	11	14	15	15
70-74	5	7.2	17	1	1	9	10	11	11	11
75-79	3	9.0	4	7	7	9	10	11	11	11
80-84	3	7.3	2	6	6	7	8	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	5.0	23	1	1	4	7	10	12	30
70-74	62	6.2	34	1	2	4	8	14	17	35
75-79	51	5.2	13	1	1	4	6	11	12	17
80-84	55	6.1	32	2	2	5	7	11	13	32
85+	60	5.3	15	1	1	4	7	11	13	18
B. *Operated*										
65-69 YRS	113	16.0	246	2	3	11	18	38	54	73
70-74	108	17.4	246	4	6	12	20	41	51	76
75-79	94	16.8	222	2	3	12	21	35	60	90
80-84	53	13.9	159	2	3	10	17	34	46	54
85+	60	16.1	157	2	4	12	20	36	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	7	1	1	4	7	8	9	9
B. *Operated*	21	8.3	11	2	4	9	11	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	292	5.5	24	1	2	4	7	11	13	31
B. *Operated*	428	16.3	217	2	3	12	20	37	50	73
1. SINGLE DX	35	6.8	12	1	2	7	9	11	12	15
2. MULTIPLE DX	720	11.9	166	1	2	8	14	29	39	64
A. NOT OPERATED	306	5.5	23	1	1	4	7	11	13	31
B. OPERATED	449	15.9	210	2	3	11	20	36	50	72
TOTAL 65-69 YRS	188	11.8	183	1	2	8	14	29	40	67
70-74	180	12.9	190	2	3	8	15	32	44	63
75-79	150	12.5	174	2	2	9	16	28	39	77
80-84	114	9.6	105	2	2	7	11	23	34	51
85+	123	10.6	112	1	2	8	13	25	36	49
GRAND TOTAL	**755**	**11.7**	**160**	**1**	**2**	**8**	**14**	**28**	**39**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.6	2	1	1	2	4	5	5	5
70-74	11	2.3	2	1	1	2	3	5	5	5
75-79	7	2.4	2	<1	<1	3	4	4	4	4
80-84	7	2.3	3	<1	<1	2	4	5	5	5
85+	8	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	5	3.6	9	1	1	3	6	8	8	8
75-79	4	3.8	5	1	1	4	5	6	6	6
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
65-69 YRS	49	5.1	94	<1	1	3	5	8	12	67
70-74	34	4.7	15	<1	1	3	6	10	12	17
75-79	41	4.8	14	1	1	4	6	9	10	22
80-84	32	3.8	10	1	1	3	5	9	11	11
85+	32	6.7	114	1	1	4	7	13	21	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	44	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	18	3.4	5	1	1	3	5	7	8	8
B. *Operated*	188	5.0	51	1	1	3	6	9	11	45
1. SINGLE DX	45	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX	206	4.9	47	1	1	3	6	9	11	38
A. NOT OPERATED	19	3.3	5	1	1	3	5	7	8	8
B. OPERATED	232	4.6	43	1	1	3	5	9	11	29
TOTAL 65-69 YRS	65	4.5	72	<1	1	3	4	8	11	60
70-74	50	4.0	12	1	1	3	5	9	10	17
75-79	52	4.4	12	1	1	4	6	8	9	22
80-84	41	3.5	8	1	1	2	4	9	11	11
85+	43	5.9	87	1	1	4	6	9	20	59
GRAND TOTAL	**251**	**4.5**	**40**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	3.8	18	1	1	2	6	11	11	11
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85+	6	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS	7	1.6	1	1	1	1	2	3	3	3
70-74	8	2.1	4	<1	<1	1	2	6	7	7
75-79	7	2.3	1	1	1	2	3	4	4	4
80-84	5	2.0	5	<1	<1	1	2	6	6	6
85+	12	3.1	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	54	4.7	11	1	1	4	7	9	12	15
70-74	46	4.3	14	1	1	3	6	10	12	17
75-79	61	4.8	24	1	1	4	5	9	15	29
80-84	59	4.6	11	1	1	3	7	9	10	17
85+	84	4.7	15	1	1	4	6	9	13	18
B. *Operated*										
65-69 YRS	155	4.4	40	1	1	3	5	10	14	30
70-74	164	4.4	20	1	1	3	5	9	13	31
75-79	155	4.6	30	1	1	3	6	9	13	19
80-84	154	4.9	18	1	1	3	6	11	13	23
85+	210	5.5	54	1	1	3	6	10	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	6	<1	1	1	3	4	8	11
B. *Operated*	39	2.3	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	304	4.6	15	1	1	4	6	9	12	18
B. *Operated*	838	4.8	34	1	1	3	6	10	14	30
1. SINGLE DX	57	2.4	4	<1	1	1	3	5	7	11
2. MULTIPLE DX	1142	4.7	29	1	1	3	6	9	13	29
A. NOT OPERATED	322	4.5	15	1	1	3	6	9	12	18
B. OPERATED	877	4.7	33	1	1	3	6	10	13	30
TOTAL 65-69 YRS	217	4.4	31	1	1	3	5	9	13	29
70-74	223	4.3	18	1	1	3	5	10	12	27
75-79	226	4.5	27	1	1	3	5	9	13	22
80-84	221	4.7	16	1	1	3	6	9	12	20
85+	312	5.1	41	1	1	3	6	10	14	40
GRAND TOTAL	**1199**	**4.6**	**28**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	1.7		1	1	2	2	2	2	2
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	6	2.5	4	1	1	2	3	6	6	6
70-74										
75-79	4	2 3	2	<1	<1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	2.8	2	1	1	3	4	5	5	5
70-74	6	4.2	19	<1	<1	2	8	11	11	11
75-79	7	4.3	7	2	2	3	6	8	9	9
80-84	11	8.2	99	1	2	6	7	21	36	37
85+	8	6.4	9	2	2	7	8	10	11	11
B. *Operated*										
65-69 YRS	32	6.9	116	<1	1	5	8	12	15	62
70-74	20	9.5	205	<1	1	6	10	15	41	67
75-79	22	5.0	10	1	2	4	8	9	10	11
80-84	5	3.4	7	1	1	3	5	7	7	7
85+	17	7.7	36	1	2	7	8	17	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4		<1	<1	1	2	2	2	2
B. *Operated*	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	40	5.5	35	1	1	4	7	10	11	37
B. *Operated*	96	7.0	90	1	1	5	8	12	16	65
1. SINGLE DX	19	1.9	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX	136	6.5	74	1	1	5	8	11	15	63
A. NOT OPERATED	48	4.8	32	<1	1	3	6	9	11	37
B. OPERATED	107	6.5	83	1	1	5	8	12	15	64
TOTAL 65-69 YRS	47	5.5	83	1	1	3	6	10	13	62
70-74	29	7.6	151	<1	1	5	9	14	18	67
75-79	35	4.4	9	<1	1	3	7	9	10	11
80-84	17	6.4	70	1	1	5	7	10	28	37
85+	27	6.8	28	1	1	7	8	13	19	24
GRAND TOTAL	**155**	**6.0**	**67**	**1**	**1**	**4**	**8**	**11**	**14**	**61**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.2	9	<1	<1	3	4	7	11	13
70-74	6	3.7	2	2	2	3	4	6	6	6
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	7	2.1	1	1	1	2	3	4	4	4
85+	5	5.4	10	2	2	4	8	10	10	10
B. *Operated*										
65-69 YRS	91	2.0	3	<1	<1	1	2	4	5	10
70-74	60	3.1	21	<1	1	2	3	6	9	27
75-79	32	2.1	1	<1	1	2	3	4	4	5
80-84	22	2.4	7	<1	<1	2	2	6	9	11
85+	19	1.4	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	4.9	16	1	1	4	6	10	11	22
70-74	32	4.6	12	1	1	3	6	10	11	16
75-79	32	6.4	47	2	2	4	7	13	24	32
80-84	15	5.1	14	1	2	4	6	9	14	16
85+	27	5.7	16	1	2	5	7	11	15	17
B. *Operated*										
65-69 YRS	213	4.0	40	<1	1	2	4	8	13	36
70-74	170	5.1	85	1	1	2	6	10	17	50
75-79	123	4.7	33	1	1	3	5	11	17	32
80-84	69	5.2	25	1	1	3	7	11	14	27
85+	51	6.2	47	1	1	3	8	13	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.4	7	<1	1	3	4	6	10	13
B. *Operated*	224	2.3	8	<1	1	1	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	143	5.3	22	1	2	4	7	10	15	25
B. *Operated*	626	4.8	50	1	1	3	5	10	15	33
1. SINGLE DX	266	2.5	8	<1	1	2	3	4	6	13
2. MULTIPLE DX	769	4.9	44	1	1	3	6	10	15	32
A. NOT OPERATED	185	4.9	19	1	1	3	6	10	12	24
B. OPERATED	850	4.1	40	1	1	2	4	9	12	30
TOTAL 65-69 YRS	362	3.6	27	<1	1	2	4	7	10	22
70-74	268	4.5	60	1	1	2	5	9	12	30
75-79	190	4.5	31	1	1	3	5	10	16	32
80-84	113	4.5	20	1	1	3	6	10	12	23
85+	102	5.1	31	1	1	3	7	10	16	31
GRAND TOTAL	**1035**	**4.2**	**36**	**1**	**1**	**2**	**5**	**9**	**12**	**29**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	9	1	1	4	5	10	10	10
70-74	9	2.9	4	<1	<1	2	4	6	7	7
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	4	2.3	2	1	1	2	3	4	4	4
85+	4	4.8	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	29	5.0	19	<1	1	4	7	12	13	19
70-74	29	4.3	18	1	1	3	6	10	11	20
75-79	25	5.9	17	1	2	5	9	12	14	16
80-84	8	6.3	17	1	1	6	10	12	12	12
85+	13	10.2	132	1	1	6	15	25	38	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	29	<1	1	4	7	12	14	30
70-74	51	7.5	32	2	3	5	10	15	20	24
75-79	47	5.7	18	1	2	5	7	12	14	22
80-84	31	7.6	49	2	2	5	11	17	24	31
85+	33	7.3	30	2	3	6	9	14	18	27
B. *Operated*										
65-69 YRS	111	9.3	87	1	2	6	13	18	25	50
70-74	88	10.1	124	1	2	7	11	26	33	58
75-79	84	13.0	188	2	2	9	16	28	42	74
80-84	60	11.0	70	1	2	8	16	24	26	35
85+	48	11.0	100	2	3	8	14	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.6	5	<1	1	3	5	7	8	10
B. *Operated*	104	5.8	34	1	1	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	202	6.7	31	1	2	5	8	14	18	28
B. *Operated*	391	10.7	117	1	2	7	14	25	31	55
1. SINGLE DX	129	5.4	29	1	1	4	7	12	15	25
2. MULTIPLE DX	593	9.4	91	1	2	6	12	21	27	48
A. NOT OPERATED	227	6.4	29	1	2	5	8	13	17	28
B. OPERATED	495	9.7	103	1	2	6	12	21	29	51
TOTAL 65-69 YRS	186	7.7	65	1	1	5	10	15	21	46
70-74	177	8.0	79	1	1	5	10	18	26	52
75-79	158	9.6	120	1	2	6	12	22	28	59
80-84	103	9.2	61	1	2	7	12	21	25	33
85+	98	9.4	79	2	2	6	13	18	28	45
GRAND TOTAL	**722**	**8.6**	**82**	**1**	**2**	**6**	**11**	**18**	**26**	**47**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	1	1	1	2	3	4	4	4
70-74	6	6.5	19	2	2	6	8	13	14	14
75-79	3	4.0	7	1	1	5	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	6.7	22	3	3	5	10	12	12	12
B. *Operated*										
65-69 YRS	21	11.2	256	1	1	5	12	34	49	65
70-74	22	5.3	32	1	1	4	7	10	19	27
75-79	13	18.1	407	1	2	9	27	46	67	72
80-84	5	21.2	869	1	1	2	42	68	68	68
85+	12	8.3	137	1	1	3	12	25	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	18	4.8	13	1	1	4	6	11	13	14
B. *Operated*	73	10.9	245	1	1	5	12	33	40	71
1. SINGLE DX	5	4.4	20	1	1	2	8	11	11	11
2. MULTIPLE DX	91	9.7	204	1	1	5	9	29	39	70
A. NOT OPERATED	20	4.7	13	1	1	4	6	10	13	14
B. OPERATED	76	10.6	237	1	1	5	11	33	40	71
TOTAL 65-69 YRS	28	9.1	204	1	1	3	10	30	39	65
70-74	28	5.6	29	1	1	4	7	12	15	27
75-79	17	15.2	337	1	1	8	18	39	61	72
80-84	7	15.9	662	1	1	2	25	61	68	68
85+	16	7.5	107	1	1	3	9	19	33	39
GRAND TOTAL	**96**	**9.4**	**196**	**1**	**1**	**4**	**9**	**27**	**38**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	7	3.0	6	1	1	2	5	7	7	7
70-74	3	6.0	13	2	2	7	8	9	9	9
75-79	5	11.2	70	1	1	15	17	21	21	21
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	5.9	31	1	1	4	6	16	17	18
70-74	8	7.9	23	2	2	7	12	14	14	14
75-79	12	7.4	78	1	1	3	10	22	29	30
80-84	9	7.9	29	1	1	9	12	15	16	16
85+	15	15.3	150	1	2	13	29	31	34	35
B. *Operated*										
65-69 YRS	27	7.7	54	1	1	5	10	19	23	30
70-74	13	7.5	35	1	1	8	11	16	19	20
75-79	11	14.5	421	1	1	6	18	47	67	69
80-84	8	11.6	37	3	4	10	16	21	21	21
85+	6	11.5	70	1	2	10	18	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	18	6.1	35	1	1	4	9	15	19	21
2. MULTIPLE DX										
A. *Not Operated*	60	9.1	78	1	1	5	13	23	30	35
B. *Operated*	65	9.6	111	1	1	7	11	21	25	64
1. SINGLE DX	19	5.8	34	<1	1	3	9	15	18	21
2. MULTIPLE DX	125	9.4	95	1	1	7	12	21	30	43
A. NOT OPERATED	61	9.0	78	1	1	5	13	22	30	35
B. OPERATED	83	8.9	96	1	1	7	11	20	23	57
TOTAL 65-69 YRS	50	6.5	42	1	1	4	8	17	19	30
70-74	24	7.5	27	1	2	7	11	14	16	20
75-79	28	10.9	209	1	1	6	15	27	37	69
80-84	19	8.8	36	1	2	9	12	18	21	21
85+	23	13.4	122	<1	1	11	23	30	32	35
GRAND TOTAL	**144**	**8.9**	**88**	**1**	**1**	**6**	**12**	**20**	**29**	**37**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	4	4.5	3	2	2	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	3.3	4	1	1	4	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	2.6	1	1	1	2	3	4	4	4
70-74	22	4.5	15	1	1	3	5	11	13	15
75-79	15	4.9	14	1	2	4	6	11	14	15
80-84	16	4.1	10	<1	1	3	6	8	11	12
85+	16	2.7	2	<1	1	3	4	5	5	5
B. *Operated*										
65-69 YRS	6	5.3	23	2	2	3	8	13	14	14
70-74	7	3.7	7	1	1	3	6	7	7	7
75-79	8	4.0	5	<1	<1	5	6	7	7	7
80-84	4	21.5	855	3	3	9	38	65	65	65
85+	3	8.0	37	4	4	5	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	4	1	1	3	5	6	6	6
B. *Operated*	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.9	10	1	1	3	5	7	11	15
B. *Operated*	28	7.1	142	1	1	5	7	13	20	65
1. SINGLE DX	12	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX	109	4.7	45	1	1	3	5	8	12	36
A. NOT OPERATED	89	3.8	9	1	1	3	5	7	11	15
B. OPERATED	32	6.6	127	1	1	4	6	13	15	65
TOTAL 65-69 YRS	21	3.4	8	1	1	2	4	6	11	14
70-74	33	4.2	12	1	1	3	5	9	12	15
75-79	24	4.5	11	<1	1	4	6	8	12	15
80-84	20	7.6	194	<1	1	4	7	12	39	65
85+	23	3.7	8	<1	1	3	5	6	9	15
GRAND TOTAL	**121**	**4.6**	**41**	**1**	**1**	**3**	**5**	**8**	**12**	**30**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	3.1	6	1	1	2	4	7	8	13
70-74	64	3.0	4	<1	1	3	4	6	7	9
75-79	76	3.5	7	<1	1	2	5	7	9	12
80-84	76	4.0	10	1	1	3	5	9	11	14
85+	115	3.7	11	1	1	3	5	8	9	18
B. *Operated*										
65-69 YRS	20	4.0	16	<1	<1	3	5	7	13	19
70-74	12	3.4	6	<1	1	3	5	7	9	9
75-79	15	5.3	57	1	2	3	5	6	26	32
80-84	15	5.3	23	1	1	3	6	15	16	16
85+	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	632	4.6	26	1	1	3	5	9	13	23
70-74	732	5.1	24	1	1	4	7	9	12	21
75-79	916	5.6	35	1	1	4	7	11	14	26
80-84	973	6.0	47	1	2	4	7	11	15	29
85+	1383	6.0	47	1	2	5	7	12	15	55
B. *Operated*										
65-69 YRS	134	7.2	67	1	1	5	9	14	22	46
70-74	126	8.3	65	1	2	6	10	18	26	60
75-79	138	8.4	78	1	2	5	11	17	32	55
80-84	123	12.4	129	2	3	9	15	24	35	62
85+	139	8.7	44	1	2	7	12	23	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.5	8	1	1	3	5	7	9	14
B. *Operated*	65	4.6	25	1	1	3	5	9	15	30
2. MULTIPLE DX										
A. *Not Operated*	4636	5.6	38	1	1	4	7	11	14	27
B. *Operated*	660	8.9	78	1	2	6	11	21	26	64
1. SINGLE DX	470	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	5296	6.0	45	1	2	4	7	12	16	38
A. NOT OPERATED	5041	5.4	36	1	1	4	7	10	14	27
B. OPERATED	725	8.5	75	1	2	6	11	20	26	62
TOTAL 65-69 YRS	860	4.8	31	1	1	3	6	10	13	25
70-74	934	5.4	30	1	1	4	7	10	14	27
75-79	1145	5.8	40	1	1	4	7	11	15	38
80-84	1187	6.5	57	1	2	5	7	12	18	40
85+	1640	6.1	45	1	2	4	7	12	16	56
GRAND TOTAL	**5766**	**5.8**	**42**	**1**	**1**	**4**	**7**	**11**	**16**	**35**

377: Miscellaneous crushing injury (925-929)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	6.0		6	6	6	6	6	6	6
75-79	5	11.6	128	<1	<1	12	18	29	29	29
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	7.1	101	1	2	4	7	17	35	40
70-74	8	9.6	73	1	1	7	18	20	21	21
75-79	4	7.0	21	3	3	7	11	11	11	11
80-84	5	9.8	108	1	1	5	18	25	25	25
85+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
65-69 YRS	16	11.3	133	1	1	8	16	29	36	39
70-74	12	8.4	102	1	2	4	11	22	35	37
75-79	5	5.8	11	1	1	6	8	10	10	10
80-84	4	12.5	388	1	1	3	23	42	42	42
85+	5	13.2	323	2	2	6	18	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*	7	9.3	103	<1	<1	6	13	26	29	29
2. MULTIPLE DX										
A. *Not Operated*	33	8.3	77	1	2	4	12	19	24	40
B. *Operated*	42	10.1	142	1	1	5	12	31	40	45
1. SINGLE DX	12	7.7	65	<1	1	5	11	18	27	29
2. MULTIPLE DX	75	9.3	113	1	1	5	12	25	38	44
A. NOT OPERATED	38	7.9	69	1	2	4	11	19	23	40
B. OPERATED	49	10.0	134	1	1	6	13	29	39	45
TOTAL 65-69 YRS	32	8.9	114	1	1	4	12	26	38	40
70-74	22	8.5	80	1	1	4	12	20	27	37
75-79	15	8.4	51	<1	1	7	11	14	25	29
80-84	10	10.2	186	1	1	4	16	33	42	42
85+	8	11.6	204	2	2	6	13	37	45	45
GRAND TOTAL	**87**	**9.1**	**106**	**1**	**1**	**5**	**12**	**24**	**37**	**44**

378: Foreign body on external eye (930)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
1. SINGLE DX										
2. MULTIPLE DX	2	3.5	5	2	2	3	5	5	5	5
A. NOT OPERATED										
B. OPERATED	2	3.5	5	2	2	3	5	5	5	5
TOTAL 65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
GRAND TOTAL	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	2.3	32	<1	<1	1	1	3	3	33
70-74	50	1.4		<1	<1	1	2	2	3	4
75-79	34	1.9	2	<1	1	1	2	4	6	7
80-84	19	1.6	1	<1	<1	1	2	3	4	4
85+	28	1.5	2	<1	1	1	2	2	4	9
B. *Operated*										
65-69 YRS	12	1.8	1	<1	<1	2	2	3	3	3
70-74	10	3.0	10	1	1	2	4	8	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	5	4.0	17	<1	<1	1	8	9	9	9
85+	3	6.0	19	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	3.1	13	<1	1	2	4	6	8	19
70-74	177	3.4	13	1	1	2	4	8	12	21
75-79	183	4.1	20	<1	1	3	5	8	15	22
80-84	139	3.6	12	1	1	2	5	9	10	14
85+	143	4.5	15	1	1	3	6	10	13	17
B. *Operated*										
65-69 YRS	115	6.0	43	<1	1	4	9	12	22	32
70-74	123	6.3	79	1	1	4	7	13	20	46
75-79	125	5.7	37	1	1	4	8	15	21	99+
80-84	97	7.2	65	1	1	4	10	17	20	44
85+	77	6.5	96	1	1	4	7	14	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	1.8	11	<1	<1	1	2	3	3	22
B. *Operated*	33	2.9	8	<1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	819	3.7	15	1	1	2	5	8	11	20
B. *Operated*	537	6.3	61	1	1	4	8	14	20	43
1. SINGLE DX	219	2.0	10	<1	<1	1	2	3	5	17
2. MULTIPLE DX	1356	4.7	35	1	1	3	6	10	15	31
A. NOT OPERATED	1005	3.4	15	<1	1	2	4	7	10	20
B. OPERATED	570	6.1	59	1	1	3	8	14	19	42
TOTAL 65-69 YRS	359	3.9	27	<1	1	2	5	9	12	31
70-74	360	4.1	37	1	1	2	5	9	14	35
75-79	345	4.4	26	1	1	3	6	10	16	31
80-84	260	4.8	35	1	1	3	7	11	15	31
85+	251	4.8	40	1	1	3	6	10	14	30
GRAND TOTAL	**1575**	**4.4**	**32**	**1**	**1**	**2**	**5**	**10**	**14**	**31**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	2	3.0	8	<1	<1	2	5	5	5	5
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
65-69 YRS	11	8.8	52	1	2	5	16	19	21	21
70-74	6	9.7	93	2	2	8	10	26	28	28
75-79	8	8.1	11	2	3	8	9	13	14	14
80-84	2	16.0	98	9	9	16	23	23	23	23
85+	5	20.4	264	4	4	21	28	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	10.3	130	1	2	7	11	20	34	55
70-74	22	11.6	103	1	2	8	17	30	33	36
75-79	28	9.6	47	1	2	8	13	19	25	28
80-84	24	8.0	24	1	3	7	11	13	19	21
85+	14	13.6	57	4	6	12	19	25	28	29
B. *Operated*										
65-69 YRS	84	18.6	237	3	4	15	27	45	57	99+
70-74	82	24.2	286	4	6	21	36	57	70	99+
75-79	65	21.4	315	3	4	17	29	48	58	78
80-84	59	24.2	279	6	8	21	35	58	81	99+
85+	54	26.2	408	6	8	19	42	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	41	<1	<1	6	16	16	16	16
B. *Operated*	32	11.1	92	2	2	9	16	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	111	10.3	72	1	2	8	13	21	28	43
B. *Operated*	344	22.6	301	4	5	18	33	53	62	99+
1. SINGLE DX	38	10.6	83	1	2	8	16	22	26	46
2. MULTIPLE DX	455	19.6	273	2	4	15	28	48	61	99+
A. NOT OPERATED	117	10.2	70	1	2	8	13	20	27	42
B. OPERATED	376	21.6	294	3	5	17	31	52	62	99+
TOTAL 65-69 YRS	119	16.0	212	2	3	12	21	39	54	99+
70-74	110	20.9	270	2	4	17	29	50	62	99+
75-79	103	16.8	249	1	3	11	23	42	53	71
80-84	86	19.4	251	4	5	14	29	53	63	99+
85+	75	23.0	346	4	7	17	34	50	60	99+
GRAND TOTAL	**493**	**18.9**	**264**	**2**	**4**	**14**	**27**	**47**	**58**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.7	7	1	1	3	4	8	10	10
70-74	5	4.4	19	1	1	3	6	12	12	12
75-79	3	6.3	37	1	1	5	11	13	13	13
80-84	3	2.3		2	2	2	3	3	3	3
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	4	8.5	48	2	2	8	14	15	15	15
70-74	3	6.7	17	2	2	8	9	10	10	10
75-79	1	4.0		4	4	4	4	4	4	4
80-84	5	6.0	39	2	2	4	7	17	17	17
85+	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	70	7.0	38	1	1	5	10	17	20	25
70-74	77	7.4	29	2	3	6	10	14	18	30
75-79	55	7.6	51	1	2	5	10	17	20	40
80-84	49	8.8	37	2	3	8	11	13	18	34
85+	44	10.0	114	1	2	8	10	27	40	99+
B. *Operated*										
65-69 YRS	55	15.7	304	1	3	9	17	39	55	91
70-74	33	13.7	127	2	3	11	21	36	44	99+
75-79	28	21.6	412	3	4	13	38	61	83	99+
80-84	18	16.4	243	2	3	11	24	42	52	56
85+	16	11.9	120	2	4	9	14	21	40	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.4	12	1	1	3	5	11	12	13
B. *Operated*	15	7.0	28	2	2	4	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*	295	8.0	49	1	2	6	10	16	20	38
B. *Operated*	150	16.0	261	2	3	10	21	41	55	99+
1. SINGLE DX	37	5.4	20	1	2	4	8	13	15	17
2. MULTIPLE DX	445	10.7	135	1	2	7	12	23	38	82
A. NOT OPERATED	317	7.7	48	1	2	6	10	15	20	36
B. OPERATED	165	15.2	246	2	3	10	19	40	55	99
TOTAL 65-69 YRS	138	10.3	160	1	1	7	12	22	34	60
70-74	118	9.0	64	2	2	6	11	20	27	62
75-79	87	12.0	207	2	2	7	14	34	44	93
80-84	75	10.2	96	2	3	8	12	19	33	53
85+	64	10.3	108	1	2	8	12	21	37	94
GRAND TOTAL	**482**	**10.3**	**128**	**1**	**2**	**7**	**12**	**21**	**36**	**76**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	7.5	41	1	1	8	13	13	13	13
75-79	1	1.0		1	1	1	1	1	1	1
80-84	6	5.7	14	1	1	5	7	11	12	12
85+										
B. *Operated*										
65-69 YRS	8	4.6	58	1	1	1	4	18	23	23
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.8	33	1	2	6	10	15	19	26
70-74	26	7.2	41	<1	1	6	9	13	22	29
75-79	23	6.1	16	1	2	6	9	12	14	15
80-84	36	7.8	69	1	1	5	8	19	23	42
85+	30	9.9	84	2	2	5	16	30	37	99+
B. *Operated*										
65-69 YRS	40	9.8	225	<1	1	3	11	32	45	67
70-74	25	7.8	73	1	1	5	14	34	99+	99+
75-79	16	13.5	161	<1	1	13	25	37	78	99+
80-84	6	10.5	58	1	1	13	19	84	99+	99+
85+	5	13.4	225	4	4	8	17	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.9	23	1	1	5	11	13	13	13
B. *Operated*	11	4.3	42	1	1	1	5	13	22	23
2. MULTIPLE DX										
A. *Not Operated*	142	7.8	52	1	2	5	10	17	25	46
B. *Operated*	92	10.2	159	1	1	5	15	36	63	99+
1. SINGLE DX	22	5.1	32	1	1	3	6	13	17	23
2. MULTIPLE DX	234	8.8	95	1	1	5	12	22	36	99+
A. NOT OPERATED	153	7.7	50	1	1	5	10	17	24	42
B. OPERATED	103	9.5	149	1	1	4	14	35	56	99+
TOTAL 65-69 YRS	75	8.5	138	1	1	4	10	22	34	64
70-74	57	7.3	53	1	1	5	12	19	33	99+
75-79	41	8.9	84	1	1	6	13	25	36	99+
80-84	48	7.9	61	1	1	5	11	20	26	99+
85+	35	10.4	100	2	3	6	16	31	39	99+
GRAND TOTAL	**256**	**8.4**	**90**	**1**	**1**	**5**	**11**	**21**	**36**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.9	7	<1	<1	2	4	5	9	12
70-74	18	6.7	66	2	3	5	7	9	27	38
75-79	11	4.5	12	1	1	3	7	10	12	12
80-84	14	3.5	16	<1	1	2	4	7	14	16
85+	14	4.2	11	1	1	3	7	9	11	12
B. *Operated*										
65-69 YRS	11	4.5	12	<1	1	3	6	10	12	12
70-74	10	6.1	38	1	1	4	10	15	20	20
75-79	6	6.8	15	1	1	7	8	12	13	13
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	2	10.0	162	1	1	10	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	5.5	25	1	2	4	7	10	13	29
70-74	173	5.6	28	1	1	4	7	11	16	22
75-79	176	6.4	29	1	2	5	8	14	17	30
80-84	189	7.1	41	1	2	5	9	13	19	35
85+	222	6.7	57	1	2	5	8	13	17	30
B. *Operated*										
65-69 YRS	69	12.8	133	1	2	9	16	31	37	53
70-74	64	12.4	153	1	2	10	14	26	35	71
75-79	56	11.9	206	2	2	7	14	30	36	89
80-84	50	12.4	160	1	2	9	15	25	43	60
85+	43	12.5	185	1	2	9	16	25	32	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.4	25	1	1	3	5	8	12	32
B. *Operated*	31	6.0	26	1	1	6	9	12	19	20
2. MULTIPLE DX										
A. *Not Operated*	927	6.3	37	1	2	5	8	12	16	32
B. *Operated*	282	12.4	163	1	2	9	15	26	36	70
1. SINGLE DX	106	4.9	26	1	1	4	6	10	12	28
2. MULTIPLE DX	1209	7.7	73	1	2	5	9	15	23	42
A. NOT OPERATED	1002	6.1	37	1	2	5	8	12	16	32
B. OPERATED	313	11.8	153	1	2	9	14	25	35	66
TOTAL 65-69 YRS	265	7.1	63	1	2	4	9	15	25	42
70-74	265	7.3	69	1	1	5	9	15	21	46
75-79	249	7.6	73	1	2	5	9	15	21	37
80-84	255	7.9	67	1	2	5	10	15	24	43
85+	281	7.5	79	1	2	5	9	15	22	34
GRAND TOTAL	**1315**	**7.5**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.2	1	<1	<1	2	3	4	5	5
70-74	38	2.7	4	1	1	2	3	6	7	9
75-79	27	3.2	8	<1	1	2	3	8	9	12
80-84	27	3.5	8	1	1	3	4	9	10	11
85+	21	2.6	7	<1	<1	2	3	4	9	13
B. *Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	8.3	70	3	3	4	14	18	18	18
75-79	2	6.0	32	2	2	6	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	832	5.1	27	1	1	4	6	10	14	25
70-74	860	5.6	26	1	1	4	7	11	15	26
75-79	848	5.7	25	1	2	4	7	11	15	26
80-84	694	6.4	43	1	2	5	8	12	15	33
85+	516	6.2	33	1	2	5	7	11	16	27
B. *Operated*										
65-69 YRS	76	11.9	79	2	3	10	16	27	30	41
70-74	79	13.1	159	1	2	10	17	24	47	63
75-79	70	12.5	130	1	3	10	17	30	46	90
80-84	39	13.7	117	1	3	10	22	29	37	38
85+	36	11.8	94	2	3	9	15	30	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.8	6	<1	1	2	3	6	8	12
B. *Operated*	7	6.0	36	1	1	4	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	3750	5.8	30	1	1	4	7	11	15	27
B. *Operated*	300	12.6	118	1	3	10	17	27	38	61
1. SINGLE DX	148	3.0	7	<1	1	2	3	6	9	13
2. MULTIPLE DX	4050	6.3	40	1	1	5	8	12	17	34
A. NOT OPERATED	3891	5.6	29	1	1	4	7	11	15	27
B. OPERATED	307	12.4	117	1	3	10	16	27	38	60
TOTAL 65-69 YRS	938	5.5	34	1	1	4	7	12	16	28
70-74	980	6.1	40	1	1	4	8	13	17	32
75-79	947	6.2	35	1	2	5	7	12	17	34
80-84	760	6.6	48	1	2	5	8	12	18	36
85+	573	6.4	38	1	2	5	8	13	17	39
GRAND TOTAL	**4198**	**6.1**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	1.8	2	<1	1	1	2	3	5	8
70-74	27	1.6	1	<1	<1	1	2	2	4	5
75-79	17	2.2	3	1	1	1	3	5	6	6
80-84	15	2.4	5	<1	<1	2	3	3	8	10
85+	10	2.1	3	1	1	1	4	5	5	5
B. *Operated*										
65-69 YRS										
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	3.8	21	1	1	2	5	8	11	19
70-74	170	4.3	43	1	1	3	5	8	12	63
75-79	137	5.0	54	1	1	3	6	11	16	46
80-84	75	3.7	11	<1	1	2	6	8	9	18
85+	59	5.4	41	<1	1	3	6	12	17	38
B. *Operated*										
65-69 YRS	12	14.0	112	1	4	12	18	33	35	35
70-74	13	8.1	66	<1	1	4	12	19	26	28
75-79	15	16.3	132	1	3	14	23	37	38	38
80-84	9	30.4	585	4	6	24	48	68	68	68
85+	8	11.0	58	2	3	9	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	1.9	2	<1	1	1	2	4	5	9
B. *Operated*	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	605	4.4	35	1	1	3	5	9	12	35
B. *Operated*	57	15.4	212	1	2	12	21	34	40	68
1. SINGLE DX	115	2.1	5	<1	1	1	2	4	6	13
2. MULTIPLE DX	662	5.3	60	1	1	3	6	11	18	44
A. NOT OPERATED	716	4.0	31	1	1	2	5	8	11	29
B. OPERATED	61	15.0	203	1	2	11	21	33	39	68
TOTAL 65-69 YRS	218	4.0	28	1	1	2	5	8	12	33
70-74	212	4.2	40	<1	1	3	5	9	12	45
75-79	170	5.7	66	1	1	3	6	14	22	44
80-84	99	6.0	118	<1	1	2	6	9	23	68
85+	78	5.7	43	1	1	4	6	14	20	35
GRAND TOTAL	**777**	**4.8**	**53**	**1**	**1**	**3**	**5**	**10**	**16**	**40**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	1.8	2	<1	<1	1	2	3	5	10
70-74	43	2.3	4	<1	1	2	3	4	7	11
75-79	41	2.2	3	1	1	2	3	4	6	8
80-84	26	3.0	4	1	1	2	4	5	7	9
85+	31	3.3	8	1	1	2	4	8	10	11
B. *Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	4	5.0	37	1	1	2	8	14	14	14
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	797	4.9	21	1	1	4	6	10	13	25
70-74	904	5.4	33	1	1	4	7	11	14	23
75-79	824	6.0	32	1	2	5	7	11	15	26
80-84	619	5.9	25	1	2	5	7	11	15	26
85+	650	6.6	38	1	2	5	8	12	18	36
B. *Operated*										
65-69 YRS	111	10.8	213	1	1	6	13	29	45	86
70-74	115	9.2	134	1	1	6	11	23	31	62
75-79	132	11.9	230	1	1	8	14	35	70	99+
80-84	75	9.2	75	1	1	7	14	21	31	86
85+	49	10.4	114	1	1	8	12	29	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.4	4	<1	1	2	3	5	7	11
B. *Operated*	7	4.1	20	1	1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	3794	5.7	30	1	1	4	7	11	15	27
B. *Operated*	482	10.4	167	1	1	7	13	28	39	99+
1. SINGLE DX	207	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	4276	6.2	48	1	1	4	8	12	17	38
A. NOT OPERATED	3994	5.5	29	1	1	4	7	11	14	26
B. OPERATED	489	10.3	166	1	1	7	13	28	39	99+
TOTAL 65-69 YRS	969	5.3	46	1	1	4	6	11	16	39
70-74	1066	5.7	45	1	1	4	7	11	14	31
75-79	997	6.6	62	1	1	5	8	12	18	54
80-84	721	6.2	31	1	2	5	8	12	16	31
85+	730	6.7	43	1	2	5	8	13	18	38
GRAND TOTAL	**4483**	**6.1**	**46**	**1**	**1**	**4**	**7**	**12**	**16**	**37**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	6.5	71	<1	1	5	7	14	22	46
70-74	55	6.8	42	1	1	4	10	15	23	25
75-79	54	5.4	37	1	1	3	6	11	20	30
80-84	24	6.9	69	1	1	5	8	14	23	41
85+	30	5.7	72	1	1	3	6	15	20	42
B. *Operated*										
65-69 YRS	683	6.4	36	1	1	5	9	14	17	27
70-74	731	7.0	57	1	1	5	10	15	18	42
75-79	672	6.4	39	1	1	4	10	14	16	25
80-84	437	6.4	61	1	1	3	9	15	16	38
85+	359	5.6	44	1	1	3	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	471	6.6	45	1	1	5	8	13	18	39
70-74	482	7.1	52	1	1	5	9	14	20	36
75-79	435	7.3	66	1	1	5	8	14	22	48
80-84	327	6.4	26	1	1	5	8	13	17	25
85+	325	6.6	29	1	2	5	9	13	17	35
B. *Operated*										
65-69 YRS	3952	9.6	110	1	1	7	12	20	29	53
70-74	4021	10.3	121	1	2	7	13	21	30	60
75-79	3344	10.5	119	1	2	8	14	22	32	57
80-84	2160	10.6	124	1	2	7	14	23	33	63
85+	1631	9.8	115	1	2	7	13	22	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.2	53	1	1	4	8	14	21	41
B. *Operated*	2882	6.5	47	1	1	4	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	2040	6.8	46	1	1	5	8	13	18	36
B. *Operated*	15108	10.1	118	1	2	7	13	21	31	58
1. SINGLE DX	3082	6.4	47	1	1	4	9	14	17	31
2. MULTIPLE DX	17148	9.8	110	1	2	7	13	21	30	56
A. NOT OPERATED	2240	6.8	46	1	1	5	8	14	18	38
B. OPERATED	17990	9.6	108	1	1	7	12	20	29	56
TOTAL 65-69 YRS	5143	8.9	95	1	1	6	11	18	27	51
70-74	5289	9.5	107	1	1	7	12	19	28	56
75-79	4505	9.5	104	1	1	7	13	20	29	54
80-84	2948	9.5	107	1	1	6	12	20	30	59
85+	2345	8.7	95	1	1	6	11	19	27	54
GRAND TOTAL	**20230**	**9.2**	**102**	**1**	**1**	**6**	**12**	**19**	**28**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	180	3.1	8	1	1	2	4	5	7	9
70-74	142	3.1	3	1	1	3	4	6	6	8
75-79	130	3.0	3	1	1	3	4	5	6	8
80-84	68	3.2	4	1	1	3	4	6	7	10
85+	35	2.8	5	1	1	2	4	6	6	11
B. *Operated*										
65-69 YRS	73	3.4	18	1	1	2	4	6	10	28
70-74	66	3.8	15	1	1	2	4	8	10	23
75-79	47	3.3	8	1	1	3	4	7	8	18
80-84	33	3.1	6	1	1	2	4	6	8	11
85+	13	4.1	10	1	1	3	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	393	3.7	6	1	1	3	5	7	8	12
70-74	439	3.8	6	1	1	3	5	7	9	13
75-79	336	4.0	10	1	1	3	5	7	10	19
80-84	214	4.5	33	1	1	3	5	8	10	26
85+	158	4.7	11	1	1	4	6	8	11	17
B. *Operated*										
65-69 YRS	542	4.7	35	1	1	3	6	12	16	29
70-74	564	4.7	43	1	1	2	5	11	14	32
75-79	433	5.0	38	1	1	3	6	12	16	35
80-84	263	4.8	25	1	1	3	6	10	15	27
85+	155	5.3	30	1	1	4	7	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	3.1	5	1	1	3	4	5	6	9
B. *Operated*	232	3.5	13	1	1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	1540	4.0	11	1	1	3	5	7	9	15
B. *Operated*	1957	4.8	36	1	1	3	6	11	15	31
1. SINGLE DX	787	3.2	7	1	1	3	4	6	8	11
2. MULTIPLE DX	3497	4.5	25	1	1	3	5	9	13	26
A. NOT OPERATED	2095	3.8	10	1	1	3	5	7	8	14
B. OPERATED	2189	4.7	34	1	1	3	6	11	15	30
TOTAL 65-69 YRS	1188	4.1	21	1	1	3	5	8	12	24
70-74	1211	4.1	24	1	1	3	5	8	12	25
75-79	946	4.3	22	1	1	3	5	9	13	27
80-84	578	4.4	25	1	1	3	5	8	11	26
85+	361	4.8	19	1	1	3	6	10	13	22
GRAND TOTAL	**4284**	**4.2**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	6.8	19	1	2	6	8	13	15	24
70-74	53	6.5	35	2	3	5	7	11	15	38
75-79	39	5.9	11	2	3	5	7	10	15	16
80-84	17	7.8	29	2	3	6	11	12	21	25
85+	12	6.3	5	3	4	6	8	9	11	11
B. *Operated*										
65-69 YRS	66	6.9	35	1	1	6	8	13	20	28
70-74	58	8.2	36	1	2	7	12	15	20	30
75-79	34	10.9	135	2	2	7	14	20	39	57
80-84	26	7.6	16	3	4	7	9	14	17	19
85+	15	7.6	25	1	2	7	10	14	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	447	7.9	43	2	3	6	10	14	17	29
70-74	424	8.3	36	2	3	7	10	15	20	28
75-79	286	8.2	34	2	3	7	10	15	18	32
80-84	169	8.9	36	2	3	8	12	16	21	31
85+	125	9.7	66	3	3	7	11	17	28	44
B. *Operated*										
65-69 YRS	535	14.6	154	2	4	11	19	30	41	79
70-74	491	14.9	168	3	4	11	20	32	43	97
75-79	368	16.1	215	3	4	12	20	34	51	97
80-84	207	15.8	202	3	4	11	20	30	44	77
85+	109	16.2	209	4	5	13	19	31	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	6.6	22	2	3	5	8	12	15	26
B. *Operated*	199	8.1	50	1	2	6	10	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	1451	8.4	41	2	3	7	10	15	20	31
B. *Operated*	1710	15.3	180	3	4	12	20	32	44	86
1. SINGLE DX	396	7.4	36	1	2	6	9	14	18	30
2. MULTIPLE DX	3161	12.1	128	2	3	9	15	25	34	67
A. NOT OPERATED	1648	8.1	39	2	3	7	10	15	20	30
B. OPERATED	1909	14.5	172	2	4	11	19	30	43	82
TOTAL 65-69 YRS	1124	11.0	106	2	3	8	14	23	30	56
70-74	1026	11.4	111	2	3	8	14	23	33	65
75-79	727	12.2	145	2	3	8	15	24	35	78
80-84	419	12.2	129	3	3	9	15	25	31	66
85+	261	12.1	132	3	4	8	14	24	33	58
GRAND TOTAL	**3557**	**11.6**	**120**	**2**	**3**	**8**	**14**	**24**	**33**	**65**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	3.8	9	1	1	3	5	8	9	15
70-74	62	4.2	10	1	1	3	6	9	10	11
75-79	47	5.6	19	1	1	5	7	10	12	26
80-84	26	5.6	20	1	1	4	8	12	13	17
85+	18	6.6	57	1	1	3	9	21	24	25
B. *Operated*										
65-69 YRS	122	6.1	29	1	1	5	8	11	15	30
70-74	101	6.2	29	1	1	5	8	15	18	23
75-79	75	6.0	36	<1	1	4	9	13	20	29
80-84	57	5.6	31	<1	1	4	8	14	16	26
85+	21	6.5	59	<1	1	5	9	11	23	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	743	5.6	25	1	1	5	7	11	14	25
70-74	695	5.7	25	1	1	4	7	11	15	25
75-79	521	5.8	29	1	1	4	8	12	15	24
80-84	328	6.2	35	1	1	5	8	12	15	33
85+	263	6.3	25	1	1	5	9	12	15	25
B. *Operated*										
65-69 YRS	1796	7.7	105	1	1	4	10	19	28	51
70-74	1589	8.0	109	1	1	4	11	19	28	56
75-79	1236	7.3	99	1	1	4	10	17	26	55
80-84	746	7.6	100	1	1	4	10	19	26	55
85+	488	8.5	108	1	1	5	11	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	4.7	17	1	1	3	7	9	12	24
B. *Operated*	376	6.1	32	1	1	4	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	2550	5.8	27	1	1	5	8	12	15	25
B. *Operated*	5855	7.8	104	1	1	4	10	19	27	54
1. SINGLE DX	592	5.6	27	1	1	4	7	11	15	26
2. MULTIPLE DX	8405	7.2	82	1	1	4	9	16	24	49
A. NOT OPERATED	2766	5.7	27	1	1	4	8	12	15	25
B. OPERATED	6231	7.7	100	1	1	4	10	18	27	53
TOTAL 65-69 YRS	2724	7.0	78	1	1	4	9	16	24	46
70-74	2447	7.2	81	1	1	4	9	16	23	48
75-79	1879	6.8	75	1	1	4	9	15	22	50
80-84	1157	7.1	77	1	1	4	9	16	22	51
85+	790	7.7	79	1	1	5	10	16	25	42
GRAND TOTAL	**8997**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**47**

391: Other complications of medical care, except drugs (999)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	6	6	6
70-74	4	3.0	6	1	1	3	5	6	6	6
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84										
85+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	4.2	14	1	1	3	5	9	13	17
70-74	69	3.9	10	1	1	3	5	7	8	17
75-79	66	4.7	22	1	1	3	6	10	13	27
80-84	31	3.4	11	1	1	2	3	10	11	12
85+	35	4.0	10	1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	22	5.0	15	1	1	4	7	10	13	16
70-74	26	6.7	64	1	1	6	8	10	17	43
75-79	17	13.0	185	2	3	9	15	30	49	57
80-84	14	10.9	231	2	2	5	8	43	47	48
85+	10	4.9	14	1	1	4	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	6	<1	<1	3	5	6	7	7
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	301	4.1	14	1	1	3	5	9	11	17
B. *Operated*	89	7.9	101	1	1	5	9	16	33	53
1. SINGLE DX	13	3.7	7	<1	<1	4	6	7	8	8
2. MULTIPLE DX	390	5.0	36	1	1	3	6	10	13	39
A. NOT OPERATED	313	4.1	14	1	1	3	5	9	11	17
B. OPERATED	90	7.9	100	1	1	5	9	15	33	53
TOTAL 65-69 YRS	126	4.3	14	1	1	3	6	9	12	17
70-74	100	4.6	25	1	1	4	6	8	10	30
75-79	85	6.4	63	1	1	4	8	12	17	49
80-84	45	5.7	89	1	1	3	6	11	23	48
85+	47	4.2	10	<1	1	4	6	10	10	12
GRAND TOTAL	**403**	**4.9**	**35**	**1**	**1**	**3**	**6**	**10**	**13**	**38**

392: Admission for prophylactic sterilization (V25.2)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	3	2.0	3	<1	<1	1	3	4	4	4
TOTAL 65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**3**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**4**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	<1	1	1	1	1
70-74	5	4.4	36	1	1	2	6	15	15	15
75-79	3	23.0	1387	1	1	2	50	66	66	66
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	162	2.2	3	<1	<1	2	3	4	6	9
70-74	74	2.1	3	<1	<1	1	3	4	5	10
75-79	85	2.8	3	<1	1	3	4	5	6	8
80-84	46	2.6	4	<1	<1	2	3	5	7	10
85+	42	2.7	5	<1	1	2	3	5	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	7	2.3	4	<1	<1	1	3	6	6	6
75-79	10	6.6	94	<1	<1	2	7	24	27	27
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
65-69 YRS	116	3.2	8	<1	1	2	4	7	8	17
70-74	121	4.2	18	<1	1	3	5	9	11	22
75-79	96	5.5	30	1	1	4	7	11	17	29
80-84	56	5.4	62	1	1	3	6	10	15	50
85+	37	5.2	15	1	2	4	7	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.9	350	<1	<1	1	3	30	61	66
B. *Operated*	409	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	27	3.9	39	<1	<1	1	4	7	23	27
B. *Operated*	426	4.5	24	1	1	3	5	10	12	25
1. SINGLE DX	421	2.5	13	<1	<1	2	3	5	6	10
2. MULTIPLE DX	453	4.4	25	1	1	3	5	9	12	27
A. NOT OPERATED	39	5.1	132	<1	<1	1	3	12	25	66
B. OPERATED	835	3.5	15	<1	1	2	4	7	10	18
TOTAL 65-69 YRS	286	2.6	5	<1	<1	2	3	5	7	12
70-74	207	3.4	13	<1	<1	2	4	7	10	17
75-79	194	4.6	42	<1	1	3	5	8	14	31
80-84	104	4.1	37	<1	1	2	5	9	11	39
85+	83	3.8	11	1	1	3	5	9	11	16
GRAND TOTAL	**874**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	2.4	3	1	1	2	3	5	6	8
70-74	18	2.1	2	1	1	2	3	4	5	6
75-79	74	1.4	1	1	1	1	2	2	3	8
80-84	5	3.0	1	2	2	3	3	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	64	4.4	24	<1	<1	3	5	11	15	24
70-74	49	3.9	13	<1	<1	3	5	10	12	16
75-79	41	6.2	54	<1	1	3	8	18	24	29
80-84	9	5.6	27	1	1	4	7	14	18	18
85+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	126	1.8	2	1	1	1	2	4	4	8
B. *Operated*	164	4.9	30	<1	<1	3	6	12	18	27
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	290	3.6	20	<1	1	2	4	8	13	24
A. NOT OPERATED	127	1.8	2	1	1	1	2	4	4	8
B. OPERATED	164	4.9	30	<1	<1	3	6	12	18	27
TOTAL 65-69 YRS	92	3.8	18	<1	1	2	4	8	13	24
70-74	68	3.4	11	<1	<1	2	4	7	12	15
75-79	115	3.2	25	1	1	1	2	7	16	28
80-84	14	4.6	19	1	2	3	4	10	16	18
85+	2	13.0	162	4	4	13	22	22	22	22
GRAND TOTAL	**291**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**8**	**13**	**24**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	307	3.1	30	<1	<1	1	3	7	12	33
70-74	248	3.5	30	<1	<1	2	4	7	14	35
75-79	181	4.2	59	<1	<1	2	4	9	16	36
80-84	108	8.1	140	<1	<1	3	10	24	31	57
85+	116	8.6	161	<1	1	4	11	21	32	90
B. *Operated*										
65-69 YRS	261	5.3	16	<1	1	5	8	11	12	15
70-74	202	4.9	16	<1	<1	4	8	10	11	15
75-79	161	5.5	20	<1	<1	5	9	11	13	17
80-84	73	5.5	18	<1	1	5	9	11	13	17
85+	33	6.8	29	<1	1	5	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12964	4.9	63	1	1	3	5	9	20	45
70-74	10400	5.8	79	1	1	3	5	14	24	47
75-79	6675	7.6	106	1	1	4	8	21	30	50
80-84	3194	9.8	141	1	1	5	14	25	34	60
85+	1916	12.4	159	1	2	8	18	29	38	86
B. *Operated*										
65-69 YRS	3231	7.0	98	1	1	4	8	14	24	57
70-74	2767	7.3	99	1	1	4	9	14	26	55
75-79	1952	8.0	125	1	1	4	9	18	31	64
80-84	944	9.1	139	1	1	5	11	23	32	64
85+	538	8.5	102	1	1	4	12	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	4.7	68	<1	<1	2	4	12	19	41
B. *Operated*	730	5.3	18	<1	<1	5	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	35149	6.5	92	1	1	3	6	17	27	50
B. *Operated*	9432	7.6	109	1	1	4	9	16	27	57
1. SINGLE DX	1690	4.9	46	<1	<1	2	7	11	15	34
2. MULTIPLE DX	44581	6.7	96	1	1	3	7	17	27	52
A. NOT OPERATED	36109	6.5	92	1	1	3	6	17	27	50
B. OPERATED	10162	7.4	102	1	1	4	9	16	26	56
TOTAL 65-69 YRS	16763	5.3	69	1	1	3	5	11	20	47
70-74	13617	6.0	82	1	1	3	6	14	24	49
75-79	8969	7.6	108	1	1	4	8	20	30	53
80-84	4319	9.5	139	1	1	5	13	24	34	60
85+	2603	11.3	148	1	1	7	16	27	36	85
GRAND TOTAL	**46271**	**6.7**	**94**	**1**	**1**	**3**	**7**	**17**	**27**	**51**

Operation Groups

Length of Stay Tables
Operation Groups

1463 Hospitals, United States, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44894	4.9	19	1	1	4	7	10	13	20
70-74	36980	5.3	22	<1	1	4	7	11	14	21
75-79	26641	5.6	26	<1	1	4	8	12	15	23
80-84	15918	6.1	31	<1	1	5	8	13	16	25
85+	11553	6.7	38	1	1	5	9	14	17	27
2. MULTIPLE DX										
65-69 YRS	297662	8.5	69	1	2	6	11	17	23	45
70-74	301201	9.0	74	1	2	7	11	18	24	47
75-79	262359	9.6	80	2	2	7	12	19	26	50
80-84	189452	10.1	88	2	3	8	13	20	27	55
85+	162112	10.6	91	2	3	8	13	21	28	59
TOT. SINGLE DX	135986	5.4	25	<1	1	4	7	11	14	22
" MULTIPLE DX	1212786	9.4	79	2	2	7	12	18	25	50
TOTAL 65-69 YRS	342556	8.0	64	1	2	6	10	16	22	43
70-74	338181	8.6	70	1	2	6	11	17	23	45
75-79	289000	9.2	76	1	2	7	12	18	25	48
80-84	205370	9.8	85	2	2	7	12	19	26	53
85+	173665	10.4	99	2	3	8	13	20	27	57
GRAND TOTAL	**1348772**	**9.0**	**75**	**1**	**2**	**7**	**11**	**18**	**24**	**48**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	161	10.5	54	3	4	9	12	18	23	44
70-74	152	10.6	51	2	5	9	13	18	23	33
75-79	98	12.3	114	2	4	10	14	22	34	65
80-84	52	12.6	102	3	5	10	15	23	34	54
85+	30	10.8	29	5	5	9	14	19	22	22
2. MULTIPLE DX										
65-69 YRS	742	17.9	167	5	6	14	24	38	47	72
70-74	750	19.2	192	5	7	15	24	36	51	83
75-79	493	19.1	189	5	7	15	25	38	51	96
80-84	345	20.7	230	6	7	17	26	42	54	98
85+	217	19.7	206	5	8	15	24	40	49	76
TOT. SINGLE DX	493	11.1	69	2	4	9	13	19	25	47
" MULTIPLE DX	2547	19.0	191	5	7	15	24	38	50	88
TOTAL 65-69 YRS	903	16.6	155	4	6	13	21	34	45	70
70-74	902	17.7	179	5	6	14	22	34	48	76
75-79	591	17.9	183	4	6	14	23	35	47	90
80-84	397	19.7	221	5	7	15	25	40	53	94
85+	247	18.6	193	5	7	15	22	34	48	73
GRAND TOTAL	**3040**	**17.8**	**180**	**5**	**6**	**14**	**22**	**35**	**47**	**82**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	11.7	131	4	5	9	12	21	27	70
70-74	28	10.1	34	3	4	8	13	21	21	23
75-79	30	10.8	93	4	5	8	10	22	33	49
80-84	11	8.5	35	4	4	6	8	20	22	22
85+	7	10.0	22	4	4	10	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	140	22.9	289	5	7	19	33	50	71	99+
70-74	151	19.8	284	5	6	15	26	42	69	99+
75-79	126	18.8	224	4	7	16	21	36	52	98
80-84	88	19.0	195	6	7	15	25	34	63	99+
85+	72	19.4	177	5	7	16	27	35	50	96
TOT. SINGLE DX	113	10.6	80	4	5	8	12	20	25	57
" MULTIPLE DX	577	20.2	247	5	7	16	26	41	63	99+
TOTAL 65-69 YRS	177	20.5	276	4	6	16	27	46	68	99+
70-74	179	18.3	258	4	5	13	23	36	67	99+
75-79	156	17.3	209	4	6	14	20	34	50	97
80-84	99	17.9	189	5	6	15	23	32	61	99+
85+	79	18.5	171	5	6	15	26	34	47	95
GRAND TOTAL	**690**	**18.6**	**232**	**4**	**6**	**14**	**24**	**39**	**56**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	3.7		3	3	4	4	4	4	4
70-74	9	7.6	44	2	2	8	8	18	24	24
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	5.5	13	3	3	5	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	32	10.5	138	3	3	7	10	24	32	62
70-74	20	14.7	208	2	3	9	19	36	49	56
75-79	11	10.9	103	2	3	8	11	28	36	37
80-84	7	21.6	678	3	3	10	26	67	77	77
85+	4	12.0	18	8	8	11	15	18	18	18
TOT. SINGLE DX	17	6.2	26	2	3	4	8	8	19	24
" MULTIPLE DX	74	12.8	195	3	3	8	13	30	42	73
TOTAL 65-69 YRS	35	9.9	130	3	3	7	10	21	31	62
70-74	29	12.4	165	2	3	8	13	29	44	56
75-79	13	9.9	92	2	3	6	10	25	35	37
80-84	9	18.0	561	3	3	8	21	58	77	77
85+	5	11.0	19	7	7	10	13	18	18	18
GRAND TOTAL	**91**	**11.6**	**170**	**3**	**3**	**8**	**11**	**28**	**37**	**71**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	8.0	13	3	3	8	10	13	15	16
70-74	32	8.4	24	3	4	7	10	14	21	23
75-79	28	10.1	50	3	4	8	12	17	29	34
80-84	18	10.4	33	3	4	9	13	20	23	24
85+	3	10.0	9	7	7	10	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	130	17.0	199	3	5	13	24	34	60	99+
70-74	149	19.8	212	5	6	16	25	40	60	99+
75-79	193	18.8	206	5	6	16	25	39	52	99+
80-84	96	18.5	125	5	7	17	24	31	42	99+
85+	35	17.7	94	5	5	17	27	33	35	99+
TOT. SINGLE DX	96	9.3	31	3	4	8	11	15	22	32
" MULTIPLE DX	603	18.6	187	5	6	15	25	36	52	99+
TOTAL 65-69 YRS	145	16.1	188	3	5	12	21	32	48	99+
70-74	181	17.8	198	4	5	14	23	39	51	99+
75-79	221	17.7	195	5	6	15	24	35	49	99+
80-84	114	17.3	120	5	6	15	23	30	36	99+
85+	38	17.1	92	5	6	17	26	33	35	99+
GRAND TOTAL	**699**	**17.3**	**176**	**4**	**5**	**14**	**23**	**34**	**46**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	5.3	19	1	1	3	7	12	14	16
70-74	16	9.3	99	2	2	6	10	26	35	38
75-79	4	10.8	17	6	6	10	13	16	16	16
80-84	7	6.4	21	2	2	4	10	13	14	14
85+	4	8.3	41	3	3	6	13	17	17	17
2. MULTIPLE DX										
65-69 YRS	94	17.6	255	2	4	13	21	43	52	78
70-74	97	17.6	216	2	4	14	25	40	56	99+
75-79	93	17.2	152	2	4	15	24	35	41	84
80-84	41	18.9	182	3	7	16	23	30	35	85
85+	14	13.1	86	1	4	10	18	31	33	33
TOT. SINGLE DX	52	7.3	47	1	2	5	10	15	17	38
" MULTIPLE DX	339	17.5	199	3	4	14	23	37	45	91
TOTAL 65-69 YRS	115	15.3	234	1	3	11	19	37	45	72
70-74	113	16.4	207	2	3	12	22	38	54	99+
75-79	97	16.9	148	2	4	15	24	35	40	82
80-84	48	17.1	178	3	3	15	22	28	33	85
85+	18	12.1	78	1	3	9	17	27	32	33
GRAND TOTAL	391	16.1	190	2	3	13	21	35	44	88

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	400	8.0	13	4	4	7	9	13	15	20
70-74	326	8.6	17	4	5	8	10	14	16	23
75-79	213	9.3	20	4	5	8	11	15	17	25
80-84	64	10.1	25	3	5	9	12	17	21	27
85+	20	11.3	70	3	4	9	12	23	33	38
2. MULTIPLE DX										
65-69 YRS	1224	11.9	74	4	5	9	14	21	28	50
70-74	1202	12.9	101	4	5	10	15	23	32	58
75-79	810	13.7	80	5	6	11	16	25	31	50
80-84	365	15.1	94	6	7	12	18	28	35	56
85+	124	16.0	100	6	7	13	20	28	39	51
TOT. SINGLE DX	1023	8.7	18	4	5	8	10	14	17	24
" MULTIPLE DX	3725	13.1	88	5	6	10	15	24	31	54
TOTAL 65-69 YRS	1624	10.9	62	4	5	9	12	19	24	46
70-74	1528	12.0	87	4	5	9	14	21	29	56
75-79	1023	12.8	71	5	6	10	15	23	30	44
80-84	429	14.3	88	5	6	12	17	27	34	49
85+	144	15.4	98	6	7	12	19	28	38	51
GRAND TOTAL	4748	12.1	77	4	5	10	14	22	29	50

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	52	6.0	20	1	1	5	9	12	15	20
70-74	31	7.5	83	1	2	6	9	11	15	53
75-79	21	7.4	30	1	2	6	11	15	19	22
80-84	12	7.3	38	1	2	6	8	19	20	20
85+	5	8.4	76	1	1	5	14	22	22	22
2. MULTIPLE DX										
65-69 YRS	245	15.1	177	2	2	11	19	32	45	71
70-74	193	15.0	147	2	3	11	19	33	44	56
75-79	118	14.7	123	3	5	12	20	29	35	79
80-84	44	18.6	177	3	5	15	27	44	66	99+
85+	24	15.2	228	3	4	9	17	42	55	55
TOT. SINGLE DX	121	6.9	41	1	1	6	9	13	17	31
" MULTIPLE DX	624	15.2	160	2	3	12	20	33	44	70
TOTAL 65-69 YRS	297	13.5	162	1	2	10	17	30	40	68
70-74	224	13.9	145	1	3	10	18	30	43	56
75-79	139	13.6	116	2	3	11	17	27	33	73
80-84	56	16.2	168	2	3	12	24	41	55	99+
85+	29	14.0	206	2	3	9	16	36	55	55
GRAND TOTAL	745	13.8	150	2	2	10	18	31	41	65

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.5	4	<1	<1	2	3	7	7	8
70-74	64	2.7	6	<1	<1	2	3	6	8	12
75-79	44	2.5	4	<1	1	2	3	6	7	9
80-84	16	3.3	18	<1	<1	2	4	7	15	18
85+	11	3.0	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	147	7.4	81	1	1	4	10	19	30	57
70-74	105	6.2	45	1	1	4	9	13	20	34
75-79	77	10.9	233	<1	1	4	14	32	39	81
80-84	33	5.0	27	1	1	3	8	10	20	22
85+	20	6.2	80	1	2	4	5	10	27	43
TOT. SINGLE DX	200	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	382	7.5	100	1	1	4	9	19	27	53
TOTAL 65-69 YRS	212	5.9	63	<1	1	3	7	13	22	51
70-74	169	4.9	33	<1	1	3	6	11	14	24
75-79	121	7.8	166	<1	1	3	8	22	35	73
80-84	49	4.4	25	1	1	2	5	9	18	22
85+	31	5.1	55	1	1	4	5	8	12	43
GRAND TOTAL	582	5.8	73	<1	1	3	7	13	22	46

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	215	1.8	2	<1	<1	1	2	3	5	9
70-74	179	1.8	3	<1	<1	1	2	3	5	11
75-79	135	1.7	1	<1	<1	1	2	3	4	7
80-84	59	1.8	2	<1	<1	1	2	3	5	11
85+	28	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
65-69 YRS	420	3.6	24	<1	<1	2	4	8	11	30
70-74	315	3.9	27	<1	1	2	4	9	12	25
75-79	239	4.4	26	<1	1	2	5	12	16	25
80-84	118	4.8	41	<1	<1	2	6	11	17	36
85+	91	5.0	48	<1	<1	2	7	11	23	76
TOT. SINGLE DX	616	1.8	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	1183	4.1	29	<1	<1	2	4	10	13	30
TOTAL 65-69 YRS	635	3.0	18	<1	<1	2	3	7	10	19
70-74	494	3.1	20	<1	<1	2	3	8	10	21
75-79	374	3.4	19	<1	<1	2	3	8	13	24
80-84	177	3.8	31	<1	<1	2	4	9	12	33
85+	119	4.3	39	<1	<1	2	5	10	21	59
GRAND TOTAL	**1799**	**3.3**	**21**	**<1**	**<1**	**2**	**3**	**8**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	6.3	31	3	3	5	7	13	22	23
70-74	7	7.0	4	5	5	7	9	10	10	10
75-79	10	11.3	159	2	2	7	14	31	44	44
80-84	3	8.3	21	3	3	11	11	11	11	11
85+	4	15.8	83	6	6	14	21	28	28	28
2. MULTIPLE DX										
65-69 YRS	83	12.4	133	3	4	9	15	25	30	70
70-74	89	14.3	276	4	5	9	15	23	39	94
75-79	82	12.3	56	4	5	11	15	22	29	37
80-84	53	11.3	84	3	4	10	13	17	29	60
85+	29	15.1	203	4	5	11	19	26	32	79
TOT. SINGLE DX	36	9.1	70	3	3	7	10	19	26	44
" MULTIPLE DX	336	12.9	151	4	5	10	15	23	29	80
TOTAL 65-69 YRS	95	11.6	124	3	3	8	13	23	30	65
70-74	96	13.7	260	4	5	9	14	22	34	93
75-79	92	12.2	66	3	4	10	15	22	29	41
80-84	56	11.1	81	3	4	10	13	17	29	59
85+	33	15.2	186	4	5	12	19	28	30	79
GRAND TOTAL	**372**	**12.6**	**144**	**3**	**4**	**9**	**14**	**22**	**29**	**79**

511: Miscellaneous operations on sympathetic nerves and gangila (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	4.1	18	<1	<1	3	6	8	15	17
70-74	6	12.8	185	2	2	7	18	36	38	38
75-79	4	4.0	12	1	1	3	6	9	9	9
80-84	3	1.7		1	1	2	2	2	2	2
85+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	79	8.2	58	1	1	5	11	22	25	33
70-74	58	11.0	179	2	2	7	13	24	34	84
75-79	39	9.8	62	1	1	8	15	20	24	36
80-84	26	9.1	88	2	3	6	13	23	29	44
85+	11	10.6	32	3	5	9	14	19	23	23
TOT. SINGLE DX	30	5.9	57	<1	1	3	7	14	18	38
" MULTIPLE DX	213	9.5	95	1	2	7	12	23	25	41
TOTAL 65-69 YRS	94	7.5	54	1	1	5	10	19	24	32
70-74	64	11.2	177	2	2	7	13	25	35	81
75-79	43	9.3	61	1	1	7	13	19	23	36
80-84	29	8.3	85	1	2	6	10	20	26	44
85+	13	10.3	29	3	5	9	13	17	22	23
GRAND TOTAL	**243**	**9.0**	**91**	**1**	**1**	**6**	**12**	**21**	**25**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	279	3.1	1	1	2	3	4	5	5	7
70-74	177	3.6	5	1	2	3	4	5	6	16
75-79	108	3.7	5	1	2	3	4	6	7	15
80-84	33	4.2	4	1	2	4	5	7	9	10
85+	7	4.9	3	3	3	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	579	4.8	24	1	2	4	5	8	12	26
70-74	416	5.7	42	2	2	4	6	10	16	30
75-79	279	6.7	56	2	2	5	7	12	18	41
80-84	125	6.9	33	2	3	5	8	13	20	30
85+	44	8.6	67	2	3	6	10	15	25	44
TOT. SINGLE DX	604	3.4	4	1	2	3	4	5	6	10
" MULTIPLE DX	1443	5.7	39	2	2	4	6	10	15	30
TOTAL 65-69 YRS	858	4.3	17	1	2	3	5	7	9	19
70-74	593	5.1	33	2	2	4	5	8	13	27
75-79	387	5.8	44	2	2	4	6	10	16	30
80-84	158	6.3	29	2	2	5	7	11	17	26
85+	51	8.1	60	2	3	6	9	14	21	44
GRAND TOTAL	**2047**	**5.1**	**29**	**2**	**2**	**4**	**5**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.1	1	1	1	3	4	5	6	7
70-74	39	3.1	1	1	1	3	4	5	6	6
75-79	32	4.5	4	2	2	4	5	7	8	12
80-84	16	3.8	1	2	2	4	5	6	6	6
85+	4	9.0	100	3	3	4	14	24	24	24
2. MULTIPLE DX										
65-69 YRS	264	7.3	64	2	2	4	8	15	22	41
70-74	237	8.0	73	2	2	5	9	17	28	45
75-79	193	8.8	97	2	3	5	9	19	29	51
80-84	90	9.6	82	2	2	6	12	21	25	80
85+	46	11.3	71	2	3	9	18	25	26	38
TOT. SINGLE DX	146	3.6	6	1	2	3	4	6	6	12
" MULTIPLE DX	830	8.3	78	2	2	5	10	19	26	51
TOTAL 65-69 YRS	319	6.6	56	2	2	4	7	14	21	39
70-74	276	7.3	66	2	2	4	8	15	27	41
75-79	225	8.2	87	2	3	5	9	18	27	46
80-84	106	8.8	74	2	2	5	12	21	24	72
85+	50	11.1	72	2	3	8	18	24	26	38
GRAND TOTAL	**976**	**7.6**	**70**	**2**	**2**	**5**	**8**	**17**	**25**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	11.4	85	6	6	8	12	19	36	47
70-74	18	8.0	12	2	4	8	9	13	15	16
75-79	11	8.9	8	4	6	8	10	13	16	16
80-84	3	10.3		10	10	10	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	129	13.4	123	4	5	10	15	24	35	61
70-74	94	14.7	173	3	4	10	18	26	41	75
75-79	63	16.8	144	5	6	13	22	29	51	58
80-84	21	15.0	101	4	7	10	18	28	39	45
85+	4	11.8	84	4	4	9	17	25	25	25
TOT. SINGLE DX	60	9.9	47	4	5	8	10	15	19	46
" MULTIPLE DX	311	14.5	141	4	5	11	18	27	42	61
TOTAL 65-69 YRS	157	13.0	117	4	5	10	14	23	35	61
70-74	112	13.6	153	3	4	10	17	24	38	74
75-79	74	15.6	132	4	6	12	19	29	47	57
80-84	24	14.4	90	5	8	10	17	25	38	45
85+	4	11.8	84	4	4	9	17	25	25	25
GRAND TOTAL	**371**	**13.8**	**128**	**4**	**5**	**10**	**16**	**25**	**35**	**61**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	1.5		<1	<1	1	2	2	3	4
70-74	14	2.2	3	<1	<1	1	3	5	6	6
75-79	22	1.5	2	<1	<1	1	1	3	5	7
80-84	14	2.4	4	<1	<1	1	3	6	8	8
85+	11	1.7		<1	<1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	51	8.0	207	<1	<1	3	11	17	24	97
70-74	50	5.3	58	<1	<1	3	6	10	18	50
75-79	57	5.0	44	<1	1	2	4	15	18	36
80-84	42	5.8	28	<1	1	4	9	14	16	26
85+	35	5.3	63	<1	<1	2	4	15	29	34
TOT. SINGLE DX	82	1.8	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	235	5.9	83	<1	1	3	7	15	19	39
TOTAL 65-69 YRS	72	6.1	155	<1	<1	2	7	13	22	82
70-74	64	4.6	48	<1	<1	3	6	9	16	46
75-79	79	4.1	35	<1	<1	2	4	13	17	32
80-84	56	5.0	25	<1	<1	3	7	11	15	25
85+	46	4.4	50	<1	<1	2	3	10	20	34
GRAND TOTAL	**317**	**4.8**	**65**	**<1**	**<1**	**2**	**5**	**12**	**17**	**35**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	1.3		<1	<1	1	1	2	3	5
70-74	41	1.1		<1	<1	<1	1	2	2	2
75-79	36	1.4	1	<1	<1	1	1	3	3	7
80-84	23	1.3		<1	<1	<1	2	2	3	3
85+	22	1.3		<1	<1	<1	2	2	3	3
2. MULTIPLE DX										
65-69 YRS	234	3.9	36	<1	1	2	4	10	15	37
70-74	230	6.4	104	<1	1	3	7	14	28	55
75-79	201	5.4	72	<1	1	2	6	14	21	88
80-84	138	5.7	67	<1	1	4	7	13	19	99+
85+	164	6.1	55	<1	1	3	8	16	18	55
TOT. SINGLE DX	178	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	967	5.4	68	<1	1	2	6	13	19	57
TOTAL 65-69 YRS	290	3.4	30	<1	<1	1	3	8	13	33
70-74	271	5.6	93	<1	<1	2	6	12	22	53
75-79	237	4.8	64	<1	<1	2	6	11	19	80
80-84	161	5.1	60	<1	<1	3	7	10	18	95
85+	186	5.5	51	<1	<1	3	7	16	18	51
GRAND TOTAL	**1145**	**4.8**	**60**	**<1**	**<1**	**2**	**5**	**12**	**18**	**53**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.4		1	1	1	2	2	3	5
70-74	51	1.3		1	1	1	2	2	2	3
75-79	44	1.5	1	<1	1	1	2	2	3	8
80-84	19	1.5		1	1	1	2	3	3	3
85+	22	3.1	16	<1	<1	2	3	8	13	18
2. MULTIPLE DX										
65-69 YRS	72	2.9	23	1	1	2	2	5	8	33
70-74	83	2.5	9	1	1	2	3	4	6	19
75-79	83	2.1	3	1	1	2	2	4	6	12
80-84	61	2.6	4	1	1	2	3	5	6	12
85+	48	3.2	11	<1	<1	2	3	7	13	14
TOT. SINGLE DX	180	1.6	3	<1	1	1	2	2	3	9
" MULTIPLE DX	347	2.6	10	1	1	2	3	5	7	15
TOTAL 65-69 YRS	116	2.3	15	1	1	1	2	4	6	25
70-74	134	2.0	6	1	1	1	2	3	5	16
75-79	127	1.9	3	1	1	1	2	3	5	10
80-84	80	2.4	4	1	1	2	3	5	6	11
85+	70	3.2	13	<1	<1	2	3	7	13	17
GRAND TOTAL	**527**	**2.3**	**8**	**1**	**1**	**2**	**2**	**4**	**6**	**14**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84	4	3.0	2	2	2	3	4	5	5	5
85+										
2. MULTIPLE DX										
65-69 YRS	12	7.6	89	1	1	2	11	23	30	31
70-74	9	3.8	9	<1	<1	3	6	8	10	10
75-79	10	5.9	25	<1	<1	5	10	13	16	16
80-84	8	7.3	72	<1	<1	3	11	22	25	25
85+	7	5.4	99	1	1	2	2	23	28	28
TOT. SINGLE DX	9	3.3	7	<1	<1	2	5	7	9	9
" MULTIPLE DX	46	6.1	55	<1	<1	2	9	16	26	31
TOTAL 65-69 YRS	14	6.7	81	<1	1	2	9	21	29	31
70-74	11	3.6	8	<1	<1	3	6	8	10	10
75-79	11	6.2	23	<1	<1	6	10	13	16	16
80-84	12	5.8	51	<1	1	3	7	17	24	25
85+	7	5.4	99	1	1	2	2	23	28	28
GRAND TOTAL	**55**	**5.6**	**48**	**<1**	**<1**	**2**	**7**	**14**	**24**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	104	2.0	1	1	1	2	3	3	4	5
70-74	135	2.1	1	1	1	2	3	4	4	7
75-79	150	2.4	1	1	1	2	3	4	5	8
80-84	120	2.3	1	1	1	2	3	4	5	7
85+	85	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
65-69 YRS	268	2.6	11	1	1	2	3	4	5	7
70-74	418	2.6	2	1	1	2	3	4	6	9
75-79	463	2.6	3	1	1	2	3	4	5	10
80-84	379	2.8	3	1	1	2	3	5	6	12
85+	221	3.1	10	1	1	3	3	5	8	26
TOT. SINGLE DX	594	2.2	2	1	1	2	3	4	4	6
" MULTIPLE DX	1749	2.7	5	1	1	2	3	4	6	11
TOTAL 65-69 YRS	372	2.5	8	1	1	2	3	4	5	7
70-74	553	2.5	2	1	1	2	3	4	5	9
75-79	613	2.5	3	1	1	2	3	4	5	8
80-84	499	2.6	3	1	1	2	3	4	5	11
85+	306	2.9	8	1	1	2	3	5	6	18
GRAND TOTAL	**2343**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	2.6	2	<1	<1	2	4	5	5	5
70-74	20	1.7	1	<1	<1	1	2	3	5	6
75-79	17	2.8	6	<1	<1	2	3	4	9	12
80-84	13	1.6		1	1	1	2	3	4	4
85+	10	3.1	11	<1	<1	2	2	9	10	10
2. MULTIPLE DX										
65-69 YRS	35	5.9	44	<1	<1	3	8	12	20	31
70-74	42	5.7	33	<1	1	4	7	14	16	31
75-79	53	5.7	111	<1	1	3	5	11	17	72
80-84	47	3.3	10	<1	<1	2	5	9	10	14
85+	38	5.6	35	1	1	3	7	17	20	21
TOT. SINGLE DX	74	2.3	4	<1	<1	2	3	4	6	12
" MULTIPLE DX	215	5.2	50	<1	<1	3	6	11	17	31
TOTAL 65-69 YRS	49	4.9	35	<1	<1	3	6	11	18	31
70-74	62	4.4	27	<1	<1	3	5	11	15	29
75-79	70	5.0	87	<1	1	3	4	11	14	64
80-84	60	3.0	9	<1	<1	2	4	8	10	14
85+	48	5.1	31	1	1	2	6	13	20	21
GRAND TOTAL	**289**	**4.4**	**40**	**<1**	**<1**	**2**	**5**	**10**	**14**	**28**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	109	2.7	4	<1	<1	2	3	5	6	11
70-74	112	2.4	2	<1	<1	2	3	4	6	10
75-79	82	2.3	2	<1	<1	2	3	4	6	9
80-84	43	2.3	2	<1	1	2	3	4	6	8
85+	29	2.4	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
65-69 YRS	258	3.3	21	1	1	2	4	5	9	23
70-74	278	3.3	8	1	1	2	4	7	9	16
75-79	284	3.6	23	1	1	2	4	7	9	24
80-84	174	3.8	33	1	1	2	4	7	12	21
85+	121	3.4	14	1	1	2	4	7	9	26
TOT. SINGLE DX	375	2.4	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	1115	3.5	20	1	1	2	4	7	9	22
TOTAL 65-69 YRS	367	3.1	17	<1	1	2	4	5	8	19
70-74	390	3.0	7	<1	1	2	4	6	8	14
75-79	366	3.3	19	<1	1	2	4	6	8	22
80-84	217	3.5	27	1	1	2	4	7	10	21
85+	150	3.2	12	1	1	2	4	6	9	25
GRAND TOTAL	**1490**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	2.0	1	1	1	2	3	4	4	5
70-74	35	2.5	3	1	1	2	3	5	7	9
75-79	41	2.5	9	<1	1	2	3	4	6	20
80-84	24	2.0	2	<1	1	2	3	4	5	7
85+	12	4.3	12	1	1	3	7	10	12	12
2. MULTIPLE DX										
65-69 YRS	116	4.8	37	<1	1	3	6	10	17	35
70-74	111	4.7	22	1	1	3	6	10	15	23
75-79	147	4.4	28	1	1	3	5	9	11	25
80-84	108	4.3	26	1	1	3	6	9	12	29
85+	84	4.6	28	1	1	3	6	11	13	32
TOT. SINGLE DX	140	2.5	6	1	1	2	3	5	7	13
" MULTIPLE DX	566	4.5	29	1	1	3	6	10	13	28
TOTAL 65-69 YRS	144	4.3	31	1	1	3	5	9	16	30
70-74	146	4.2	19	1	1	2	6	10	13	19
75-79	188	3.9	25	1	1	2	5	8	11	23
80-84	132	3.9	23	1	1	2	5	8	12	23
85+	96	4.6	26	1	1	3	6	11	13	29
GRAND TOTAL	**706**	**4.1**	**25**	**1**	**1**	**2**	**5**	**9**	**12**	**23**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	138	1.7		<1	<1	2	2	2	3	5
70-74	170	1.6		<1	<1	2	2	2	3	3
75-79	187	1.6	1	<1	<1	2	2	2	3	6
80-84	156	1.6		<1	<1	2	2	2	2	3
85+	110	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	313	2.8	24	<1	<1	2	2	4	7	25
70-74	417	2.1	2	<1	1	2	2	3	5	10
75-79	530	2.6	9	<1	1	2	2	4	8	20
80-84	382	2.6	13	<1	1	2	2	4	7	27
85+	403	2.6	9	1	1	2	2	4	7	21
TOT. SINGLE DX	761	1.6	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	2045	2.5	11	<1	1	2	2	4	7	19
TOTAL 65-69 YRS	451	2.5	17	<1	<1	2	2	3	6	19
70-74	587	2.0	2	<1	<1	2	2	3	4	8
75-79	717	2.3	8	<1	<1	2	2	3	6	17
80-84	538	2.3	10	<1	<1	2	2	3	5	18
85+	513	2.4	8	<1	1	2	2	4	6	20
GRAND TOTAL	**2806**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**3**	**5**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	673	1.3		<1	<1	<1	2	2	2	3
70-74	822	1.3		<1	<1	<1	2	2	2	3
75-79	992	1.4	1	<1	<1	<1	2	2	2	3
80-84	847	1.3		<1	<1	<1	2	2	2	3
85+	605	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
65-69 YRS	1432	2.2	12	<1	<1	2	2	3	5	12
70-74	2021	2.2	9	<1	<1	2	2	3	5	16
75-79	2484	2.3	20	<1	<1	2	2	3	5	17
80-84	1979	2.3	15	<1	<1	2	2	3	5	16
85+	1708	2.3	11	<1	1	2	2	3	6	16
TOT. SINGLE DX	3939	1.3	1	<1	<1	<1	2	2	2	3
" MULTIPLE DX	9624	2.3	14	<1	<1	2	2	3	5	16
TOTAL 65-69 YRS	2105	1.9	9	<1	<1	1	2	3	4	9
70-74	2843	2.0	7	<1	<1	2	2	3	4	13
75-79	3476	2.1	15	<1	<1	2	2	3	4	14
80-84	2826	2.0	11	<1	<1	2	2	3	4	14
85+	2313	2.1	9	<1	<1	2	2	3	4	13
GRAND TOTAL	**13563**	**2.0**	**10**	**<1**	**<1**	**2**	**2**	**3**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	1.2		<1	<1	<1	1	2	2	2
70-74	58	1.2		<1	<1	1	1	2	2	3
75-79	73	1.4		<1	<1	1	2	2	2	4
80-84	43	1.3		<1	<1	1	2	2	3	4
85+	48	2.0	7	<1	<1	1	2	3	5	19
2. MULTIPLE DX										
65-69 YRS	123	2.0	4	<1	<1	2	2	3	4	12
70-74	155	1.9	2	<1	<1	1	2	3	5	10
75-79	168	2.3	7	<1	<1	2	2	4	8	14
80-84	130	1.9	1	<1	<1	2	2	3	4	8
85+	118	2.0	3	<1	1	2	2	3	5	12
TOT. SINGLE DX	292	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	694	2.0	4	<1	<1	2	2	3	5	11
TOTAL 65-69 YRS	193	1.7	3	<1	<1	1	2	2	3	10
70-74	213	1.7	2	<1	<1	1	2	3	4	9
75-79	241	2.0	6	<1	<1	1	2	3	5	12
80-84	173	1.7	1	<1	<1	2	2	3	3	7
85+	166	2.0	4	<1	<1	2	2	3	5	15
GRAND TOTAL	**986**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	430	2.9	3	1	1	3	4	5	6	10
70-74	335	2.9	2	1	1	3	4	5	6	7
75-79	219	2.7	2	1	1	2	3	4	5	8
80-84	92	3.4	3	1	1	3	4	6	7	9
85+	41	3.2	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	853	3.5	7	1	1	3	4	6	7	11
70-74	717	3.5	6	1	1	3	4	6	7	11
75-79	525	3.8	6	1	1	3	5	6	8	15
80-84	303	3.9	9	1	1	3	5	6	9	17
85+	129	3.8	6	1	1	3	5	6	7	15
TOT. SINGLE DX	1117	2.9	3	1	1	3	4	5	6	8
" MULTIPLE DX	2527	3.6	7	1	1	3	4	6	8	13
TOTAL 65-69 YRS	1283	3.3	6	1	1	3	4	5	7	11
70-74	1052	3.3	5	1	1	3	4	6	7	10
75-79	744	3.5	6	1	1	3	4	6	7	12
80-84	395	3.8	8	1	1	3	5	6	8	15
85+	170	3.7	6	1	1	3	5	6	7	13
GRAND TOTAL	**3644**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	2.4	3	<1	1	2	3	4	6	11
70-74	80	2.8	4	1	1	2	3	5	7	13
75-79	71	3.0	6	<1	1	2	3	8	9	11
80-84	32	3.2	6	1	1	2	4	8	10	10
85+	15	4.9	18	1	2	3	6	9	16	18
2. MULTIPLE DX										
65-69 YRS	355	3.8	25	1	1	3	4	7	9	25
70-74	351	3.4	8	<1	1	3	4	7	9	13
75-79	317	4.0	18	<1	1	3	4	8	12	22
80-84	219	3.8	14	<1	1	3	4	9	11	16
85+	121	3.7	12	1	1	3	4	8	10	18
TOT. SINGLE DX	260	2.9	6	1	1	2	3	6	8	12
" MULTIPLE DX	1363	3.7	16	<1	1	3	4	8	10	18
TOTAL 65-69 YRS	417	3.6	22	<1	1	3	4	7	9	22
70-74	431	3.3	8	<1	1	3	4	7	9	13
75-79	388	3.8	16	<1	1	3	4	8	11	20
80-84	251	3.7	14	<1	1	3	4	9	11	16
85+	136	3.8	13	1	1	3	4	8	11	19
GRAND TOTAL	**1623**	**3.6**	**15**	**<1**	**1**	**3**	**4**	**7**	**10**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.2		<1	<1	1	1	2	2	2
70-74	11	1.4		1	1	1	2	2	2	2
75-79	3	2.0	1	<1	<1	2	3	3	3	3
80-84	6	1.3		<1	<1	1	1	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	14	1.4		1	1	1	2	2	2	2
70-74	20	2.0	1	<1	<1	2	2	4	5	6
75-79	15	2.0		1	1	2	2	3	4	4
80-84	4	1.0		1	1	1	1	1	1	1
85+	3	1.3		1	1	1	2	2	2	2
TOT. SINGLE DX	32	1.3		<1	<1	1	2	2	3	3
" MULTIPLE DX	56	1.7	1	1	1	2	2	3	4	6
TOTAL 65-69 YRS	25	1.3		<1	<1	1	2	2	2	2
70-74	31	1.8	1	<1	1	1	2	3	5	6
75-79	18	2.0	1	<1	1	2	2	3	4	4
80-84	10	1.2		<1	<1	1	1	2	3	2
85+	4	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**88**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL 65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
GRAND TOTAL	**1**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	46	2.5	8	<1	1	2	3	4	7	18
70-74	36	4.4	76	1	1	2	4	7	8	54
75-79	26	1.8		<1	1	2	2	3	4	4
80-84	27	4.3	22	1	1	2	5	13	14	19
85+	17	3.5	7	1	1	3	5	7	9	10
2. MULTIPLE DX										
65-69 YRS	120	5.4	91	1	1	3	6	10	12	71
70-74	129	4.5	26	1	1	3	5	11	14	28
75-79	143	5.4	76	1	1	3	6	9	15	46
80-84	81	4.0	14	1	1	3	5	8	13	18
85+	101	6.0	95	1	1	3	7	11	18	65
TOT. SINGLE DX	152	3.3	26	1	1	2	3	6	10	19
" MULTIPLE DX	574	5.1	63	1	1	3	6	10	14	44
TOTAL 65-69 YRS	166	4.6	70	1	1	3	5	9	12	60
70-74	165	4.5	37	1	1	3	5	10	14	33
75-79	169	4.8	66	1	1	3	5	8	13	44
80-84	108	4.1	16	1	1	3	5	9	14	18
85+	118	5.7	83	1	1	3	6	10	15	63
GRAND TOTAL	**726**	**4.7**	**56**	**1**	**1**	**3**	**5**	**9**	**13**	**42**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	1.8	1	<1	<1	1	2	4	4	4
70-74	24	1.5		<1	<1	1	2	2	3	3
75-79	26	2.5	8	<1	<1	2	2	7	11	13
80-84	15	1.9	2	<1	<1	1	2	3	6	7
85+	20	3.0	8	<1	1	2	4	5	10	14
2. MULTIPLE DX										
65-69 YRS	106	5.6	38	1	1	3	7	12	22	28
70-74	86	7.4	89	1	1	4	8	18	31	45
75-79	105	6.8	52	1	1	4	9	16	20	36
80-84	84	7.4	66	<1	1	4	10	18	21	42
85+	88	7.1	47	1	2	4	10	16	21	34
TOT. SINGLE DX	102	2.1	5	<1	<1	2	2	4	6	13
" MULTIPLE DX	469	6.8	58	1	1	4	9	17	21	41
TOTAL 65-69 YRS	123	5.1	35	<1	1	3	6	12	21	28
70-74	110	6.1	76	1	1	3	7	14	21	44
75-79	131	5.9	46	1	1	3	8	15	19	33
80-84	99	6.5	61	<1	1	3	9	18	21	38
85+	108	6.3	43	1	1	4	8	15	20	32
GRAND TOTAL	**571**	**6.0**	**51**	**1**	**1**	**3**	**7**	**15**	**20**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	130	1.6		1	1	1	2	3	3	4
70-74	56	1.8		1	1	2	2	3	3	4
75-79	32	1.7		<1	1	2	2	3	3	4
80-84	8	2.0		<1	<1	2	3	3	3	3
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	124	1.9	3	1	1	2	2	3	3	9
70-74	70	2.1	2	1	1	2	3	4	5	8
75-79	30	2.3	1	1	1	2	3	4	4	5
80-84	16	2.3	1	<1	1	2	3	4	5	6
85+	5	2.2	1	1	1	2	3	4	4	4
TOT. SINGLE DX	228	1.7	1	1	1	1	2	3	3	4
" MULTIPLE DX	245	2.1	3	1	1	2	3	3	4	7
TOTAL 65-69 YRS	254	1.8	2	1	1	1	2	3	3	5
70-74	126	2.0	2	1	1	2	3	3	5	7
75-79	62	2.0	1	1	1	2	3	3	4	5
80-84	24	2.2	1	<1	1	2	3	3	5	6
85+	7	2.1	1	1	1	2	2	4	4	4
GRAND TOTAL	**473**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	93	1.3		1	1	1	2	2	2	2
70-74	38	1.3		<1	1	1	1	3	4	4
75-79	18	1.3		<1	<1	1	2	2	2	2
80-84	12	1.4		<1	<1	1	2	2	2	2
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	170	1.6		1	1	1	2	3	3	5
70-74	97	2.0	14	<1	1	1	2	2	3	26
75-79	38	1.8		<1	1	2	2	3	4	5
80-84	15	2.3	2	1	1	2	3	5	6	6
85+	6	1.5		1	1	1	2	2	2	2
TOT. SINGLE DX	164	1.3		<1	1	1	2	2	2	4
" MULTIPLE DX	326	1.8	5	1	1	1	2	3	3	6
TOTAL 65-69 YRS	263	1.5	1	1	1	1	2	2	3	5
70-74	135	1.8	10	<1	1	1	2	2	3	19
75-79	56	1.7	1	<1	1	2	2	2	4	5
80-84	27	1.9	1	<1	<1	2	2	3	5	6
85+	9	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	**490**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	1.2		<1	<1	1	1	2	2	2
70-74	7	1.4		<1	<1	1	2	2	2	2
75-79	5	2.8	4	<1	<1	2	4	6	6	6
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	43	4.5	22	<1	<1	2	7	12	15	16
70-74	36	8.9	75	<1	1	6	14	20	29	35
75-79	26	9.4	51	<1	1	8	13	20	25	26
80-84	16	8.4	49	<1	1	6	12	18	24	26
85+	11	9.5	57	1	1	10	13	20	26	27
TOT. SINGLE DX	26	1.6	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	132	7.6	52	<1	1	6	12	16	23	33
TOTAL 65-69 YRS	55	3.8	19	<1	<1	1	4	11	14	16
70-74	43	7.7	71	<1	1	4	13	20	26	35
75-79	31	8.3	49	<1	1	7	12	19	25	26
80-84	17	7.9	50	<1	1	6	12	18	23	26
85+	12	8.9	57	1	1	8	13	19	26	27
GRAND TOTAL	**158**	**6.6**	**48**	**<1**	**<1**	**4**	**11**	**16**	**20**	**32**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	41	1.9	1	1	1	2	2	3	4	6
70-74	35	2.3	3	1	1	2	3	4	7	9
75-79	13	2.4	2	1	1	2	3	4	6	6
80-84	5	3.8	8	1	1	4	6	8	8	8
85+	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	184	2.6	11	1	1	2	3	4	7	17
70-74	108	4.3	85	1	1	2	3	7	12	59
75-79	61	4.8	90	1	1	2	4	8	18	62
80-84	25	5.8	117	1	1	2	4	11	39	44
85+	14	6.9	61	<1	1	3	9	16	26	29
TOT. SINGLE DX	100	2.2	3	1	1	2	3	4	6	9
" MULTIPLE DX	392	3.7	54	1	1	2	3	6	12	46
TOTAL 65-69 YRS	225	2.5	10	1	1	2	3	4	6	16
70-74	143	3.8	66	1	1	2	3	6	11	55
75-79	74	4.4	76	1	1	2	4	7	15	58
80-84	30	5.4	99	1	1	2	4	9	38	44
85+	20	5.3	49	<1	1	2	8	14	22	29
GRAND TOTAL	**492**	**3.4**	**44**	**1**	**1**	**2**	**3**	**6**	**11**	**41**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	60	2.0	2	<1	1	2	2	4	4	10
70-74	41	1.9	1	<1	<1	1	2	4	5	6
75-79	18	1.9	1	1	1	2	2	4	5	5
80-84	5	2.4	4	1	1	2	3	6	6	6
85+	4	2.3	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	109	4.3	127	1	1	2	3	7	11	77
70-74	65	4.6	54	1	1	2	4	11	20	42
75-79	31	2.9	7	1	1	2	3	7	11	11
80-84	6	3.8	15	1	1	2	6	10	11	11
85+	4	3.8	5	1	1	4	5	6	6	6
TOT. SINGLE DX	128	2.0	2	<1	1	1	2	4	5	7
" MULTIPLE DX	215	4.2	83	1	1	2	3	8	11	52
TOTAL 65-69 YRS	169	3.5	84	1	1	2	3	5	8	60
70-74	106	3.6	36	<1	1	2	3	7	13	36
75-79	49	2.5	6	1	1	2	3	5	8	11
80-84	11	3.2	10	1	1	2	5	8	11	11
85+	8	3.0	4	1	1	2	5	6	6	6
GRAND TOTAL	**343**	**3.3**	**54**	**1**	**1**	**2**	**3**	**6**	**10**	**34**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	1.5		<1	1	1	2	3	4	4
70-74	6	1.3		<1	<1	1	1	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	127	2.3	5	1	1	2	3	4	6	16
70-74	87	2.2	1	1	1	2	3	4	4	8
75-79	43	1.8	1	<1	1	1	2	3	4	6
80-84	12	6.4	74	1	1	3	8	17	30	32
85+	7	5.3	36	1	1	2	8	15	17	17
TOT. SINGLE DX	25	1.4	1	<1	1	1	2	3	3	4
" MULTIPLE DX	276	2.4	8	1	1	2	3	4	6	16
TOTAL 65-69 YRS	143	2.2	5	1	1	2	2	4	5	15
70-74	93	2.1	2	1	1	2	3	3	4	8
75-79	44	1.8	1	<1	1	2	2	3	4	6
80-84	13	6.0	71	1	1	2	7	15	29	32
85+	8	4.8	33	1	1	2	7	15	17	17
GRAND TOTAL	**301**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	77	1.5		<1	<1	1	2	3	3	5
70-74	50	1.4		<1	1	1	2	3	3	5
75-79	18	1.4		1	1	1	2	3	4	4
80-84	11	1.7	1	1	1	1	2	3	5	5
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	352	2.4	6	1	1	2	3	4	7	16
70-74	203	2.7	11	1	1	2	3	5	8	18
75-79	122	3.3	11	1	1	2	4	7	10	18
80-84	62	4.8	23	1	1	3	7	11	16	22
85+	43	5.8	71	<1	1	3	6	19	29	99+
TOT. SINGLE DX	157	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	782	3.0	14	1	1	2	3	6	10	20
TOTAL 65-69 YRS	429	2.2	6	<1	1	2	2	4	6	15
70-74	253	2.4	10	1	1	1	3	4	7	15
75-79	140	3.1	10	1	1	2	4	7	10	17
80-84	73	4.3	21	1	1	2	6	10	15	22
85+	44	5.7	70	<1	1	3	6	19	28	99+
GRAND TOTAL	**939**	**2.7**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	51	1.4		<1	<1	1	2	3	3	3
70-74	66	1.8	2	<1	<1	1	2	3	5	10
75-79	53	1.6	1	<1	<1	1	2	3	4	7
80-84	29	2.2	3	<1	1	2	2	4	6	10
85+	29	3.0	15	<1	<1	2	3	6	11	20
2. MULTIPLE DX										
65-69 YRS	265	3.7	45	1	1	2	3	7	14	48
70-74	205	3.8	33	1	1	2	4	9	13	26
75-79	170	5.3	36	1	1	3	7	13	18	39
80-84	92	6.8	78	1	1	4	8	15	23	50
85+	100	7.8	120	1	1	5	9	15	30	89
TOT. SINGLE DX	228	1.9	4	<1	<1	1	2	3	5	10
" MULTIPLE DX	832	4.9	55	1	1	2	6	11	17	50
TOTAL 65-69 YRS	316	3.3	39	<1	1	2	3	7	11	42
70-74	271	3.3	26	<1	1	2	3	8	10	22
75-79	223	4.4	31	<1	<1	2	6	10	16	35
80-84	121	5.7	64	1	1	3	6	13	22	43
85+	129	6.7	101	1	1	4	8	14	25	82
GRAND TOTAL	**1060**	**4.2**	**46**	**<1**	**1**	**2**	**4**	**10**	**15**	**41**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	4.1	5	1	1	4	5	7	8	10
70-74	74	3.6	7	1	1	3	5	7	8	15
75-79	53	3.6	4	1	1	4	5	6	6	10
80-84	39	3.8	6	1	1	3	5	6	7	14
85+	21	3.6	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
65-69 YRS	360	5.0	16	1	1	4	6	9	11	20
70-74	359	5.6	27	1	1	4	6	11	16	31
75-79	312	5.8	31	1	2	4	7	11	16	33
80-84	243	5.7	26	1	1	5	7	11	14	25
85+	176	5.7	24	1	2	4	6	12	16	28
TOT. SINGLE DX	277	3.8	6	1	1	4	5	7	8	13
" MULTIPLE DX	1450	5.5	25	1	2	4	7	10	14	28
TOTAL 65-69 YRS	450	4.8	14	1	1	4	6	9	11	20
70-74	433	5.3	24	1	1	4	6	10	15	28
75-79	365	5.5	28	1	1	4	6	10	14	30
80-84	282	5.5	24	1	1	4	7	10	14	24
85+	197	5.5	23	1	2	4	6	11	15	28
GRAND TOTAL	**1727**	**5.2**	**22**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	63	2.1	5	<1	1	1	2	4	5	15
70-74	54	2.0	1	1	1	2	2	3	4	7
75-79	23	1.8	1	<1	1	1	2	3	4	5
80-84	8	1.5		<1	<1	1	2	2	2	2
85+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	218	3.5	20	1	1	2	4	7	12	24
70-74	184	3.7	16	1	1	2	4	9	11	22
75-79	107	4.1	45	1	1	2	4	8	10	38
80-84	44	4.6	18	1	1	3	6	10	14	20
85+	13	3.6	12	1	1	2	4	10	12	13
TOT. SINGLE DX	152	2.0	3	1	1	2	2	3	4	10
" MULTIPLE DX	566	3.8	24	1	1	2	4	8	12	23
TOTAL 65-69 YRS	281	3.2	18	1	1	2	3	6	11	23
70-74	238	3.3	13	1	1	2	3	8	10	21
75-79	130	3.7	39	1	1	2	4	7	9	28
80-84	52	4.1	17	1	1	3	5	10	13	20
85+	17	3.2	10	1	1	2	3	8	12	13
GRAND TOTAL	**718**	**3.4**	**20**	**1**	**1**	**2**	**3**	**7**	**10**	**21**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	2.4	2	1	1	2	3	5	6	8
70-74	32	2.8	5	1	1	2	4	6	8	10
75-79	19	1.9	2	<1	1	1	2	4	6	7
80-84	8	2.8	2	1	1	3	4	4	4	4
85+	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	267	4.9	54	1	1	2	5	12	17	41
70-74	191	5.4	47	1	1	3	7	13	20	36
75-79	151	6.1	46	1	1	4	8	15	22	33
80-84	49	6.0	38	1	2	4	8	11	15	39
85+	33	7.4	41	1	1	6	9	17	19	30
TOT. SINGLE DX	132	2.5	4	1	1	2	3	5	6	9
" MULTIPLE DX	691	5.5	49	1	1	3	7	13	19	37
TOTAL 65-69 YRS	337	4.3	45	1	1	2	4	10	15	38
70-74	223	5.1	42	1	1	2	6	12	19	34
75-79	170	5.6	43	1	1	3	7	13	22	32
80-84	57	5.6	34	1	1	4	7	11	14	38
85+	36	7.1	39	1	1	6	9	17	19	30
GRAND TOTAL	**823**	**5.0**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	1.8		<1	<1	2	2	3	3	3
70-74	13	1.6		<1	<1	2	2	3	3	3
75-79	10	2.9	24	<1	<1	1	2	10	17	17
80-84	10	2.0	2	<1	<1	1	2	4	6	6
85+	9	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	278	5.7	89	1	1	2	6	13	24	87
70-74	264	7.0	106	1	1	3	8	17	30	77
75-79	232	6.3	77	1	1	3	8	15	23	71
80-84	173	8.6	201	1	1	3	10	20	43	98
85+	179	7.3	132	1	1	3	8	17	36	94
TOT. SINGLE DX	64	2.0	4	<1	<1	2	2	3	4	15
" MULTIPLE DX	1126	6.8	116	1	1	3	8	16	29	89
TOTAL 65-69 YRS	300	5.4	84	1	1	2	6	12	22	85
70-74	277	6.7	103	1	1	3	8	17	30	75
75-79	242	6.2	75	1	1	3	8	15	23	67
80-84	183	8.2	193	1	1	3	10	19	41	97
85+	188	7.1	128	1	1	3	8	16	36	92
GRAND TOTAL	**1190**	**6.6**	**111**	**1**	**1**	**3**	**7**	**16**	**28**	**65**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	7.5	85	1	1	7	14	14	14	14
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	4	6.5	35	2	2	4	10	15	15	15
70-74	5	17.2	423	2	2	10	24	53	53	53
75-79	2	32.0	722	13	13	32	51	51	51	51
80-84										
85+										
TOT. SINGLE DX	5	3.8	33	1	1	1	5	14	14	14
" MULTIPLE DX	11	16.0	340	2	2	10	15	52	53	53
TOTAL 65-69 YRS	5	5.4	32	1	1	3	8	15	15	15
70-74	5	17.2	424	2	2	10	24	53	53	53
75-79	4	19.8	469	1	1	13	32	51	51	51
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
GRAND TOTAL	**16**	**12.2**	**270**	**1**	**1**	**6**	**14**	**47**	**52**	**53**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	39	2.5	1	<1	1	2	3	4	5	8
70-74	17	2.6	3	1	1	2	3	3	7	9
75-79	4	3.5	5	1	1	3	5	6	6	6
80-84	5	2.2		1	1	2	3	3	3	3
85+	5	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	105	4.5	85	1	1	3	3	7	11	66
70-74	93	4.7	64	1	1	3	4	9	17	51
75-79	68	4.9	31	1	1	2	6	13	15	28
80-84	37	6.9	82	1	1	3	9	18	25	45
85+	27	4.9	40	1	1	2	5	14	18	29
TOT. SINGLE DX	70	2.6	2	1	1	2	3	4	5	9
" MULTIPLE DX	330	4.9	64	1	1	3	4	11	16	47
TOTAL 65-69 YRS	144	4.0	64	1	1	3	3	6	9	58
70-74	110	4.4	55	1	1	3	4	9	16	45
75-79	72	4.8	30	1	1	2	6	12	15	28
80-84	42	6.4	75	1	1	3	9	16	23	45
85+	32	4.6	35	1	1	3	4	13	16	29
GRAND TOTAL	**400**	**4.5**	**54**	**1**	**1**	**3**	**4**	**9**	**15**	**37**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	265	2.2	1	1	1	2	3	4	5	6
70-74	196	2.6	2	1	1	2	3	4	5	8
75-79	121	2.9	2	1	1	3	3	5	6	9
80-84	77	2.9	3	1	1	3	4	5	7	9
85+	39	3.5	9	1	1	3	5	7	11	15
2. MULTIPLE DX										
65-69 YRS	417	3.7	15	1	1	3	4	7	10	16
70-74	352	4.5	43	1	1	3	5	8	13	29
75-79	278	4.3	14	1	1	3	5	8	11	21
80-84	160	5.3	34	1	1	4	6	12	15	25
85+	114	5.9	25	1	2	4	8	13	19	23
TOT. SINGLE DX	698	2.6	3	1	1	2	3	4	6	9
" MULTIPLE DX	1321	4.4	26	1	1	3	5	9	13	23
TOTAL 65-69 YRS	682	3.1	10	1	1	2	4	5	7	15
70-74	548	3.8	30	1	1	3	4	7	9	25
75-79	399	3.9	11	1	1	3	5	7	9	19
80-84	237	4.6	26	1	1	3	5	9	14	24
85+	153	5.3	22	1	1	4	6	12	15	22
GRAND TOTAL	**2019**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	19	2.5	5	<1	1	2	3	4	8	11
70-74	6	3.3	4	1	1	3	4	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	30	3.0	5	1	1	2	4	6	7	11
TOTAL 65-69 YRS	21	2.5	5	<1	1	2	3	4	7	11
70-74	6	3.3	5	1	1	3	4	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**32**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	111	3.6	24	<1	1	2	4	7	12	28
70-74	101	3.6	22	<1	<1	2	4	8	11	28
75-79	77	3.2	10	<1	1	2	4	9	12	14
80-84	47	3.6	25	<1	1	2	4	8	11	32
85+	34	3.9	17	<1	1	2	6	9	11	20
2. MULTIPLE DX										
65-69 YRS	444	7.5	65	1	1	4	10	17	23	36
70-74	422	7.1	82	1	1	4	8	17	24	40
75-79	318	8.5	142	1	1	5	10	19	31	85
80-84	200	7.7	145	1	1	4	8	15	27	80
85+	141	8.2	78	1	1	5	11	17	25	47
TOT. SINGLE DX	370	3.5	20	<1	1	2	4	8	12	22
" MULTIPLE DX	1525	7.7	98	1	1	4	10	17	25	46
TOTAL 65-69 YRS	555	6.7	60	1	1	4	9	16	22	36
70-74	523	6.5	73	1	1	3	8	15	22	38
75-79	395	7.5	121	1	1	4	9	17	29	82
80-84	247	6.9	125	1	1	4	7	13	26	70
85+	175	7.4	69	1	1	5	10	16	24	41
GRAND TOTAL	**1895**	**6.9**	**86**	**1**	**1**	**4**	**8**	**16**	**23**	**45**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	1.4		<1	<1	1	2	2	3	3
70-74	8	2.0	2	1	1	2	3	4	5	5
75-79	6	4.5	23	<1	<1	3	5	13	14	14
80-84	8	1.1		<1	<1	1	1	2	2	2
85+	8	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	35	3.5	10	1	1	2	5	10	11	11
70-74	12	3.1	8	<1	<1	2	3	9	10	10
75-79	5	1.6	1	1	1	1	2	3	3	3
80-84	5	2.6	1	<1	<1	3	3	3	3	3
85+	6	2.0	2	1	1	2	2	5	5	5
TOT. SINGLE DX	43	1.9	5	<1	<1	1	2	3	5	14
" MULTIPLE DX	63	3.0	8	1	1	2	3	8	10	11
TOTAL 65-69 YRS	48	2.9	9	<1	1	2	3	8	11	11
70-74	20	2.7	6	<1	1	2	3	6	9	10
75-79	11	3.2	14	<1	<1	2	3	9	14	14
80-84	13	1.7	1	<1	<1	1	3	3	3	3
85+	14	1.6	1	<1	<1	1	2	3	5	5
GRAND TOTAL	**106**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**10**	**13**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	8	1.3		<1	<1	1	1	3	3	3
TOT. SINGLE DX	4	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	10	1.2		<1	<1	1	1	2	3	3
TOTAL 65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	11	1.3		<1	<1	1	1	2	3	3
GRAND TOTAL	**14**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**3**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	54	4.5	98	1	1	2	5	8	11	70
70-74	48	3.6	10	1	1	3	5	7	8	21
75-79	22	3.0	7	<1	1	2	4	7	9	10
80-84	19	3.6	6	<1	<1	3	5	8	9	10
85+	6	4.3	8	1	1	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	182	6.9	74	<1	1	4	9	18	23	44
70-74	141	7.9	90	1	1	4	10	22	28	44
75-79	94	9.9	162	1	1	6	12	21	28	71
80-84	46	10.0	102	1	2	7	13	20	37	46
85+	37	12.0	141	1	2	9	15	35	47	99+
TOT. SINGLE DX	149	3.9	41	1	1	2	5	7	8	21
" MULTIPLE DX	500	8.4	105	1	1	5	11	20	28	52
TOTAL 65-69 YRS	236	6.4	80	<1	1	3	8	17	22	46
70-74	189	6.8	74	1	1	4	7	19	27	44
75-79	116	8.6	140	1	1	5	10	19	25	67
80-84	65	8.1	83	1	1	5	10	17	29	45
85+	43	11.0	129	1	2	7	14	30	43	99+
GRAND TOTAL	**649**	**7.4**	**94**	**1**	**1**	**4**	**9**	**18**	**26**	**51**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	3.2	8	1	1	3	4	6	8	15
70-74	28	2.9	3	1	1	3	4	5	7	7
75-79	12	2.0	1	1	1	2	2	4	5	5
80-84	11	3.9	5	<1	<1	4	5	8	9	9
85+	13	2.1	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	159	5.7	63	1	1	4	7	11	15	40
70-74	146	5.2	38	1	1	4	6	10	16	35
75-79	167	5.7	55	1	1	4	6	11	14	32
80-84	113	6.4	62	1	1	4	7	16	27	39
85+	114	5.9	38	1	2	4	7	13	21	31
TOT. SINGLE DX	91	2.9	5	1	1	2	4	5	7	13
" MULTIPLE DX	699	5.7	52	1	1	4	6	12	18	35
TOTAL 65-69 YRS	186	5.3	56	1	1	3	6	10	15	39
70-74	174	4.9	34	1	1	3	6	9	12	35
75-79	179	5.4	52	1	1	4	6	11	14	31
80-84	124	6.2	58	1	1	4	7	15	24	39
85+	127	5.5	36	1	1	3	6	12	21	31
GRAND TOTAL	**790**	**5.4**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	122	1.6	6	<1	<1	1	2	2	3	18
70-74	83	1.5	1	<1	<1	1	1	2	3	9
75-79	44	1.8	8	<1	<1	1	2	2	4	20
80-84	26	1.7	3	<1	1	1	2	3	5	10
85+	8	1.3		<1	<1	1	1	3	3	3
2. MULTIPLE DX										
65-69 YRS	279	4.7	74	<1	1	2	4	13	20	53
70-74	205	4.4	66	<1	1	2	3	10	16	63
75-79	128	6.8	128	1	1	2	7	18	30	61
80-84	69	5.1	46	<1	<1	2	6	14	20	34
85+	35	7.9	133	<1	1	2	9	27	32	53
TOT. SINGLE DX	283	1.6	5	<1	<1	1	2	2	3	13
" MULTIPLE DX	716	5.2	82	<1	1	2	4	14	24	54
TOTAL 65-69 YRS	401	3.7	55	<1	<1	1	2	9	17	50
70-74	288	3.5	49	<1	<1	1	2	9	13	53
75-79	172	5.5	102	<1	1	2	4	14	28	57
80-84	95	4.2	37	<1	1	2	4	11	17	32
85+	43	6.7	115	<1	<1	2	8	20	30	53
GRAND TOTAL	**999**	**4.2**	**63**	**<1**	**<1**	**1**	**3**	**10**	**18**	**50**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	8.8	51	1	2	7	13	16	24	27
70-74	18	8.9	41	1	1	11	15	16	18	19
75-79	5	7.4	24	2	2	9	10	14	14	14
80-84	2	6.5	41	2	2	6	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	70	11.6	65	2	2	10	15	22	31	36
70-74	58	13.2	152	1	2	11	16	22	43	61
75-79	28	14.3	232	1	2	10	17	30	46	72
80-84	18	13.2	106	1	3	11	16	26	37	43
85+	3	10.7	70	1	1	15	16	16	16	16
TOT. SINGLE DX	41	8.5	41	1	1	9	13	16	18	27
" MULTIPLE DX	177	12.7	123	1	2	10	16	24	35	59
TOTAL 65-69 YRS	86	11.0	64	2	2	10	15	22	28	35
70-74	76	12.2	129	1	1	11	15	21	41	59
75-79	33	13.3	205	1	2	9	17	27	41	72
80-84	20	12.6	102	1	2	10	15	25	35	43
85+	3	10.7	70	1	1	15	16	16	16	16
GRAND TOTAL	**218**	**11.9**	**110**	**1**	**2**	**10**	**15**	**22**	**33**	**57**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	12.3	19	7	8	11	14	19	23	23
70-74	25	11.8	14	7	7	10	15	18	19	20
75-79	13	12.9	24	8	9	11	14	22	24	25
80-84	6	14.3	18	10	10	14	19	19	19	19
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	160	18.4	128	9	10	14	23	31	42	98
70-74	140	19.7	151	10	11	15	24	39	47	99+
75-79	72	21.7	169	8	9	18	33	39	44	94
80-84	28	23.6	355	9	10	16	26	48	62	96
85+	13	17.6	19	10	12	17	20	24	25	25
TOT. SINGLE DX	77	12.5	18	7	8	11	15	19	21	25
" MULTIPLE DX	413	19.8	156	9	10	15	25	37	45	99+
TOTAL 65-69 YRS	191	17.4	115	8	9	14	21	30	41	92
70-74	165	18.5	138	9	10	15	22	36	43	99
75-79	85	20.4	157	8	9	15	30	39	42	91
80-84	34	22.0	307	9	10	16	24	44	56	96
85+	15	17.3	18	10	12	17	20	24	25	25
GRAND TOTAL	**490**	**18.6**	**141**	**9**	**10**	**15**	**23**	**35**	**42**	**98**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	9.3	5	8	8	8	11	12	12	12
70-74	3	4.7	12	1	1	5	7	8	8	8
75-79										
80-84										
85+	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	144	31.7	584	3	6	29	52	86	99+	99+
70-74	135	30.5	516	3	6	31	52	85	99+	99+
75-79	85	34.3	442	7	10	36	63	99+	99+	99+
80-84	50	36.0	658	3	6	30	64	77	94	99+
85+	36	33.5	528	8	9	35	61	99+	99+	99+
TOT. SINGLE DX	9	6.0	13	1	1	7	8	11	12	12
" MULTIPLE DX	450	32.5	540	4	7	31	56	88	99+	99+
TOTAL 65-69 YRS	147	31.3	583	3	6	29	52	86	99+	99+
70-74	138	29.9	519	3	6	29	52	85	99+	99+
75-79	85	34.3	442	7	10	36	63	99+	99+	99+
80-84	50	36.0	659	3	6	30	64	77	94	99+
85+	39	31.2	550	5	8	30	58	99+	99+	99+
GRAND TOTAL	**459**	**31.9**	**543**	**4**	**7**	**30**	**56**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	3.3	27	<1	1	1	3	9	18	21
70-74	20	2.7	4	<1	<1	2	4	6	7	8
75-79	8	8.3	178	1	1	1	12	32	36	36
80-84	6	1.7	1	1	1	1	2	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	305	26.5	518	1	2	23	45	76	99+	99+
70-74	266	29.5	531	1	2	30	51	82	99+	99+
75-79	191	31.9	526	2	4	31	49	76	99+	99+
80-84	101	33.0	573	1	4	31	53	87	99+	99+
85+	54	36.3	710	4	5	36	61	86	99	99+
TOT. SINGLE DX	56	3.6	38	<1	1	1	3	7	19	35
" MULTIPLE DX	917	29.8	547	1	2	29	49	80	99+	99+
TOTAL 65-69 YRS	326	25.0	519	1	1	21	43	72	99+	99+
70-74	286	27.7	542	1	1	28	49	80	99+	99+
75-79	199	30.9	533	1	3	30	48	76	99+	99+
80-84	107	31.3	594	1	2	29	51	85	99+	99+
85+	55	35.7	718	3	5	33	60	86	99	99+
GRAND TOTAL	**973**	**28.3**	**555**	**1**	**2**	**27**	**48**	**78**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	169	5.5	23	<1	1	4	8	12	15	21
70-74	142	5.4	19	<1	1	4	8	12	15	19
75-79	110	5.3	18	<1	1	4	8	11	14	19
80-84	65	6.7	28	<1	1	6	9	14	18	24
85+	25	7.7	59	<1	1	5	11	19	26	28
2. MULTIPLE DX										
65-69 YRS	2686	10.9	91	2	2	9	14	21	29	47
70-74	2722	11.1	75	2	3	9	14	21	27	48
75-79	2089	12.0	102	2	3	10	15	23	31	55
80-84	1239	12.8	106	2	3	10	16	25	33	57
85+	660	13.2	87	3	4	11	17	25	30	53
TOT. SINGLE DX	511	5.7	24	<1	1	4	8	12	16	21
" MULTIPLE DX	9396	11.6	92	2	3	9	15	22	29	51
TOTAL 65-69 YRS	2855	10.6	89	1	2	8	14	21	28	47
70-74	2864	10.8	74	2	2	9	14	21	26	47
75-79	2199	11.7	100	2	3	9	15	22	30	53
80-84	1304	12.5	104	2	3	10	16	24	32	56
85+	685	13.0	87	2	4	11	17	25	29	52
GRAND TOTAL	**9907**	**11.3**	**90**	**2**	**2**	**9**	**15**	**22**	**29**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	12.0	148	4	4	6	21	26	26	26
70-74	3	6.3	30	1	1	6	10	12	12	12
75-79	3	11.0	93	4	4	7	18	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX										
" MULTIPLE DX	11	8.7	65	1	2	6	11	24	26	26
TOTAL 65-69 YRS	3	12.0	148	4	4	6	21	26	26	26
70-74	3	6.3	30	1	1	6	10	12	12	12
75-79	3	11.0	93	4	4	7	18	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**11**	**8.7**	**65**	**1**	**2**	**6**	**11**	**24**	**26**	**26**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	187	7.3	21	1	1	7	10	14	16	21
70-74	144	6.9	27	1	1	7	9	13	16	28
75-79	90	6.5	27	1	1	6	9	12	19	24
80-84	40	5.3	15	1	1	4	9	12	13	13
85+	10	4.5	24	1	1	2	7	12	16	16
2. MULTIPLE DX										
65-69 YRS	1441	12.0	96	1	3	10	15	22	30	53
70-74	1326	12.3	99	2	3	10	16	24	31	50
75-79	909	12.3	111	1	2	10	16	24	32	58
80-84	402	12.4	115	1	2	10	16	24	32	50
85+	161	13.0	174	1	2	9	17	26	35	94
TOT. SINGLE DX	471	6.8	24	1	1	7	9	13	16	23
" MULTIPLE DX	4239	12.2	106	1	2	10	16	24	31	54
TOTAL 65-69 YRS	1628	11.4	90	1	2	9	15	21	29	52
70-74	1470	11.8	95	1	2	9	15	23	31	49
75-79	999	11.8	107	1	2	9	15	24	31	57
80-84	442	11.7	111	1	2	9	15	23	30	50
85+	171	12.5	170	1	2	9	16	25	34	92
GRAND TOTAL	**4710**	**11.7**	**100**	**1**	**2**	**9**	**15**	**23**	**30**	**53**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	119	10.3	15	6	7	9	12	16	18	23
70-74	88	11.5	34	5	6	10	13	19	24	35
75-79	45	10.9	17	6	7	10	12	15	18	30
80-84	9	12.2	142	4	4	9	12	31	43	43
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	995	14.6	74	6	7	12	17	25	33	57
70-74	771	15.8	107	7	8	13	18	28	35	62
75-79	415	16.6	93	8	9	14	20	27	34	62
80-84	109	18.1	149	7	9	15	22	32	36	79
85+	17	18.5	148	7	7	15	26	39	40	40
TOT. SINGLE DX	262	10.9	26	5	7	10	12	17	20	32
" MULTIPLE DX	2307	15.6	94	7	8	13	19	27	34	59
TOTAL 65-69 YRS	1114	14.1	70	6	7	12	17	24	32	56
70-74	859	15.4	102	7	8	13	18	27	33	60
75-79	460	16.0	89	8	8	13	19	26	32	59
80-84	118	17.6	150	7	8	14	21	32	40	77
85+	18	18.0	143	7	7	15	24	39	40	40
GRAND TOTAL	**2569**	**15.1**	**89**	**7**	**7**	**12**	**18**	**26**	**33**	**57**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	126	6.6	42	1	1	5	9	13	14	32
70-74	91	5.9	31	1	1	4	8	12	19	28
75-79	79	6.6	24	<1	<1	6	10	14	17	19
80-84	35	7.3	29	<1	1	5	11	15	18	18
85+	16	5.8	32	<1	<1	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	1802	11.7	109	2	3	9	15	23	31	60
70-74	1823	12.0	104	2	3	10	16	24	31	60
75-79	1421	13.4	124	2	3	11	17	26	35	72
80-84	911	13.6	118	2	3	11	18	27	36	70
85+	582	15.2	149	3	5	12	19	28	37	72
TOT. SINGLE DX	347	6.5	33	<1	1	5	9	14	16	22
" MULTIPLE DX	6539	12.8	117	2	3	10	16	25	33	65
TOTAL 65-69 YRS	1928	11.4	107	2	3	9	14	23	30	59
70-74	1914	11.8	103	2	3	9	15	24	30	59
75-79	1500	13.1	121	2	3	10	17	26	34	70
80-84	946	13.4	117	2	3	11	17	26	35	69
85+	598	14.9	148	2	4	12	19	28	37	72
GRAND TOTAL	**6886**	**12.4**	**115**	**2**	**3**	**10**	**16**	**25**	**32**	**64**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	11.3	53	2	3	11	14	23	25	25
70-74	5	17.4	517	6	6	8	21	58	58	58
75-79	3	10.3	65	3	3	9	16	19	19	19
80-84										
85+	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	75	12.2	113	1	3	9	14	29	36	45
70-74	74	13.7	149	4	4	10	17	28	34	73
75-79	44	13.7	235	2	3	7	19	29	41	80
80-84	39	12.3	92	2	3	10	16	24	34	43
85+	28	15.4	155	3	4	10	20	40	45	46
TOT. SINGLE DX	17	13.4	169	2	4	9	16	24	46	58
" MULTIPLE DX	260	13.2	144	2	3	9	17	29	36	61
TOTAL 65-69 YRS	82	12.1	108	2	3	9	14	28	35	44
70-74	79	13.9	167	4	4	10	17	28	35	72
75-79	47	13.5	224	2	3	7	19	29	37	80
80-84	39	12.3	93	2	3	10	16	24	34	43
85+	30	15.4	146	3	5	10	20	38	45	46
GRAND TOTAL	**277**	**13.2**	**145**	**2**	**3**	**9**	**17**	**28**	**36**	**60**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	82	7.3	24	2	3	6	9	13	19	27
70-74	60	7.8	27	2	2	7	11	13	18	27
75-79	43	9.0	46	2	3	7	13	20	24	30
80-84	21	6.6	28	2	2	5	7	16	20	21
85+	19	7.3	38	2	2	6	9	12	21	29
2. MULTIPLE DX										
65-69 YRS	1271	12.4	109	3	4	9	16	25	33	55
70-74	1219	12.7	112	3	4	10	16	25	33	56
75-79	907	13.6	123	3	4	10	17	26	33	57
80-84	568	13.1	97	4	4	11	17	25	31	54
85+	408	14.0	109	3	4	12	18	28	35	99+
TOT. SINGLE DX	225	7.7	31	2	3	6	10	14	20	28
" MULTIPLE DX	4373	13.0	112	3	4	10	16	25	33	58
TOTAL 65-69 YRS	1353	12.1	106	3	4	9	15	25	33	53
70-74	1279	12.5	110	3	4	10	16	25	32	55
75-79	950	13.4	121	3	4	10	17	26	33	54
80-84	589	12.9	96	3	4	10	17	24	31	54
85+	427	13.7	108	3	4	11	18	27	35	99+
GRAND TOTAL	**4598**	**12.7**	**109**	**3**	**4**	**10**	**16**	**25**	**33**	**56**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	81	4.6	38	<1	<1	3	6	9	11	40
70-74	81	4.8	19	1	1	3	8	11	13	21
75-79	49	4.8	17	<1	1	3	8	11	13	17
80-84	20	9.4	68	<1	1	7	11	25	27	29
85+	11	4.6	23	1	1	2	9	12	13	13
2. MULTIPLE DX										
65-69 YRS	843	10.8	90	1	2	8	14	22	30	45
70-74	765	12.5	146	1	2	9	16	26	35	67
75-79	548	12.6	119	1	2	10	16	27	36	62
80-84	312	11.8	129	2	2	9	15	24	32	61
85+	222	12.8	96	2	3	10	16	28	34	49
TOT. SINGLE DX	242	5.1	31	<1	1	3	8	11	13	26
" MULTIPLE DX	2690	11.9	118	1	2	9	16	25	33	57
TOTAL 65-69 YRS	924	10.3	89	1	2	8	14	21	29	46
70-74	846	11.7	140	1	2	9	15	25	33	66
75-79	597	12.0	116	1	2	9	16	26	35	60
80-84	332	11.7	126	2	2	9	15	25	31	56
85+	233	12.4	96	2	2	10	16	27	34	48
GRAND TOTAL	**2932**	**11.4**	**114**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	59	13.4	104	8	8	11	15	19	21	79
70-74	56	12.4	30	6	8	12	15	18	19	40
75-79	26	13.4	18	8	9	12	17	19	22	23
80-84	9	11.9	10	8	8	11	14	16	17	17
85+										
2. MULTIPLE DX										
65-69 YRS	1136	16.5	115	8	8	13	19	28	38	59
70-74	1042	17.7	122	8	9	15	21	30	39	62
75-79	612	19.4	142	8	9	16	23	33	42	66
80-84	209	20.3	169	9	10	17	24	34	40	75
85+	39	19.6	167	4	5	17	25	35	39	72
TOT. SINGLE DX	150	12.9	56	8	8	12	15	18	19	41
" MULTIPLE DX	3038	17.8	129	8	9	14	21	30	40	64
TOTAL 65-69 YRS	1195	16.3	115	8	8	13	19	28	37	59
70-74	1098	17.4	119	8	9	14	21	29	38	61
75-79	638	19.1	139	8	9	16	23	33	42	66
80-84	218	20.0	165	9	10	16	24	33	40	74
85+	39	19.6	168	4	5	17	25	35	39	72
GRAND TOTAL	**3188**	**17.6**	**127**	**8**	**9**	**14**	**21**	**30**	**39**	**64**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	307	11.1	14	7	8	10	12	15	17	27
70-74	197	12.0	17	7	8	11	14	17	20	25
75-79	72	13.1	20	8	9	12	15	19	23	27
80-84	15	16.2	19	9	11	15	18	22	26	27
85+	4	16.8	54	9	9	17	23	24	24	24
2. MULTIPLE DX										
65-69 YRS	6106	13.8	69	7	8	12	16	22	28	52
70-74	4480	15.0	75	8	8	13	17	24	31	57
75-79	1935	16.7	104	8	9	14	19	28	36	69
80-84	431	18.4	107	8	9	15	22	31	41	63
85+	57	19.5	160	6	8	16	23	42	51	97
TOT. SINGLE DX	595	11.8	17	7	8	11	14	17	20	27
" MULTIPLE DX	13009	14.8	80	8	8	12	17	24	31	59
TOTAL 65-69 YRS	6413	13.7	67	7	8	11	15	21	28	52
70-74	4677	14.9	74	8	8	13	17	24	31	56
75-79	2007	16.5	102	8	9	14	19	28	35	68
80-84	446	18.3	105	8	9	15	22	30	41	63
85+	61	19.3	153	6	8	16	23	42	50	96
GRAND TOTAL	**13604**	**14.7**	**78**	**8**	**8**	**12**	**17**	**24**	**30**	**58**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1714	2.4	4	1	1	2	2	5	7	12
70-74	1009	2.6	8	<1	1	2	2	6	9	14
75-79	423	2.6	7	<1	1	2	2	6	8	14
80-84	97	2.7	4	<1	1	2	3	6	8	11
85+	16	2.9	8	1	1	2	3	7	10	12
2. MULTIPLE DX										
65-69 YRS	14050	4.7	24	1	1	2	7	11	14	23
70-74	9958	5.3	32	1	1	3	7	12	16	26
75-79	4702	6.0	37	1	1	4	8	14	18	30
80-84	1286	7.2	54	1	1	5	10	16	20	33
85+	264	9.7	105	1	2	8	12	19	26	45
TOT. SINGLE DX	3259	2.5	6	<1	1	2	2	5	8	13
" MULTIPLE DX	30260	5.3	32	1	1	3	7	12	16	26
TOTAL 65-69 YRS	15764	4.5	23	1	1	2	6	10	13	22
70-74	10967	5.1	31	1	1	3	7	12	15	26
75-79	5125	5.7	36	1	1	3	8	13	17	29
80-84	1383	6.9	52	1	1	4	10	15	20	32
85+	280	9.3	103	1	1	8	12	19	26	44
GRAND TOTAL	**33519**	**5.0**	**30**	**1**	**1**	**3**	**7**	**12**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	230	3.9	10	1	1	3	5	7	11	15
70-74	301	4.0	12	1	1	3	5	8	11	15
75-79	385	3.4	6	1	1	3	4	6	8	14
80-84	312	4.0	13	1	1	3	5	8	9	15
85+	289	3.6	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
65-69 YRS	2623	8.9	52	2	2	7	12	17	21	38
70-74	3840	9.1	64	2	2	7	12	18	23	40
75-79	4588	9.1	62	2	2	7	12	18	23	41
80-84	4026	9.5	66	2	3	8	12	18	23	40
85+	3817	9.8	74	2	3	8	13	19	24	47
TOT. SINGLE DX	1517	3.7	10	1	1	3	5	7	9	15
" MULTIPLE DX	18894	9.3	65	2	3	7	12	18	23	41
TOTAL 65-69 YRS	2853	8.5	51	1	2	7	11	16	21	37
70-74	4141	8.7	63	2	2	7	11	17	22	39
75-79	4973	8.7	61	2	2	7	11	17	22	40
80-84	4338	9.1	65	2	2	7	12	17	22	39
85+	4106	9.3	72	2	2	7	12	18	23	43
GRAND TOTAL	**20411**	**8.9**	**63**	**2**	**2**	**7**	**12**	**17**	**22**	**40**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	392	4.4	9	2	2	3	6	8	11	15
70-74	245	4.5	11	1	2	3	6	9	11	17
75-79	95	4.1	8	1	2	3	6	8	10	15
80-84	25	7.7	44	1	2	6	9	19	23	28
85+	6	5.0	12	1	1	4	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	3254	6.6	34	2	2	5	8	13	17	30
70-74	2140	7.3	40	2	2	5	9	15	19	32
75-79	1046	8.6	52	2	3	7	11	17	23	36
80-84	316	9.8	77	2	3	8	13	20	26	47
85+	97	13.0	154	2	3	11	17	25	32	99+
TOT. SINGLE DX	763	4.5	11	1	2	3	6	9	11	17
" MULTIPLE DX	6853	7.4	44	2	2	5	9	15	19	34
TOTAL 65-69 YRS	3646	6.4	32	2	2	5	8	13	16	29
70-74	2385	7.0	38	2	2	5	9	14	19	31
75-79	1141	8.2	50	2	2	6	11	16	22	36
80-84	341	9.7	76	2	3	7	13	20	25	43
85+	103	12.6	150	2	3	10	16	24	31	99+
GRAND TOTAL	**7616**	**7.1**	**41**	**2**	**2**	**5**	**9**	**14**	**19**	**32**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	94	4.1	15	<1	1	2	6	11	12	16
70-74	95	3.5	12	<1	<1	2	5	8	11	17
75-79	69	4.3	24	<1	<1	2	6	8	13	27
80-84	47	6.2	28	<1	<1	5	10	15	18	19
85+	37	6.2	38	1	1	4	9	16	21	24
2. MULTIPLE DX										
65-69 YRS	2086	9.7	72	1	2	8	13	20	25	44
70-74	2281	10.6	82	1	2	8	14	21	27	47
75-79	2156	11.5	84	2	3	9	15	23	29	47
80-84	1651	11.8	86	2	3	10	15	23	28	46
85+	1810	12.4	97	2	4	10	16	24	30	61
TOT. SINGLE DX	342	4.5	22	<1	1	2	6	11	14	22
" MULTIPLE DX	9984	11.1	85	2	3	9	15	22	28	47
TOTAL 65-69 YRS	2180	9.5	71	1	2	7	12	19	25	44
70-74	2376	10.3	81	1	2	8	14	21	27	46
75-79	2225	11.3	84	2	2	9	15	22	28	46
80-84	1698	11.6	86	2	3	10	15	23	28	46
85+	1847	12.2	97	2	4	10	16	24	30	60
GRAND TOTAL	**10326**	**10.9**	**84**	**1**	**2**	**9**	**14**	**22**	**28**	**47**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	179	3.1	5	1	1	3	4	5	7	14
70-74	98	3.0	2	1	1	3	4	5	6	8
75-79	56	4.5	19	1	1	3	6	9	10	29
80-84	28	4.5	9	1	2	3	6	10	11	11
85+	8	4.9	10	<1	1	4	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	263	5.9	63	1	1	4	6	11	18	43
70-74	172	5.6	36	1	2	4	6	13	18	30
75-79	95	7.6	72	1	2	4	9	17	24	44
80-84	41	8.1	147	1	2	4	9	16	23	75
85+	15	12.2	157	1	2	9	15	38	42	43
TOT. SINGLE DX	369	3.5	8	1	1	3	4	6	8	13
" MULTIPLE DX	586	6.4	66	1	2	4	7	13	20	44
TOTAL 65-69 YRS	442	4.8	42	1	1	3	5	9	13	36
70-74	270	4.7	26	1	1	3	5	10	14	23
75-79	151	6.5	55	1	1	4	8	14	21	35
80-84	69	6.7	94	1	2	4	8	12	17	66
85+	23	9.7	116	1	2	6	10	22	40	43
GRAND TOTAL	**955**	**5.3**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**36**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	262	8.0	16	2	4	7	10	14	16	19
70-74	237	7.8	16	1	3	7	10	13	15	19
75-79	143	8.5	15	2	4	8	10	14	16	21
80-84	76	9.5	26	2	4	9	12	15	19	28
85+	25	12.9	144	5	5	9	13	19	46	57
2. MULTIPLE DX										
65-69 YRS	3778	13.6	111	4	5	11	16	26	36	62
70-74	3396	14.1	121	4	5	11	16	27	37	66
75-79	2422	15.4	130	5	6	12	18	29	38	63
80-84	1200	16.8	154	5	7	14	20	32	43	73
85+	598	17.1	151	6	7	14	21	31	43	79
TOT. SINGLE DX	743	8.3	22	2	4	8	10	14	16	21
" MULTIPLE DX	11394	14.7	127	4	6	11	17	28	37	67
TOTAL 65-69 YRS	4040	13.3	108	4	5	10	15	25	35	61
70-74	3633	13.7	117	4	5	11	16	26	36	65
75-79	2565	15.0	126	5	6	12	18	28	37	63
80-84	1276	16.3	150	5	6	13	19	31	41	72
85+	623	16.9	151	6	7	13	20	31	43	79
GRAND TOTAL	**12137**	**14.3**	**122**	**4**	**5**	**11**	**17**	**27**	**37**	**66**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	23.0		23	23	23	23	23	23	23
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	17.0	28	13	13	15	21	23	23	23
70-74	2	12.5	13	10	10	12	15	15	15	15
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
TOT. SINGLE DX	1	23.0		23	23	23	23	23	23	23
" MULTIPLE DX	6	14.5	22	10	10	14	15	22	23	23
TOTAL 65-69 YRS	3	17.0	28	13	13	15	21	23	23	23
70-74	2	12.5	13	10	10	12	15	15	15	15
75-79	2	17.0	72	11	11	17	23	23	23	23
80-84										
85+										
GRAND TOTAL	**7**	**15.7**	**28**	**10**	**10**	**15**	**21**	**23**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	4.4	21	1	1	2	6	13	15	15
70-74	10	4.0	10	1	1	3	5	9	11	11
75-79	5	11.2	85	2	2	7	18	25	25	25
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
65-69 YRS	1417	7.1	65	1	2	5	8	14	20	43
70-74	1203	7.8	74	1	2	5	9	15	22	51
75-79	886	7.5	48	1	2	5	10	16	20	34
80-84	382	8.4	81	1	2	6	10	18	23	44
85+	151	9.4	113	1	2	6	10	23	31	63
TOT. SINGLE DX	29	5.8	36	1	1	3	8	15	17	25
" MULTIPLE DX	4039	7.6	68	1	2	5	9	15	22	42
TOTAL 65-69 YRS	1430	7.0	65	1	2	5	8	14	20	43
70-74	1213	7.8	74	1	2	5	9	15	22	50
75-79	891	7.5	48	1	2	5	10	16	20	34
80-84	383	8.4	82	1	2	6	10	18	23	44
85+	151	9.4	114	1	2	6	10	23	31	63
GRAND TOTAL	**4068**	**7.6**	**68**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1006	5.8	14	1	2	5	8	11	13	18
70-74	968	6.0	20	1	2	5	8	11	14	22
75-79	697	6.2	23	1	2	5	8	11	14	23
80-84	327	6.2	20	1	2	5	8	11	15	22
85+	136	6.4	19	1	2	5	8	13	15	20
2. MULTIPLE DX										
65-69 YRS	9187	10.3	98	2	3	8	13	20	29	57
70-74	9092	10.7	101	2	3	8	13	21	29	60
75-79	6682	11.4	106	2	3	9	14	23	31	60
80-84	3436	12.3	119	2	3	9	15	24	34	65
85+	1784	13.2	125	3	4	11	17	26	35	91
TOT. SINGLE DX	3134	6.0	19	1	2	5	8	11	14	21
" MULTIPLE DX	30181	11.1	106	2	3	8	14	22	30	61
TOTAL 65-69 YRS	10193	9.9	92	2	2	7	12	19	28	55
70-74	10060	10.3	95	2	3	8	13	20	27	58
75-79	7379	10.9	101	2	3	8	13	22	30	58
80-84	3763	11.7	113	2	3	9	15	23	33	64
85+	1920	12.7	121	2	4	10	16	26	34	88
GRAND TOTAL	**33315**	**10.6**	**100**	**2**	**3**	**8**	**13**	**21**	**29**	**59**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	213	4.1	10	<1	1	3	6	8	11	14
70-74	151	4.6	19	<1	1	4	6	9	11	24
75-79	92	4.3	17	<1	1	3	6	9	14	19
80-84	42	5.1	33	<1	1	3	7	13	14	31
85+	23	5.0	22	<1	1	3	9	12	45	99+
2. MULTIPLE DX										
65-69 YRS	987	8.0	62	1	1	6	10	17	22	39
70-74	800	9.3	75	1	2	7	12	19	25	43
75-79	552	9.6	84	1	2	7	13	20	27	43
80-84	322	10.2	96	1	2	8	14	23	30	76
85+	179	10.3	61	2	2	9	15	21	25	42
TOT. SINGLE DX	521	4.4	17	<1	1	3	6	9	12	21
" MULTIPLE DX	2840	9.1	75	1	2	7	12	19	25	43
TOTAL 65-69 YRS	1200	7.3	56	1	1	5	9	16	21	37
70-74	951	8.5	69	1	1	6	11	18	24	42
75-79	644	8.9	78	1	1	6	12	19	25	42
80-84	364	9.6	91	1	1	7	13	22	29	66
85+	202	9.7	60	2	2	8	14	21	25	44
GRAND TOTAL	**3361**	**8.3**	**69**	**1**	**1**	**6**	**11**	**18**	**24**	**42**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	93	5.3	12	1	1	5	7	10	12	17
70-74	77	5.4	14	1	2	5	6	10	14	20
75-79	31	6.3	18	1	2	5	7	15	16	18
80-84	16	4.1	4	1	1	4	6	7	8	8
85+	7	6.9	21	1	1	5	10	13	14	14
2. MULTIPLE DX										
65-69 YRS	427	9.3	93	2	3	7	10	19	28	55
70-74	357	9.0	57	2	3	7	10	18	24	41
75-79	194	9.2	106	2	3	6	10	15	26	66
80-84	92	10.0	72	1	3	7	12	19	27	46
85+	70	8.7	37	1	2	7	12	18	23	85
TOT. SINGLE DX	224	5.4	14	1	1	5	7	10	14	18
" MULTIPLE DX	1140	9.2	79	2	3	7	11	18	25	50
TOTAL 65-69 YRS	520	8.6	81	2	2	6	9	17	23	51
70-74	434	8.4	52	2	3	6	10	17	24	38
75-79	225	8.8	95	2	3	6	10	15	24	62
80-84	108	9.1	67	1	2	7	11	18	23	46
85+	77	8.5	36	1	2	7	12	17	22	81
GRAND TOTAL	**1364**	**8.6**	**70**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	2	17.0	450	2	2	17	32	32	32	32
70-74	5	11.0	246	2	2	5	14	39	39	39
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	5	7	7	8	10	10	10	10
85+										
TOT. SINGLE DX	2	6.5	13	4	4	6	9	9	9	9
" MULTIPLE DX	10	10.7	180	1	1	5	10	35	39	39
TOTAL 65-69 YRS	3	14.3	246	2	2	9	26	32	32	32
70-74	5	11.0	247	2	2	5	14	39	39	39
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**12**	**10.0**	**151**	**1**	**2**	**5**	**9**	**34**	**38**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	6.4	50	1	2	5	8	10	16	44
70-74	106	6.2	20	1	2	5	8	11	15	23
75-79	73	7.0	34	1	2	5	10	12	14	35
80-84	64	7.1	60	2	2	5	9	12	16	53
85+	36	7.6	71	1	1	6	11	13	14	51
2. MULTIPLE DX										
65-69 YRS	2344	11.6	102	2	3	9	14	23	31	59
70-74	2790	11.6	88	3	4	9	14	22	29	49
75-79	2806	11.8	96	3	4	9	14	23	31	53
80-84	2191	11.6	86	3	4	9	14	22	30	56
85+	1786	11.9	93	3	4	10	14	21	28	59
TOT. SINGLE DX	394	6.7	43	1	2	5	8	11	15	37
" MULTIPLE DX	11917	11.7	93	3	4	9	14	22	30	55
TOTAL 65-69 YRS	2459	11.4	101	2	3	9	14	22	30	57
70-74	2896	11.4	87	3	3	9	14	22	29	48
75-79	2879	11.6	95	3	4	9	14	23	30	53
80-84	2255	11.5	86	3	4	9	14	22	29	56
85+	1822	11.8	94	3	4	10	14	21	28	58
GRAND TOTAL	**12311**	**11.5**	**93**	**3**	**3**	**9**	**14**	**22**	**30**	**54**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	6.0	22	1	1	5	8	15	16	17
70-74	43	7.2	53	1	1	5	9	18	23	32
75-79	27	7.8	136	1	1	3	11	15	24	61
80-84	14	7.6	68	1	1	6	9	17	29	33
85+	4	15.0	330	3	3	7	25	42	42	42
2. MULTIPLE DX										
65-69 YRS	1639	13.1	154	1	2	9	17	29	39	64
70-74	1465	13.7	147	2	3	10	18	29	38	56
75-79	1051	15.0	176	2	3	11	19	33	44	76
80-84	703	15.7	176	2	4	12	20	32	44	78
85+	587	16.1	162	3	5	13	20	33	42	90
TOT. SINGLE DX	136	7.2	67	1	1	5	9	15	19	45
" MULTIPLE DX	5445	14.3	161	2	3	11	19	31	41	71
TOTAL 65-69 YRS	1687	12.9	152	1	2	9	17	29	39	63
70-74	1508	13.5	146	2	3	10	18	29	37	56
75-79	1078	14.8	176	2	3	11	19	33	44	76
80-84	717	15.5	175	2	4	12	20	32	43	78
85+	591	16.1	163	3	5	13	20	33	42	89
GRAND TOTAL	**5581**	**14.1**	**160**	**2**	**3**	**11**	**19**	**30**	**40**	**70**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	4.8	18	<1	<1	4	7	11	12	20
70-74	86	4.5	16	<1	<1	3	6	10	12	20
75-79	63	5.2	25	<1	<1	4	7	13	17	20
80-84	55	4.0	32	<1	<1	2	5	9	13	36
85+	24	4.8	16	<1	<1	4	7	11	13	16
2. MULTIPLE DX										
65-69 YRS	1216	9.6	101	1	2	7	12	21	28	72
70-74	1278	9.5	85	1	2	7	12	21	28	52
75-79	1010	9.6	85	1	2	7	12	20	26	53
80-84	760	9.5	75	1	2	7	12	20	25	44
85+	643	10.2	84	2	2	7	13	21	29	44
TOT. SINGLE DX	328	4.7	21	<1	<1	3	6	11	13	20
" MULTIPLE DX	4907	9.6	88	1	2	7	12	20	27	52
TOTAL 65-69 YRS	1316	9.2	97	1	1	7	11	19	28	71
70-74	1364	9.2	82	1	2	6	12	20	27	52
75-79	1073	9.4	83	1	2	7	12	19	25	52
80-84	815	9.2	75	1	2	7	12	19	25	43
85+	667	10.0	83	1	2	7	13	21	29	44
GRAND TOTAL	**5235**	**9.3**	**85**	**1**	**2**	**7**	**12**	**20**	**27**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.7	16	3	3	6	10	11	11	11
70-74	3	12.0	31	6	6	13	16	17	17	17
75-79	3	7.0	19	4	4	5	10	12	12	12
80-84	2	6.0		6	6	6	6	6	6	6
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	30	19.9	207	7	8	16	32	45	62	99+
70-74	29	19.8	118	7	8	18	25	35	43	48
75-79	32	17.0	93	7	8	15	21	33	44	99+
80-84	24	19.6	171	4	8	16	24	33	51	62
85+	22	21.1	196	10	10	17	22	43	52	64
TOT. SINGLE DX	12	8.0	18	3	4	6	11	14	17	17
" MULTIPLE DX	137	19.3	151	7	8	16	25	39	48	99+
TOTAL 65-69 YRS	33	18.7	204	4	7	12	31	41	61	99+
70-74	32	19.0	114	6	8	17	23	35	42	48
75-79	35	16.2	94	5	7	14	20	30	44	99+
80-84	26	18.5	172	4	6	15	24	32	50	62
85+	23	20.5	196	9	10	17	21	42	51	64
GRAND TOTAL	**149**	**18.4**	**150**	**6**	**7**	**15**	**23**	**37**	**47**	**99**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	9.4	63	1	2	7	12	22	26	29
70-74	13	9.0	62	1	2	6	13	21	27	29
75-79	15	10.4	294	1	2	4	11	21	57	69
80-84	13	13.3	71	1	3	11	23	24	26	26
85+	20	10.8	294	1	2	4	12	26	52	75
2. MULTIPLE DX										
65-69 YRS	523	19.7	294	3	5	15	25	44	63	99+
70-74	701	19.9	303	3	4	15	27	47	70	99+
75-79	865	19.6	266	3	5	15	26	45	70	99+
80-84	896	20.4	301	3	4	16	28	46	67	99+
85+	1285	18.9	263	3	4	15	25	41	57	99+
TOT. SINGLE DX	82	10.5	157	1	2	6	13	24	29	73
" MULTIPLE DX	4270	19.6	283	3	4	15	26	44	66	99+
TOTAL 65-69 YRS	544	19.3	290	3	4	15	24	41	62	99+
70-74	714	19.7	301	3	4	15	27	46	70	99+
75-79	880	19.4	269	3	5	15	26	45	70	99+
80-84	909	20.3	299	3	4	15	27	45	67	99+
85+	1305	18.7	264	3	4	14	25	41	57	99+
GRAND TOTAL	**4352**	**19.4**	**282**	**3**	**4**	**15**	**26**	**44**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	79	5.3	10	<1	<1	5	8	9	11	16
70-74	74	6.2	39	<1	2	5	7	12	14	41
75-79	70	5.3	12	<1	<1	5	7	10	12	18
80-84	33	5.2	15	<1	<1	4	7	10	15	17
85+	31	6.4	21	1	2	5	7	13	16	22
2. MULTIPLE DX										
65-69 YRS	1586	8.6	58	2	3	7	10	16	21	45
70-74	1861	9.0	58	2	3	7	10	17	23	44
75-79	1781	9.4	62	3	3	7	11	18	24	42
80-84	1353	9.9	68	3	4	8	12	18	24	49
85+	1144	11.0	94	3	4	8	13	21	27	57
TOT. SINGLE DX	287	5.6	20	<1	1	5	7	10	13	19
" MULTIPLE DX	7725	9.5	67	2	3	7	11	18	24	46
TOTAL 65-69 YRS	1665	8.5	56	2	3	7	10	15	21	45
70-74	1935	8.9	58	2	3	7	10	17	23	44
75-79	1851	9.3	61	2	3	7	11	17	23	42
80-84	1386	9.8	67	3	3	8	12	18	24	48
85+	1175	10.9	93	3	4	8	13	21	27	55
GRAND TOTAL	**8012**	**9.3**	**66**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	11.7	38	7	7	10	12	16	21	46
70-74	52	11.6	27	6	7	10	13	20	23	31
75-79	45	12.3	31	7	8	11	14	17	24	35
80-84	24	13.4	32	7	8	12	16	21	25	32
85+	5	13.2	61	9	9	9	16	27	27	27
2. MULTIPLE DX										
65-69 YRS	642	17.7	132	7	8	14	21	31	42	68
70-74	668	18.3	153	8	8	15	21	33	47	79
75-79	555	18.7	107	8	9	16	23	34	42	66
80-84	330	21.1	207	8	9	17	25	38	51	84
85+	243	23.4	233	9	10	19	28	45	54	88
TOT. SINGLE DX	184	12.1	33	7	7	10	13	18	23	34
" MULTIPLE DX	2438	19.1	156	8	9	16	22	34	46	77
TOTAL 65-69 YRS	700	17.2	128	7	8	14	20	30	41	64
70-74	720	17.8	147	7	8	14	20	32	47	78
75-79	600	18.2	105	8	9	15	22	33	41	63
80-84	354	20.6	200	8	9	16	24	37	50	84
85+	248	23.2	232	9	10	18	28	45	54	88
GRAND TOTAL	**2622**	**18.6**	**150**	**8**	**9**	**15**	**22**	**33**	**45**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	14.1	28	7	7	14	17	22	23	23
70-74	15	17.1	61	8	8	16	20	27	35	38
75-79	3	19.3	56	12	12	19	25	27	27	27
80-84	3	20.7	36	15	15	20	25	27	27	27
85+	3	18.0	19	13	13	20	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	165	21.4	192	9	10	17	25	37	49	80
70-74	135	19.7	105	9	11	17	23	38	48	99+
75-79	100	23.0	202	9	11	19	29	38	57	96
80-84	37	21.3	129	10	11	16	27	35	45	58
85+	17	26.3	247	10	11	22	36	42	61	71
TOT. SINGLE DX	31	17.1	46	8	9	16	21	27	27	38
" MULTIPLE DX	454	21.4	167	9	11	18	26	38	48	98
TOTAL 65-69 YRS	172	21.1	188	9	10	17	25	36	48	79
70-74	150	19.4	101	9	11	17	23	38	47	99+
75-79	103	22.9	198	9	11	19	28	36	55	96
80-84	40	21.3	122	10	11	17	27	35	44	58
85+	20	25.1	219	10	11	20	33	40	57	71
GRAND TOTAL	**485**	**21.1**	**160**	**9**	**11**	**18**	**26**	**37**	**47**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	9.5	9	5	6	9	11	15	15	15
70-74	11	12.0	22	8	8	10	15	20	21	21
75-79	14	14.0	47	8	9	12	14	29	29	29
80-84	8	13.9	36	9	9	12	14	24	28	28
85+	4	15.0	18	9	9	16	18	19	19	19
2. MULTIPLE DX										
65-69 YRS	159	15.0	93	6	7	12	18	29	39	99+
70-74	157	19.6	325	7	8	13	20	42	67	98
75-79	155	19.3	161	8	9	15	24	34	48	65
80-84	69	18.4	100	8	8	15	23	31	38	57
85+	47	19.3	109	8	9	16	24	32	45	50
TOT. SINGLE DX	54	12.2	29	6	8	10	14	19	27	29
" MULTIPLE DX	587	18.1	178	7	8	14	21	33	48	92
TOTAL 65-69 YRS	176	14.5	88	6	7	12	17	28	35	99+
70-74	168	19.1	309	8	8	13	19	37	62	98
75-79	169	18.9	154	8	9	14	23	34	47	64
80-84	77	17.9	95	8	8	15	22	30	38	56
85+	51	19.0	103	8	9	16	23	31	45	50
GRAND TOTAL	**641**	**17.6**	**168**	**7**	**8**	**13**	**21**	**32**	**46**	**87**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	8.7	15	3	5	8	10	15	16	23
70-74	45	9.2	13	5	6	9	11	14	16	22
75-79	45	11.6	36	5	6	10	14	18	19	39
80-84	19	12.6	53	5	6	11	14	24	31	33
85+	21	12.0	75	1	4	11	15	18	30	44
2. MULTIPLE DX										
65-69 YRS	733	16.5	194	6	7	12	19	32	49	93
70-74	682	16.8	144	6	7	13	20	32	42	61
75-79	614	17.9	161	6	7	14	22	33	48	77
80-84	464	18.4	134	7	8	15	23	36	42	68
85+	422	17.9	141	7	8	14	23	35	44	99+
TOT. SINGLE DX	186	10.3	32	4	6	9	12	17	18	37
" MULTIPLE DX	2915	17.4	159	6	7	13	21	33	45	80
TOTAL 65-69 YRS	789	15.9	186	6	7	11	19	31	48	92
70-74	727	16.3	140	6	7	12	20	31	40	61
75-79	659	17.4	155	6	7	14	21	33	46	76
80-84	483	18.2	132	7	8	15	23	35	42	67
85+	443	17.6	140	6	8	14	22	35	44	99+
GRAND TOTAL	**3101**	**16.9**	**154**	**6**	**7**	**13**	**21**	**33**	**43**	**79**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	180	3.7	11	<1	<1	2	6	9	10	14
70-74	158	3.7	18	<1	<1	2	5	9	11	14
75-79	135	4.7	81	<1	<1	2	5	10	15	35
80-84	74	4.3	17	<1	<1	2	7	11	13	17
85+	39	4.6	20	<1	1	3	7	10	14	22
2. MULTIPLE DX										
65-69 YRS	2221	8.4	61	1	2	6	10	17	23	37
70-74	2679	8.6	57	1	2	7	11	17	22	40
75-79	2450	9.1	72	1	2	7	11	17	24	48
80-84	1827	9.7	76	1	2	8	12	19	26	52
85+	1392	10.7	107	2	3	8	13	20	29	66
TOT. SINGLE DX	586	4.1	31	<1	<1	2	6	9	12	20
" MULTIPLE DX	10569	9.1	72	1	2	7	11	18	24	46
TOTAL 65-69 YRS	2401	8.0	59	1	1	6	10	16	22	36
70-74	2837	8.3	57	1	1	7	11	16	22	40
75-79	2585	8.9	74	1	2	7	11	17	23	48
80-84	1901	9.4	75	1	2	7	12	19	25	50
85+	1431	10.6	106	1	2	8	13	20	28	65
GRAND TOTAL	**11155**	**8.8**	**71**	**1**	**2**	**7**	**11**	**17**	**24**	**46**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	11.1	35	5	6	9	12	21	26	29
70-74	28	10.2	28	5	6	9	11	14	19	33
75-79	32	11.5	30	6	6	10	14	21	25	25
80-84	27	11.7	36	5	7	10	12	19	28	31
85+	26	13.5	51	4	6	11	18	25	29	29
2. MULTIPLE DX										
65-69 YRS	676	18.7	191	7	8	14	23	38	50	96
70-74	716	18.4	186	7	8	14	21	34	47	83
75-79	660	19.0	183	7	8	15	22	34	47	85
80-84	503	18.3	140	7	9	15	22	34	42	73
85+	373	19.2	130	7	9	16	23	38	45	93
TOT. SINGLE DX	161	11.5	36	5	6	10	14	20	26	31
" MULTIPLE DX	2928	18.7	172	7	8	15	22	35	46	85
TOTAL 65-69 YRS	724	18.2	185	7	8	14	22	35	48	92
70-74	744	18.1	183	7	8	14	21	33	46	82
75-79	692	18.6	179	7	8	15	22	33	47	83
80-84	530	18.0	137	7	8	14	22	33	42	72
85+	399	18.9	127	7	9	16	23	36	44	87
GRAND TOTAL	**3089**	**18.3**	**167**	**7**	**8**	**14**	**22**	**34**	**45**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	565	9.9	9	6	7	9	11	13	16	21
70-74	497	9.9	10	6	7	9	11	13	16	23
75-79	388	10.8	15	7	7	10	12	15	17	25
80-84	217	12.1	40	7	8	10	13	17	23	43
85+	101	12.8	26	7	8	12	15	19	24	30
2. MULTIPLE DX										
65-69 YRS	4876	14.2	90	7	8	11	16	23	32	59
70-74	5194	15.0	91	7	8	12	17	25	33	58
75-79	4666	16.0	98	8	8	13	19	28	35	63
80-84	3292	17.1	110	8	9	14	20	29	38	70
85+	2284	18.4	107	8	9	16	22	31	37	64
TOT. SINGLE DX	1768	10.5	17	6	7	10	12	15	17	26
" MULTIPLE DX	20312	15.8	100	7	8	13	18	27	35	61
TOTAL 65-69 YRS	5441	13.7	84	7	7	11	15	22	30	58
70-74	5691	14.5	87	7	8	12	16	24	32	58
75-79	5054	15.6	94	7	8	13	18	27	34	60
80-84	3509	16.8	108	8	9	14	20	29	37	66
85+	2385	18.2	105	8	9	15	22	31	37	63
GRAND TOTAL	**22080**	**15.3**	**95**	**7**	**8**	**12**	**18**	**26**	**34**	**59**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	7.6	7	3	4	7	9	11	13	15
70-74	25	11.2	18	6	7	10	13	17	20	24
75-79	16	10.1	9	5	6	10	12	14	15	15
80-84	8	14.9	111	2	4	11	20	32	36	36
85+	5	12.8	19	7	7	13	15	19	19	19
2. MULTIPLE DX										
65-69 YRS	254	16.1	128	6	7	12	20	30	39	79
70-74	268	16.8	148	6	7	14	20	29	35	74
75-79	242	18.0	140	6	8	14	22	33	48	73
80-84	178	16.9	121	6	7	14	20	27	42	64
85+	153	18.0	132	8	9	14	22	35	42	99
TOT. SINGLE DX	73	10.5	27	5	6	9	13	16	19	33
" MULTIPLE DX	1095	17.1	135	6	8	14	21	30	41	76
TOTAL 65-69 YRS	273	15.5	125	5	7	12	19	29	38	79
70-74	293	16.4	140	6	7	13	19	28	33	72
75-79	258	17.5	136	6	8	14	21	32	47	72
80-84	186	16.8	120	6	7	14	20	27	40	64
85+	158	17.9	129	8	9	14	21	35	42	97
GRAND TOTAL	**1168**	**16.7**	**131**	**6**	**7**	**13**	**20**	**29**	**39**	**75**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	8.1	8	3	5	8	10	11	13	17
70-74	131	8.1	7	4	5	8	10	11	12	16
75-79	100	8.2	16	3	4	8	10	12	13	25
80-84	65	8.8	12	3	5	9	11	14	14	18
85+	33	8.8	14	2	4	9	11	13	15	16
2. MULTIPLE DX										
65-69 YRS	1084	13.4	105	5	6	10	15	25	35	63
70-74	1014	13.3	100	5	6	10	15	24	35	54
75-79	856	13.9	112	5	6	11	16	24	34	75
80-84	513	14.5	118	4	6	12	18	25	35	69
85+	363	14.7	80	5	7	12	18	25	35	49
TOT. SINGLE DX	481	8.3	11	3	4	8	10	12	14	17
" MULTIPLE DX	3830	13.7	105	5	6	11	16	24	35	59
TOTAL 65-69 YRS	1236	12.7	97	4	6	10	14	23	33	60
70-74	1145	12.7	92	4	6	10	14	22	33	53
75-79	956	13.3	106	4	6	10	15	23	32	71
80-84	578	13.8	109	4	5	11	16	24	34	68
85+	396	14.2	78	4	6	12	17	25	33	49
GRAND TOTAL	**4311**	**13.1**	**98**	**4**	**6**	**10**	**15**	**23**	**33**	**57**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	25	11.2	26	5	6	11	13	15	19	30
70-74	11	10.5	16	3	5	11	14	16	17	17
75-79	13	12.4	76	3	5	10	17	27	32	33
80-84	16	13.3	18	8	10	12	16	19	22	24
85+	8	16.6	146	4	5	12	22	37	42	42
2. MULTIPLE DX										
65-69 YRS	403	19.1	191	6	7	15	24	38	51	97
70-74	464	19.0	166	7	8	15	23	37	46	99
75-79	438	20.1	185	7	8	16	26	38	53	99+
80-84	328	20.6	178	7	8	17	26	41	52	99+
85+	309	19.7	148	6	8	16	25	37	47	73
TOT. SINGLE DX	73	12.3	45	4	6	11	14	19	25	40
" MULTIPLE DX	1942	19.6	175	7	8	16	25	38	50	99
TOTAL 65-69 YRS	428	18.6	185	6	7	15	23	37	51	96
70-74	475	18.8	165	7	8	15	23	36	45	98
75-79	451	19.9	184	6	8	16	25	37	53	98
80-84	344	20.3	173	7	8	17	25	41	50	99+
85+	317	19.6	148	6	8	16	25	37	47	73
GRAND TOTAL	**2015**	**19.4**	**172**	**6**	**8**	**16**	**24**	**37**	**50**	**96**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	310	5.8	8	2	3	5	7	10	11	16
70-74	170	5.9	10	3	3	5	7	10	12	18
75-79	94	6.9	16	3	3	6	8	11	15	22
80-84	48	6.3	7	3	4	6	8	10	11	15
85+	27	6.3	18	2	2	5	8	13	15	17
2. MULTIPLE DX										
65-69 YRS	713	9.3	41	3	4	8	11	16	21	37
70-74	613	10.4	61	4	4	9	12	17	22	41
75-79	341	10.7	71	3	4	9	12	18	26	50
80-84	212	12.7	81	5	6	10	14	24	31	44
85+	144	12.9	98	4	5	11	15	20	30	63
TOT. SINGLE DX	649	6.0	11	3	3	5	7	10	12	19
" MULTIPLE DX	2023	10.5	62	3	4	9	12	18	24	41
TOTAL 65-69 YRS	1023	8.3	34	3	3	7	10	14	19	30
70-74	783	9.4	54	3	4	8	11	16	21	38
75-79	435	9.9	62	3	4	8	11	17	24	48
80-84	260	11.5	73	4	5	9	13	21	28	43
85+	171	11.8	91	3	4	10	14	19	28	61
GRAND TOTAL	**2672**	**9.4**	**53**	**3**	**4**	**8**	**11**	**16**	**21**	**38**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	11.0	16	7	7	11	14	15	15	15
70-74	3	18.7	69	12	12	16	25	28	28	28
75-79	2	26.5	545	10	10	26	43	43	43	43
80-84	1	22.0		22	22	22	22	22	22	22
85+	1	31.0		31	31	31	31	31	31	31
TOT. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
" MULTIPLE DX	10	19.5	130	7	8	15	28	37	43	43
TOTAL 65-69 YRS	5	8.4	21	4	4	7	12	15	15	15
70-74	3	18.7	69	12	12	16	25	28	28	28
75-79	2	26.5	545	10	10	26	43	43	43	43
80-84	1	22.0		22	22	22	22	22	22	22
85+	1	31.0		31	31	31	31	31	31	31
GRAND TOTAL	**12**	**17.0**	**141**	**4**	**5**	**13**	**25**	**35**	**42**	**43**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	13.0	28	9	9	11	17	19	19	19
70-74	3	6.0	13	2	2	7	8	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	10	11.5	54	6	7	9	11	22	32	32
70-74	8	15.1	32	8	8	15	19	23	24	24
75-79	8	16.0	106	10	10	12	15	33	41	41
80-84	4	19.0	36	15	15	16	22	28	28	28
85+	3	8.7	9	6	6	8	11	12	12	12
TOT. SINGLE DX	8	9.3	23	2	3	9	10	17	19	19
" MULTIPLE DX	33	14.1	59	6	8	12	16	25	31	41
TOTAL 65-69 YRS	13	11.8	46	6	8	9	11	22	30	32
70-74	11	12.6	44	2	5	11	18	22	24	24
75-79	9	15.2	99	9	9	12	15	31	41	41
80-84	4	19.0	37	15	15	16	22	28	28	28
85+	4	8.5	6	6	6	8	10	12	12	12
GRAND TOTAL	**41**	**13.2**	**55**	**6**	**7**	**11**	**16**	**22**	**30**	**41**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	4.1	31	<1	1	2	4	8	15	34
70-74	141	2.6	4	<1	<1	2	3	5	6	10
75-79	95	3.0	4	1	1	2	4	5	8	11
80-84	79	4.0	12	1	1	3	5	9	12	18
85+	59	4.0	24	<1	1	3	5	7	9	35
2. MULTIPLE DX										
65-69 YRS	469	6.5	40	1	1	5	9	14	17	32
70-74	532	7.1	44	1	1	5	10	15	19	33
75-79	547	8.0	64	1	2	6	10	17	21	36
80-84	468	9.0	100	1	2	6	12	20	26	64
85+	400	8.0	42	1	2	6	11	16	22	32
TOT. SINGLE DX	489	3.4	15	<1	1	2	4	7	10	19
" MULTIPLE DX	2416	7.7	59	1	2	6	10	16	22	38
TOTAL 65-69 YRS	584	6.0	39	1	1	4	8	13	17	33
70-74	673	6.1	39	1	1	4	8	13	18	31
75-79	642	7.3	59	1	2	5	9	16	20	36
80-84	547	8.3	91	1	2	5	11	18	25	52
85+	459	7.5	42	1	2	6	10	15	21	35
GRAND TOTAL	**2905**	**7.0**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	32	2.5	2	1	1	2	3	4	6	6
70-74	20	4.1	13	<1	1	3	5	10	13	14
75-79	11	3.3	5	<1	<1	3	5	7	8	8
80-84	9	3.3	1	2	2	3	4	5	5	5
85+	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	153	6.3	31	1	2	4	8	12	16	28
70-74	139	7.9	63	2	2	5	9	20	24	40
75-79	84	8.2	72	1	1	5	9	18	26	42
80-84	50	7.9	30	1	2	7	10	15	22	24
85+	26	13.6	211	3	4	8	15	35	53	61
TOT. SINGLE DX	76	3.1	6	1	1	3	4	6	7	14
" MULTIPLE DX	452	7.7	61	1	2	5	9	16	23	40
TOTAL 65-69 YRS	185	5.6	28	1	1	4	7	12	15	27
70-74	159	7.4	59	1	2	5	9	18	23	37
75-79	95	7.6	67	1	1	5	9	16	23	42
80-84	59	7.2	29	1	2	6	9	15	20	24
85+	30	12.2	197	1	3	7	13	29	51	61
GRAND TOTAL	**528**	**7.1**	**56**	**1**	**1**	**5**	**8**	**15**	**22**	**38**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	161	11.1	15	6	8	10	12	16	18	23
70-74	143	11.8	32	5	6	11	14	18	21	33
75-79	81	11.9	18	6	7	11	15	17	20	24
80-84	48	13.1	24	8	9	13	15	18	19	38
85+	21	11.6	13	5	7	12	13	16	17	18
2. MULTIPLE DX										
65-69 YRS	1125	16.1	92	8	9	13	18	26	34	61
70-74	1197	16.2	80	8	9	14	19	27	36	59
75-79	890	18.0	127	8	9	15	21	31	43	66
80-84	564	18.9	116	8	9	16	23	31	38	65
85+	354	20.2	135	8	10	17	24	36	44	75
TOT. SINGLE DX	454	11.7	23	6	7	11	14	17	19	30
" MULTIPLE DX	4130	17.3	105	8	9	14	20	29	38	63
TOTAL 65-69 YRS	1286	15.5	85	7	8	13	18	25	32	58
70-74	1340	15.7	77	8	9	13	18	26	34	55
75-79	971	17.5	122	8	9	14	20	30	42	65
80-84	612	18.4	111	8	9	16	23	31	38	61
85+	375	19.7	132	8	10	17	24	35	44	74
GRAND TOTAL	**4584**	**16.7**	**100**	**8**	**9**	**14**	**19**	**28**	**37**	**61**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	510	4.2	10	<1	<1	4	5	8	10	17
70-74	453	4.5	13	<1	<1	4	6	9	11	16
75-79	339	4.9	14	<1	1	4	6	10	12	20
80-84	204	5.4	22	<1	1	5	7	10	14	26
85+	196	5.5	14	<1	1	5	7	10	14	18
2. MULTIPLE DX										
65-69 YRS	8838	7.5	43	2	3	6	9	14	18	35
70-74	9732	8.0	50	2	3	6	10	15	20	38
75-79	9214	8.5	55	2	3	7	10	16	21	40
80-84	7174	8.9	55	2	3	7	11	17	22	41
85+	6101	9.2	62	2	3	7	11	17	22	44
TOT. SINGLE DX	1702	4.7	14	<1	<1	4	6	9	11	18
" MULTIPLE DX	41059	8.4	53	2	3	7	10	16	21	39
TOTAL 65-69 YRS	9348	7.3	42	2	2	6	9	14	18	34
70-74	10185	7.9	49	2	3	6	9	15	20	38
75-79	9553	8.3	55	2	3	7	10	16	20	39
80-84	7378	8.8	55	2	3	7	11	17	22	41
85+	6297	9.1	61	2	3	7	11	17	22	43
GRAND TOTAL	**42761**	**8.2**	**52**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	2.2	1	<1	1	2	3	4	5	8
70-74	42	2.5	2	<1	<1	2	3	5	6	7
75-79	22	2.3	2	1	1	2	3	5	5	5
80-84	7	2.0	1	1	1	2	3	3	3	3
85+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	230	3.6	6	1	1	3	4	6	10	13
70-74	136	3.6	10	1	1	3	4	6	11	17
75-79	67	4.7	52	1	1	4	5	8	10	51
80-84	26	5.7	110	<1	1	3	6	8	18	56
85+	12	6.3	41	1	1	4	8	19	19	19
TOT. SINGLE DX	135	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	471	3.9	21	1	1	3	4	7	10	19
TOTAL 65-69 YRS	292	3.3	6	1	1	3	4	5	8	13
70-74	178	3.3	8	1	1	3	4	6	9	17
75-79	89	4.1	41	1	1	3	5	7	9	44
80-84	33	4.9	89	1	1	3	5	7	9	56
85+	14	6.1	36	1	1	4	7	19	19	19
GRAND TOTAL	**606**	**3.6**	**17**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	32	2.2	2	<1	<1	2	3	4	5	8
70-74	19	2.7	2	<1	<1	3	4	5	6	6
75-79	14	2.9	3	<1	1	3	3	5	7	8
80-84	12	1.9		<1	<1	2	2	3	4	4
85+	8	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	227	4.1	29	1	1	3	5	8	11	29
70-74	161	4.2	25	1	1	3	5	8	10	25
75-79	120	5.3	64	1	1	4	6	9	11	39
80-84	75	6.6	42	1	1	5	8	14	19	32
85+	41	7.6	75	1	2	6	9	11	18	55
TOT. SINGLE DX	85	2.5	2	<1	1	2	3	4	6	8
" MULTIPLE DX	624	4.9	41	1	1	3	6	9	12	31
TOTAL 65-69 YRS	259	3.9	26	1	1	3	4	7	10	27
70-74	180	4.0	23	1	1	3	4	7	10	24
75-79	134	5.1	59	1	1	4	6	8	10	30
80-84	87	5.9	39	1	1	4	7	13	18	32
85+	49	6.9	66	1	2	5	9	11	13	55
GRAND TOTAL	**709**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**11**	**30**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	106	3.2	2	1	1	3	4	5	6	9
70-74	54	3.1	3	1	1	3	4	6	7	7
75-79	39	4.2	29	1	2	3	4	6	7	36
80-84	11	2.2	1	1	1	2	3	4	5	5
85+	10	2.7	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	1239	4.3	10	1	2	4	5	8	10	16
70-74	802	4.9	19	1	2	4	6	9	13	22
75-79	487	5.2	16	1	2	4	6	10	12	24
80-84	241	6.0	19	1	2	5	8	12	15	24
85+	126	6.9	54	2	2	5	8	13	16	38
TOT. SINGLE DX	220	3.3	7	1	1	3	4	5	6	9
" MULTIPLE DX	2895	4.9	17	1	2	4	6	9	12	21
TOTAL 65-69 YRS	1345	4.2	10	1	1	4	5	7	10	16
70-74	856	4.8	18	1	1	4	6	9	12	22
75-79	526	5.1	18	1	2	4	6	10	12	24
80-84	252	5.9	19	1	2	5	8	12	15	23
85+	136	6.6	51	2	2	5	8	13	16	33
GRAND TOTAL	**3115**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	3.0	4	1	1	3	4	5	6	13
70-74	48	3.0	4	1	1	2	4	5	7	10
75-79	24	5.0	44	<1	1	3	5	9	21	32
80-84	22	3.5	4	1	1	3	5	6	7	8
85+	12	9.8	326	1	2	4	6	30	61	66
2. MULTIPLE DX										
65-69 YRS	300	5.5	56	1	1	4	6	11	15	31
70-74	210	6.1	35	1	1	4	8	13	19	28
75-79	162	8.0	111	1	2	5	8	18	25	60
80-84	106	8.3	94	1	1	5	9	20	30	84
85+	87	6.4	17	2	2	6	8	11	16	23
TOT. SINGLE DX	164	3.9	35	1	1	3	4	6	8	30
" MULTIPLE DX	865	6.6	63	1	1	4	8	14	20	43
TOTAL 65-69 YRS	358	5.1	49	1	1	4	6	10	14	30
70-74	258	5.5	31	1	1	4	7	11	16	27
75-79	186	7.6	103	1	1	4	8	18	25	59
80-84	128	7.5	82	1	1	5	8	19	27	78
85+	99	6.8	53	2	2	5	7	11	16	46
GRAND TOTAL	**1029**	**6.1**	**60**	**1**	**1**	**4**	**7**	**12**	**19**	**37**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	5	2.8	5	<1	<1	2	3	7	7	7
75-79	3	8.7	86	1	1	6	16	19	19	19
80-84	4	8.3	21	4	4	7	12	14	14	14
85+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	50	16.9	140	2	3	16	21	34	44	50
70-74	40	19.9	254	1	2	16	28	36	50	80
75-79	56	18.2	131	1	3	18	25	33	36	51
80-84	34	20.1	288	2	5	14	30	48	59	67
85+	11	13.8	69	4	5	13	19	26	31	32
TOT. SINGLE DX	16	5.9	28	<1	1	4	8	14	17	19
" MULTIPLE DX	191	18.3	183	2	3	16	25	35	46	64
TOTAL 65-69 YRS	52	16.4	142	2	3	16	21	34	44	50
70-74	45	18.0	256	1	2	15	28	36	48	80
75-79	59	17.7	132	1	2	18	25	33	36	51
80-84	38	18.8	272	2	4	13	26	44	59	67
85+	13	12.8	67	3	4	12	16	24	30	32
GRAND TOTAL	**207**	**17.3**	**182**	**1**	**3**	**15**	**23**	**35**	**44**	**62**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	3.3	14	<1	1	1	4	9	12	18
70-74	81	3.8	25	<1	1	1	5	10	12	26
75-79	47	3.0	11	<1	<1	1	3	9	10	16
80-84	21	8.2	129	1	1	2	12	22	33	46
85+	5	4.4	14	1	1	4	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	1088	9.1	73	1	1	7	12	20	25	41
70-74	959	10.5	109	1	1	8	14	21	28	58
75-79	724	11.1	108	1	1	9	14	22	29	56
80-84	367	11.9	90	1	2	10	16	23	32	48
85+	183	13.4	111	2	3	10	19	26	30	52
TOT. SINGLE DX	264	3.8	28	<1	1	1	5	10	13	25
" MULTIPLE DX	3321	10.5	97	1	1	8	14	21	28	51
TOTAL 65-69 YRS	1198	8.6	71	1	1	7	12	19	24	40
70-74	1040	10.0	106	1	1	8	13	21	27	57
75-79	771	10.6	106	1	1	8	14	22	29	55
80-84	388	11.7	93	1	2	9	16	23	32	48
85+	188	13.1	111	2	3	10	18	26	30	51
GRAND TOTAL	**3585**	**10.0**	**95**	**1**	**1**	**8**	**13**	**21**	**27**	**49**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1714	6.2	7	3	4	6	7	9	10	14
70-74	1099	6.7	7	3	4	6	8	10	12	15
75-79	610	7.3	9	4	4	7	9	11	13	17
80-84	249	8.3	12	4	5	8	10	13	14	22
85+	162	9.1	19	4	4	8	11	14	17	24
2. MULTIPLE DX										
65-69 YRS	7945	9.4	39	4	5	8	11	15	19	35
70-74	7016	10.3	43	4	5	9	12	17	21	36
75-79	5245	11.7	60	5	5	10	14	19	25	45
80-84	3136	13.1	67	5	6	11	16	22	28	50
85+	2133	15.1	98	6	7	13	18	25	33	67
TOT. SINGLE DX	3834	6.8	9	3	4	6	8	10	12	17
" MULTIPLE DX	25475	11.1	56	4	5	9	13	19	24	43
TOTAL 65-69 YRS	9659	8.8	35	4	4	7	10	14	18	33
70-74	8115	9.8	40	4	5	8	12	16	21	34
75-79	5855	11.2	57	5	5	9	13	19	24	43
80-84	3385	12.7	65	5	6	11	15	22	27	47
85+	2295	14.7	95	6	7	12	17	24	32	62
GRAND TOTAL	**29309**	**10.5**	**52**	**4**	**5**	**9**	**12**	**18**	**23**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	7.3	40	1	1	7	10	14	17	34
70-74	79	8.8	37	1	1	9	13	17	21	24
75-79	75	7.6	44	1	1	7	11	17	20	32
80-84	45	6.4	24	1	1	5	10	14	16	18
85+	64	8.9	58	1	1	9	12	17	18	47
2. MULTIPLE DX										
65-69 YRS	754	13.2	91	2	3	11	17	24	30	58
70-74	831	15.0	126	2	4	13	19	27	35	59
75-79	819	14.2	92	2	4	13	18	26	32	52
80-84	645	15.6	120	3	4	13	19	30	38	61
85+	567	16.0	146	2	4	13	19	28	40	68
TOT. SINGLE DX	334	7.9	42	1	1	7	11	16	18	27
" MULTIPLE DX	3616	14.7	115	2	4	13	18	27	35	57
TOTAL 65-69 YRS	825	12.7	90	1	3	11	16	23	29	58
70-74	910	14.4	122	2	4	12	18	26	34	57
75-79	894	13.7	92	2	3	12	18	25	31	51
80-84	690	15.0	120	2	3	13	18	29	38	58
85+	631	15.3	142	2	4	13	'9	28	38	67
GRAND TOTAL	**3950**	**14.1**	**112**	**2**	**3**	**12**	**18**	**26**	**33**	**55**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	6.3	50	<1	1	4	8	17	23	31
70-74	73	5.6	29	<1	1	3	8	14	18	23
75-79	50	7.7	136	1	1	3	8	21	26	68
80-84	32	3.9	9	<1	1	3	5	9	11	12
85+	19	7.4	60	1	1	3	12	20	22	24
2. MULTIPLE DX										
65-69 YRS	651	14.0	207	1	2	9	18	31	49	84
70-74	636	13.3	167	1	2	10	17	31	43	71
75-79	566	10.8	109	1	2	8	14	23	31	72
80-84	372	12.5	121	2	3	10	16	23	35	58
85+	284	11.6	71	2	3	10	15	22	28	44
TOT. SINGLE DX	259	6.2	57	<1	1	3	8	16	21	32
" MULTIPLE DX	2509	12.6	148	1	2	9	16	26	38	72
TOTAL 65-69 YRS	736	13.1	195	1	2	9	17	29	45	81
70-74	709	12.5	159	1	2	9	16	29	41	70
75-79	616	10.6	112	1	2	8	14	23	31	72
80-84	404	11.9	118	2	3	9	15	23	33	57
85+	303	11.4	72	2	3	9	15	22	27	44
GRAND TOTAL	**2768**	**12.0**	**143**	**1**	**2**	**9**	**15**	**26**	**37**	**70**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	270	4.5	15	<1	<1	4	6	9	12	23
70-74	232	4.8	21	<1	<1	4	6	9	14	24
75-79	169	4.5	11	<1	<1	4	6	9	11	15
80-84	141	4.9	37	<1	1	3	6	8	11	43
85+	118	6.0	34	<1	1	4	7	13	16	35
2. MULTIPLE DX										
65-69 YRS	3455	7.5	48	1	2	6	9	14	19	37
70-74	3900	7.8	53	2	2	6	9	15	20	37
75-79	4160	8.4	58	2	3	7	10	16	21	39
80-84	3600	8.6	54	2	3	7	11	16	21	39
85+	3281	9.0	64	2	3	7	11	17	23	47
TOT. SINGLE DX	930	4.8	22	<1	<1	4	6	9	13	24
" MULTIPLE DX	18396	8.3	56	2	3	6	10	16	21	40
TOTAL 65-69 YRS	3725	7.3	47	1	2	6	9	14	19	36
70-74	4132	7.6	52	1	2	6	9	14	19	37
75-79	4329	8.2	57	2	2	6	10	16	20	38
80-84	3741	8.5	54	2	3	7	10	16	21	39
85+	3399	8.9	64	2	3	7	11	17	23	47
GRAND TOTAL	**19326**	**8.1**	**55**	**2**	**2**	**6**	**10**	**15**	**20**	**39**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1959	2.5	2	1	1	2	3	4	5	7
70-74	1606	2.5	2	<1	1	2	3	4	5	7
75-79	1179	2.8	3	1	1	3	4	5	6	8
80-84	632	2.9	3	1	1	3	4	5	6	8
85+	366	3.5	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
65-69 YRS	3981	3.5	10	1	1	3	4	6	9	16
70-74	3935	3.9	17	1	1	3	5	7	10	19
75-79	3229	4.4	20	1	1	3	5	8	12	23
80-84	2055	5.2	30	1	1	4	6	10	14	26
85+	1281	6.5	43	1	2	4	8	13	18	36
TOT. SINGLE DX	5742	2.7	3	1	1	2	3	5	6	8
" MULTIPLE DX	14481	4.3	21	1	1	3	5	8	12	23
TOTAL 65-69 YRS	5940	3.1	8	1	1	3	4	5	7	14
70-74	5541	3.5	13	1	1	3	4	6	9	17
75-79	4408	4.0	16	1	1	3	5	7	10	20
80-84	2687	4.7	25	1	1	3	5	9	13	25
85+	1647	5.8	37	1	1	4	7	12	15	33
GRAND TOTAL	**20223**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	297	2.9	2	1	1	3	4	5	6	8
70-74	230	2.9	3	1	1	3	4	5	6	8
75-79	166	3.0	2	1	1	3	4	5	6	9
80-84	85	3.2	3	1	1	3	4	6	7	8
85+	43	3.7	5	1	1	3	5	7	9	9
2. MULTIPLE DX										
65-69 YRS	643	3.8	9	1	1	3	4	6	9	15
70-74	575	4.1	11	1	1	3	5	7	10	14
75-79	439	4.8	15	1	1	4	6	9	12	19
80-84	247	5.3	17	1	2	4	7	10	12	25
85+	153	7.4	42	2	2	6	9	14	19	33
TOT. SINGLE DX	821	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	2057	4.6	16	1	1	4	5	9	11	21
TOTAL 65-69 YRS	940	3.5	7	1	1	3	4	6	7	15
70-74	805	3.8	9	1	1	3	5	7	9	13
75-79	605	4.3	13	1	1	3	5	8	10	17
80-84	332	4.8	14	1	1	4	6	9	11	24
85+	196	6.6	37	1	2	5	8	12	16	33
GRAND TOTAL	2878	4.1	13	1	1	3	5	7	10	18

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	3.7	7	1	1	3	5	7	8	17
70-74	120	3.7	7	1	1	3	5	7	9	14
75-79	95	3.7	4	1	1	3	5	7	8	10
80-84	52	4.9	9	1	2	4	7	8	13	14
85+	51	5.3	16	1	1	4	6	12	14	20
2. MULTIPLE DX										
65-69 YRS	194	5.7	25	1	2	4	8	14	18	27
70-74	249	5.9	32	1	2	4	7	11	16	29
75-79	280	6.9	40	1	2	5	9	14	19	43
80-84	251	7.9	42	2	2	7	10	14	17	37
85+	222	9.8	66	2	3	8	12	19	24	46
TOT. SINGLE DX	425	4.0	9	1	1	3	5	8	10	14
" MULTIPLE DX	1196	7.2	44	1	2	5	9	14	19	36
TOTAL 65-69 YRS	301	5.0	20	1	2	4	6	9	15	25
70-74	369	5.2	25	1	1	4	6	10	14	26
75-79	375	6.1	33	1	2	4	8	13	17	34
80-84	303	7.4	38	2	2	6	9	13	16	37
85+	273	8.9	60	2	3	7	11	18	22	38
GRAND TOTAL	1621	6.4	36	1	2	5	8	13	17	31

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	3.0	3	1	1	3	4	6	6	9
70-74	75	3.1	5	<1	<1	3	4	7	8	10
75-79	48	3.0	3	<1	1	3	4	6	6	9
80-84	26	3.7	7	1	1	3	5	6	11	13
85+	20	4.5	6	1	1	4	7	8	9	9
2. MULTIPLE DX										
65-69 YRS	383	5.7	28	1	1	4	7	11	15	30
70-74	281	5.7	27	1	2	4	7	12	15	36
75-79	212	6.3	37	1	2	5	8	12	15	35
80-84	107	9.3	122	2	2	6	12	18	21	73
85+	94	9.0	58	1	2	7	11	21	24	38
TOT. SINGLE DX	279	3.2	5	<1	1	3	4	6	8	10
" MULTIPLE DX	1077	6.5	44	1	2	5	8	13	18	35
TOTAL 65-69 YRS	493	5.1	24	1	1	4	6	10	13	29
70-74	356	5.2	24	1	1	4	6	10	14	34
75-79	260	5.7	33	1	1	4	7	11	14	28
80-84	133	8.2	105	1	2	5	10	17	20	68
85+	114	8.2	52	1	2	7	10	18	24	35
GRAND TOTAL	1356	5.8	37	1	1	4	7	11	16	31

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	508	4.0	4	1	1	4	5	7	8	10
70-74	420	4.3	5	1	1	4	6	7	9	12
75-79	244	4.9	7	1	2	5	6	8	10	16
80-84	114	4.6	6	1	1	4	6	8	9	14
85+	59	5.4	10	1	2	5	7	9	12	18
2. MULTIPLE DX										
65-69 YRS	1480	6.4	26	1	2	5	8	11	15	26
70-74	1320	6.9	34	2	2	5	8	13	16	27
75-79	936	7.2	31	2	2	6	9	13	16	32
80-84	444	8.3	44	2	2	7	10	16	20	37
85+	264	10.3	93	2	3	8	12	20	25	49
TOT. SINGLE DX	1345	4.4	6	1	1	4	6	8	9	12
" MULTIPLE DX	4444	7.1	37	2	2	6	9	13	17	32
TOTAL 65-69 YRS	1988	5.8	22	1	2	5	7	10	13	25
70-74	1740	6.3	29	1	2	5	8	11	15	26
75-79	1180	6.7	27	2	2	5	8	12	15	26
80-84	558	7.6	39	1	2	6	9	15	19	36
85+	323	9.4	82	2	3	7	11	18	23	44
GRAND TOTAL	5789	6.5	31	1	2	5	8	12	15	27

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	6.6	10	2	2	6	9	11	12	14
70-74	16	7.4	7	2	4	8	9	12	12	12
75-79	14	7.9	7	2	5	8	9	11	12	12
80-84	10	9.5	21	4	4	8	11	17	20	20
85+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	182	9.9	51	4	5	8	11	17	25	90
70-74	176	12.6	59	5	6	10	15	24	29	43
75-79	138	12.4	54	5	6	11	15	21	27	40
80-84	82	17.6	171	5	8	13	20	37	50	93
85+	58	19.0	130	6	8	16	26	37	57	99+
TOT. SINGLE DX	69	7.5	11	2	3	8	9	12	12	19
" MULTIPLE DX	636	13.0	85	5	6	10	15	25	32	71
TOTAL 65-69 YRS	209	9.5	47	3	5	8	11	15	23	82
70-74	192	12.2	57	5	6	10	14	22	28	43
75-79	152	12.0	52	5	6	10	14	20	26	38
80-84	92	16.8	161	5	7	13	20	34	49	91
85+	60	18.6	130	7	8	16	25	36	56	99+
GRAND TOTAL	**705**	**12.5**	**81**	**5**	**5**	**10**	**14**	**23**	**32**	**68**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	74	5.5	24	1	1	4	7	12	15	27
70-74	84	7.3	97	1	1	5	9	12	17	66
75-79	54	5.4	19	1	1	4	7	11	14	23
80-84	35	7.1	30	1	2	5	10	14	16	27
85+	33	5.8	16	1	2	4	8	11	14	17
2. MULTIPLE DX										
65-69 YRS	1505	11.3	95	2	3	9	14	23	30	56
70-74	1360	12.3	114	2	3	9	15	25	35	60
75-79	1016	12.3	98	2	3	10	16	24	31	55
80-84	628	13.1	110	3	4	10	16	26	33	60
85+	427	12.3	96	2	3	10	16	24	30	54
TOT. SINGLE DX	280	6.3	46	1	1	5	8	12	16	28
" MULTIPLE DX	4936	12.1	104	2	3	9	15	24	32	57
TOTAL 65-69 YRS	1579	11.0	94	2	3	8	14	22	30	54
70-74	1444	12.0	115	2	3	9	15	24	34	60
75-79	1070	12.0	97	2	3	9	15	24	31	54
80-84	663	12.8	108	2	4	10	15	24	32	60
85+	460	11.8	93	1	2	10	16	23	28	54
GRAND TOTAL	**5216**	**11.8**	**102**	**2**	**3**	**9**	**15**	**23**	**31**	**57**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	82	8.3	25	2	3	7	10	14	17	29
70-74	66	8.5	17	2	3	8	10	14	15	22
75-79	35	8.9	26	1	4	8	11	13	19	28
80-84	18	10.7	18	5	6	10	13	16	20	22
85+	11	13.2	64	3	5	12	15	27	28	28
2. MULTIPLE DX										
65-69 YRS	730	15.1	152	4	6	12	18	28	39	78
70-74	722	15.5	120	5	6	12	19	29	37	65
75-79	525	16.8	143	5	6	14	21	30	39	78
80-84	352	17.2	142	5	7	14	22	34	44	63
85+	225	16.9	121	6	7	15	20	28	41	60
TOT. SINGLE DX	212	8.9	26	2	3	8	11	14	18	28
" MULTIPLE DX	2554	16.0	138	5	6	13	20	29	40	69
TOTAL 65-69 YRS	812	14.5	144	4	5	11	17	27	38	75
70-74	788	14.9	115	4	6	12	18	28	37	64
75-79	560	16.3	140	5	6	13	21	29	38	77
80-84	370	16.9	138	5	7	13	21	33	43	63
85+	236	16.8	119	6	7	15	20	28	40	59
GRAND TOTAL	**2766**	**15.5**	**133**	**5**	**6**	**12**	**19**	**28**	**39**	**67**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.5		<1	<1	1	2	3	4	4
70-74	10	2.3	4	<1	<1	2	2	5	8	8
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	6.0	34	1	1	6	11	12	12	12
85+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	62	8.0	85	1	1	4	11	18	27	49
70-74	49	6.1	52	1	1	2	7	18	25	30
75-79	35	7.2	30	1	1	7	10	16	19	21
80-84	25	11.9	106	1	2	10	18	23	33	40
85+	4	14.5	173	2	2	11	23	33	33	33
TOT. SINGLE DX	29	2.6	8	<1	<1	1	3	7	10	12
" MULTIPLE DX	175	8.0	72	1	1	5	11	19	26	38
TOTAL 65-69 YRS	73	7.0	78	<1	1	3	10	18	25	47
70-74	59	5.5	46	1	1	2	7	16	23	30
75-79	36	7.1	30	1	1	6	10	16	19	21
80-84	29	11.1	99	1	1	10	18	23	31	40
85+	7	9.7	124	<1	<1	5	12	29	33	33
GRAND TOTAL	**204**	**7.2**	**67**	**1**	**1**	**4**	**10**	**18**	**24**	**36**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	140	9.1	23	2	3	9	11	14	19	25
70-74	129	9.0	21	3	5	8	11	14	16	26
75-79	83	10.2	39	2	4	9	12	17	21	36
80-84	65	10.2	26	4	6	9	12	19	21	28
85+	39	10.4	33	3	4	9	14	19	22	24
2. MULTIPLE DX										
65-69 YRS	1388	13.6	123	3	4	11	16	25	34	61
70-74	1245	14.6	119	4	5	12	18	27	37	66
75-79	1008	15.4	119	5	7	12	18	30	38	73
80-84	682	16.5	115	6	7	14	20	28	37	62
85+	514	16.3	97	6	8	14	19	29	36	57
TOT. SINGLE DX	456	9.5	27	2	4	9	11	16	20	29
" MULTIPLE DX	4837	14.9	119	4	6	12	18	27	36	64
TOTAL 65-69 YRS	1528	13.2	116	3	4	10	16	25	33	59
70-74	1374	14.1	113	3	5	11	17	26	36	66
75-79	1091	15.0	115	4	6	12	18	28	38	70
80-84	747	15.9	111	6	7	13	20	27	35	61
85+	553	15.9	96	6	8	13	19	28	36	56
GRAND TOTAL	**5293**	**14.5**	**113**	**4**	**6**	**12**	**18**	**26**	**35**	**62**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	81	8.5	7	5	6	8	10	12	15	16
70-74	68	9.3	11	5	6	9	10	14	19	20
75-79	50	10.0	18	4	6	9	11	16	19	26
80-84	24	10.0	11	6	7	9	12	15	17	21
85+	10	8.8	6	5	5	9	10	12	13	13
2. MULTIPLE DX										
65-69 YRS	721	12.8	80	6	7	10	14	22	27	53
70-74	631	13.8	77	6	7	11	16	24	29	47
75-79	519	14.6	90	6	7	12	17	26	31	58
80-84	278	15.9	110	7	8	13	19	30	41	65
85+	119	17.7	157	7	8	15	21	30	40	85
TOT. SINGLE DX	233	9.2	11	5	6	9	11	13	16	20
" MULTIPLE DX	2268	14.1	91	6	7	11	16	24	31	58
TOTAL 65-69 YRS	802	12.4	75	6	7	10	14	21	26	49
70-74	699	13.3	73	6	7	11	16	23	29	47
75-79	569	14.2	86	6	7	11	17	25	30	56
80-84	302	15.4	105	7	7	12	18	29	40	63
85+	129	17.0	151	7	8	13	21	29	39	83
GRAND TOTAL	**2501**	**13.7**	**86**	**6**	**7**	**11**	**16**	**23**	**30**	**54**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	142	5.6	14	1	1	5	8	11	12	16
70-74	86	6.3	18	1	1	5	8	11	14	21
75-79	50	4.9	13	1	1	4	8	9	10	17
80-84	25	7.2	29	1	1	6	10	12	17	25
85+	10	7.4	31	2	2	6	11	16	18	18
2. MULTIPLE DX										
65-69 YRS	886	10.1	75	1	2	8	13	20	25	45
70-74	823	10.9	97	1	2	9	14	21	28	47
75-79	529	12.5	109	2	2	10	16	25	33	50
80-84	302	12.5	126	2	2	9	15	28	35	61
85+	172	12.9	109	1	2	10	19	26	35	49
TOT. SINGLE DX	313	5.9	17	1	1	5	8	11	13	21
" MULTIPLE DX	2712	11.2	97	1	2	9	15	22	30	50
TOTAL 65-69 YRS	1028	9.5	69	1	2	8	12	19	24	41
70-74	909	10.5	92	1	2	8	14	21	27	45
75-79	579	11.8	105	1	2	9	15	25	32	50
80-84	327	12.1	121	1	2	9	15	27	34	59
85+	182	12.6	107	1	2	9	18	25	33	49
GRAND TOTAL	**3025**	**10.7**	**92**	**1**	**2**	**8**	**14**	**22**	**29**	**49**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	88	5.9	11	1	1	6	8	10	12	16
70-74	69	7.5	20	1	2	7	9	14	16	23
75-79	40	7.0	11	1	2	7	9	11	12	17
80-84	11	9.0	21	<1	3	9	11	15	19	19
85+	4	5.0	4	2	2	5	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	364	9.9	59	2	2	8	12	19	24	37
70-74	284	10.0	52	2	2	9	13	20	22	41
75-79	257	12.9	99	2	3	10	17	23	33	50
80-84	148	11.5	97	2	2	10	14	21	28	52
85+	68	12.6	104	1	2	11	16	23	36	55
TOT. SINGLE DX	212	6.8	16	1	1	7	9	11	14	20
" MULTIPLE DX	1121	11.0	76	2	2	9	14	21	26	48
TOTAL 65-69 YRS	452	9.1	52	1	2	8	11	17	21	37
70-74	353	9.5	47	2	2	8	13	19	22	31
75-79	297	12.1	92	2	3	10	16	22	31	50
80-84	159	11.3	92	2	2	10	14	20	28	52
85+	72	12.2	102	1	2	10	16	22	35	54
GRAND TOTAL	**1333**	**10.3**	**69**	**1**	**2**	**8**	**13**	**20**	**24**	**47**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	10.7	25	3	6	10	12	16	23	24
70-74	7	10.4	14	6	6	10	12	16	17	17
75-79	4	8.3	21	3	3	8	11	14	14	14
80-84	2	22.0	288	10	10	22	34	34	34	34
85+										
2. MULTIPLE DX										
65-69 YRS	123	17.2	157	6	8	13	21	29	40	88
70-74	107	17.3	186	6	8	13	20	27	47	80
75-79	76	19.1	233	3	8	16	22	31	47	87
80-84	38	17.4	189	5	6	14	21	26	47	76
85+	13	18.9	96	5	6	16	29	30	32	33
TOT. SINGLE DX	25	11.1	41	3	6	10	12	17	26	34
" MULTIPLE DX	357	17.7	183	5	7	14	21	29	42	84
TOTAL 65-69 YRS	135	16.6	149	6	7	13	20	29	38	86
70-74	114	16.9	179	6	8	13	20	27	45	79
75-79	80	18.6	228	3	7	15	22	30	46	87
80-84	40	17.6	189	5	6	14	21	28	46	76
85+	13	18.9	96	5	6	16	29	30	32	33
GRAND TOTAL	**382**	**17.3**	**176**	**5**	**7**	**13**	**21**	**29**	**40**	**84**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	281	3.8	8	1	1	3	5	7	10	15
70-74	161	3.8	8	1	1	3	5	7	9	14
75-79	82	4.2	8	1	1	3	6	8	11	14
80-84	30	3.8	7	1	1	3	4	8	9	11
85+	13	3.2	3	1	2	3	3	5	8	9
2. MULTIPLE DX										
65-69 YRS	708	5.8	26	1	1	4	7	11	16	28
70-74	551	6.8	39	1	2	5	9	13	17	38
75-79	359	9.0	89	1	2	6	11	17	25	46
80-84	197	8.4	59	2	2	7	11	17	21	42
85+	84	9.1	31	2	3	8	12	17	19	25
TOT. SINGLE DX	567	3.8	8	1	1	3	5	7	9	14
" MULTIPLE DX	1899	7.1	47	1	2	5	9	14	19	36
TOTAL 65-69 YRS	989	5.2	22	1	1	4	7	11	14	24
70-74	712	6.1	34	1	1	4	8	12	16	33
75-79	441	8.1	78	1	2	6	10	16	22	45
80-84	227	7.8	55	1	2	6	10	16	19	39
85+	97	8.3	32	2	2	7	12	17	19	24
GRAND TOTAL	**2466**	**6.3**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	404	3.0	6	<1	<1	2	4	6	8	14
70-74	375	3.2	10	<1	<1	2	4	7	9	16
75-79	226	3.5	12	<1	<1	2	4	7	11	20
80-84	138	3.9	15	<1	<1	3	5	8	13	21
85+	85	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
65-69 YRS	3015	7.5	58	1	1	6	9	15	21	42
70-74	3353	8.3	71	1	2	6	10	17	23	49
75-79	3270	9.4	87	1	2	7	12	19	27	53
80-84	2465	10.0	80	2	2	8	12	20	27	51
85+	2112	10.6	100	2	3	8	13	20	28	75
TOT. SINGLE DX	1228	3.4	10	<1	<1	2	4	7	9	15
" MULTIPLE DX	14215	9.0	79	1	2	7	11	18	25	50
TOTAL 65-69 YRS	3419	6.9	55	1	1	5	9	14	20	40
70-74	3728	7.8	68	1	1	6	10	16	22	46
75-79	3496	9.0	84	1	2	7	11	19	26	52
80-84	2603	9.7	79	1	2	7	12	20	26	50
85+	2197	10.3	98	2	3	8	13	20	28	74
GRAND TOTAL	**15443**	**8.6**	**76**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	763	2.6	3	1	1	2	3	5	6	10
70-74	765	2.7	3	<1	1	2	4	5	6	8
75-79	638	3.0	6	1	1	2	4	5	7	14
80-84	456	3.1	4	1	1	3	4	6	7	11
85+	326	3.5	9	1	1	3	5	6	8	16
2. MULTIPLE DX										
65-69 YRS	2515	4.6	24	1	1	3	6	10	13	24
70-74	3154	4.8	24	1	1	3	6	10	14	26
75-79	2954	5.6	36	1	1	4	7	12	17	32
80-84	2282	6.1	37	1	1	4	7	13	18	32
85+	1800	7.7	71	1	2	5	9	15	21	43
TOT. SINGLE DX	2948	2.9	5	1	1	2	4	5	7	11
" MULTIPLE DX	12705	5.6	37	1	1	4	7	12	16	31
TOTAL 65-69 YRS	3278	4.1	20	1	1	3	5	8	12	22
70-74	3919	4.4	21	1	1	3	5	9	13	24
75-79	3592	5.2	32	1	1	4	6	11	15	30
80-84	2738	5.6	33	1	1	4	7	12	16	30
85+	2126	7.0	65	1	2	5	8	14	20	40
GRAND TOTAL	**15653**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	173	5.8	32	<1	1	3	10	14	19	27
70-74	169	6.0	41	1	1	3	8	14	18	34
75-79	117	5.7	22	1	1	4	9	14	16	19
80-84	55	5.8	26	1	1	4	10	13	17	19
85+	40	5.0	24	<1	1	3	6	11	15	25
2. MULTIPLE DX										
65-69 YRS	1087	9.5	87	1	2	7	13	20	27	55
70-74	1323	10.0	97	1	2	7	13	20	30	61
75-79	1177	10.2	93	1	2	8	13	22	28	54
80-84	798	10.8	111	1	2	8	14	22	30	68
85+	729	10.6	95	2	2	8	13	22	31	63
TOT. SINGLE DX	554	5.8	32	1	1	4	8	14	17	26
" MULTIPLE DX	5114	10.1	96	1	2	8	13	21	29	59
TOTAL 65-69 YRS	1260	9.0	81	1	1	6	12	19	26	53
70-74	1492	9.5	93	1	2	7	13	20	28	59
75-79	1294	9.8	89	1	2	7	13	21	27	53
80-84	853	10.5	107	1	2	8	14	21	29	66
85+	769	10.3	93	2	2	8	13	22	30	60
GRAND TOTAL	**5668**	**9.7**	**92**	**1**	**2**	**7**	**13**	**20**	**28**	**58**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	4	2.0	4	<1	<1	1	3	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	15	10.2	142	<1	1	5	12	39	37	38
70-74	15	5.7	41	1	1	3	6	18	18	18
75-79	19	8.3	48	1	1	7	11	19	24	26
80-84	23	8.9	108	1	2	6	9	17	38	45
85+	5	5.2	10	3	3	4	6	11	11	11
TOT. SINGLE DX	6	2.5	3	<1	<1	2	4	5	5	5
" MULTIPLE DX	77	8.1	80	1	1	5	10	18	31	43
TOTAL 65-69 YRS	16	9.8	136	<1	1	4	12	32	36	38
70-74	15	5.7	41	1	1	3	6	18	18	18
75-79	23	7.2	46	<1	1	5	9	17	23	26
80-84	24	8.7	104	1	2	6	8	15	38	45
85+	5	5.2	11	3	3	4	6	11	11	11
GRAND TOTAL	**83**	**7.7**	**76**	**1**	**1**	**5**	**9**	**18**	**28**	**43**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.3	7	<1	1	2	5	7	10	13
70-74	45	3.3	6	<1	1	3	4	8	9	10
75-79	34	3.3	5	<1	1	3	4	7	8	11
80-84	17	2.8	6	<1	<1	2	3	8	9	9
85+	14	2.4	1	<1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	158	4.9	24	1	1	3	6	11	15	24
70-74	179	5.9	31	1	1	4	7	15	19	26
75-79	159	5.7	34	1	1	4	7	12	16	33
80-84	91	5.7	32	1	1	4	8	13	16	31
85+	76	7.3	67	1	2	5	9	14	18	51
TOT. SINGLE DX	154	3.2	6	<1	1	2	4	7	9	11
" MULTIPLE DX	663	5.7	35	1	1	4	7	13	17	31
TOTAL 65-69 YRS	202	4.5	21	1	1	3	6	9	15	23
70-74	224	5.4	27	1	1	4	7	11	18	24
75-79	193	5.2	30	1	1	4	6	10	15	31
80-84	108	5.2	30	1	1	3	7	12	14	28
85+	90	6.6	61	1	1	4	8	12	17	50
GRAND TOTAL	**817**	**5.3**	**31**	**1**	**1**	**4**	**6**	**11**	**16**	**27**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	2.6	2	<1	<1	2	4	5	6	6
70-74	27	2.2	2	<1	<1	1	3	5	5	6
75-79	26	4.0	25	<1	<1	2	4	8	12	25
80-84	17	3.2	7	<1	<1	2	5	7	8	9
85+	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	343	7.4	55	1	1	5	10	15	20	44
70-74	490	7.5	48	1	1	5	9	15	22	38
75-79	489	9.3	68	1	2	7	11	19	25	40
80-84	455	9.8	82	1	2	8	12	19	26	59
85+	425	10.3	99	2	2	8	13	22	28	75
TOT. SINGLE DX	92	3.0	10	<1	<1	2	4	6	8	18
" MULTIPLE DX	2202	8.9	72	1	2	7	11	18	25	47
TOTAL 65-69 YRS	362	7.1	54	1	1	5	9	14	20	43
70-74	517	7.2	47	1	1	5	9	15	21	36
75-79	515	9.0	68	1	2	7	11	19	25	39
80-84	472	9.6	81	1	2	7	12	19	25	57
85+	428	10.2	99	2	2	8	13	22	28	75
GRAND TOTAL	**2294**	**8.6**	**71**	**1**	**2**	**7**	**11**	**18**	**25**	**46**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.5	4	<1	1	2	3	4	7	13
70-74	68	2.8	5	<1	1	2	3	6	8	11
75-79	59	2.6	2	1	1	2	4	4	6	7
80-84	35	2.9	5	<1	1	2	4	5	7	13
85+	24	3.0	3	<1	1	3	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	444	5.4	43	1	1	3	6	11	16	39
70-74	466	5.2	28	1	1	4	6	11	15	32
75-79	425	5.6	33	1	1	4	7	11	17	35
80-84	299	6.4	38	1	1	5	8	13	18	31
85+	186	8.0	89	1	2	5	10	18	21	72
TOT. SINGLE DX	251	2.7	4	<1	1	2	3	5	7	11
" MULTIPLE DX	1820	5.8	42	1	1	4	7	12	17	36
TOTAL 65-69 YRS	509	5.0	39	1	1	3	6	10	14	38
70-74	534	4.9	26	1	1	3	6	10	14	29
75-79	484	5.2	31	1	1	3	6	11	16	34
80-84	334	6.0	36	1	1	4	7	12	18	30
85+	210	7.5	82	1	2	5	9	17	20	62
GRAND TOTAL	**2071**	**5.4**	**38**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	108	6.3	4	3	4	6	8	9	10	12
70-74	71	6.5	5	4	4	6	8	10	11	12
75-79	47	6.5	6	3	3	7	8	9	10	12
80-84	10	6.6	6	2	2	7	8	9	10	10
85+	4	7.5	8	4	4	7	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	338	7.5	14	3	4	7	9	11	14	24
70-74	258	7.7	12	3	4	7	9	11	15	21
75-79	156	8.2	21	3	4	7	9	14	15	21
80-84	69	8.3	20	4	4	7	9	13	19	27
85+	23	8.5	18	4	5	8	10	14	17	22
TOT. SINGLE DX	240	6.4	5	3	4	6	8	9	10	12
" MULTIPLE DX	844	7.8	16	3	4	7	9	12	15	22
TOTAL 65-69 YRS	446	7.2	13	3	4	7	8	10	13	21
70-74	329	7.4	11	3	4	7	9	11	13	20
75-79	203	7.8	19	3	4	7	9	13	15	19
80-84	79	8.1	19	3	4	7	9	12	18	26
85+	27	8.3	16	4	4	8	10	14	16	22
GRAND TOTAL	**1084**	**7.5**	**14**	**3**	**4**	**7**	**9**	**11**	**14**	**21**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	103	5.1	5	2	3	5	6	8	9	13
70-74	80	5.3	5	2	3	5	7	8	9	14
75-79	42	5.6	6	2	3	5	7	10	11	12
80-84	12	5.4	4	2	3	5	7	8	9	9
85+	9	6.1	10	2	2	5	7	11	13	13
2. MULTIPLE DX										
65-69 YRS	325	5.7	8	2	3	5	7	9	10	15
70-74	218	6.3	12	3	3	6	8	10	13	21
75-79	153	6.8	17	2	3	6	8	13	16	20
80-84	74	8.1	30	2	3	7	9	12	18	33
85+	33	9.9	38	2	3	8	12	22	23	24
TOT. SINGLE DX	246	5.3	6	2	3	5	7	8	10	13
" MULTIPLE DX	803	6.5	15	2	3	6	8	10	13	23
TOTAL 65-69 YRS	428	5.6	8	2	3	5	7	9	10	15
70-74	298	6.1	11	2	3	5	7	9	12	20
75-79	195	6.6	15	2	3	6	8	11	14	20
80-84	86	7.7	28	2	3	7	9	12	15	33
85+	42	9.1	35	2	3	8	11	21	23	24
GRAND TOTAL	**1049**	**6.2**	**13**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	4.0	7	1	1	3	6	8	9	10
70-74	30	3.7	12	<1	<1	2	6	8	9	17
75-79	12	2.9	5	<1	<1	2	4	7	7	7
80-84	4	1.8	1	1	1	2	2	3	3	3
85+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	186	8.2	80	1	1	6	11	17	21	36
70-74	163	7.6	42	1	2	5	11	17	21	28
75-79	129	8.6	60	1	1	7	12	18	27	34
80-84	73	10.1	145	2	3	8	13	17	20	84
85+	38	9.8	35	2	3	9	15	19	20	21
TOT. SINGLE DX	68	3.6	10	<1	1	2	5	8	9	16
" MULTIPLE DX	589	8.5	71	1	2	6	11	18	22	34
TOTAL 65-69 YRS	206	7.8	75	1	1	6	10	17	20	34
70-74	193	7.0	40	1	1	5	9	17	20	28
75-79	141	8.2	59	1	1	6	11	18	26	34
80-84	77	9.7	141	2	2	7	13	17	20	81
85+	40	9.6	36	2	2	9	14	19	20	21
GRAND TOTAL	**657**	**8.0**	**67**	**1**	**1**	**6**	**11**	**17**	**20**	**34**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	188	2.6	7	1	1	2	3	5	7	12
70-74	142	2.5	3	1	1	2	3	5	6	10
75-79	48	3.3	14	1	1	2	4	6	9	25
80-84	25	3.1	8	1	1	2	3	5	8	16
85+	6	1.8	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
65-69 YRS	255	5.0	37	1	1	3	6	12	18	33
70-74	184	6.1	49	1	1	3	8	14	24	35
75-79	100	7.5	76	1	1	4	10	17	23	49
80-84	54	9.6	186	1	2	5	13	19	32	88
85+	39	10.4	199	1	1	6	10	21	49	65
TOT. SINGLE DX	409	2.7	7	1	1	2	3	5	6	12
" MULTIPLE DX	632	6.4	72	1	1	3	8	15	22	36
TOTAL 65-69 YRS	443	4.0	26	1	1	2	4	8	13	31
70-74	326	4.5	33	1	1	2	5	11	15	33
75-79	148	6.1	60	1	1	3	8	15	20	37
80-84	79	7.5	139	1	1	3	9	17	21	74
85+	45	9.2	181	1	1	5	9	19	41	65
GRAND TOTAL	**1041**	**5.0**	**50**	**1**	**1**	**2**	**5**	**11**	**17**	**35**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2214	4.5	2	2	3	4	5	6	7	9
70-74	2181	4.7	3	2	3	4	6	7	8	10
75-79	1542	4.9	4	2	3	5	6	7	8	12
80-84	842	5.2	6	2	3	5	6	8	9	14
85+	387	5.7	15	2	3	5	6	8	10	24
2. MULTIPLE DX										
65-69 YRS	11456	6.0	22	2	3	5	7	10	14	24
70-74	12886	6.5	28	2	3	5	7	11	15	29
75-79	11094	7.3	35	3	3	6	8	13	17	33
80-84	7182	8.4	55	3	3	6	10	16	22	40
85+	4200	9.7	59	3	4	7	12	18	24	41
TOT. SINGLE DX	7166	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	46818	7.2	37	3	3	5	8	13	17	32
TOTAL 65-69 YRS	13670	5.8	20	2	3	5	6	10	13	23
70-74	15067	6.2	26	2	3	5	7	10	14	26
75-79	12636	7.0	32	3	3	5	8	12	16	31
80-84	8024	8.1	52	3	3	6	9	15	21	38
85+	4587	9.4	57	3	4	7	11	18	23	39
GRAND TOTAL	**53984**	**6.8**	**33**	**2**	**3**	**5**	**8**	**12**	**16**	**31**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	262	9.2	10	6	6	8	11	14	16	20
70-74	203	8.8	9	4	5	8	11	13	14	18
75-79	75	8.7	8	4	5	8	11	13	14	16
80-84	28	9.2	7	5	6	9	10	13	14	18
85+	12	9.3	13	5	6	8	10	15	18	19
2. MULTIPLE DX										
65-69 YRS	1053	10.7	29	5	6	9	13	17	21	28
70-74	1007	11.1	30	5	6	10	13	17	23	31
75-79	708	11.6	33	5	6	10	14	19	23	37
80-84	333	12.6	41	6	7	11	15	19	25	33
85+	158	14.7	65	6	7	13	18	24	27	42
TOT. SINGLE DX	580	9.0	10	5	6	8	11	13	15	19
" MULTIPLE DX	3259	11.4	34	5	6	10	13	18	22	32
TOTAL 65-69 YRS	1315	10.4	26	5	6	9	12	16	19	27
70-74	1210	10.8	28	5	6	10	13	17	21	30
75-79	783	11.4	32	5	6	10	13	18	22	35
80-84	361	12.3	40	6	7	11	14	19	24	33
85+	170	14.3	64	6	7	13	17	23	27	41
GRAND TOTAL	**3839**	**11.1**	**32**	**5**	**6**	**10**	**13**	**17**	**22**	**31**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	334	1.9	2	<1	<1	1	2	3	4	8
70-74	239	2.1	4	<1	<1	1	2	4	6	9
75-79	187	1.9	1	<1	<1	1	2	4	4	8
80-84	74	2.4	3	<1	1	2	3	5	6	9
85+	30	2.5	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
65-69 YRS	799	4.4	30	<1	1	2	5	10	14	24
70-74	843	4.8	31	1	1	3	6	11	15	28
75-79	659	5.5	28	1	1	3	8	13	16	24
80-84	406	7.2	74	1	1	4	9	15	21	42
85+	247	8.5	59	1	2	7	12	18	23	42
TOT. SINGLE DX	864	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	2954	5.5	40	1	1	3	7	13	17	30
TOTAL 65-69 YRS	1133	3.6	23	<1	<1	2	4	8	12	22
70-74	1082	4.2	27	<1	1	2	5	10	15	25
75-79	846	4.7	25	<1	1	3	6	12	15	23
80-84	480	6.5	67	1	1	4	8	14	19	41
85+	277	7.8	57	1	1	6	11	17	22	38
GRAND TOTAL	**3818**	**4.7**	**34**	**<1**	**1**	**2**	**6**	**11**	**15**	**27**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	2.2	2	1	1	2	3	5	5	7
70-74	44	2.0	1	<1	1	2	3	3	4	7
75-79	17	2.8	5	1	1	2	4	7	8	8
80-84	13	2.1	3	1	1	1	2	5	7	7
85+	3	6.3	56	2	2	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	125	5.5	40	1	1	3	7	11	18	36
70-74	125	6.8	79	1	1	3	8	15	23	47
75-79	92	7.1	120	1	1	4	8	14	23	68
80-84	50	8.2	89	1	2	4	11	19	25	55
85+	39	6.4	19	1	2	5	9	11	17	21
TOT. SINGLE DX	126	2.3	4	<1	1	2	3	5	6	10
" MULTIPLE DX	431	6.6	73	1	1	4	8	15	22	40
TOTAL 65-69 YRS	174	4.6	32	1	1	3	5	10	16	34
70-74	169	5.6	64	1	1	3	6	12	20	39
75-79	109	6.4	105	1	1	3	8	13	17	60
80-84	63	6.9	78	1	1	4	9	17	24	51
85+	42	6.4	21	1	2	5	9	12	17	21
GRAND TOTAL	**557**	**5.6**	**61**	**1**	**1**	**3**	**7**	**12**	**18**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	109	2.5	5	<1	1	2	3	5	7	14
70-74	151	2.5	5	1	1	2	3	5	6	15
75-79	143	2.2	2	1	1	2	3	4	5	8
80-84	86	2.1	2	1	1	2	3	3	4	10
85+	34	2.5	5	<1	1	2	3	5	8	11
2. MULTIPLE DX										
65-69 YRS	619	6.2	43	1	1	4	8	15	20	31
70-74	806	6.1	62	1	1	3	8	14	20	36
75-79	862	6.3	53	1	1	3	8	15	19	34
80-84	593	7.5	67	1	1	5	10	17	23	37
85+	332	8.3	76	1	1	5	12	18	24	50
TOT. SINGLE DX	523	2.4	4	1	1	2	3	4	6	11
" MULTIPLE DX	3212	6.6	59	1	1	4	9	15	21	35
TOTAL 65-69 YRS	728	5.6	40	1	1	3	7	14	19	30
70-74	957	5.5	55	1	1	3	7	13	18	33
75-79	1005	5.7	48	1	1	3	8	14	18	33
80-84	679	6.8	62	1	1	4	9	16	22	36
85+	366	7.8	72	1	1	5	11	18	23	47
GRAND TOTAL	**3735**	**6.0**	**54**	**1**	**1**	**3**	**8**	**15**	**19**	**34**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84	2	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84	1	2.0		2	2	2	2	2	2	2
85+	3	2.3	1	1	1	3	3	3	3	3
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	6	4.5	27	1	1	3	3	14	15	15
TOTAL 65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**11**	**3.4**	**15**	**1**	**1**	**2**	**3**	**8**	**14**	**15**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	1.8	1	1	1	1	3	4	4	4
70-74	5	2.8	4	1	1	2	4	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	17	4.4	20	1	1	2	7	12	14	15
70-74	10	5.7	51	1	1	3	5	18	23	23
75-79	6	6.5	27	2	2	4	9	15	16	16
80-84	3	17.3	82	9	9	16	24	27	27	27
85+	3	13.3	262	3	3	5	25	32	32	32
TOT. SINGLE DX	13	2.4	3	1	1	2	4	5	6	6
" MULTIPLE DX	39	6.7	58	1	1	4	9	16	25	32
TOTAL 65-69 YRS	23	3.7	16	1	1	2	4	10	13	15
70-74	15	4.7	37	1	1	3	5	14	21	23
75-79	7	6.1	23	2	2	4	8	15	16	16
80-84	4	13.5	114	2	2	12	21	27	27	27
85+	3	13.3	262	3	3	5	25	32	32	32
GRAND TOTAL	**52**	**5.6**	**47**	**1**	**1**	**3**	**6**	**15**	**22**	**32**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	5	8.4	13	4	4	10	11	12	12	12
70-74	3	5.0	13	2	2	4	8	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	23.0		23	23	23	23	23	23	23
85+	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX	11	9.3	46	2	3	9	12	21	23	23
TOTAL 65-69 YRS	5	8.4	13	4	4	10	11	12	12	12
70-74	4	4.8	9	2	2	4	7	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	23.0		23	23	23	23	23	23	23
85+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**12**	**8.8**	**44**	**2**	**3**	**7**	**11**	**20**	**23**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	2.1	1	<1	1	2	3	4	5	6
70-74	66	2.4	3	<1	1	2	3	4	6	9
75-79	47	2.4	3	<1	<1	2	3	4	7	7
80-84	11	2.4	1	1	1	2	3	4	4	4
85+	8	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	239	3.3	14	1	1	2	4	6	10	17
70-74	169	3.3	10	1	1	2	4	7	11	17
75-79	124	3.8	20	1	1	3	5	8	9	26
80-84	51	4.5	19	1	1	3	7	10	13	21
85+	19	6.6	39	1	1	3	9	17	21	24
TOT. SINGLE DX	247	2.3	2	<1	1	2	3	4	5	8
" MULTIPLE DX	602	3.6	16	1	1	3	4	8	10	19
TOTAL 65-69 YRS	354	2.9	10	1	1	2	3	5	8	16
70-74	235	3.1	9	1	1	2	4	6	8	17
75-79	171	3.4	16	1	1	3	4	7	9	18
80-84	62	4.1	17	1	1	2	5	10	12	21
85+	27	5.3	32	1	1	3	7	15	18	24
GRAND TOTAL	**849**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	1.2		<1	<1	1	1	2	3	3
70-74	18	1.4		<1	<1	1	2	2	2	2
75-79	7	2.0	1	<1	<1	2	3	4	4	4
80-84	10	1.7	1	<1	<1	1	2	3	4	4
85+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	114	3.7	18	<1	1	2	4	8	12	22
70-74	98	3.5	20	<1	<1	2	4	8	12	26
75-79	89	6.1	32	1	1	5	9	13	17	26
80-84	50	6.4	52	1	1	4	8	17	21	35
85+	54	6.8	24	1	1	6	11	15	15	17
TOT. SINGLE DX	59	1.5	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	405	4.9	29	<1	1	3	7	12	15	25
TOTAL 65-69 YRS	133	3.4	16	<1	<1	2	4	8	11	21
70-74	116	3.2	18	<1	<1	2	3	8	11	22
75-79	96	5.8	31	1	1	3	9	13	16	26
80-84	60	5.6	47	<1	1	2	7	15	20	34
85+	59	6.4	25	<1	1	5	10	15	15	17
GRAND TOTAL	**464**	**4.5**	**26**	**<1**	**1**	**2**	**6**	**11**	**15**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	189	2.9	3	1	1	2	4	6	6	9
70-74	121	2.9	6	1	1	2	3	5	7	15
75-79	52	3.3	9	1	1	2	4	6	6	20
80-84	16	2.6	1	1	1	2	4	5	5	5
85+	5	4.4	14	2	2	3	5	11	11	11
2. MULTIPLE DX										
65-69 YRS	575	3.8	16	1	1	3	5	7	9	20
70-74	329	3.7	9	1	1	3	4	6	9	17
75-79	141	5.3	47	1	1	4	6	9	17	31
80-84	46	7.5	125	1	1	4	8	13	28	67
85+	25	5.4	18	1	1	5	7	12	14	16
TOT. SINGLE DX	383	2.9	5	1	1	2	4	5	6	12
" MULTIPLE DX	1116	4.2	23	1	1	3	5	8	11	21
TOTAL 65-69 YRS	764	3.6	13	1	1	3	4	6	8	19
70-74	450	3.5	9	1	1	3	4	6	8	16
75-79	193	4.7	38	1	1	3	5	9	15	25
80-84	62	6.2	97	1	1	3	7	11	22	63
85+	30	5.2	17	1	1	4	7	12	14	16
GRAND TOTAL	**1499**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	8.0	12	4	4	7	11	13	14	14
70-74	7	7.3	19	5	5	6	7	15	17	17
75-79	3	5.7	5	3	3	7	7	7	7	7
80-84	5	7.8	1	6	6	8	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	57	10.1	53	4	4	7	12	21	29	37
70-74	67	14.1	100	6	6	10	17	30	34	53
75-79	44	12.4	54	4	5	10	17	23	31	99+
80-84	36	15.7	286	4	5	10	17	27	42	99
85+	15	11.1	40	1	3	10	14	19	25	27
TOT. SINGLE DX	24	7.3	11	4	4	6	8	12	15	17
" MULTIPLE DX	219	12.8	108	4	5	9	15	25	32	68
TOTAL 65-69 YRS	65	9.8	49	4	4	7	11	17	29	37
70-74	74	13.5	96	5	6	10	16	29	33	52
75-79	47	12.0	54	3	5	10	16	23	30	99+
80-84	41	14.8	258	4	5	9	16	25	41	99
85+	16	10.7	41	2	3	10	13	19	25	27
GRAND TOTAL	**243**	**12.2**	**101**	**4**	**5**	**9**	**14**	**24**	**31**	**58**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	6.1	11	2	3	6	7	9	10	20
70-74	13	5.7	6	3	3	5	7	9	11	12
75-79	6	8.7	22	6	6	7	8	17	18	18
80-84	7	6.3	2	4	4	6	7	9	9	9
85+	8	8.1	52	1	2	6	10	20	24	24
2. MULTIPLE DX										
65-69 YRS	115	9.4	40	4	5	7	11	16	22	35
70-74	131	12.1	72	5	5	10	15	23	28	43
75-79	107	11.2	51	4	5	9	14	21	26	38
80-84	64	11.3	25	5	6	10	14	19	22	24
85+	35	12.4	77	4	5	9	15	26	34	36
TOT. SINGLE DX	64	6.5	15	2	3	6	7	10	14	23
" MULTIPLE DX	452	11.1	53	4	5	9	14	21	25	36
TOTAL 65-69 YRS	145	8.7	36	4	4	7	10	15	21	29
70-74	144	11.5	70	4	5	9	14	22	28	39
75-79	113	11.0	50	4	5	8	14	20	25	38
80-84	71	10.8	25	5	5	9	14	18	22	24
85+	43	11.6	74	3	4	9	14	25	32	36
GRAND TOTAL	**516**	**10.5**	**51**	**4**	**5**	**8**	**13**	**20**	**25**	**36**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	6.0	4	4	4	6	7	8	9	16
70-74	25	6.1	6	3	4	6	7	9	11	14
75-79	19	9.3	179	3	4	6	7	10	40	64
80-84	11	10.6	22	4	5	8	14	18	20	20
85+	5	7.2	4	5	5	8	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	306	9.4	45	4	5	8	11	15	19	37
70-74	239	10.4	42	4	5	8	13	21	24	51
75-79	174	11.3	64	5	6	9	12	19	28	47
80-84	81	11.7	88	5	5	9	13	21	27	59
85+	43	17.2	168	5	7	13	19	28	55	60
TOT. SINGLE DX	108	7.1	39	4	4	6	8	9	14	38
" MULTIPLE DX	843	10.7	61	4	5	8	12	19	24	50
TOTAL 65-69 YRS	354	8.9	41	4	5	7	10	14	19	36
70-74	264	10.0	40	4	5	8	12	20	24	45
75-79	193	11.1	75	4	5	9	12	19	28	57
80-84	92	11.6	80	5	5	9	14	20	27	56
85+	48	16.2	160	5	6	13	19	24	54	60
GRAND TOTAL	**951**	**10.3**	**60**	**4**	**5**	**8**	**12**	**19**	**24**	**50**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	7.0	6	3	3	7	8	10	10	10
70-74	6	9.0	5	6	6	9	9	13	13	13
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	10.0	79	2	2	9	17	20	20	20
TOT. SINGLE DX	4	2.8		2	2	3	3	3	3	3
" MULTIPLE DX	17	7.9	23	2	3	8	9	15	18	20
TOTAL 65-69 YRS	7	5.9	8	3	3	7	8	10	10	10
70-74	6	9.0	5	6	6	9	9	13	13	13
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	8.6	69	2	2	3	16	20	20	20
GRAND TOTAL	**21**	**7.0**	**23**	**2**	**2**	**7**	**9**	**14**	**17**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	9.8	67	5	5	6	14	22	22	22
70-74	6	9.0	19	2	2	9	13	14	14	14
75-79	5	18.8	149	6	6	18	25	38	38	38
80-84	2	25.5	113	18	18	25	33	33	33	33
85+	3	13.3	92	3	3	15	20	22	22	22
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	20	13.9	95	2	4	12	20	28	35	38
TOTAL 65-69 YRS	5	8.8	55	5	5	6	10	22	22	22
70-74	6	9.0	19	2	2	9	13	14	14	14
75-79	5	18.8	150	6	6	18	25	38	38	38
80-84	2	25.5	113	18	18	25	33	33	33	33
85+	3	13.3	92	3	3	15	20	22	22	22
GRAND TOTAL	**21**	**13.5**	**94**	**3**	**4**	**11**	**19**	**27**	**35**	**38**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	1.6	1	<1	<1	1	2	3	4	6
70-74	14	1.5		<1	<1	1	2	3	4	4
75-79	7	1.9	1	<1	<1	2	2	4	4	4
80-84	4	1.3		1	1	1	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	55	2.0	2	<1	1	1	2	4	5	7
70-74	46	3.2	15	<1	1	2	3	8	12	19
75-79	17	2.6	5	<1	<1	2	3	6	8	9
80-84	20	4.4	27	<1	<1	2	5	12	17	20
85+	5	7.4	43	2	2	3	14	16	16	16
TOT. SINGLE DX	53	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	143	3.0	12	<1	1	2	3	6	11	19
TOTAL 65-69 YRS	82	1.9	2	<1	<1	1	2	4	5	7
70-74	60	2.8	12	<1	1	2	3	5	10	19
75-79	24	2.4	4	<1	<1	2	3	5	7	9
80-84	24	3.8	24	<1	1	2	3	11	16	20
85+	6	6.5	40	2	2	3	13	16	16	16
GRAND TOTAL	**196**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**9**	**18**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	3.1	4	<1	1	2	5	7	7	8
70-74	28	3.9	5	<1	<1	4	6	7	8	9
75-79	25	4.5	6	<1	1	4	7	8	9	9
80-84	9	4.2	6	<1	<1	4	6	8	8	8
85+	10	4.0	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	178	5.2	30	<1	<1	3	7	12	16	25
70-74	146	6.5	43	1	1	5	8	14	21	36
75-79	132	6.5	52	1	1	5	8	14	17	44
80-84	96	6.7	40	1	1	5	8	14	20	34
85+	45	8.4	74	1	1	6	11	20	27	38
TOT. SINGLE DX	101	3.9	6	<1	1	4	6	7	8	9
" MULTIPLE DX	597	6.3	44	1	1	4	8	14	20	36
TOTAL 65-69 YRS	207	4.9	28	<1	1	3	6	11	15	24
70-74	174	6.1	38	1	1	4	7	11	19	34
75-79	157	6.2	46	1	1	5	8	11	17	42
80-84	105	6.5	38	1	1	5	8	14	19	34
85+	55	7.6	65	1	1	4	10	18	24	38
GRAND TOTAL	**698**	**5.9**	**39**	**1**	**1**	**4**	**8**	**12**	**17**	**35**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX										
" MULTIPLE DX	3	6.7	54	1	1	4	12	15	15	15
TOTAL 65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**3**	**6.7**	**54**	**1**	**1**	**4**	**12**	**15**	**15**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	3.0		3	3	3	3	3	3	3
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	4.0	8	1	1	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	48	5.5	37	<1	<1	3	7	13	18	29
70-74	39	8.4	56	1	1	5	12	19	24	32
75-79	36	9.5	190	1	1	4	12	19	26	79
80-84	25	6.9	31	1	2	4	11	14	19	21
85+	29	8.8	43	2	2	8	13	20	29	99+
TOT. SINGLE DX	12	3.8	12	<1	<1	3	4	9	12	13
" MULTIPLE DX	177	7.7	73	1	1	5	11	18	22	66
TOTAL 65-69 YRS	51	5.2	36	<1	<1	2	7	13	17	29
70-74	40	8.3	55	1	1	5	12	19	23	32
75-79	39	9.0	179	1	1	3	11	19	25	79
80-84	26	7.2	31	1	2	4	12	14	19	21
85+	33	8.2	41	1	2	7	11	20	27	99+
GRAND TOTAL	**189**	**7.4**	**70**	**1**	**1**	**5**	**11**	**17**	**22**	**60**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	323	6.5	5	4	4	6	7	9	10	15
70-74	227	6.5	3	4	4	6	8	9	10	12
75-79	141	6.9	8	4	4	6	7	9	11	23
80-84	60	7.4	5	5	5	7	8	11	13	16
85+	26	8.7	39	3	4	7	9	17	23	32
2. MULTIPLE DX										
65-69 YRS	2516	7.9	23	4	5	7	9	12	16	26
70-74	1829	8.5	33	4	5	7	9	14	17	31
75-79	1101	9.6	44	5	5	8	11	16	21	38
80-84	513	10.1	39	5	5	8	11	17	21	31
85+	267	11.6	62	5	5	9	13	21	31	43
TOT. SINGLE DX	777	6.7	7	4	4	6	8	9	11	16
" MULTIPLE DX	6226	8.7	34	4	5	7	9	14	19	32
TOTAL 65-69 YRS	2839	7.7	21	4	5	7	8	12	16	26
70-74	2056	8.3	31	4	5	7	9	13	17	29
75-79	1242	9.3	41	4	5	7	10	15	20	37
80-84	573	9.8	36	5	5	8	11	17	21	30
85+	293	11.3	61	5	5	9	13	21	30	43
GRAND TOTAL	**7003**	**8.5**	**31**	**4**	**5**	**7**	**9**	**14**	**18**	**31**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	288	5.9	2	3	4	6	7	8	8	10
70-74	275	6.4	3	4	5	6	7	8	9	12
75-79	156	6.4	7	3	4	6	7	9	9	15
80-84	55	6.6	4	4	4	6	7	9	11	12
85+	13	6.8	5	3	4	7	8	10	11	11
2. MULTIPLE DX										
65-69 YRS	1483	6.6	7	4	4	6	7	9	11	17
70-74	1186	6.9	8	4	4	6	8	9	12	18
75-79	765	7.5	11	4	5	7	8	11	13	18
80-84	307	7.8	30	4	5	7	8	11	14	22
85+	113	8.8	19	4	5	8	10	14	19	26
TOT. SINGLE DX	787	6.2	4	4	4	6	7	8	9	12
" MULTIPLE DX	3854	7.0	11	4	4	6	8	10	12	18
TOTAL 65-69 YRS	1771	6.5	7	4	4	6	7	9	10	17
70-74	1461	6.8	7	4	4	6	8	9	11	17
75-79	921	7.3	11	4	4	7	8	11	13	18
80-84	362	7.6	27	4	5	7	8	11	13	20
85+	126	8.6	18	4	5	8	10	13	17	26
GRAND TOTAL	**4641**	**6.9**	**10**	**4**	**4**	**6**	**8**	**10**	**12**	**17**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	11.3	48	6	6	9	11	24	25	25
70-74	7	12.7	26	7	7	12	17	20	20	20
75-79	3	16.7	21	14	14	14	20	22	22	22
80-84	3	5.7	8	4	4	4	8	9	9	9
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	56	17.4	95	7	8	15	22	34	36	47
70-74	42	18.4	310	6	8	13	20	30	56	96
75-79	26	18.2	204	7	8	14	17	49	54	56
80-84	17	20.9	206	8	9	15	23	45	55	59
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	20	11.7	35	4	5	10	15	21	23	25
" MULTIPLE DX	142	18.3	188	7	8	14	20	34	47	83
TOTAL 65-69 YRS	62	16.8	93	7	7	14	22	33	35	47
70-74	49	17.6	273	6	7	13	19	29	40	96
75-79	29	18.0	185	7	8	14	18	44	54	56
80-84	20	18.6	205	4	6	14	19	41	53	59
85+	2	13.5	41	9	9	13	18	18	18	18
GRAND TOTAL	**162**	**17.4**	**174**	**6**	**7**	**14**	**20**	**33**	**45**	**79**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	143	1.5	1	<1	<1	1	2	3	4	7
70-74	109	1.8	4	<1	<1	1	2	3	5	12
75-79	65	2.2	3	<1	<1	2	3	4	5	13
80-84	55	1.9	1	<1	<1	1	2	4	4	8
85+	22	3.3	7	<1	<1	2	5	7	10	12
2. MULTIPLE DX										
65-69 YRS	627	4.1	45	<1	<1	2	4	9	15	35
70-74	558	4.6	54	<1	1	2	5	11	16	45
75-79	442	5.3	65	<1	1	2	6	13	20	62
80-84	301	5.0	54	1	1	2	6	12	17	43
85+	239	6.3	75	1	1	3	8	14	20	47
TOT. SINGLE DX	394	1.9	3	<1	<1	1	2	4	5	11
" MULTIPLE DX	2167	4.8	57	<1	1	2	5	12	17	45
TOTAL 65-69 YRS	770	3.6	38	<1	<1	2	3	8	13	29
70-74	667	4.2	48	<1	<1	2	4	10	15	30
75-79	507	4.9	59	<1	<1	2	5	12	19	61
80-84	356	4.5	48	<1	1	2	5	11	16	34
85+	261	6.1	70	1	1	3	8	14	19	44
GRAND TOTAL	**2561**	**4.4**	**50**	**<1**	**<1**	**2**	**4**	**10**	**16**	**39**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2 MULTIPLE DX										
65-69 YRS	7	5.6	11	2	2	4	8	11	11	11
70-74	7	2.9	8	<1	<1	1	5	8	8	8
75-79	4	10.0	68	3	3	7	15	22	22	22
80-84	4	9.5	21	4	4	9	13	15	15	15
85+	7	10.1	83	4	4	6	11	26	30	30
TOT. SINGLE DX	3	1.3		1	1	1	2	2	2	2
" MULTIPLE DX	29	7.2	41	<1	1	6	9	14	22	30
TOTAL 65-69 YRS	7	5.6	11	2	2	4	8	11	11	11
70-74	8	2.6	8	<1	<1	1	4	7	8	8
75-79	4	10.0	69	3	3	7	15	22	22	22
80-84	4	9.5	22	4	4	9	13	15	15	15
85+	9	8.2	77	1	1	6	9	23	30	30
GRAND TOTAL	**32**	**6.6**	**40**	**<1**	**1**	**5**	**8**	**13**	**21**	**30**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	4.8	1	4	4	5	5	6	6	6
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	10	8.1	22	4	4	7	9	16	17	17
70-74	8	6.5	8	2	2	7	9	10	10	10
75-79	4	6.3	3	4	4	6	7	8	8	8
80-84	6	7.0	25	4	4	5	7	16	17	17
85+	3	16.7	234	5	5	11	28	34	34	34
TOT. SINGLE DX	6	4.5	1	4	4	4	5	6	6	6
" MULTIPLE DX	31	8.1	38	3	4	7	9	16	17	34
TOTAL 65-69 YRS	11	7.7	22	4	4	7	9	16	17	17
70-74	12	5.9	7	2	3	5	8	9	10	10
75-79	4	6.3	3	4	4	6	7	8	8	8
80-84	7	6.6	23	4	4	4	7	15	17	17
85+	3	16.7	234	5	5	11	28	34	34	34
GRAND TOTAL	**37**	**7.5**	**33**	**3**	**4**	**6**	**8**	**15**	**17**	**34**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	3.4	2	1	1	4	4	5	5	5
70-74	9	2.3	1	1	1	2	3	4	4	4
75-79	6	4.3	5	1	1	4	5	8	8	8
80-84	6	4.2	1	3	3	4	5	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	48	4.4	12	1	2	3	4	10	14	17
70-74	39	3.6	4	2	2	3	4	5	7	14
75-79	31	3.8	5	1	2	3	4	7	9	11
80-84	16	6.5	22	1	3	4	11	14	15	15
85+	12	4.3	7	1	2	4	5	9	10	10
TOT. SINGLE DX	27	3.4	3	1	1	3	4	5	6	8
" MULTIPLE DX	146	4.3	10	1	2	3	4	8	12	15
TOTAL 65-69 YRS	53	4.3	12	1	2	3	4	9	14	17
70-74	48	3.3	4	1	2	3	4	5	6	14
75-79	37	3.9	5	1	2	3	4	8	9	11
80-84	22	5.9	18	2	3	4	7	13	15	15
85+	13	4.2	6	1	2	3	5	8	10	10
GRAND TOTAL	**173**	**4.1**	**9**	**1**	**2**	**3**	**4**	**8**	**12**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	389	5.1	4	2	3	5	6	8	9	12
70-74	297	5.2	3	2	3	5	6	8	8	11
75-79	168	5.1	3	2	2	5	6	8	9	11
80-84	54	5.6	7	3	3	5	6	8	11	19
85+	19	5.5	3	3	3	5	6	8	9	10
2. MULTIPLE DX										
65-69 YRS	963	6.0	9	3	3	6	7	9	10	17
70-74	792	6.2	7	3	3	6	7	9	11	15
75-79	549	6.3	16	3	3	6	7	9	12	21
80-84	199	7.0	15	3	3	6	8	11	14	21
85+	60	8.3	23	4	4	7	10	12	18	29
TOT. SINGLE DX	927	5.2	4	2	3	5	6	8	9	12
" MULTIPLE DX	2563	6.2	11	3	3	6	7	9	11	18
TOTAL 65-69 YRS	1352	5.7	8	3	3	5	7	8	10	15
70-74	1089	5.9	7	3	3	6	7	9	10	15
75-79	717	6.1	14	2	3	5	7	9	11	18
80-84	253	6.7	14	3	3	6	8	11	14	20
85+	79	7.6	20	4	4	6	9	11	16	28
GRAND TOTAL	**3490**	**6.0**	**10**	**3**	**3**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	39	4.8	2	1	3	5	5	7	7	9
70-74	26	5.4	2	2	4	6	6	7	8	9
75-79	18	5.3	5	1	2	5	7	8	10	11
80-84	6	4.8	9	1	1	6	7	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	109	8.1	81	2	3	6	8	15	20	62
70-74	79	8.6	80	2	3	6	10	14	22	56
75-79	42	6.8	14	2	3	6	7	12	16	20
80-84	26	8.9	28	3	4	7	11	18	20	24
85+	12	8.0	9	3	4	8	10	12	13	13
TOT. SINGLE DX	90	5.1	4	1	2	5	6	7	8	10
" MULTIPLE DX	268	8.1	62	2	3	6	9	15	19	55
TOTAL 65-69 YRS	148	7.2	63	2	3	6	7	13	16	54
70-74	105	7.8	63	2	3	6	8	12	17	56
75-79	60	6.4	12	2	2	6	7	10	14	20
80-84	32	8.2	27	1	3	7	9	17	19	24
85+	13	7.8	10	3	4	7	10	12	13	13
GRAND TOTAL	**358**	**7.4**	**49**	**2**	**3**	**6**	**8**	**12**	**17**	**52**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.8	4	1	1	4	5	6	7	11
70-74	58	4.1	5	<1	1	4	6	7	8	11
75-79	49	3.9	4	1	2	4	5	7	8	12
80-84	29	4.1	7	1	1	4	5	7	9	14
85+	16	3.6	2	1	1	4	5	5	6	6
2. MULTIPLE DX										
65-69 YRS	261	6.0	31	1	2	5	7	10	13	28
70-74	256	6.7	44	1	2	5	7	13	18	40
75-79	220	7.6	65	1	2	5	8	16	21	58
80-84	160	7.9	64	1	2	5	9	17	25	44
85+	89	10.2	160	2	2	6	11	29	45	91
TOT. SINGLE DX	196	3.9	5	1	1	4	5	6	8	12
" MULTIPLE DX	986	7.2	61	1	2	5	8	14	21	47
TOTAL 65-69 YRS	305	5.7	28	1	2	5	7	10	13	26
70-74	314	6.2	38	1	2	5	7	11	17	39
75-79	269	6.9	57	1	2	5	8	14	20	53
80-84	189	7.3	57	1	2	5	8	16	23	41
85+	105	9.2	142	2	2	5	9	23	41	87
GRAND TOTAL	**1182**	**6.7**	**53**	**1**	**2**	**5**	**7**	**13**	**19**	**45**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	2.2	3	<1	<1	2	3	4	5	10
70-74	21	2.5	8	<1	<1	1	3	7	10	11
75-79	16	3.5	10	<1	<1	2	4	9	11	12
80-84	12	2.8	4	<1	<1	2	5	6	6	6
85+	8	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	97	7.5	96	1	1	4	9	18	29	54
70-74	78	6.3	53	1	1	4	7	16	23	36
75-79	87	8.4	83	1	1	6	12	19	22	87
80-84	73	6.7	39	1	2	4	8	16	21	29
85+	71	9.1	84	2	2	6	10	21	28	47
TOT. SINGLE DX	86	2.6	6	<1	<1	2	3	6	10	12
" MULTIPLE DX	406	7.6	73	1	1	5	10	19	24	48
TOTAL 65-69 YRS	126	6.3	80	<1	1	3	7	15	24	50
70-74	99	5.5	46	<1	1	3	6	14	21	36
75-79	103	7.6	75	<1	1	5	11	19	22	82
80-84	85	6.1	36	1	1	4	7	15	20	29
85+	79	8.4	80	1	2	5	10	21	28	46
GRAND TOTAL	**492**	**6.7**	**65**	**<1**	**1**	**4**	**8**	**16**	**22**	**43**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	5.8	15	1	2	5	8	9	14	16
70-74	20	6.8	28	1	2	5	8	14	19	24
75-79	19	6.3	16	1	1	6	10	12	13	13
80-84	6	15.0	437	1	1	8	11	52	57	57
85+	19	7.5	18	1	2	7	10	14	16	16
2. MULTIPLE DX										
65-69 YRS	57	11.7	66	2	4	8	16	22	25	42
70-74	59	13.6	84	3	4	13	19	25	29	48
75-79	57	13.0	138	2	3	10	16	26	40	63
80-84	55	11.2	85	2	3	9	13	22	29	53
85+	43	12.4	88	2	3	10	18	29	35	99+
TOT. SINGLE DX	80	7.2	51	1	2	6	9	12	16	47
" MULTIPLE DX	271	12.4	92	3	4	10	16	25	30	53
TOTAL 65-69 YRS	73	10.4	61	2	3	8	14	20	24	41
70-74	79	11.8	79	2	3	9	15	23	28	47
75-79	76	11.3	116	2	3	9	13	24	35	59
80-84	61	11.6	114	2	3	9	13	24	31	57
85+	62	10.9	71	2	3	9	15	26	31	92
GRAND TOTAL	**351**	**11.2**	**87**	**2**	**3**	**9**	**14**	**22**	**29**	**54**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	6.0	48	2	2	2	11	14	14	14
75-79	2	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	13	6.5	22	1	1	6	10	13	15	15
70-74	10	5.0	9	2	2	4	7	9	11	11
75-79	9	6.7	18	1	1	6	10	13	13	13
80-84	7	7.4	71	2	2	4	7	22	26	26
85+	3	5.3	24	2	2	3	9	11	11	11
TOT. SINGLE DX	6	4.7	22	2	2	3	4	13	14	14
" MULTIPLE DX	42	6.3	24	1	2	5	9	12	14	26
TOTAL 65-69 YRS	14	6.2	22	1	1	5	10	13	14	15
70-74	13	5.2	15	2	2	4	7	12	14	14
75-79	11	6.2	16	1	2	5	9	12	13	13
80-84	7	7.4	71	2	2	4	7	22	26	26
85+	3	5.3	24	2	2	3	9	11	11	11
GRAND TOTAL	**48**	**6.1**	**24**	**1**	**2**	**5**	**9**	**12**	**14**	**26**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	10	3.4	7	<1	<1	3	4	8	10	10
70-74	2	3.5	13	1	1	3	6	6	6	6
75-79	7	6.1	27	1	1	7	11	13	13	13
80-84	6	19.5	251	4	4	16	37	38	38	38
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
" MULTIPLE DX	26	8.1	103	<1	1	5	10	24	37	38
TOTAL 65-69 YRS	10	3.4	8	<1	<1	3	4	8	10	10
70-74	3	2.7	8	1	1	1	5	6	6	6
75-79	7	6.1	27	1	1	7	11	13	13	13
80-84	6	19.5	252	4	4	16	37	38	38	38
85+	2	7.0	18	4	4	7	10	10	10	10
GRAND TOTAL	**28**	**7.7**	**98**	**<1**	**1**	**4**	**9**	**21**	**37**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	5.7	30	1	1	3	9	16	18	18
70-74	13	5.9	21	1	1	5	11	12	12	12
75-79	16	5.6	18	1	2	4	8	13	14	14
80-84	7	5.6	15	2	2	4	7	12	13	13
85+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	80	9.0	89	1	2	6	12	19	26	52
70-74	66	10.5	131	1	1	7	14	22	37	53
75-79	53	9.1	102	1	1	7	11	17	27	54
80-84	22	10.7	100	3	4	8	13	17	31	50
85+	20	11.8	158	1	2	8	19	39	74	99+
TOT. SINGLE DX	58	5.7	21	1	1	4	9	13	14	18
" MULTIPLE DX	241	9.8	109	1	2	7	13	21	33	54
TOTAL 65-69 YRS	100	8.3	79	1	2	5	12	17	24	49
70-74	79	9.7	115	1	1	7	12	20	35	51
75-79	69	8.3	84	1	1	6	10	15	27	52
80-84	29	9.4	84	2	3	7	13	17	20	50
85+	22	11.2	147	1	2	7	17	34	69	99+
GRAND TOTAL	**299**	**9.0**	**95**	**1**	**2**	**6**	**12**	**18**	**28**	**54**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1		1	1	2	3	3	3	4
70-74	21	3.0	3	1	1	3	3	6	7	8
75-79	7	3.0	3	1	1	3	5	6	6	6
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	47	5.4	57	1	1	3	5	11	23	43
70-74	32	5.1	29	1	1	3	5	11	19	24
75-79	25	10.7	287	1	1	3	9	29	57	69
80-84	9	9.8	106	2	2	4	17	27	30	30
85+	5	17.2	246	2	2	16	29	39	39	39
TOT. SINGLE DX	66	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	118	7.3	115	1	1	3	5	21	28	58
TOTAL 65-69 YRS	80	4.0	36	1	1	3	3	6	13	38
70-74	53	4.2	20	1	1	3	4	10	12	24
75-79	32	9.0	233	1	1	3	6	24	51	69
80-84	12	7.9	89	1	1	4	10	24	29	30
85+	7	12.7	223	1	1	3	23	36	39	39
GRAND TOTAL	**184**	**5.5**	**79**	**1**	**1**	**3**	**4**	**12**	**23**	**50**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	4	3.5	5	1	1	3	5	6	6	6
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	11	8.8	92	1	2	3	12	25	31	32
70-74	20	7.9	52	1	1	6	10	16	23	31
75-79	24	8.9	128	2	2	5	8	19	40	50
80-84	12	6.8	16	2	2	6	11	12	12	12
85+	11	10.3	113	1	2	8	12	26	38	39
TOT. SINGLE DX	14	3.0	3	1	1	3	5	5	6	6
" MULTIPLE DX	78	8.5	81	1	2	6	11	17	32	47
TOTAL 65-69 YRS	15	7.2	74	1	1	3	10	20	29	32
70-74	25	6.8	47	1	1	6	9	15	20	31
75-79	28	8.1	114	2	2	5	7	16	37	50
80-84	12	6.8	16	2	2	6	11	12	12	12
85+	12	9.8	106	1	2	6	11	24	37	39
GRAND TOTAL	**92**	**7.6**	**73**	**1**	**2**	**5**	**10**	**15**	**30**	**45**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	3.0	3	1	1	3	4	6	6	6
70-74	17	4.2	11	1	1	3	5	9	12	14
75-79	6	2.3	1	1	1	2	3	4	4	4
80-84	5	5.0	23	1	1	2	9	12	12	12
85+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	72	8.6	68	1	2	7	11	18	21	51
70-74	56	9.7	136	1	2	7	13	17	19	79
75-79	48	8.0	54	2	2	6	10	17	22	41
80-84	31	9.1	39	1	3	9	12	18	23	27
85+	24	8.5	26	2	3	7	11	15	18	23
TOT. SINGLE DX	39	3.8	9	1	1	3	5	8	11	14
" MULTIPLE DX	231	8.8	73	1	2	7	12	17	21	44
TOTAL 65-69 YRS	80	8.1	65	1	1	6	10	17	20	49
70-74	73	8.4	112	1	2	5	12	16	18	70
75-79	54	7.4	52	1	2	5	10	16	21	40
80-84	36	8.5	39	1	2	8	11	18	22	27
85+	27	8.0	26	2	3	7	11	15	17	23
GRAND TOTAL	**270**	**8.1**	**67**	**1**	**2**	**6**	**11**	**16**	**19**	**39**

702: Miscellaneous maxiliofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	1.8		<1	1	2	2	3	4	4
70-74	12	2.0		1	1	2	3	3	4	4
75-79	6	2.5	2	1	1	2	4	5	5	5
80-84	3	2.0	3	<1	<1	1	3	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	34	7.3	218	1	1	3	5	14	33	82
70-74	36	5.1	40	1	1	3	7	11	17	34
75-79	17	6.8	109	<1	1	3	8	11	33	45
80-84	8	9.6	45	4	4	8	12	21	24	24
85+	9	11.1	133	1	1	7	20	29	33	33
TOT. SINGLE DX	39	2.0	1	<1	1	2	2	4	4	5
" MULTIPLE DX	104	7.0	118	1	1	3	8	14	27	62
TOTAL 65-69 YRS	51	5.5	152	1	1	2	4	10	15	82
70-74	48	4.4	32	1	1	3	4	9	14	34
75-79	23	5.7	84	<1	1	3	6	11	23	45
80-84	11	7.5	45	<1	1	5	10	18	23	24
85+	10	10.1	129	1	1	5	20	27	33	33
GRAND TOTAL	**143**	**5.6**	**91**	**1**	**1**	**3**	**5**	**11**	**21**	**48**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	99	6.5	59	2	3	5	7	10	13	55
70-74	43	5.3	24	1	2	4	7	10	15	26
75-79	21	5.0	14	1	2	4	6	9	14	18
80-84	5	7.0	15	2	2	6	11	11	11	11
85+	10	6.8	17	2	2	5	10	13	15	15
2. MULTIPLE DX										
65-69 YRS	268	7.6	73	1	1	5	8	15	22	55
70-74	159	8.2	88	1	1	5	10	16	24	56
75-79	81	11.6	207	2	2	7	13	21	46	75
80-84	55	14.6	210	2	2	11	17	31	52	68
85+	43	11.1	53	2	3	10	15	21	26	34
TOT. SINGLE DX	178	6.1	42	1	2	5	7	11	13	38
" MULTIPLE DX	606	9.2	110	1	2	6	11	18	31	61
TOTAL 65-69 YRS	367	7.3	70	1	2	5	8	13	20	55
70-74	202	7.6	76	1	1	4	10	15	22	49
75-79	102	10.2	174	1	2	6	11	18	41	73
80-84	60	14.0	198	2	2	11	16	29	49	67
85+	53	10.3	49	2	3	10	14	18	23	34
GRAND TOTAL	**784**	**8.5**	**96**	**1**	**2**	**5**	**10**	**16**	**25**	**60**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	2.6	3	<1	1	2	3	5	5	8
70-74	121	2.5	2	<1	1	2	3	5	6	7
75-79	56	2.9	2	1	1	3	4	5	6	7
80-84	20	3.0	2	<1	1	3	4	5	6	6
85+	12	2.8	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
65-69 YRS	1176	3.2	6	1	1	3	4	5	7	13
70-74	843	3.3	7	1	1	3	4	6	7	14
75-79	482	3.4	5	1	1	3	4	6	7	14
80-84	193	4.4	68	1	1	3	5	7	10	50
85+	64	5.3	31	1	1	3	6	12	21	27
TOT. SINGLE DX	361	2.7	3	<1	1	2	4	5	6	8
" MULTIPLE DX	2758	3.4	12	1	1	3	4	6	7	16
TOTAL 65-69 YRS	1328	3.1	6	1	1	3	4	5	6	12
70-74	964	3.2	7	1	1	3	4	6	7	13
75-79	538	3.4	5	1	1	3	4	6	7	14
80-84	213	4.3	62	1	1	3	5	6	10	39
85+	76	4.9	28	<1	1	3	6	9	19	27
GRAND TOTAL	**3119**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	299	3.8	20	<1	<1	3	4	8	11	20
70-74	208	6.0	66	1	1	4	7	13	20	47
75-79	125	4.7	18	<1	1	3	6	10	14	19
80-84	75	5.6	33	<1	1	4	8	11	15	36
85+	43	5.8	20	1	1	4	8	13	16	17
2. MULTIPLE DX										
65-69 YRS	1115	10.4	152	1	1	6	13	26	37	67
70-74	1047	9.8	116	1	1	6	13	23	33	55
75-79	718	11.9	159	1	2	8	16	29	39	67
80-84	428	13.9	204	1	2	10	17	32	47	93
85+	250	13.5	167	1	3	10	17	29	41	71
TOT. SINGLE DX	750	4.9	35	<1	1	3	6	10	15	28
" MULTIPLE DX	3558	11.2	153	1	2	7	14	27	38	69
TOTAL 65-69 YRS	1414	9.0	132	1	1	5	11	24	34	61
70-74	1255	9.2	110	1	1	6	12	22	31	55
75-79	843	10.9	145	1	1	7	14	26	36	63
80-84	503	12.6	188	1	2	8	16	29	45	87
85+	293	12.4	153	1	2	9	16	27	39	67
GRAND TOTAL	**4308**	**10.1**	**138**	**1**	**1**	**6**	**13**	**24**	**36**	**64**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	92	7.5	15	2	2	7	10	12	15	19
70-74	93	8.5	48	2	3	8	10	13	16	45
75-79	75	8.6	19	2	3	8	12	16	17	19
80-84	88	9.1	19	3	4	9	11	16	18	21
85+	110	10.7	30	3	5	10	13	17	20	32
2. MULTIPLE DX										
65-69 YRS	382	12.7	109	3	3	10	15	25	34	55
70-74	429	12.5	100	3	4	10	15	22	31	51
75-79	490	13.5	95	4	5	11	16	24	30	57
80-84	450	12.9	56	5	6	11	16	21	27	47
85+	585	14.1	93	5	7	12	17	24	31	79
TOT. SINGLE DX	458	8.9	28	2	3	8	11	15	17	21
" MULTIPLE DX	2336	13.2	91	4	5	11	16	23	31	57
TOTAL 65-69 YRS	474	11.7	95	2	3	9	14	22	31	53
70-74	522	11.8	93	3	4	10	14	20	29	52
75-79	565	12.9	88	3	5	11	15	22	29	55
80-84	538	12.3	53	4	6	11	15	20	25	43
85+	695	13.6	85	5	6	12	16	22	29	66
GRAND TOTAL	**2794**	**12.5**	**83**	**3**	**5**	**11**	**15**	**21**	**29**	**55**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	254	2.8	8	<1	<1	2	3	6	9	16
70-74	151	3.8	41	<1	<1	2	4	6	10	44
75-79	146	3.9	15	<1	1	3	5	7	10	21
80-84	102	4.3	25	<1	1	3	6	9	11	33
85+	86	5.4	48	1	1	3	6	14	17	41
2. MULTIPLE DX										
65-69 YRS	345	6.3	87	1	1	4	7	14	19	52
70-74	397	8.4	101	1	1	5	10	19	31	63
75-79	356	9.5	126	1	2	6	12	20	32	85
80-84	294	11.9	154	1	2	8	15	28	40	65
85+	296	11.4	119	2	3	8	15	23	30	62
TOT. SINGLE DX	739	3.7	24	<1	1	2	4	8	11	24
" MULTIFLE DX	1688	9.3	120	1	1	6	12	21	30	61
TOTAL 65-69 YRS	599	4.8	57	<1	1	3	5	10	16	32
70-74	548	7.1	89	<1	1	4	8	17	27	61
75-79	502	7.9	101	1	1	4	10	18	26	58
80-84	396	9.9	132	1	1	6	12	22	34	59
85+	382	10.0	110	1	2	7	13	22	29	51
GRAND TOTAL	**2427**	**7.6**	**97**	**1**	**1**	**4**	**9**	**17**	**25**	**56**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	66	10.3	26	4	5	9	12	17	18	30
70-74	76	9.4	11	5	6	9	11	14	17	20
75-79	79	10.7	16	5	6	10	13	15	18	25
80-84	101	12.0	41	5	7	11	14	18	24	42
85+	157	11.6	60	5	6	10	13	17	21	50
2. MULTIPLE DX										
65-69 YRS	234	13.8	106	5	6	11	16	24	28	84
70-74	351	14.3	90	5	6	12	17	23	32	87
75-79	532	14.3	100	5	7	12	16	25	31	77
80-84	590	14.7	85	6	7	12	17	23	32	60
85+	956	14.4	85	6	7	12	17	24	30	64
TOT. SINGLE DX	479	11.0	37	5	6	10	13	16	19	35
" MULTIPLE DX	2663	14.4	91	6	7	12	17	24	31	68
TOTAL 65-69 YRS	300	13.0	91	5	6	11	15	22	27	67
70-74	427	13.5	80	5	6	12	16	22	29	86
75-79	611	13.8	91	5	7	12	16	24	29	72
80-84	691	14.3	80	6	7	12	17	23	31	56
85+	1113	14.0	83	6	7	12	16	23	29	63
GRAND TOTAL	**3142**	**13.9**	**84**	**6**	**7**	**12**	**16**	**23**	**29**	**63**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	10.5	25	5	5	10	12	16	19	32
70-74	444	10.6	16	5	6	10	13	16	18	22
75-79	588	11.7	29	5	7	11	14	17	20	31
80-84	703	12.2	32	6	7	12	14	18	22	31
85+	1076	12.5	43	6	7	11	14	19	22	35
2. MULTIPLE DX										
65-69 YRS	1771	15.1	96	6	7	13	17	25	34	67
70-74	2614	15.7	108	6	7	13	18	27	35	74
75-79	3915	15.5	102	6	8	13	17	26	35	76
80-84	4829	15.9	107	6	8	13	18	27	36	83
85+	7386	15.6	96	6	8	13	18	26	36	88
TOT. SINGLE DX	3168	11.8	33	5	7	11	14	18	21	31
" MULTIPLE DX	20515	15.6	102	6	8	13	18	26	35	80
TOTAL 65-69 YRS	2128	14.4	88	6	7	12	16	24	32	62
70-74	3058	14.9	98	6	7	12	17	25	33	69
75-79	4503	15.0	94	6	7	13	17	25	32	74
80-84	5532	15.4	99	6	7	13	18	26	34	76
85+	8462	15.2	91	6	7	13	18	25	34	83
GRAND TOTAL	**23683**	**15.1**	**94**	**6**	**7**	**13**	**17**	**25**	**33**	**75**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	7.0	38	1	1	6	9	17	22	23
70-74	15	6.7	29	1	1	6	12	15	15	15
75-79	20	7.4	42	1	2	5	11	14	21	27
80-84	16	9.4	92	<1	1	6	13	19	32	38
85+	32	10.2	157	2	2	7	12	16	46	60
2. MULTIPLE DX										
65-69 YRS	54	21.1	372	5	6	14	29	48	71	99+
70-74	76	20.2	354	3	5	13	24	48	61	88
75-79	89	16.3	226	3	4	11	18	39	48	69
80-84	92	15.0	191	2	3	11	19	34	51	99+
85+	176	16.4	280	3	3	11	19	34	53	98
TOT. SINGLE DX	107	8.3	81	1	1	6	11	16	21	54
" MULTIPLE DX	487	17.2	277	3	4	12	21	40	58	99
TOTAL 65-69 YRS	78	16.7	311	1	2	11	21	43	63	99+
70-74	91	18.0	325	1	3	12	22	44	57	86
75-79	109	14.7	204	2	3	11	16	36	46	69
80-84	108	14.1	180	2	3	10	17	34	51	99+
85+	208	15.5	266	2	3	11	18	33	49	98
GRAND TOTAL	**594**	**15.6**	**254**	**2**	**3**	**11**	**19**	**36**	**51**	**98**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	117	2.1	2	<1	1	2	3	5	6	8
70-74	94	3.2	9	1	1	2	3	6	9	17
75-79	103	3.2	9	1	1	2	4	7	9	16
80-84	41	3.0	5	1	1	2	4	6	8	11
85+	34	5.2	32	1	1	3	7	11	18	27
2. MULTIPLE DX										
65-69 YRS	180	6.9	105	1	1	4	7	14	20	59
70-74	141	7.8	75	1	2	5	10	17	22	55
75-79	136	8.2	98	1	1	5	9	18	31	68
80-84	120	9.2	126	1	2	6	11	19	32	62
85+	87	7.5	51	1	2	6	9	18	21	37
TOT. SINGLE DX	389	3.0	10	1	1	2	4	7	9	17
" MULTIPLE DX	664	7.9	94	1	2	5	9	17	24	56
TOTAL 65-69 YRS	297	5.0	70	1	1	3	5	9	16	54
70-74	235	5.9	54	1	1	3	7	13	19	36
75-79	239	6.0	66	1	1	3	7	15	20	48
80-84	161	7.6	103	1	1	5	9	17	23	53
85+	121	6.9	47	1	1	5	8	16	21	33
GRAND TOTAL	**1053**	**6.1**	**68**	**1**	**1**	**3**	**7**	**13**	**19**	**50**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	868	4.8	10	1	2	4	6	8	10	16
70-74	555	5.6	21	2	2	5	7	10	13	17
75-79	351	5.5	12	1	2	5	7	10	13	18
80-84	208	6.1	17	1	2	5	8	11	13	20
85+	127	6.7	16	1	2	6	9	13	14	18
2. MULTIPLE DX										
65-69 YRS	1662	8.2	60	2	3	6	10	15	21	41
70-74	1364	8.9	66	2	3	7	10	16	24	46
75-79	1023	9.6	66	2	3	7	11	18	25	44
80-84	701	11.5	112	2	3	8	14	23	29	59
85+	474	11.5	79	3	4	9	14	21	30	59
TOT. SINGLE DX	2109	5.4	15	1	2	4	7	10	12	18
" MULTIPLE DX	5224	9.4	73	2	3	7	11	18	25	49
TOTAL 65-69 YRS	2530	7.0	46	1	2	5	8	13	18	36
70-74	1919	7.9	56	2	2	6	9	14	20	43
75-79	1374	8.6	56	2	3	7	10	16	23	41
80-84	909	10.2	96	2	3	7	12	20	27	56
85+	601	10.5	70	3	3	8	13	19	25	57
GRAND TOTAL	**7333**	**8.2**	**60**	**2**	**2**	**6**	**10**	**15**	**22**	**43**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	346	3.2	14	1	1	2	4	6	9	15
70-74	262	3.3	11	<1	1	2	4	7	9	15
75-79	226	3.4	40	1	1	2	4	7	9	13
80-84	162	3.5	15	1	1	2	4	7	12	23
85+	164	3.6	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
65-69 YRS	753	7.2	82	1	1	5	8	15	21	47
70-74	796	7.3	77	1	1	5	9	17	24	56
75-79	802	7.3	54	1	1	5	9	15	22	45
80-84	707	8.1	94	1	1	5	10	18	23	62
85+	671	8.9	111	1	2	6	10	18	29	59
TOT. SINGLE DX	1160	3.4	18	1	1	2	4	7	10	15
" MULTIPLE DX	3729	7.7	83	1	1	5	9	16	24	54
TOTAL 65-69 YRS	1099	5.9	65	1	1	4	7	13	17	42
70-74	1058	6.3	64	1	1	4	7	14	21	48
75-79	1028	6.4	54	1	1	4	8	14	20	42
80-84	869	7.2	83	1	1	4	9	16	21	55
85+	835	7.9	96	1	1	5	9	16	27	53
GRAND TOTAL	**4889**	**6.7**	**71**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	5.7	19	1	1	4	8	13	16	17
70-74	12	4.1	5	1	1	4	5	8	8	3
75-79	11	5.5	12	2	2	6	7	11	12	12
80-84	7	5.7	19	<1	<1	4	10	12	12	12
85+	13	10.8	37	2	3	12	15	18	20	21
2. MULTIPLE DX										
65-69 YRS	38	8.0	70	1	1	5	9	18	30	36
70-74	40	12.9	359	1	3	8	12	19	62	96
75-79	29	15.6	108	4	4	13	22	35	43	99+
80-84	41	16.1	257	4	5	12	18	29	50	87
85+	42	14.0	136	3	3	11	19	28	42	54
TOT. SINGLE DX	73	6.3	23	1	2	5	9	14	16	20
" MULTIPLE DX	190	13.3	197	2	3	10	16	27	42	92
TOTAL 65-69 YRS	68	7.0	48	1	1	5	9	15	20	36
70-74	52	10.8	290	1	2	6	10	17	43	96
75-79	40	12.8	102	2	3	11	18	31	40	99+
80-84	48	14.6	235	2	4	11	16	25	38	87
85+	55	13.3	114	3	3	12	16	25	40	53
GRAND TOTAL	**263**	**11.3**	**158**	**1**	**2**	**8**	**14**	**21**	**36**	**86**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	3.5	9	<1	<1	2	5	8	9	14
70-74	122	4.4	52	<1	<1	2	5	10	17	37
75-79	106	4.2	17	1	1	3	6	9	12	24
80-84	71	4.3	25	1	1	2	6	11	16	21
85+	75	4.6	25	1	1	3	6	8	10	33
2. MULTIPLE DX										
65-69 YRS	200	6.8	82	1	1	4	7	15	31	45
70-74	242	8.6	113	1	1	5	10	24	33	61
75-79	231	7.5	67	1	1	5	10	16	22	42
80-84	178	8.5	96	1	1	5	11	20	30	87
85+	176	7.3	83	1	1	4	9	16	28	57
TOT. SINGLE DX	474	4.2	27	<1	1	2	6	9	13	23
" MULTIPLE DX	1027	7.8	89	1	1	5	9	18	30	55
TOTAL 65-69 YRS	300	5.7	61	<1	1	3	7	12	19	43
70-74	364	7.2	97	<1	1	4	8	19	27	60
75-79	337	6.5	54	1	1	4	8	14	21	39
80-84	249	7.3	79	1	1	4	9	17	26	58
85+	251	6.5	68	1	1	4	8	14	19	53
GRAND TOTAL	**1501**	**6.6**	**72**	**1**	**1**	**4**	**8**	**15**	**24**	**52**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	7.1	86	1	1	4	8	12	28	52
70-74	63	9.1	80	1	2	7	10	22	31	41
75-79	46	9.1	87	1	1	6	14	20	27	43
80-84	21	12.0	197	1	2	8	14	26	44	65
85+	24	9.8	32	2	3	10	14	15	18	24
2. MULTIPLE DX										
65-69 YRS	333	13.6	234	1	2	8	17	39	46	73
70-74	340	15.8	249	2	2	11	19	35	52	77
75-79	236	18.4	278	1	2	14	25	46	55	76
80-84	167	16.6	177	2	3	14	22	35	44	78
85+	140	18.8	235	3	[illegible]	14	24	35	49	83
TOT. SINGLE DX	224	8.8	89	1	1	6	11	19	27	49
" MULTIPLE DX	1216	16.2	242	1	2	12	21	39	52	78
TOTAL 65-69 YRS	403	12.5	215	1	2	7	16	36	45	67
70-74	403	14.7	228	1	2	10	19	32	48	76
75-79	282	16.8	259	1	2	13	24	43	54	73
80-84	188	16.1	181	2	3	13	21	34	44	76
85+	164	17.5	216	3	5	13	22	33	46	81
GRAND TOTAL	**1440**	**15.0**	**226**	**1**	**2**	**10**	**20**	**35**	**47**	**75**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	723	7.6	18	3	3	7	9	13	16	22
70-74	431	8.1	17	3	4	7	10	13	17	23
75-79	182	9.1	26	3	4	8	11	16	19	29
80-84	59	9.6	42	3	4	8	11	16	21	43
85+	22	9.3	16	3	4	9	11	16	18	19
2. MULTIPLE DX										
65-69 YRS	1588	10.9	50	4	5	9	13	19	25	39
70-74	1163	12.0	68	4	5	10	15	21	27	49
75-79	681	13.2	78	5	6	11	16	23	27	53
80-84	281	14.5	63	5	6	13	19	25	32	50
85+	75	15.2	91	4	5	14	18	27	35	52
TOT. SINGLE DX	1417	8.1	20	3	4	7	10	14	17	23
" MULTIPLE DX	3788	12.0	64	4	5	10	15	21	27	46
TOTAL 65-69 YRS	2311	9.9	43	3	4	8	12	17	23	36
70-74	1594	10.9	58	4	4	9	14	19	24	43
75-79	863	12.3	70	4	5	10	15	22	26	50
80-84	340	13.7	63	5	6	12	17	24	30	47
85+	97	13.8	80	4	5	12	17	23	30	50
GRAND TOTAL	**5205**	**10.9**	**55**	**4**	**4**	**9**	**13**	**20**	**25**	**42**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	142	3.0	9	<1	<1	2	3	7	9	27
70-74	113	4.0	39	<1	<1	2	4	8	15	35
75-79	62	3.7	12	<1	<1	2	5	8	12	17
80-84	23	2.5	6	<1	<1	1	3	7	8	10
85+	15	3.5	10	<1	<1	2	4	8	11	12
2. MULTIPLE DX										
65-69 YRS	557	6.6	92	<1	1	3	7	18	28	51
70-74	446	7.9	124	1	1	3	9	22	31	53
75-79	286	9.1	125	<1	1	4	13	24	32	56
80-84	147	12.6	222	1	1	7	18	34	44	93
85+	72	13.6	193	1	1	9	18	36	44	56
TOT. SINGLE DX	355	3.4	20	<1	<1	2	4	8	11	26
" MULTIPLE DX	1508	8.4	130	<1	1	3	10	23	33	55
TOTAL 65-69 YRS	699	5.9	78	<1	1	3	6	15	26	50
70-74	559	7.1	110	<1	1	3	8	19	29	52
75-79	348	8.2	110	<1	1	4	11	22	27	48
80-84	170	11.2	205	1	1	6	15	29	44	89
85+	87	11.9	176	<1	1	7	15	32	43	56
GRAND TOTAL	**1863**	**7.5**	**113**	**<1**	**1**	**3**	**9**	**21**	**29**	**53**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	1.9	2	<1	<1	1	2	4	5	10
70-74	75	2.0	1	<1	<1	2	2	4	5	8
75-79	44	1.8	3	<1	<1	1	2	3	4	11
80-84	19	2.8	4	<1	1	2	4	6	7	7
85+	5	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	539	2.8	13	<1	<1	2	3	6	8	14
70-74	377	2.6	7	<1	1	2	3	5	8	14
75-79	223	3.2	31	<1	1	2	3	7	10	18
80-84	95	3.5	20	<1	1	2	4	8	9	29
85+	35	3.6	12	<1	1	2	5	7	11	18
TOT. SINGLE DX	241	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	1269	2.9	15	<1	1	2	3	6	9	17
TOTAL 65-69 YRS	637	2.7	12	<1	<1	2	3	5	8	13
70-74	452	2.5	7	<1	<1	2	3	5	7	14
75-79	267	3.0	27	<1	<1	2	3	6	10	18
80-84	114	3.4	18	<1	1	2	4	7	9	28
85+	40	3.5	11	<1	1	2	4	6	10	18
GRAND TOTAL	**1510**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	9.3	27	3	4	8	13	17	19	23
70-74	26	9.2	45	2	3	8	10	15	22	36
75-79	16	9.3	61	2	3	6	10	22	28	31
80-84	3	15.3	6	13	13	15	17	18	18	18
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	215	14.3	134	4	5	11	17	27	37	71
70-74	130	14.8	146	5	6	12	18	24	36	98
75-79	78	17.0	152	5	6	14	21	34	42	67
80-84	23	20.5	351	4	5	12	24	53	67	67
85+	16	16.8	112	4	7	14	19	32	42	46
TOT. SINGLE DX	92	9.4	38	3	4	8	12	18	21	34
" MULTIPLE DX	462	15.3	152	4	6	12	18	28	41	74
TOTAL 65-69 YRS	260	13.5	120	4	5	11	16	26	34	68
70-74	156	13.8	133	4	5	11	16	23	35	95
75-79	94	15.7	145	3	5	12	20	30	41	62
80-84	26	19.9	313	4	5	13	24	48	67	67
85+	18	15.7	108	4	7	13	18	31	41	46
GRAND TOTAL	**554**	**14.3**	**138**	**4**	**5**	**11**	**17**	**26**	**38**	**68**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	112	3.8	10	<1	1	3	5	8	9	17
70-74	84	3.4	7	<1	<1	3	4	8	9	13
75-79	52	3.6	7	<1	1	3	5	8	10	12
80-84	17	3.6	15	<1	<1	1	5	11	12	13
85+	8	4.5	16	<1	<1	3	6	11	13	13
2. MULTIPLE DX										
65-69 YRS	277	5.5	53	1	1	4	6	10	17	39
70-74	210	5.5	32	1	1	4	7	12	16	28
75-79	127	6.5	52	<1	1	4	8	15	18	34
80-84	59	7.1	50	1	1	5	8	17	26	31
85+	19	8.8	77	1	1	7	13	28	69	99+
TOT. SINGLE DX	273	3.6	10	<1	<1	3	5	8	10	13
" MULTIPLE DX	692	5.9	47	1	1	4	7	13	17	36
TOTAL 65-69 YRS	389	5.0	42	<1	1	4	6	9	13	29
70-74	294	4.9	26	<1	1	3	7	10	15	25
75-79	179	5.6	42	<1	1	4	7	12	17	25
80-84	76	6.3	45	<1	1	4	8	15	23	30
85+	27	7.5	62	<1	1	6	12	16	45	99+
GRAND TOTAL	**965**	**5.3**	**38**	**<1**	**1**	**4**	**7**	**11**	**16**	**30**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1109	10.7	12	6	7	10	12	15	16	23
70-74	1084	11.1	14	6	7	11	13	15	17	24
75-79	843	11.4	13	7	8	11	13	15	17	23
80-84	452	12.2	26	7	8	11	14	16	18	31
85+	237	12.8	37	6	8	12	15	18	22	36
2. MULTIPLE DX										
65-69 YRS	3064	13.0	43	7	8	11	15	19	24	39
70-74	3396	13.6	55	7	8	12	15	20	25	50
75-79	3166	14.5	64	8	8	13	16	22	28	52
80-84	2007	16.0	97	7	9	14	18	26	35	63
85+	1346	16.0	91	8	9	13	18	26	34	63
TOT. SINGLE DX	3725	11.3	17	6	7	11	13	16	17	24
" MULTIPLE DX	12979	14.3	66	7	8	12	16	22	28	53
TOTAL 65-69 YRS	4173	12.4	37	7	7	11	14	18	23	38
70-74	4480	13.0	47	7	8	12	15	19	24	44
75-79	4009	13.9	55	7	8	12	15	20	26	50
80-84	2459	15.3	87	7	8	13	17	24	33	60
85+	1583	15.5	84	7	8	13	17	24	32	60
GRAND TOTAL	**16704**	**13.6**	**57**	**7**	**8**	**12**	**15**	**20**	**26**	**49**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	209	11.1	13	6	6	11	14	16	17	22
70-74	321	11.3	16	6	7	11	14	17	18	26
75-79	431	11.9	21	6	7	11	14	17	20	33
80-84	433	12.2	26	6	7	11	14	17	20	25
85+	535	12.2	28	6	7	11	15	18	21	31
2. MULTIPLE DX										
65-69 YRS	1021	14.7	75	7	8	12	16	24	33	50
70-74	1711	14.8	70	7	8	13	17	23	30	51
75-79	2443	15.4	83	7	8	13	17	25	33	60
80-84	2806	15.8	102	7	8	13	18	26	36	73
85+	3699	15.8	99	7	8	13	18	27	35	76
TOT. SINGLE DX	1929	11.9	23	6	7	11	14	17	20	28
" MULTIPLE DX	11680	15.5	91	7	8	13	18	25	34	67
TOTAL 65-69 YRS	1230	14.1	66	6	8	12	16	22	30	49
70-74	2032	14.3	64	7	8	13	16	22	29	50
75-79	2874	14.9	76	7	8	13	17	23	32	59
80-84	3239	15.3	94	7	8	13	17	25	33	71
85+	4234	15.4	92	7	8	13	18	25	33	72
GRAND TOTAL	**13609**	**15.0**	**83**	**7**	**8**	**13**	**17**	**24**	**32**	**63**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1267	10.5	14	5	6	10	13	15	17	22
70-74	1294	10.6	14	6	7	10	13	15	17	22
75-79	856	11.4	13	6	7	11	14	16	18	23
80-84	436	11.2	15	6	7	11	14	16	18	22
85+	132	11.9	15	6	7	11	14	16	18	25
2. MULTIPLE DX										
65-69 YRS	3003	12.1	38	6	7	11	14	18	21	32
70-74	3280	12.7	43	6	8	12	15	18	22	45
75-79	2754	13.3	40	7	8	12	15	19	24	37
80-84	1432	14.0	46	7	8	13	16	21	24	45
85+	468	14.4	47	7	8	13	16	22	25	41
TOT. SINGLE DX	3985	10.8	15	6	7	10	13	16	17	23
" MULTIPLE DX	10937	12.9	42	6	8	12	15	19	23	40
TOTAL 65-69 YRS	4270	11.7	32	5	7	11	14	17	20	30
70-74	4574	12.1	36	6	7	11	14	17	21	38
75-79	3610	12.8	35	7	8	12	15	18	22	34
80-84	1868	13.3	41	6	8	12	15	19	23	43
85+	600	13.9	42	6	8	13	16	21	23	39
GRAND TOTAL	**14922**	**12.4**	**36**	**6**	**7**	**11**	**15**	**18**	**21**	**35**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	394	3.5	6	1	1	3	4	7	9	13
70-74	202	3.5	6	1	1	3	4	7	9	11
75-79	122	4.6	12	1	1	4	6	9	13	15
80-84	41	5.0	12	1	1	4	7	10	12	14
85+	25	6.4	29	<1	1	5	9	12	16	26
2. MULTIPLE DX										
65-69 YRS	814	4.4	18	1	1	3	5	8	11	22
70-74	558	5.0	27	1	1	4	6	10	12	24
75-79	324	6.3	39	1	1	5	8	13	18	30
80-84	141	7.8	66	2	2	6	10	15	19	81
85+	62	7.4	25	1	2	7	9	13	16	27
TOT. SINGLE DX	784	3.8	9	1	1	3	5	8	10	14
" MULTIPLE DX	1899	5.3	29	1	1	4	6	10	13	25
TOTAL 65-69 YRS	1208	4.1	15	1	1	3	5	8	10	19
70-74	760	4.6	22	1	1	4	6	9	11	21
75-79	446	5.9	32	1	1	4	7	12	15	28
80-84	182	7.2	55	1	2	6	10	14	17	63
85+	87	7.1	26	1	1	7	9	13	16	27
GRAND TOTAL	**2683**	**4.8**	**24**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	68	3.8	61	<1	<1	1	4	7	10	52
70-74	37	2.3	4	<1	<1	<1	3	6	8	9
75-79	27	4.3	23	<1	<1	2	7	9	14	22
80-84	14	7.3	74	<1	1	5	9	13	30	35
85+	6	7.8	70	1	1	6	8	22	24	24
2. MULTIPLE DX										
65-69 YRS	199	8.7	92	<1	1	5	11	21	27	50
70-74	150	8.9	76	1	1	7	11	20	25	45
75-79	137	10.4	95	1	2	7	13	26	32	43
80-84	77	12.2	259	<1	1	8	15	28	42	99+
85+	53	13.0	119	2	3	9	17	23	31	55
TOT. SINGLE DX	152	4.0	43	<1	<1	1	5	8	11	35
" MULTIPLE DX	616	9.9	114	1	1	7	13	22	31	54
TOTAL 65-69 YRS	267	7.4	89	<1	<1	4	9	18	25	54
70-74	187	7.6	69	<1	<1	5	9	18	24	43
75-79	164	9.4	88	<1	1	7	12	23	31	43
80-84	91	11.5	233	<1	1	8	14	25	35	99
85+	59	12.5	116	2	3	9	17	24	31	55
GRAND TOTAL	**768**	**8.7**	**105**	**<1**	**<1**	**6**	**11**	**21**	**29**	**54**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	2.8	10	<1	<1	2	4	6	8	19
70-74	81	3.0	8	<1	<1	2	4	7	9	16
75-79	61	3.3	18	<1	<1	2	4	8	11	26
80-84	28	3.3	6	<1	<1	2	5	7	9	9
85+	26	6.7	200	<1	1	2	3	17	43	65
2. MULTIPLE DX										
65-69 YRS	345	9.4	141	1	1	6	13	21	28	82
70-74	307	8.1	75	1	1	5	11	19	27	58
75-79	213	9.2	109	<1	1	6	13	22	29	64
80-84	128	10.4	95	1	2	7	14	22	28	46
85+	67	12.0	79	1	1	9	17	25	28	35
TOT. SINGLE DX	323	3.3	27	<1	<1	2	4	7	9	23
" MULTIPLE DX	1060	9.3	107	1	1	6	13	22	28	63
TOTAL 65-69 YRS	472	7.6	115	<1	<1	4	10	17	24	74
70-74	388	7.1	66	<1	1	4	9	17	26	48
75-79	274	7.9	95	<1	<1	4	10	19	25	62
80-84	156	9.1	87	<1	1	6	12	21	26	44
85+	93	10.5	117	1	1	7	16	25	28	53
GRAND TOTAL	**1383**	**7.9**	**95**	**<1**	**1**	**4**	**10**	**19**	**25**	**54**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	153	1.6		<1	<1	1	2	3	3	4
70-74	108	1.5		<1	<1	1	2	3	3	5
75-79	45	1.4		<1	<1	1	2	2	3	3
80-84	15	1.9	2	<1	1	1	3	4	5	6
85+	5	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	156	2.5	8	<1	1	2	3	5	8	19
70-74	118	2.5	7	<1	1	2	3	5	8	15
75-79	68	3.1	15	1	1	2	3	6	11	22
80-84	28	2.9	9	<1	<1	2	3	8	11	12
85+	14	4.7	11	1	2	4	5	11	12	12
TOT. SINGLE DX	326	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	384	2.7	10	<1	1	2	3	6	9	19
TOTAL 65-69 YRS	309	2.1	5	<1	<1	1	2	3	6	13
70-74	226	2.0	5	<1	<1	1	2	3	5	11
75-79	113	2.4	10	<1	1	2	2	4	6	21
80-84	43	2.6	7	<1	<1	1	3	6	10	12
85+	19	4.1	10	1	1	3	5	10	12	12
GRAND TOTAL	**710**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	1.8		<1	<1	2	2	3	3	4
70-74	15	2.7	6	<1	1	2	3	6	9	10
75-79	8	1.9	1	<1	<1	2	2	4	4	4
80-84	6	1.8		1	1	2	2	2	2	2
85+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	94	2.8	14	1	1	2	3	5	8	24
70-74	44	2.8	9	<1	1	2	3	6	9	17
75-79	34	4.1	37	1	1	2	4	11	14	33
80-84	20	4.6	35	<1	1	3	5	10	19	27
85+	7	3.7	12	<1	<1	4	4	10	11	11
TOT. SINGLE DX	65	2.0	2	<1	1	2	2	3	4	9
" MULTIPLE DX	199	3.2	19	1	1	2	3	6	10	30
TOTAL 65-69 YRS	123	2.5	11	<1	1	2	3	4	6	17
70-74	59	2.8	8	<1	1	2	3	6	9	16
75-79	42	3.7	31	1	1	2	3	10	13	33
80-84	26	4.0	28	<1	1	2	4	9	14	27
85+	14	2.6	8	<1	1	1	4	5	10	11
GRAND TOTAL	**264**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**5**	**9**	**26**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	326	3.3	2	1	1	3	4	5	6	8
70-74	186	3.8	5	1	1	3	5	7	8	12
75-79	103	4.0	14	1	1	3	4	7	9	26
80-84	32	5.6	33	<1	1	5	7	9	11	34
85+	11	3.1	1	2	2	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	538	4.5	21	1	1	3	5	8	12	24
70-74	395	6.0	39	1	2	4	7	12	18	29
75-79	185	6.2	49	1	1	4	7	11	18	39
80-84	87	8.5	105	1	2	6	9	17	31	59
85+	47	10.4	93	2	3	7	13	20	24	61
TOT. SINGLE DX	658	3.7	7	1	1	3	5	6	7	11
" MULTIPLE DX	1252	5.7	41	1	2	4	6	11	16	35
TOTAL 65-69 YRS	864	4.1	15	1	1	3	5	6	9	22
70-74	581	5.3	29	1	1	4	6	10	14	28
75-79	288	5.4	38	1	1	4	6	10	15	36
80-84	119	7.8	87	1	2	5	8	14	26	52
85+	58	9.0	84	2	2	6	11	18	22	58
GRAND TOTAL	**1910**	**5.0**	**30**	**1**	**1**	**4**	**6**	**9**	**13**	**30**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	4.3	11	1	1	4	5	8	10	19
70-74	48	4.6	11	1	1	3	7	9	12	15
75-79	37	5.2	8	1	2	5	7	9	11	12
80-84	9	6.0	12	1	2	5	8	12	12	12
85+										
2. MULTIPLE DX										
65-69 YRS	155	6.8	69	1	2	4	7	12	20	48
70-74	107	8.6	122	1	2	6	9	19	31	99+
75-79	78	9.4	143	1	2	5	9	22	42	90
80-84	27	10.1	43	2	3	9	17	21	30	99+
85+	19	10.3	131	2	3	7	13	37	76	99+
TOT. SINGLE DX	159	4.7	11	1	1	4	6	9	11	17
" MULTIPLE DX	386	8.2	101	1	2	5	9	18	29	99+
TOTAL 65-69 YRS	220	6.1	53	1	2	4	6	11	18	45
70-74	155	7.4	91	1	1	5	8	15	21	98
75-79	115	8.1	103	1	2	5	9	16	29	78
80-84	36	9.1	39	2	3	7	15	20	22	99+
85+	19	10.3	131	2	3	7	13	37	76	99+
GRAND TOTAL	**545**	**7.2**	**77**	**1**	**2**	**5**	**8**	**15**	**22**	**81**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	42	2.1	5	<1	<1	1	2	4	6	14
70-74	20	2.2	3	1	1	2	3	4	6	8
75-79	18	1.7	1	<1	1	1	2	3	4	5
80-84	9	3.9	40	<1	<1	1	3	15	20	20
85+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	85	6.7	105	<1	1	3	7	19	24	53
70-74	94	7.6	82	1	1	4	10	19	28	46
75-79	73	5.5	43	1	1	3	6	12	21	33
80-84	33	8.9	69	1	1	7	12	22	28	30
85+	32	8.8	150	<1	1	3	11	19	47	51
TOT. SINGLE DX	93	2.2	7	<1	1	1	2	4	7	17
" MULTIPLE DX	317	7.1	85	1	1	3	9	19	26	50
TOTAL 65-69 YRS	127	5.2	77	<1	1	2	5	13	21	52
70-74	114	6.7	73	1	1	3	8	18	27	45
75-79	91	4.8	38	1	1	3	5	11	21	32
80-84	42	7.8	66	1	1	4	11	21	26	30
85+	36	7.9	140	<1	1	3	11	18	41	51
GRAND TOTAL	**410**	**6.0**	**72**	**1**	**1**	**3**	**7**	**14**	**22**	**49**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	7.7	34	1	1	10	11	12	12	12
70-74										
75-79	3	4.7	5	2	2	6	6	6	6	6
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
65-69 YRS	15	13.5	207	1	3	11	16	23	51	60
70-74	14	20.9	405	3	5	13	42	65	91	99+
75-79	12	19.8	581	1	2	12	22	61	79	82
80-84	7	9.9	14	5	5	9	13	15	15	15
85+	16	9.0	46	1	3	7	12	18	24	26
TOT. SINGLE DX	7	6.6	17	1	1	6	10	12	12	12
" MULTIPLE DX	64	14.8	269	2	3	10	17	47	61	97
TOTAL 65-69 YRS	18	12.6	180	1	2	10	15	22	45	60
70-74	14	20.9	406	3	5	13	42	65	91	99+
75-79	15	16.7	497	1	2	6	16	52	74	82
80-84	8	9.8	12	5	5	9	12	15	15	15
85+	16	9.0	47	1	3	7	12	18	24	26
GRAND TOTAL	**71**	**14.0**	**249**	**1**	**3**	**10**	**15**	**34**	**59**	**96**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	7.8	89	1	1	4	11	18	30	42
70-74	26	5.5	21	1	1	4	7	15	17	18
75-79	26	5.6	26	1	1	4	8	10	18	24
80-84	15	6.5	30	<1	1	4	11	15	16	17
85+	11	6.1	68	1	1	4	7	16	29	30
2. MULTIPLE DX										
65-69 YRS	775	14.8	146	2	3	12	20	30	39	64
70-74	670	15.4	155	2	4	13	20	30	40	60
75-79	519	15.3	164	3	4	12	20	30	40	65
80-84	351	14.4	149	2	3	11	19	29	39	66
85+	327	13.7	130	2	3	12	18	29	38	99
TOT. SINGLE DX	105	6.3	45	1	1	4	8	15	18	35
" MULTIPLE DX	2642	14.9	151	2	3	12	20	30	40	65
TOTAL 65-69 YRS	802	14.6	146	2	3	12	19	30	39	64
70-74	696	15.0	154	2	4	12	19	29	40	60
75-79	545	14.9	162	2	3	12	19	29	39	65
80-84	366	14.1	147	2	3	11	19	28	39	66
85+	338	13.5	130	2	3	11	18	28	38	99
GRAND TOTAL	**2747**	**14.5**	**149**	**2**	**3**	**12**	**19**	**29**	**39**	**65**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	12.8	43	7	7	10	18	22	26	27
70-74	17	14.2	188	4	5	10	18	21	48	63
75-79	7	14.6	57	7	7	12	21	24	25	25
80-84	13	12.9	42	6	7	12	14	20	30	32
85+	8	13.4	99	5	6	10	15	30	36	36
2. MULTIPLE DX										
65-69 YRS	680	21.5	213	7	9	17	27	40	55	81
70-74	721	21.5	214	7	8	17	27	41	57	99+
75-79	624	21.1	184	7	8	18	27	41	52	99+
80-84	457	21.5	275	6	7	16	28	43	65	99+
85+	574	17.8	202	5	7	14	21	34	47	89
TOT. SINGLE DX	58	13.5	90	5	7	10	17	21	30	61
" MULTIPLE DX	3056	20.7	217	5	8	16	26	41	54	99
TOTAL 65-69 YRS	693	21.4	212	7	8	17	27	40	55	81
70-74	738	21.3	215	7	8	17	27	41	57	99+
75-79	631	21.0	183	7	8	18	26	41	52	99+
80-84	470	21.3	271	6	7	16	28	43	65	99+
85+	582	17.8	201	5	7	14	21	34	47	89
GRAND TOTAL	**3114**	**20.6**	**215**	**6**	**8**	**16**	**26**	**40**	**54**	**98**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	11.2	30	4	5	10	15	20	21	21
70-74	14	14.0	69	6	7	11	16	27	33	35
75-79	12	9.5	26	3	4	8	13	18	19	19
80-84	19	9.8	24	3	4	9	14	16	18	20
85+	20	8.0	19	2	3	8	9	12	18	23
2. MULTIPLE DX										
65-69 YRS	442	20.3	213	6	7	15	27	43	57	99+
70-74	581	19.4	203	6	7	16	25	37	51	79
75-79	686	18.0	167	5	7	14	22	37	52	99+
80-84	653	17.4	230	5	6	13	20	35	58	99+
85+	1081	15.5	147	4	6	13	19	29	40	89
TOT. SINGLE DX	82	10.3	35	3	4	9	14	18	22	32
" MULTIPLE DX	3443	17.7	188	5	6	14	22	35	51	99+
TOTAL 65-69 YRS	459	20.0	210	6	7	15	26	43	55	99+
70-74	595	19.3	201	6	7	16	25	37	51	79
75-79	698	17.9	166	5	7	14	22	37	51	99+
80-84	672	17.2	226	5	6	13	20	35	57	99+
85+	1101	15.4	146	4	6	12	19	29	40	88
GRAND TOTAL	**3525**	**17.5**	**185**	**5**	**6**	**14**	**22**	**35**	**50**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	14.3	90	5	5	14	21	24	24	24
70-74	3	16.0	13	13	13	15	19	20	20	20
75-79	4	12.5	239	1	1	7	22	35	35	35
80-84	3	7.3	16	5	5	5	10	12	12	12
85+	4	13.3	77	2	2	14	19	23	23	23
2. MULTIPLE DX										
65-69 YRS	238	24.8	382	5	7	19	32	56	69	99
70-74	182	22.9	204	5	7	21	32	43	57	99+
75-79	152	21.8	260	4	6	18	28	44	55	82
80-84	111	19.2	238	5	5	15	25	42	54	90
85+	91	21.0	275	5	6	16	32	46	57	94
TOT. SINGLE DX	17	12.7	82	1	2	12	17	24	31	35
" MULTIPLE DX	774	22.5	285	5	6	18	30	46	60	99
TOTAL 65-69 YRS	241	24.6	380	5	7	19	32	56	69	99
70-74	185	22.8	202	5	7	21	31	43	57	99+
75-79	156	21.5	261	4	5	17	28	43	54	81
80-84	114	18.9	236	5	5	14	24	42	54	90
85+	95	20.7	268	4	6	16	31	46	57	94
GRAND TOTAL	**791**	**22.3**	**283**	**5**	**6**	**18**	**30**	**46**	**60**	**99**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	6.7	27	1	1	7	8	14	18	18
70-74	7	21.1	1097	1	1	9	24	80	93	93
75-79	3	9.3	86	3	3	5	16	20	20	20
80-84										
85+										
TOT. SINGLE DX	3	3.3	4	<1	<1	4	5	5	5	5
" MULTIPLE DX	19	12.4	435	1	1	7	13	25	64	93
TOTAL 65-69 YRS	10	6.5	25	1	1	6	8	13	18	18
70-74	8	18.6	992	<1	<1	5	21	73	93	93
75-79	4	8.0	65	3	3	4	12	20	20	20
80-84										
85+										
GRAND TOTAL	**22**	**11.2**	**384**	**<1**	**1**	**5**	**9**	**22**	**54**	**93**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	6.4	43	<1	<1	5	7	14	23	26
70-74	18	8.8	70	<1	1	5	12	22	27	31
75-79	8	6.4	41	2	2	4	6	17	22	22
80-84	10	6.5	17	1	1	6	9	12	14	14
85+	6	9.8	180	<1	<1	5	10	33	36	36
2. MULTIPLE DX										
65-69 YRS	155	13.3	128	2	3	10	18	28	34	57
70-74	157	12.7	140	2	3	10	17	26	33	70
75-79	127	12.6	172	2	3	9	16	28	36	99+
80-84	76	14.4	194	3	4	12	19	27	36	96
85+	79	12.6	119	3	4	10	14	26	31	69
TOT. SINGLE DX	57	7.5	58	<1	1	5	9	20	25	36
" MULTIPLE DX	594	13.0	148	2	3	10	17	27	35	82
TOTAL 65-69 YRS	170	12.7	125	2	3	9	16	28	34	56
70-74	175	12.3	135	1	3	9	17	26	31	65
75-79	135	12.2	166	2	3	9	15	27	36	99+
80-84	86	13.5	180	2	3	10	17	25	35	94
85+	85	12.4	122	2	3	10	14	27	33	66
GRAND TOTAL	**651**	**12.6**	**142**	**2**	**3**	**9**	**16**	**26**	**34**	**80**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	9.3	22	4	4	11	12	13	13	13
70-74	3	8.3	40	1	1	12	12	12	12	12
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.6	18	3	4	9	13	15	15	15
70-74	8	8.0	9	5	5	7	9	13	14	14
75-79	6	11.5	30	6	6	11	16	19	19	19
80-84	5	9.2	12	5	5	10	12	13	13	13
85+	2	27.5	685	9	9	27	46	46	46	46
TOT. SINGLE DX	7	8.1	24	1	2	11	12	13	13	13
" MULTIPLE DX	28	10.8	63	4	5	9	13	16	22	46
TOTAL 65-69 YRS	10	9.5	17	3	3	10	13	14	15	15
70-74	11	8.1	15	1	3	8	11	13	14	14
75-79	7	10.4	34	4	4	7	15	18	19	19
80-84	5	9.2	13	5	5	10	12	13	13	13
85+	2	27.5	685	9	9	27	46	46	46	46
GRAND TOTAL	**35**	**10.2**	**56**	**3**	**4**	**9**	**13**	**15**	**18**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	562	2.1	2	<1	<1	2	3	4	5	8
70-74	425	2.5	4	<1	<1	2	3	5	7	9
75-79	276	2.6	8	<1	<1	2	3	5	8	13
80-84	130	2.6	3	<1	<1	2	3	5	7	9
85+	79	2.8	3	<1	1	2	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	1251	4.3	29	<1	<1	2	5	9	13	30
70-74	1089	5.4	50	<1	1	3	6	12	16	37
75-79	830	5.7	48	<1	1	3	7	13	18	36
80-84	542	6.7	83	1	1	4	8	14	21	50
85+	439	8.4	85	1	2	6	11	17	25	58
TOT. SINGLE DX	1472	2.4	5	<1	<1	2	3	5	6	9
" MULTIPLE DX	4151	5.6	53	<1	1	3	7	12	17	38
TOTAL 65-69 YRS	1813	3.6	22	<1	<1	2	4	8	11	24
70-74	1514	4.6	40	<1	<1	2	5	10	15	30
75-79	1106	4.9	40	<1	1	3	6	11	16	31
80-84	672	5.9	71	<1	1	3	7	12	19	46
85+	518	7.5	77	1	1	5	9	16	24	57
GRAND TOTAL	**5623**	**4.8**	**43**	**<1**	**<1**	**3**	**5**	**10**	**15**	**33**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	4.1	6	1	2	3	5	8	10	12
70-74	83	4.0	4	1	2	4	5	7	8	11
75-79	62	4.3	4	1	1	4	5	7	8	9
80-84	54	4.5	3	1	2	4	5	7	8	10
85+	85	4.4	6	1	1	4	5	8	9	13
2. MULTIPLE DX										
65-69 YRS	275	5.8	33	2	2	5	7	9	13	28
70-74	228	6.6	39	2	2	5	8	12	17	42
75-79	231	6.7	29	1	2	5	8	12	17	30
80-84	226	7.1	36	2	2	6	9	14	19	38
85+	282	7.6	72	2	2	6	9	14	20	89
TOT. SINGLE DX	374	4.2	5	1	1	4	5	7	9	11
" MULTIPLE DX	1242	6.8	43	2	2	5	8	13	17	44
TOTAL 65-69 YRS	365	5.4	27	2	2	4	6	9	12	24
70-74	311	5.9	31	2	2	5	7	10	14	38
75-79	293	6.2	25	1	2	5	7	12	15	28
80-84	280	6.6	31	2	2	5	8	13	16	33
85+	367	6.9	59	1	2	5	8	13	17	68
GRAND TOTAL	**1616**	**6.2**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**38**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1034	5.0	4	2	3	5	6	8	9	12
70-74	845	5.1	5	2	3	5	6	8	9	12
75-79	577	5.3	4	2	3	5	6	8	9	12
80-84	295	5.6	6	2	3	5	7	9	9	15
85+	138	5.5	6	2	2	5	7	9	10	13
2. MULTIPLE DX										
65-69 YRS	2568	6.4	13	2	3	6	8	10	12	20
70-74	2381	6.8	18	3	3	6	8	11	14	26
75-79	1751	7.0	22	3	3	6	8	11	14	25
80-84	1028	7.0	15	3	3	6	8	11	14	25
85+	551	7.6	21	3	4	7	9	13	17	27
TOT. SINGLE DX	2889	5.2	5	2	3	5	6	8	9	12
" MULTIPLE DX	8279	6.8	18	3	3	6	8	11	14	24
TOTAL 65-69 YRS	3602	6.0	12	2	3	5	7	9	11	18
70-74	3226	6.4	16	2	3	6	8	10	13	23
75-79	2328	6.6	19	3	3	6	8	10	13	23
80-84	1323	6.7	13	3	3	6	8	11	13	22
85+	689	7.2	19	2	3	6	8	12	15	26
GRAND TOTAL	**11168**	**6.4**	**15**	**2**	**3**	**6**	**8**	**10**	**12**	**22**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	2.7	3	1	1	2	3	4	5	10
70-74	52	2.8	4	<1	1	2	4	6	7	11
75-79	13	3.0	2	<1	1	3	4	5	7	7
80-84	7	2.4	1	<1	<1	2	3	5	5	5
85+	6	3.5	14	<1	<1	2	3	10	11	11
2. MULTIPLE DX										
65-69 YRS	332	3.8	35	1	1	3	4	6	8	22
70-74	135	4.3	20	1	1	3	5	9	15	26
75-79	64	4.2	13	1	1	3	5	7	13	19
80-84	24	11.0	255	1	1	4	11	32	54	62
85+	25	9.4	116	1	2	6	13	18	33	51
TOT. SINGLE DX	205	2.8	4	<1	1	2	3	5	6	11
" MULTIPLE DX	580	4.5	44	1	1	3	5	8	13	32
TOTAL 65-69 YRS	459	3.5	27	1	1	3	4	5	7	20
70-74	187	3.9	17	1	1	3	5	7	11	22
75-79	77	4.0	12	1	1	3	5	7	12	19
80-84	31	9.1	209	1	1	3	8	28	50	62
85+	31	8.3	101	1	1	4	11	17	27	51
GRAND TOTAL	**785**	**4.1**	**34**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.0	4	<1	<1	2	4	6	8	8
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	3	2.3	1	1	1	3	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	21	4.4	27	<1	1	3	5	8	16	25
70-74	12	4.4	18	1	1	3	7	12	13	13
75-79	6	5.3	21	2	2	3	9	13	13	13
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	5	5.6	15	2	2	4	7	12	12	12
TOT. SINGLE DX	19	3.1	5	<1	<1	3	4	7	8	8
" MULTIPLE DX	46	4.7	21	1	1	3	6	11	13	25
TOTAL 65-69 YRS	31	4.0	20	<1	<1	3	5	7	8	25
70-74	14	4.4	16	1	1	3	6	11	13	13
75-79	9	4.0	17	<1	<1	2	5	11	13	13
80-84	5	3.6	14	1	1	3	5	10	10	10
85+	6	6.0	13	2	2	5	8	12	12	12
GRAND TOTAL	**65**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**10**	**12**	**23**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	213	2.5	7	<1	<1	1	3	5	8	15
70-74	174	3.3	14	<1	<1	2	4	9	11	20
75-79	115	4.0	63	<1	<1	2	4	7	11	43
80-84	97	4.2	32	<1	<1	2	5	10	13	33
85+	63	5.9	137	<1	<1	2	6	11	15	80
2. MULTIPLE DX										
65-69 YRS	1024	9.2	136	1	1	6	11	20	30	76
70-74	992	10.1	123	1	2	7	13	22	29	72
75-79	899	10.2	107	1	2	8	13	21	28	69
80-84	718	11.3	129	1	2	8	14	23	36	75
85+	702	11.0	121	1	2	8	14	23	33	92
TOT. SINGLE DX	662	3.5	36	<1	<1	2	4	8	11	23
" MULTIPLE DX	4335	10.2	125	1	2	7	13	22	31	75
TOTAL 65-69 YRS	1237	8.0	121	<1	1	5	10	18	28	74
70-74	1166	9.1	113	<1	1	6	12	21	28	70
75-79	1014	9.5	107	1	1	7	12	21	27	69
80-84	815	10.4	123	1	1	7	13	22	34	71
85+	765	10.6	125	1	2	8	13	22	33	89
GRAND TOTAL	**4997**	**9.4**	**118**	**<1**	**1**	**6**	**12**	**21**	**29**	**73**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	378	5.8	40	<1	1	3	7	13	19	31
70-74	350	5.6	44	<1	1	4	7	11	18	26
75-79	253	7.2	69	1	1	5	9	16	21	47
80-84	191	6.1	26	1	1	5	8	12	16	26
85+	170	7.8	80	<1	1	5	10	20	27	43
2. MULTIPLE DX										
65-69 YRS	4011	12.9	163	1	2	9	17	29	41	77
70-74	3986	13.1	173	1	2	9	17	30	43	89
75-79	3747	14.3	199	2	3	10	18	33	49	99+
80-84	3109	14.5	204	2	2	10	19	34	50	99+
85+	3428	14.3	200	2	3	10	18	33	49	99+
TOT. SINGLE DX	1342	6.3	51	<1	1	4	8	14	20	35
" MULTIPLE DX	18281	13.7	187	2	2	10	18	32	45	99+
TOTAL 65-69 YRS	4389	12.2	157	1	2	9	16	27	39	75
70-74	4336	12.5	167	1	2	9	16	29	41	84
75-79	4000	13.8	194	2	2	10	18	32	47	99+
80-84	3300	14.0	198	1	2	10	19	33	48	99+
85+	3598	14.0	197	1	2	10	18	32	48	99+
GRAND TOTAL	**19623**	**13.2**	**181**	**1**	**2**	**9**	**17**	**30**	**44**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	7.2	40	1	1	6	10	16	18	31
70-74	76	8.4	57	<1	1	7	10	17	25	37
75-79	69	9.3	64	1	2	8	13	21	28	32
80-84	58	12.7	123	1	2	11	15	26	44	47
85+	41	11.1	121	1	1	9	15	21	36	49
2. MULTIPLE DX										
65-69 YRS	469	17.4	202	2	3	13	24	39	47	97
70-74	498	18.6	268	2	3	14	25	41	61	95
75-79	429	19.4	264	2	4	16	25	39	56	90
80-84	364	20.3	250	2	4	17	28	41	49	80
85+	284	19.8	212	3	6	16	26	40	50	93
TOT. SINGLE DX	315	9.5	78	1	1	8	13	20	27	46
" MULTIPLE DX	2044	19.0	242	2	3	15	26	40	53	88
TOTAL 65-69 YRS	540	16.1	193	1	2	12	22	37	46	89
70-74	574	17.2	252	1	3	13	24	39	56	90
75-79	498	18.0	249	2	3	15	24	37	53	89
80-84	422	19.2	240	2	3	15	27	41	47	79
85+	325	18.7	209	2	4	15	23	38	49	87
GRAND TOTAL	**2359**	**17.7**	**231**	**2**	**3**	**14**	**24**	**38**	**49**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	5.9	88	1	1	2	6	20	31	35
70-74	13	5.9	66	<1	<1	2	9	18	25	27
75-79	9	2.8	2	1	1	3	3	5	6	6
80-84	8	9.6	76	1	1	6	16	23	23	23
85+	9	4.6	22	1	1	3	6	12	16	16
2. MULTIPLE DX										
65-69 YRS	100	13.0	260	1	1	6	19	31	45	74
70-74	98	19.7	407	1	2	11	31	58	71	99+
75-79	74	16.7	286	1	2	9	24	41	53	77
80-84	59	15.6	237	1	1	11	25	45	55	99+
85+	52	19.9	333	2	3	15	24	44	56	90
TOT. SINGLE DX	55	5.7	57	1	1	2	6	16	23	35
" MULTIPLE DX	383	16.8	314	1	2	10	25	44	59	96
TOTAL 65-69 YRS	116	12.0	242	1	1	5	17	30	38	73
70-74	111	18.1	386	1	1	10	28	56	70	99+
75-79	83	15.2	275	1	1	8	23	40	50	76
80-84	67	14.9	221	1	1	10	25	43	53	99+
85+	61	17.7	317	2	2	11	22	43	54	88
GRAND TOTAL	**438**	**15.4**	**295**	**1**	**1**	**9**	**23**	**40**	**57**	**92**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	2.0	5	<1	<1	1	2	3	5	16
70-74	47	1.4		<1	<1	1	1	2	3	6
75-79	18	2.9	17	1	1	2	2	5	13	19
80-84	9	2.4	6	<1	<1	1	3	7	9	9
85+	3	8.0	31	3	3	7	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	339	6.9	104	1	1	3	8	16	27	76
70-74	248	9.4	112	1	1	6	13	22	35	99+
75-79	230	12.2	173	1	3	9	14	24	39	89
80-84	175	13.3	206	2	3	9	16	28	52	99+
85+	191	13.1	176	3	4	9	17	41	99+	99+
TOT. SINGLE DX	172	2.1	7	<1	<1	1	2	3	5	18
" MULTIPLE DX	1183	10.4	153	1	1	7	13	24	42	99+
TOTAL 65-69 YRS	434	5.8	87	<1	1	3	6	13	22	56
70-74	295	8.1	103	1	1	5	11	20	32	89
75-79	248	11.5	168	1	2	8	14	23	38	87
80-84	184	12.8	202	2	3	9	16	28	48	99+
85+	194	13.0	174	3	4	9	17	40	99+	99+
GRAND TOTAL	**1355**	**9.3**	**142**	**1**	**1**	**6**	**12**	**22**	**38**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	2.1	2	1	1	1	3	4	6	7
70-74	11	4.0	12	1	1	2	6	10	12	12
75-79	11	4.9	14	1	1	3	8	11	13	13
80-84	4	4.3	16	1	1	3	7	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	86	9.6	117	1	2	7	10	19	30	64
70-74	124	9.6	77	2	3	8	11	18	26	49
75-79	119	9.9	93	2	3	7	12	19	25	55
80-84	94	10.9	85	2	3	8	14	18	31	52
85+	79	12.0	198	2	3	9	15	24	83	99+
TOT. SINGLE DX	43	3.6	10	1	1	3	4	9	11	13
" MULTIPLE DX	502	10.3	109	2	3	8	12	19	30	72
TOTAL 65-69 YRS	102	8.5	107	1	1	6	9	18	29	63
70-74	135	9.2	75	2	2	7	11	17	24	47
75-79	130	9.5	89	2	3	7	12	19	23	54
80-84	98	10.6	84	2	3	8	14	18	30	52
85+	80	11.9	196	2	3	9	15	23	82	99+
GRAND TOTAL	**545**	**9.8**	**104**	**2**	**2**	**7**	**12**	**19**	**29**	**64**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	950	2.5	9	1	1	1	2	6	8	15
70-74	600	2.5	9	1	1	1	2	6	9	17
75-79	336	2.2	6	1	1	1	2	5	8	13
80-84	95	2.4	9	1	1	1	2	7	10	16
85+	34	3.9	14	1	1	3	5	10	13	17
2. MULTIPLE DX										
65-69 YRS	2121	5.4	43	1	1	3	7	13	18	30
70-74	1754	6.2	54	1	1	3	8	15	20	38
75-79	1184	6.6	51	1	1	4	9	16	20	35
80-84	483	7.9	73	1	1	5	11	19	24	51
85+	149	9.0	87	1	1	6	13	20	28	42
TOT. SINGLE DX	2015	2.5	9	1	1	1	2	6	9	16
" MULTIPLE DX	5691	6.2	53	1	1	3	8	15	20	37
TOTAL 65-69 YRS	3071	4.5	35	1	1	2	6	11	15	27
70-74	2354	5.3	45	1	1	2	7	13	18	35
75-79	1520	5.6	45	1	1	3	8	14	19	32
80-84	578	7.0	67	1	1	4	10	16	23	45
85+	183	8.1	78	1	1	5	11	19	25	41
GRAND TOTAL	**7706**	**5.2**	**44**	**1**	**1**	**2**	**7**	**13**	**18**	**32**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	464	3.1	18	1	1	2	3	6	8	19
70-74	434	3.0	13	1	1	2	3	6	9	18
75-79	275	2.8	5	1	1	2	3	6	8	12
80-84	130	3.0	9	1	1	2	4	7	11	16
85+	30	3.3	9	1	1	2	6	9	10	10
2. MULTIPLE DX										
65-69 YRS	2880	6.1	40	1	1	4	8	13	16	31
70-74	2831	6.1	42	1	1	4	8	12	17	34
75-79	2188	6.3	41	1	1	5	8	13	17	32
80-84	1074	6.6	43	1	2	5	8	13	17	36
85+	373	7.0	50	1	2	6	9	13	17	38
TOT. SINGLE DX	1333	3.0	13	1	1	2	3	6	9	16
" MULTIPLE DX	9346	6.2	42	1	1	5	8	13	17	33
TOTAL 65-69 YRS	3344	5.7	38	1	1	4	7	12	16	30
70-74	3265	5.7	40	1	1	4	7	12	16	33
75-79	2463	5.9	38	1	1	4	8	12	17	30
80-84	1204	6.2	41	1	1	5	8	13	17	34
85+	403	6.8	48	1	1	5	9	13	16	36
GRAND TOTAL	**10679**	**5.8**	**40**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	2.1	4	<1	<1	1	2	6	8	9
70-74	43	1.4		<1	<1	1	2	2	3	5
75-79	16	1.8	2	<1	<1	1	2	4	6	7
80-84	3	1.0		1	1	1	1	1	1	1
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	701	4.6	28	<1	1	2	7	10	14	25
70-74	537	4.9	30	1	1	3	7	11	15	24
75-79	260	5.6	34	1	1	3	8	13	17	29
80-84	75	7.3	65	1	1	5	10	15	21	48
85+	17	4.8	13	<1	1	4	7	9	12	14
TOT. SINGLE DX	134	1.8	3	<1	<1	1	2	3	7	9
" MULTIPLE DX	1590	5.0	32	1	1	3	7	11	15	28
TOTAL 65-69 YRS	772	4.4	27	<1	1	2	6	10	13	22
70-74	580	4.7	29	1	1	2	7	10	15	24
75-79	276	5.3	33	1	1	3	7	12	16	29
80-84	78	7.0	64	1	1	4	10	15	21	47
85+	18	4.7	12	<1	1	4	7	9	12	14
GRAND TOTAL	**1724**	**4.7**	**30**	**<1**	**1**	**2**	**7**	**11**	**15**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	707	4.1	14	1	1	2	6	10	11	16
70-74	623	4.0	15	1	1	2	6	9	12	18
75-79	423	4.0	16	1	1	2	6	9	11	19
80-84	235	5.1	19	1	1	3	8	11	14	19
85+	121	5.0	17	1	1	3	7	11	13	18
2. MULTIPLE DX										
65-69 YRS	4932	6.7	40	1	1	5	9	13	17	30
70-74	4868	7.0	44	1	1	6	9	14	18	33
75-79	3733	7.5	47	1	1	6	10	15	19	35
80-84	2361	8.4	60	1	2	7	11	16	21	43
85+	1522	9.3	66	1	2	8	12	18	23	43
TOT. SINGLE DX	2109	4.2	16	1	1	2	7	10	12	18
" MULTIPLE DX	17416	7.4	49	1	1	6	10	15	19	35
TOTAL 65-69 YRS	5639	6.4	38	1	1	5	9	13	16	29
70-74	5491	6.7	42	1	1	5	9	13	17	31
75-79	4156	7.1	45	1	1	6	10	14	19	35
80-84	2596	8.1	57	1	1	7	11	16	20	42
85+	1643	9.0	64	1	2	7	12	17	22	43
GRAND TOTAL	**19525**	**7.1**	**46**	**1**	**1**	**6**	**10**	**14**	**18**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3746	5.0	22	1	1	4	6	9	12	25
70-74	3187	5.5	28	1	1	4	7	10	14	29
75-79	2570	5.7	24	1	2	4	7	11	14	26
80-84	1782	6.1	30	1	2	5	7	11	15	27
85+	1543	6.0	28	1	2	5	8	11	15	25
2. MULTIPLE DX										
65-69 YRS	52582	7.5	41	2	2	6	9	14	18	34
70-74	58755	7.9	45	2	3	6	10	15	19	36
75-79	57971	8.4	51	2	3	7	10	15	20	39
80-84	47429	8.8	59	2	3	7	11	16	22	44
85+	43272	9.2	63	2	3	7	11	17	23	48
TOT. SINGLE DX	12828	5.5	27	1	2	4	7	10	14	26
" MULTIPLE DX	260009	8.3	52	2	3	7	10	15	20	39
TOTAL 65-69 YRS	56328	7.3	40	2	2	6	9	14	18	33
70-74	61942	7.8	45	2	2	6	10	14	19	36
75-79	60541	8.3	51	2	3	7	10	15	20	38
80-84	49211	8.7	59	2	3	7	11	16	21	44
85+	44815	9.1	63	2	3	7	11	17	22	47
GRAND TOTAL	**272837**	**8.2**	**51**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	813	6.1	35	1	2	5	8	11	17	31
70-74	719	6.6	33	1	2	5	9	13	16	28
75-79	663	6.6	46	1	1	5	8	13	17	37
80-84	451	7.3	56	1	2	5	9	13	18	41
85+	439	6.3	23	1	2	5	8	13	16	24
2. MULTIPLE DX										
65-69 YRS	10276	8.7	68	2	3	7	10	17	24	47
70-74	11665	9.1	71	2	3	7	11	17	24	48
75-79	11419	9.4	73	2	3	7	11	18	25	49
80-84	9327	9.7	75	2	3	7	12	18	25	51
85+	9367	9.9	78	2	3	8	12	19	26	54
TOT. SINGLE DX	3085	6.5	39	1	2	5	8	13	17	32
" MULTIPLE DX	52054	9.3	73	2	3	7	11	18	25	50
TOTAL 65-69 YRS	11089	8.6	66	2	2	6	10	16	23	46
70-74	12384	8.9	69	2	3	7	11	17	24	48
75-79	12082	9.3	73	2	3	7	11	18	25	49
80-84	9778	9.5	75	2	3	7	11	18	25	51
85+	9806	9.7	76	2	3	7	12	18	25	53
GRAND TOTAL	**55139**	**9.2**	**72**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1965	4.9	22	1	1	4	6	9	11	26
70-74	1601	4.9	22	1	1	4	6	9	12	25
75-79	1278	5.1	23	1	1	4	6	10	12	25
80-84	879	5.4	24	1	2	4	7	11	14	22
85+	820	5.2	15	1	2	4	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	32183	6.8	36	2	2	5	9	13	17	31
70-74	35782	7.3	42	2	2	6	9	14	18	33
75-79	33566	7.7	46	2	2	6	9	14	19	36
80-84	26442	8.1	50	2	2	6	10	15	20	39
85+	25324	8.5	54	2	3	7	10	16	21	42
TOT. SINGLE DX	6543	5.0	22	1	1	4	6	10	12	23
" MULTIPLE DX	153297	7.6	46	2	2	6	9	14	19	36
TOTAL 65-69 YRS	34148	6.7	36	1	2	5	8	13	17	31
70-74	37383	7.2	42	2	2	6	9	13	18	33
75-79	34844	7.6	46	2	2	6	9	14	19	36
80-84	27321	8.0	50	2	2	6	10	15	20	38
85+	26144	8.4	54	2	3	7	10	16	21	41
GRAND TOTAL	**159840**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Dependence
  - 104 Alcoholic
  - 106 Amphetamine
  - 106 Barbiturate
  - 106 Cocaine
  - 105 Heroin
  - 106 LSD
  - 106 Marijuana
  - 105 Methadone
  - 105 Morphine
  - 105 Opioid
- 111 Depression, except neurotic, postpartum, and psychotic
  - 102 Neurotic
  - 267 Postpartum
  - 98 Psychotic
- 102 Depressive neurosis
- 98 Depressive psychosis
- 102 Depressive reaction
- 301 Derangement, joint except knee
  - 300 Knee joint
- 295 Dermatitis
- 15 Dermatomycosis
- 121 Detachment of retina
- 175 Deviated nasal septum
- Diabetes mellitus
  - 340 Chemical
  - 71 Uncomplicated
  - 73 Uncontrolled
- Diabetic complications
  - 72 Acidosis
  - 73 Cataract
  - 72 Coma
  - 73 Gangrene
  - 73 Nephropathy
  - 73 Neuropathy
  - 73 Retinopathy
  - 73 Ulcer
- Dialysis
  - 397 Peritoneal
  - 397 Renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
  - 211 Functional
  - 1 Infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotis cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No. **Title**

- Disease (continued)
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular
  - 196 Duodenum, except ulcer and inflammatory
  - 134 Ear, except inflammatory and otosclerosis
  - 75 Endocrine, except ovary, thyroid, and diabetes mellitus
  - 189 Esophagus
  - 129 Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
  - 128 Eye, inflammatory, except lacrimal tract
  - 252 Fallopian tube, except endometriosis
  - 316 Fascia
  - 252 Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 216 Gallbladder
  - 252 Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - Heart
    - 138 Hypertensive
    - 143 Ischemic, except infarction and angina pectoris
    - 136 Rheumatic, chronic
    - 150 Other, except arrhythmia and bacterial endocarditis
  - 86 Hematopoietic, except anemia, hemophilia, and leukemia
  - 328 Hemolytic, newborn
  - 46 Hodgkin's
  - 137 Hypertensive, except heart
  - 138 Hypertensive, heart
  - 17 Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
  - 211 Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
  - 1 Intestine, infectious
  - 143 Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

DIAGNOSIS INDEX (continued)

Group No. Title

- Fracture (continued)
  - Spine
    - 344 without cord injury
    - 345 with cord injury
  - 346 Sternum
  - 354 Tarsal
  - 346 Thorax
  - 353 Tibia, except articulating surface
  - 354 Toe
  - 354 Trimalleolar
  - 349 Ulna
  - Vertebra
    - 344 without cord injury
    - 345 with cord injury
- 330 FUO

- 216 Gallbladder disease
- 311 Ganglion, tendon sheath
- 334 Gangrene, except gas gangrene
- 6 Gangrene, gas
- Gastric ulcer — *see Ulcer, gastric*
- 195 Gastritis
- 208 Gastroenteritis, except infectious
  - 1 Infectious
  - 208 Noninfectious
- 220 Gastrointestinal hemorrhage
- Gastrojejunal ulcer
  - 192 without complication
  - 193 with complication
- 164 Generalized arteriosclerosis
  - 3 Generalized tuberculosis
- 314 Genu valgum or varum, except congenital
  - 327 Congenital
- 220 GI hemorrhage
- 123 Glaucoma, except acute
  - 122 Acute
  - 122 Closed-angle
  - 122 Open-angle
- 222 Glomerulonephritis, except acute
  - 223 Acute
- 69 Goiter
- 14 Gonorrhea
- 80 Gout
- 387 Graft-versus-Host disease, except of bone marrow
  - 391 Bone marrow
- 116 Grand mal epilepsy
- 268 Grand multiparity
- 392 Grand multiparity, without pregnancy

- 268 Habitual aborter
- 252 Habitual aborter, without pregnancy
- 310 Hallux valgus or varus, except congenital
  - 327 Congenital
- 310 Hammer toe

Group No. Title

- 331 Headache, except migraine and tension
  - 118 Migraine
  - 111 Tension
- 398 Healed fracture aftercare, except removal of fixation device
  - 396 Removal of fixation device
- 140 Heart attack
- 149 Heart failure
- 390 Heart failure, postoperative
- 16 Helminthiasis
- 54 Hemangioma
- 220 Hematemesis
- Hematoma
  - 286 Pelvic, with delivery
  - 290 Pelvic, postpartum
  - 388 Postoperative wound
- 84 Hemolytic anemia, except hereditary and newborn
  - 83 Hereditary
  - 328 Newborn
- 328 Hemolytic disease of newborn
- 85 Hemophilia
- 336 Hemoptysis
- Hemorrhage
  - 265 Antepartum, except early
  - 260 Antepartum, early
  - 172 Blood vessel, spontaneous
  - 220 Gastrointestinal
  - 154 Intracerebral, except subarachnoid, without paralysis
    - 155 with paralysis
  - 258 Postabortal
  - 388 Postoperative wound
  - 274 Postpartum, except delayed or secondary
    - 289 delayed or secondary
  - 260 Pregnancy, early
  - 289 Puerperal, after 24 hours
  - Subarachnoid
    - 152 without paralysis
    - 153 with paralysis
- 171 Hemorrhoids
- 214 Hepatitis, except chronic and viral
  - 213 Chronic
  - 9 Infectious
  - 9 Serum
  - 9 Viral
- Hernia, without complication
  - 205 Abdominal, except inguinal
  - 204 Diaphragmatic
  - 205 Femoral
  - 204 Hiatal
  - 203 Incisional
  - 200 Inguinal
  - 203 Postoperative
  - 202 Umbilical
  - 203 Ventral

DIAGNOSIS INDEX (continued)

Group No. Title

Hernia, with complication
- 206 Abdominal, except inguinal
- 206 Diaphragmatic
- 206 Femoral
- 206 Hiatal
- 206 Incisional
- 201 Inguinal
- 206 Postoperative
- 206 Umbilical
- 206 Ventral

105 Heroin dependence or addiction
8 Herpes simplex
- 18 Late effect

8 Herpes zoster
- 18 Late effect

79 Histiocytosis
12 HIV infection
46 Hodgkin's disease
12 Human immunodeficiency virus (disease) (illness)
237 Hydrocele
318 Hydrocephaly
79 Hyperbilirubinemia, except neonatal
- 328 Neonatal

79 Hypercalcemia
262 Hyperemesis gravidarum
75 Hyperinsulinism
79 Hyperlipoproteinemia
75 Hyperparathyroidism
235 Hyperplasia of prostate
81 Hyperpotassemia
137 Hypertension, except renal and of pregnancy
- 261 of pregnancy
- 287 of pregnancy, with delivery
- 139 Renal
- 139 Renovascular

128 Hypertensive retinopathy
70 Hyperthyroidism
177 Hypertrophy of tonsils and adenoids
79 Hypogammaglobulinemia
75 Hypoparathyroidism
81 Hypopotassemia
172 Hypotension
70 Hypothyroidism
81 Hypovolemia

211 Ileitis, regional
207 Ileus, paralytic or adynamic
340 Ill-defined conditions
79 Immunodeficiency disorder
160 Impending CVA
292 Impetigo
257 Incomplete abortion
337 Incontinence
125 Infantile cataract
122 Infantile glaucoma

Group No. Title

140 Infarction, acute myocardial
Infection
- 232 Bladder
- 312 Bone
- 246 Cervix
- 227 Kidney, except nephritis, nephrosis, and acute pyelonephritis
- 6 Meningococcal
- 389 Postoperative wound
- 288 Puerperal, major
- 292 Skin and subcutaneous tissue, except cellulitis and abscess
- 173 Upper respiratory, except streptococcal
- 234 Urinary tract
- 266 Urinary tract, in pregnancy
- 247 Uterine, except cervix
- 247 Vaginal
- 247 Vulvar
- 389 Wound, postoperative

10 Infectious mononucleosis
Infertility
- 252 Female
- 240 Male

Inflammation
- 113 Central nervous system
- 129 Eye, except lacrimal tract
- 127 Lacrimal tract

180 Influenza
180 Influenzal pneumonia
Inguinal hernia
- 200 without complication
- 201 with complication

Injury
- 328 Birth
- 373 Blood vessel
- 377 Crush, except abdomen and chest
  - 367 Abdomen
  - 366 Chest
- 365 Head, except concussion
- 367 Internal, except chest
  - 366 Chest
- 358 Knee ligament or meniscus
- 374 Late effect
- 363 Musculoskeletal, except back and sacroiliac region
  - 362 Back
  - 361 Sacroiliac region
- 382 Nerve
- 386 Radiation
  - 374 Late effect
- 382 Spinal cord
- 376 Superficial

Insufficiency, heart valve — *see Valvular disease*
186 Insufficiency, respiratory (acute)
250 Intermenstrual bleeding
160 Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago

Group No.	Title
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy

Group No.	Title
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery

Group No. Title

- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy

OPERATION INDEX (continued)

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

OPERATION INDEX (continued)

Group No. Title

- 753 Encephalography
- Endoscopy
  - 617 Biliary tract
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 647 Ileal conduit
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball
- 533 Epilation, eyelid
- 697 Episioperinorrhaphy
- 697 Episiorrhaphy
- 690 Episiotomy, except with forceps delivery
  - 687 with low forceps delivery
  - 689 with other forceps delivery
- 544 Epistaxis control, except by anterior packing
  - 557 Anterior packing
- 618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
  - 617 Biliary tract
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 Surgical approach
- 588 Esophagotomy
- 508 ESWL (extracorporeal shock wave lithotripsy)
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 Eyeball
  - 673 Pelvic
- Examination
  - 764 Eye
  - 764 General physical
  - 764 Gynecologic
  - 764 Pelvic
  - 761 Psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 Intrauterine

Group No. Title

- Excision — *see also Excision of lesion (and destruction of tissue)*
  - 610 Anal fistula
  - 727 Baker's cyst
  - 705 Bone, except facial
    - 699 Facial, except partial
      - 698 Partial
  - 556 Branchial cleft cyst
  - 704 Bunion
  - 517 Chalazion, eyelid
  - 599 Colon
  - 665 Fallopian tubes, bilateral, except endoscopic approach
    - 664 Endoscopic approach
  - 670 Fibroid, uterine
  - 616 Gallbladder
  - 508 Ganglion, except of tendon
    - 727 Tendon (of hand)
  - 612 Hemorrhoids
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 with adenoids
  - 556 Tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

OPERATION INDEX (continued)

Group No. Title

- Fistulectomy (continued)
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 601 Endoileal rectal pouch
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 with internal fixation
  - 713 Open, except with internal fixation
    - 712 with internal fixation
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 with internal fixation
    - 710 Open, except with internal fixation
      - 709 with internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy

Group No. Title

- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 763 Hyperalimentation
- 760 Hyperthermia, except localized
  - 763 Localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

OPERATION INDEX (continued)

Group No. Title

- Ligation (continued)
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lithotripsy
  - 638 Bladder
  - 646 Extracorporeal shock wave
  - 635 Kidney
  - 646 Ultrasonic
  - 635 Ureter
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 758 Magnetic resonance imaging
- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended
  - 742 Subtotal
  - 744 Radical
  - 743 Partial
- 538 Mastoidectomy, except revision
  - 539 Revision
- 745 Mastotomy
- Meatotomy
  - 635 Ureteral
  - 639 Urethral
- 690 Medical induction of labor
- 718 Meniscectomy, knee
- 686 Menstrual extraction or regulation
- 699 Mentoplasty
- 764 Monitoring, circulatory (CVP) (PCW)
- 754 Myelography
- 670 Myomectomy, uterus
- 537 Myringotomy

- 631 Nephrectomy (complete)
- 632 Nephropexy
- 758 NMR (nuclear magnetic resonance imaging)

- 682 Obliteration, vagina or vaginal vault
- 751 Onychectomy
- 751 Onychoplasty
- Oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 533 Ophthalmoscopy
- 652 Orchiectomy
- 653 Orchiopexy
- 654 Orchioplasty, except suspension
  - 653 Suspension
- 705 Ostectomy, except facial bone
  - 699 Facial bone, except partial
    - 698 Partial
- 706 Osteoplasty, except facial bone
  - 699 Facial bone
- 703 Osteotomy, except facial bone
  - 699 Facial bone
- 540 Otoscopy

- 551 Palatoplasty
- 618 Pancreatectomy
- 618 Pancreatotomy
- Paracentesis
  - 626 Abdominal
  - 524 Anterior chamber (eye)
  - 576 Thoracic
- 514 Parathyroidectomy
- 550 Parotidectomy
- 673 Pelvic exenteration
- 581 Percutaneous transluminal angioplasty, except coronary
  - 575 Coronary artery (PTCA)
- 575 Pericardiocentesis
- 629 Peritoneal dialysis
- 628 Peritoneoscopy
- 557 Pharyngoscopy
- 556 Pharyngotomy
- 757 Phlebography
- 540 Piercing, ear
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- Plication
  - 644 Urethral, urethrovesical
  - 581 Vena cava
- 753 Pneumoencephalography
- 566 Pneumonectomy
- 659 Preputiotomy

OPERATION INDEX (continued)

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No. **Title**

- Removal (continued)
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand
  - Hernia — *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration — *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver

Group No. **Title**

- Repair (continued)
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand

OPERATION INDEX (continued)

Group
No. Title
Resection (continued)
728   Hand
541   Nasal septum, submucous
530   Ocular muscle
660   Ovary
608   Rectum (abdominoperineal) (pull-through)
549   Root of tooth
598   Small intestine
730   Tendon, except of hand
728   Hand
548 Restoration, tooth
758 Retrograde pyelogram
Revision
739   Amputation stump
581   Arteriovenous shunt for dialysis
596   Gastric anastomosis
601   Intestinal anastomosis
539   Mastoidectomy
562   Tracheostomy
539   Tympanoplasty
505   Ventricular shunt
542 Rhinoplasty
751 Rhytidectomy, facial
549 Root canal therapy
549 Root resection (tooth)
690 Rupture of membranes for delivery

Salpingectomy
665   Bilateral
666   Unilateral
Salpingo-oophorectomy
662   Bilateral
661   Unilateral
730 Scalenectomy
726 Scalenotomy
Scan
758   C.A.T. (computerized axial tomography)
758   Radioisotope
528 Sclera buckling, for retinal detachment
706 Shortening, bone
Shunt — *see also Bypass*
504   Cerebral ventricles, except intracranial and revision
505   Intracranial
505   Revision
578   Peripheral vessels
630   Peritoneovenous
578   Systemic vessels
550 Sialoadenectomy
599 Sigmoidectomy
546 Sinusectomy, nasal
546 Sinusotomy, except radical maxillary
545   Radical maxillary
751 Size-reduction, skin tissue except breast
745   Breast

Group
No. Title
Sphincterotomy
617   Ampullary (of Vater) (pancreas)
613   Anus
638   Bladder neck
Spinal
720   Fusion
512   Tap or puncture
586 Splenectomy
721 Stabilization of joint, except foot and knee
725   Foot
724   Knee
535 Stapedectomy
535 Stapes mobilization
644 Stress incontinence repair, except by urethral suspension
643   Urethral suspension
Stress test
764   Cardiac
764   Fetal
764   Uterine
541 Submucous nasal resection
690 Surgical induction of labor for delivery
Suspension
643   Urethra, except with bladder neck
644   with bladder neck
644   Urethrovesical
Suture — *see also Repair, by site*
730   Muscle, except of hand
729   Hand
748   Skin
730   Tendon, except of hand
729   Hand
510 Sympathectomy
719 Synovectomy

554 T and A
Takedown — *see Closure*
730 Tenosynovectomy, except of hand
728   Hand
726 Tenotomy, except of hand
728   Hand
Termination of pregnancy
676   Aspiration curettage
674   Dilation and curettage
691   Hysterotomy
694   Intra-amniotic injection
Therapy
761   Behavior
763   Cancer (chemical)
761   Electroconvulsive (ECT)
760   Occupational
760   Physical
761   Psychiatric
759   Radiation

OPERATION INDEX (continued)

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin